



Практическая 2 Ефремов ЭФБО-10-23

Практика 2.1

Создать удаленный публичный репозиторий на хостинге, например Github**.



Создать доску задач проекта, например** Github Project**, для этого выберите вкладку** Projects на странице проекта. Также, например, можете просто использовать текущий список задач в блокноте или любом другом месте.



Установить статус проекта

Инструменты девопс 1/1 [l. x] View 1 · tasks New Tab

github.com/users/sowwds/projects/1/views/1?pane=info

sowwds / Projects / tasks

tasks

View 1 + New view

Filter by keyword or by field

Todo 0 ...

This item hasn't been started

+ Add item

tasks

Short description

A short description about this project.

README

Let everyone know what this project is about, how to use it and link to important resources.


Status updates Add update

sowwds updated now


Start date:	2025-12-16
Status:	On track

Инициализация

Создать задачи для проекта.



Создать раздел с документацией



Создать локальный репозиторий для работы над проектом используя git.

```

^ ~/Documents > mkdir devops
^ ~/Documents > cd devops
^ ~/Documents/devops > git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to "main" in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/aleksey/Documents/devops/.git/
^ ~/Documents/devops  ↳ master > git branch -m main
^ ~/Documents/devops  ↳ main > |

```


Связать локальный репозиторий с удаленным.

```

^ ~/Documents/devops  ↳ main > git remote add github https://github.com/sowwds/devops
^ ~/Documents/devops  ↳ main > git remote -v
github https://github.com/sowwds/devops (fetch)
github https://github.com/sowwds/devops (push)
^ ~/Documents/devops  ↳ main > |

```

Задайте структуру проекта – основные файлы.



Отправьте изменения на удаленный репозиторий:

The screenshot shows the GitHub repository page for 'sowwds/devops'. The repository is public and has 0 stars, 0 forks, and 0 watchers. The main branch is selected, showing a list of files that were updated 1 minute ago. The README file is expanded, showing the title 'Девопс Ефремов Алексей Игоревич ЭФБО-10-23' and the content: '1. Предметная область' and 'Система управления дефектами на строительных объектах для ООО «СистемаКонтроля»'. The README also lists functions: 'Регистрация, аутентификация пользователей.' and 'Разграничение прав доступа (инженер, менеджер, наблюдатель)'. The right sidebar shows the 'About' section, 'Releases' (no releases published), 'Packages' (no packages published), and 'Languages' (TypeScript 32.6%, CSS 4.4%, JavaScript 2.1%, HTML 0.9%).

Практика 2.2

создайте ветку **dev** в локальном репозитории. В дальнейшем планируется сначала добавлять изменения в ветку **dev****, уже далее в ветку **main****.

Можно воспользоваться как консолью, так и **IDE****.

```
^ ~/Documents/devops  | main > git branch dev
^ ~/Documents/devops  | main > git checkout dev
Switched to branch 'dev'
```


Отправьте ветку **dev** на удаленный репозиторий.

```
^ ~/Documents/devops  | dev > git push origin dev
Enter passphrase for key '/home/aleksey/.ssh/id_ed25519':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 296 bytes | 296.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'dev' on GitHub by visiting:
remote:   https://github.com/sowwds/devops/pull/new/dev
remote:
To github.com:sowwds/devops.git
 * [new branch]      dev -> dev
^ ~/Documents/devops  | dev > |
```

На вкладке **Github Actions** выберите **workflow**. Например, для проекта на **Python** это может быть **Pylint****, **** Python application****. **** Workflow** необходимо настроить для ветки **dev****. Обязательно указать, что в случае создания нового **** pull request** в ветку **dev** происходит запуск **pipeline****.

Можете воспользоваться tutorialом: [ссылка]

(<https://docs.github.com/en/actions/get-started/quickstart>).



Создать новую ветку от ветки **** dev****. **** Внести в новую ветку изменения и отправить ее на удаленный репозиторий.**

```

^ ~/Documents/devops  ♻️ dev > git branch new_branch
^ ~/Documents/devops  ♻️ dev > git checkout new_branch
Switched to branch 'new_branch'
^ ~/Documents/devops  ♻️ new_branch > git add .
^ ~/Documents/devops  ♻️ new_branch @ + > git commit -m "update"
[new_branch 6d1c649] update
1 file changed, 2 insertions(+), 1 deletion(-)
^ ~/Documents/devops  ♻️ new_branch > git push
fatal: The current branch new_branch has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin new_branch

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

^ ~/Documents/devops  ♻️ new_branch > git push origin new_branch
Enter passphrase for key '/home/aleksey/.ssh/id_ed25519':
Enter passphrase for key '/home/aleksey/.ssh/id_ed25519':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 299 bytes | 299.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'new_branch' on GitHub by visiting:
remote:   https://github.com/sowwds/devops/pull/new/new_branch
remote:
To github.com:sowwds/devops.git
 * [new branch]    new_branch -> new_branch
^ ~/Documents/devops  ♻️ new_branch >

```

Создайте для новой ветки pull request в ветку dev**. ** Pull request должен запустить pipeline.

The screenshot shows a GitHub Actions workflow run for the repository 'sowwds / devops'. The workflow is named 'NodeJS with Webpack' and is running on the 'Dev #1' branch. The run status is 'Failure' with a total duration of 28 seconds. The workflow was triggered via a pull request 13 minutes ago.

The workflow file 'webpack.yml' is shown, and the matrix build results are displayed. The matrix build shows 3 jobs completed, but the overall status is 'Failure'.

The annotations section shows 4 errors:

- build (20.x): Process completed with exit code 1.
- build (22.x): Process completed with exit code 1.
- build (18.x): The strategy configuration was canceled because "build_20.x" failed
- build (18.x): The operation was canceled.