

4. Spectral Response Patterns



The Earth's land surface reflects about three percent of all incoming solar radiation back to space. The rest is either reflected by the atmosphere or absorbed and re-radiated as infrared energy. The various objects that make up the surface absorb and reflect different amounts of energy at different wavelengths. The magnitude of energy that an object reflects or emits across a range of wavelengths is called its **spectral response pattern**.

The graph below illustrates the spectral response patterns of water, brownish gray soil, and grass between about 0.3 and 6.0 micrometers. The graph shows that grass, for instance, reflects relatively little energy in the visible band (although the spike in the middle of the visible band explains why grass looks green). Like most vegetation, the chlorophyll in grass absorbs visible energy (particularly in the blue and red wavelengths) for use during photosynthesis. About half of the incoming near-infrared radiation is reflected, however, which is characteristic of healthy, hydrated vegetation. Brownish gray soil reflects more energy at longer wavelengths than grass. Water absorbs most incoming radiation across the entire range of wavelengths. Knowing their typical spectral response characteristics, it is possible to identify forests, crops, soils, and geological formations in remotely sensed imagery, and to evaluate their condition.




Figure 8.5.1 The spectral response patterns of brownish-gray soil (mollisol), grass, and water. To explore the spectral response characteristics of thousands of natural and man-made materials, visit the [ASTER Spectral Library](#).

Credit: California Institute of Technology, 2002


The next graph demonstrates one of the advantages of being able to see beyond the visible spectrum. The two lines represent the spectral response patterns of conifer and deciduous trees. Notice that the reflectances within the visual band are nearly identical. At longer, near- and mid-infrared wavelengths, however, the two types are much easier to differentiate. Land use and land cover mapping were previously accomplished by visual inspection of photographic imagery. Multispectral data and digital image processing make it

The Nature of Geographic Information

Chapters

- ▶ [Chapter 1: Data and Information](#)
- ▶ [Chapter 2: Scales and Transformations](#)
- ▶ [Chapter 3: Census Data and Thematic Maps](#)
- ▶ [Chapter 4: TIGER, Topology and Geocoding](#)
- ▶ [Chapter 5: Land Surveying and GPS](#)
- ▶ [Chapter 6: National Spatial Data Infrastructure I](#)
- ▶ [Chapter 7: National Spatial Data Infrastructure II](#)
- ▼ [Chapter 8: Remotely Sensed Image Data](#)
 - 1. Overview
 - 2. Nature of Remotely Sensed Image Data
 - 3. Electromagnetic Spectrum
 - **4. Spectral Response Patterns**
 - 5. Raster Scanning
 - 6. Resolution
 - 7. Site Visit to USGS Earthshots
 - 8. Passive Sensing at Visible and

possible to partially automate land cover mapping, which, in turn, makes it cost effective to identify some land use and land cover categories automatically, all of which makes it possible to map larger land areas more frequently.



Spectral response patterns are sometimes called **spectral signatures**. This term is misleading, however, because the reflectance of an entity varies with its condition, the time of year, and even the time of day. Instead of thin lines, the spectral responses of water, soil, grass, and trees might better be depicted as wide swaths to account for these variations.

[◀ 3. Electromagnetic Spectrum](#)

[up](#)

[5. Raster Scanning ▶](#)

Infrared
Wavelengths

- 9. Aerial Imaging
- 10. Early Space Imaging Systems
- 11. Multispectral Imaging from Space
- 12. Site Visit to DigitalGlobe
- 13. Multispectral Image Processing
- 14. Image Correction
- 15. Image Enhancement
- 16. Case Study: Processing a Global Land Dataset
- 17. Image Classification
- 18. Case Study: Image Classification for the National Land Cover Dataset
- 19. Unsupervised Classification by Hand
- 20. Active Remote Sensing Systems
- 21. Imaging Radar
- 22. Lidar
- 23. Summary and Outlook
- 24. Bibliography

▶ [Chapter 9: Integrating Geographic Data](#)

Navigation

- [login](#)
- [Search](#)

This courseware module is offered as part of the Repository of Open and Affordable Materials at Penn State.

Except where otherwise noted, content on this site is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

The College of Earth and Mineral Sciences is committed to making its websites accessible to all users, and welcomes comments or suggestions on access improvements. Please send comments or suggestions on accessibility to the site editor. The site editor may also be contacted with questions or comments about this Open Educational Resource.



Navigation

- Home
- News
- About
- Contact Us
- People
- Resources
- Services
- Login

EMS

- College of Earth and Mineral Sciences
- Department of Energy and Mineral Engineering
- Department of Geography
- Department of Geosciences
- Department of Materials Science and Engineering
- Department of Meteorology and Atmospheric Science
- Earth and Environmental Systems Institute
- Earth and Mineral Sciences Energy Institute

Programs

- Online Geospatial Education Programs
- iMPS in Renewable Energy and Sustainability Policy Program Office
- BA in Energy and Sustainability Policy Program Office

Related Links

- Penn State Digital Learning Cooperative
- Penn State World Campus
- Web Learning @ Penn State

The John A. Dutton Institute for Teaching and Learning Excellence is the learning design unit of the College of Earth and Mineral Sciences at The Pennsylvania State University.



2217 Earth and Engineering Sciences Building, University Park, Pennsylvania, 16802
Contact Us

Privacy & Legal Statements | Copyright Information
The Pennsylvania State University © 2023