β≠

Due: Thursday January 23, 2020, 16:00

Homework 9: WordNet

Benjamin Roth, Marina Sedinkina Symbolische Programmiersprache

January 15, 2020

In this exercise you will:

- measure semantic similarity of words using WordNet
- find hyponyms of the given hypernyms in the text

This homework will be graded using unit tests by running: python3 -m unittest -v hw09_wordnet/test_wordnet.py

2 WordNet semantic similarity [8 points]

Use the predefined path-based similarity measures (accessible with the use of synset1.path_similarity(synset2)) to score the similarity of each of the following pairs of words: car-automobile, gem-jewel, journey-voyage, boy-lad, coast-shore, asylum-madhouse, magician-wizard, midday-noon, furnace- stove, food-fruit, bird-cock, bird-crane, tool-implement, brother-monk, lad- brother, crane-implement, journey-car, monk-oracle, cemetery-woodland, food- rooster, coast-hill, forest-graveyard, shore-woodland, monk-slave, coast-forest, lad-wizard, chord-smile, glass-magician, rooster-voyage, noon-string.

- In noun _ similarity.py implement the function get _ similarity _ scores(pairs) so that it ranks the pairs in order of decreasing similarity.
 Hint: the similarity of a pair should be represented by the similarity of the most similar pair of synsets they have. [4 points]
- In noun _ similarity.py implement the function leave _ odd _ man _ out(words) so that it returns the odd word from the given list of words.
 Hint: use the implemented function get _ similarity _ scores(pairs). [4 points]

3 Finding Hyponyms with WordNet [10 points]

In this exercise, you will write a program to find houns (hyponyms) that belong to certain categories (hypernyms) in wordnet. These categories are relative, science and illness.

Download the file ada_lovelace.txt into the data/ folder of your project. Take a look at the file $hw09_wordnet/find_hyponyms.py$. Complete some methods to find hyponyms:

1. In the class constructor determine all noun lemmas from ada $_$

lovelace.txt

following the steps:

- Read text as a string
- Split text into sentences: use nltk.sent tokenize
- Split sentences into tokens: use nltk.word_tokenize
- Perform POS tagging of tokens
- Lemmatize nouns (any token whose POS tags start with "N"): use WordNetLemmatizer()
- Determine all noun lemmas [6 points]
- 2. Implement the class method hypernymOf(self,synset1, synset2) by returning True if synset2 is a hypernym of synset1, or if they are the same synsets. Return False otherwise. **Hint**: use synset1.hypernyms(); do not forget to check whether the hypernym of synset1 is hypernym of synset2 (use recursion). [1 point]
- 3. Implement the class method get _ hyponyms(self,hypernym) . This method should return set of noun lemmas in ada_lovelace.txt that are hyponyms (subordinates) to the hypernym. [3 points]

The output would then look as follows:

verbatim Synset: relative.n.01 Lemmas: father, wife, baby, boy, parent, grandchild, son, relation, relative, Family, mother, child, girl, half-sister, daughter, husband

Synset: illness.n.01 Lemmas: measles, cancer, illness, madness, disease verbatim