

Mangen

Generated by Doxygen 1.9.1

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

file_list_t	??
flags_t	??

Chapter 2

File Index

2.1 File List

Here is a list of all files with brief descriptions:

kaspersky.c		??
memory.c		??
memory.h		??
opendir.c		??
opendir.h		??
parse.c		??
parse.h		??

Chapter 3

Class Documentation

3.1 file_list_t Struct Reference

.

```
#include <opendir.h>
```

Public Attributes

- char ** [filenames](#)
- int [size](#)

3.1.1 Detailed Description

.

Parameters

<i>filenames</i>	,
<i>size</i>	

3.1.2 Member Data Documentation

3.1.2.1 filenames

```
char** file_list_t::filenames
```

3.1.2.2 size

```
int file_list_t::size
```

The documentation for this struct was generated from the following file:

- [opendir.h](#)

3.2 flags_t Struct Reference

```
#include <parse.h>
```

Public Attributes

- int [bad](#)
- char [bad_cmd](#) [MAX_LEN_CMD]
- int [h](#)
- int [v](#)
- int [e](#)
- char [except](#) [MAX_LEN_CMD]

3.2.1 Detailed Description

Parameters

<i>bad</i>	
<i>bad_cmd</i>	
<i>h</i>	
<i>v</i>	, .
<i>e</i>	/
<i>except</i>	.

3.2.2 Member Data Documentation

3.2.2.1 bad

```
int flags_t::bad
```

3.2.2.2 bad_cmd

```
char flags_t::bad_cmd[MAX_LEN_CMD]
```

3.2.2.3 e

```
int flags_t::e
```

3.2.2.4 except

```
char flags_t::except[MAX_LEN_CMD]
```

3.2.2.5 h

```
int flags_t::h
```

3.2.2.6 v

```
int flags_t::v
```

The documentation for this struct was generated from the following file:

- [parse.h](#)

Chapter 4

File Documentation

4.1 kaspersky.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include "parse.h"
#include "memory.h"
#include "opendir.h"
Include dependency graph for kaspersky.c:
```

4.2 memory.c File Reference

```
#include <stdlib.h>
#include "memory.h"
Include dependency graph for memory.c:
```

Functions

- void [free_array](#) (char *array)
- void [free_2D](#) (char **array)

4.2.1 Function Documentation

4.2.1.1 free_2D()

```
void free_2D (
    char ** array )
```

Parameters

<i>array</i>	
--------------	--

4.2.1.2 free_array()

```
void free_array (
    char * array )
```

Parameters

<i>array</i>	
--------------	--

4.3 memory.h File Reference

This graph shows which files directly or indirectly include this file:

Macros

- #define [mem_free](#)(arr)
Generic

Functions

- void [free_array](#) (char *array)
- void [free_2D](#) (char **array)

4.3.1 Macro Definition Documentation**4.3.1.1 mem_free**

```
#define mem_free(
    arr )
```

Value:

```
_Generic((arr), \
char *: free\_array, \
char **: free\_2D)(arr)
```

Generic

Parameters

<i>arr</i>	
------------	--

4.3.2 Function Documentation

4.3.2.1 free_2D()

```
void free_2D (  
    char ** array )
```

Parameters

<i>array</i>	
--------------	--

4.3.2.2 free_array()

```
void free_array (  
    char * array )
```

Parameters

<i>array</i>	
--------------	--

4.4 opendir.c File Reference

```
#include <stdio.h>  
#include <dirent.h>  
#include <sys/stat.h>  
#include <string.h>  
#include <stdlib.h>  
#include "opendir.h"  
Include dependency graph for opendir.c:
```

Functions

- void [recursive_find](#) (char *dirname, [file_list_t](#) *list)

4.4.1 Function Documentation

4.4.1.1 recursive_find()

```
void recursive_find (
    char * dirname,
    file_list_t * list )
```

.

Parameters

<i>dirname</i>	.
<i>list</i>	, .

4.5 opendir.h File Reference

This graph shows which files directly or indirectly include this file:

Classes

- struct [file_list_t](#)

.

Macros

- #define [MAX_LEN_PATH](#) 1024

Functions

- void [recursive_find](#) (char *dirname, [file_list_t](#) *list)

.

4.5.1 Macro Definition Documentation

4.5.1.1 MAX_LEN_PATH

```
#define MAX_LEN_PATH 1024
```

4.5.2 Function Documentation

4.5.2.1 recursive_find()

```
void recursive_find (
    char * dirname,
    file_list_t * list )
```

.

Parameters

<i>dirname</i>	.
<i>list</i>	, .

4.6 parse.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include "parse.h"
Include dependency graph for parse.c:
```

Functions

- char * [parse_args](#) (int argc, char *argv[], [flags_t](#) *flags)
- void [parse_flags](#) (const char *flag, [flags_t](#) *flags)
flag.
- void [put_info](#) ([flags_t](#) *flags)

4.6.1 Function Documentation

4.6.1.1 parse_args()

```
char* parse_args (
    int argc,
    char * argv[],
    flags\_t * flags )
```

Parameters

<i>argc</i>	
<i>argv</i>	
<i>flags</i>	

4.6.1.2 parse_flags()

```
void parse_flags (
    const char * flag,
    flags_t * flags )
```

flag.

Parameters

<i>flag</i>	,
<i>flags</i>	

4.6.1.3 put_info()

```
void put_info (
    flags_t * flags )
```

Parameters

<i>flags</i>	
--------------	--

4.7 parse.h File Reference

This graph shows which files directly or indirectly include this file:

Classes

- struct [flags_t](#)

Macros

- #define [MAX_LEN_CMD](#) 100

Functions

- char * [parse_args](#) (int argc, char *argv[], [flags_t](#) *flags)
- void [parse_flags](#) (const char *flag, [flags_t](#) *flags)
flag.
- void [put_info](#) ([flags_t](#) *flags)

4.7.1 Macro Definition Documentation

4.7.1.1 MAX_LEN_CMD

```
#define MAX_LEN_CMD 100
```

4.7.2 Function Documentation

4.7.2.1 parse_args()

```
char* parse_args (  
    int argc,  
    char * argv[],  
    flags\_t * flags )
```

Parameters

<i>argc</i>	
<i>argv</i>	
<i>flags</i>	

4.7.2.2 parse_flags()

```
void parse_flags (  
    const char * flag,  
    flags\_t * flags )
```

flag.

Parameters

<i>flag</i>	,
<i>flags</i>	

4.7.2.3 put_info()

```
void put_info (
    flags_t * flags )
```

Parameters

<i>flags</i>	
--------------	--