Index

Any inaccuracies in this index may be explained by the fact that it has been prepared with the help of a computer.

-Donald E. Knuth, *Fundamental Algorithms* (Volume 1 of *The Art of Computer Programming*)

```
ad hoc polymorphism, 160
                                               contextual computation, 339
arity, 444
                                               contravariant, 165
arrows, 2
                                               currying, 141
                                               denotational semantics, 18
basic product operations, 447
bicartesian closed, 147
                                               embedding, 70
biclosed, 424
                                               endofunctors, 268
bifunctor, 113
                                               enriched, 220
bijection, 245
                                               enriched functor, 430
bijections, 70
                                               equality, 262
bottom, 16
                                               equational reasoning, 94
                                               equivalence, 264
Cartesian closed, 146
                                               equivalence relation, 396
Cartesian product, 114
                                               evaluation, 136
chains, 28
                                               exponential, 144
coequalizer, 395
                                               extensional, 32
component, 156
composable, 28
                                               factorizer, 64
```

fixed point, 358	one way, 264		
forgetful functor, 216, 281	one-to-one, 70		
free category, 28	onto, 70		
free functor, 281	operational semantics, 17		
free monoid, 213	opposite category, 55		
function application, 136			
function composition, 42	parametric polymorphism, 126, 160		
	partial order, 29		
hom-set, 29	point-free, 32		
homomorphism, 359	points, 32		
homomorphisms, 215	poset, 53		
horizontal composition, 174	predicate, 441		
	predicates, 24		
identity, 6	premonoidal, 114		
initial algebra, 360	preorder, 29		
injective, 70, 245	profunctor, 130		
instance, 99	proof-relevant relation, 385		
internal, 135	pure functions, 20		
isomorphism, 262, 286			
	record, 77		
Lawvere theory, 446	representable, 225, 268		
left adjoint, 265	representable presheaf, 197		
lifted, 255	representation, 225		
linear order, 29	rig, 85		
	right adjoint, 277		
modus ponens, 151, 152	ring, 85		
monad, 292			
monoidal category, 75	semiring, 85		
morphisms, 2	side effects, 38		
	single-sorted, 449		
natural, 259	skeleton, 446		
Natural isomorphism, 158	surjective, 70, 245		
naturality condition, 157	symmetric, 423		
naturally isomorphic, 264			
	template template parameter, 101		
object, 250	tensor product, 328		
objects, 2	theorems for free, 126		

topos, 435 up to isomorphism, 53
total, 69
total order, 29 variant, 66
type inference, 13
underlying, 215 wedge condition, 389
underlying set, 281 writer monad, 49
universal cone, 192
universal construction, 51 Yoneda embedding, 246

Acknowledgments

I'd like to thank Edward Kmett and Gershom Bazerman for checking my math and logic. I'm grateful to many volunteers who corrected my mistakes and improved the book.

I'd like to thank Andrew Sutton for rewriting my C++ monoid concept code according to his and Bjarne Stroustrup's latest proposal.

I'm grateful to Eric Niebler for reading the draft and providing the clever implementation of **compose** that uses advanced features of C++14 to drive type inference. I was able to cut the whole section of old fashioned template magic that did the same thing using type traits. Good riddance!

Colophon

THIS BOOK was compiled by Igal Tabachnik², by converting the original text by Bartosz Milewski into LATEX format, by first scraping the original WordPress blog posts using Mercury Web Parser³ to get a clean HTML content, modifying and tweaking with Beautiful Soup⁴, finally, converting to LATEX with Pandoc⁵.

The typefaces are Linux Libertine for body text and Linux Biolinum for headings, both by Philipp H. Poll. Typewriter face is Inconsolata created by Raph Levien and supplemented by Dimosthenis Kaponis and Takashi Tanigawa in the form of Inconsolata LGC. The cover page typeface is Alegreya, designed by Juan Pablo del Peral.

Original book layout design and typography are done by Andres Raba. Syntax highlighting is using "GitHub" style for Pygments by Hugo Maia Vieira⁶.

²https://hmemcpy.com

 $^{^3}$ https://mercury.postlight.com/web-parser/

⁴https://www.crummy.com/software/BeautifulSoup/

⁵https://pandoc.org/

⁶https://github.com/hugomaiavieira/pygments-style-github

Copyleft notice

THIS BOOK is **Libre** and follows the philosophy of Free Software⁷: you can use this book as you like, the source is available, you can redistribute this book and you can distribute your own version. That means you can print it, photocopy it, e-mail it, upload it to websites, change it, translate it, remix it, delete bits, and draw all over it.

This book is Copyleft: if you change the book and distribute your own version, you must also pass these freedoms to its recipients. This book uses the Creative Commons Attribution-ShareAlike 4.0 International License (CC BY-SA 4.0).

⁷https://www.gnu.org/philosophy/free-sw.en.html