

mySquare

Dokumentacija izrađena za potrebe predmeta **Web programiranje PHP 1**

Student : Saša Pajović

Broj indeksa: 37/18

Modul: Web programiranje PHP 1

Školska godina 2019/20

Contents

mySquare	I
Uvod	4
Korišćeni programski jezici :	4
Opis funkcionalnosti :	4
Admin Panel :	4
Nekretnine (Properties) :	4
Paginacija	5
Registracija	5
Logovanje	5
Sadržaj	5
Ispis navigacije	6
Anketa	6
Komentari	6
Template	6
Organizacija sajta	12
Organizaciona šema	13
Organizacija baze	13
Mapa sajta	14
Funkcionalnosti sajta :	16
Kodovi	24
Glavne strane	24
Index.php	24
Building.php	27
Login.php	31
Question.php	32
Register.php	34
Baza.php	36
Views	44
Head.php	44
Headbaza.php	45
Headlogin.php	45
Headquestion.php	46

Headregister.php	47
Headzgrada.php	47
Nav.php	48
Navlog.php	49
Footer.php	49
Logic	50
Funkcionalnosti za admina :	50
Logovanje i registracija	58
Komentari	62
Anketa	63
Dohvatanje i filtriranje sadrzaja	64
Konekcija	67
DžalaScript	67
CSS	82

Uvod

Korišćeni programski jezici:

- HTML 5
- CSS3
- JavaScript
- JSON
- AJAX
- XML
- PHP
- SQL

Opis funkcionalnosti:

Sam koncept web sajta bazira se na online prikazu nekretnina, koje korisnik može da razgleda, samim tim I da sazna više o ponuđenim. Mogućnost logovanja na sajtu otvara nove mogućnosti korisnicima, u ovom slučaju to je komentarisanje nekretnina, kao I davanje odgovora na anketu. Ukoliko su korisnik uloguje kao admin, otvara mu se admin panel, na kojem ima uvid u sve postojece nekretnine, korisnike, komentare, kao I rezultate odrađene anekete:

Admin Panel:

- Ukoliko se korisnik uloguje kao admin, otvara mu se nova stranica u browseru na kojoj su prikazane sve nekretnine iz baze, komentari, I korisnici čiji uloga nije admin (admin nema pravo brisanja drugog admin naloga na sajtu). Pored toga adminu se daje mogucnost brisanja, update-a I kreiranja novih zgrada. Kada su u pitanju komentari, admin ima pravo uklanjanja komentara svih korisnika. Napomenuto je da su izlistani svi korisnici upisani u bazu, admin ima pravo uklanjanja samo onih korisnika čija uloga nije admin. Osim toga, admin takođe može da vidi I rezultate anekete koja je dostupna regularnim korisnicima.

Nekretnine (Properties):

 Na glavnoj stranici postoji filtriranje po kategoriji nekretnina. Kada se klikne na određenu kategoriju zgrade se ispisuju AJAX zahtevom. Bitno je napomenuti da je većinski deo stranica ispisan AJAX-om. Osim toga klikom na naziv zgrade dinamički se prosleđuje njen id ,kojim se na stranici <u>buillding.php</u> dinamički ispisuju detaljnije informacije o baš toj nekretnini

Paginacija

- Na glavnoj stranci paginacija se koristi za prikaz svih zgrada koje trenutno postoje u bazi. Prikaz nekretnina limitiran je na broj od 6 po stranici.

Registracija

- Na stranici <u>register.php</u> korisniku se prikazuje forma za registraciju, gde je ispod svakog inputa jasno naglašeno pravilo za popunjavanje istog. Ukoliko su inkredencijali zadovoljili date uslove, u alertu će izaći obaveštenje o uspešnosti registrovanja, te će uputiti korisnika na Log In stranicu. Ukoliko određeni parametri nisu zadovoljili pravila, input će promeniti svoju boju u crveno, samim tim dati korisniku do znanja gde je nastala greška, uz to, alert će takođe obavestiti korisnika gde je došlo do greške.

Logovanje

- Na stranici <u>login.php</u> korisniku se prikazuje forma za logovanje, ukoliko su kredencijali zadovoljavajući, pravi se sesija I korisink se redirektuje; Ukoliko se korisnik ulogovao kao <u>user</u> I to po prvi put, biće redirektovan na stranicu sa anektom (o tome više kasnije), ukoliko je korisnik već odgovorio na anketu, biće redirektovan na glavnu stranicu. Međutim ukoliko se korisnik ulogovao kao <u>admin</u> biće redirektovan na stranicu admin panela, gde je već napomenuto koje mogućnosti mu se pružaju. Bitno je napomenuti da <u>admin</u> kao korisnik ima pristup svim stranicama. Ukoliko kredencijali logovanja nisu ispravni, korisnik će biti obavešten alertom.

Sadržaj

- Već je napomenuto da se većina sadržaja stranica ispisivala putem Ajaxa.

Ispis navigacije

- Navigacija website-a ispisana je dinamički, dovlačenjem podataka iz baze. Sadržaj same navigacije se razlikuje u odnosu na to da li je sesija o korisniku zastupljena ili ne.

Anketa

- Ukoliko se korisnik loguje po prvi put, biće redirektovan na <u>question.php</u> gde se nalazi anketa na koju on daje odgovor. Anketa je urađena u fomratu jednog pitanja sa 5 ponuđenih odgovora koji se nalaze unutar dropdown liste. Po odgovaranju pitanja, korisniku se prikazuje obaveštenje o uspešnosti, I potom se redirektuje na glavnu stranicu. Ukoliko je korisnik već jednom dao odgovor, neće imati pristup datoj stranici. Bitno napomenuti da se dati odgovori upisuju u bazu, samim tim admin ima na uvid rezultate ankete. Isto tako zaštićena je privatnost te admin ne zna ko je dao koji odgovor. Admin samo može da vidi koliko je ljudi glasalo I koji je prosek odgovora.

Komentari

- Na stranici <u>building.php</u>, autorizovanim korisnicima se pruža mogućnost ostavljanja komentara ispod datog objekta. Ukoliko korisnik nije ulogovan na tom mestu će stajati dugme koje upućuje na logovanje. Komentari se upisuju u bazu, a prilikom njihovog ispisivanja, takođe će se prikazati I username korisnika koji tu ostavio komentar. Profesorka molim vas uzmite ovo, da zadovoljava makar malo funkcionalnost forme.

Template

Korišćeni template je preuzet sa stranice <u>StartBootstrap.com</u>, kod stranice je gotovo u potpunosti izmenjen. Ispod prilažem preuzet html fajl :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Shop Homepage - Start Bootstrap Template</title>
  <!-- Bootstrap core CSS -->
  <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <!-- Custom styles for this template -->
  <link href="css/shop-homepage.css" rel="stylesheet">
</head>
<body>
 <!-- Navigation -->
 <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top">
   <div class="container">
     <a class="navbar-brand" href="#">Start Bootstrap</a>
     <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#navbarResponsive" aria-controls="navbarResponsive" aria-
expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarResponsive">
       <a class="nav-link" href="#">Home
             <span class="sr-only">(current)</span>
           </a>
         class="nav-item">
           <a class="nav-link" href="#">About</a>
```

```
<a class="nav-link" href="#">Services</a>
       <a class="nav-link" href="#">Contact</a>
      </div>
   </div>
 </nav>
 <!-- Page Content -->
 <div class="container">
   <div class="row">
    <div class="col-lg-3">
      <h1 class="my-4">Shop Name</h1>
      <div class="list-group">
       <a href="#" class="list-group-item">Category 1</a>
       <a href="#" class="list-group-item">Category 2</a>
       <a href="#" class="list-group-item">Category 3</a>
      </div>
    </div>
    <!-- /.col-lg-3 -->
    <div class="col-lg-9">
      <div id="carouselExampleIndicators" class="carousel slide my-4" data-</pre>
ride="carousel">
       to="0" class="active">
         <div class="carousel-inner" role="listbox">
         <div class="carousel-item active">
          <img class="d-block img-</pre>
fluid" src="http://placehold.it/900x350" alt="First slide">
         </div>
         <div class="carousel-item">
```

```
<img class="d-block img-</pre>
fluid" src="http://placehold.it/900x350" alt="Second slide">
            </div>
            <div class="carousel-item">
              <img class="d-block img-</pre>
fluid" src="http://placehold.it/900x350" alt="Third slide">
            </div>
         </div>
          <a class="carousel-control-</pre>
prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
            <span class="carousel-control-prev-icon" aria-hidden="true"></span>
            <span class="sr-only">Previous</span>
          </a>
          <a class="carousel-control-
next" href="#carouselExampleIndicators" role="button" data-slide="next">
            <span class="carousel-control-next-icon" aria-hidden="true"></span>
            <span class="sr-only">Next</span>
         </a>
        </div>
        <div class="row">
         <div class="col-lg-4 col-md-6 mb-4">
            <div class="card h-100">
              <a href="#"><img class="card-img-</pre>
top" src="http://placehold.it/700x400" alt=""></a>
             <div class="card-body">
               <h4 class="card-title">
                 <a href="#">Item One</a>
               </h4>
               <h5>$24.99</h5>
                text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Amet numquam aspe
rnatur!
             </div>
             <div class="card-footer">
               <small class="text-</pre>
muted">★ ★ ★ ☆</small>
             </div>
           </div>
         </div>
         <div class="col-lg-4 col-md-6 mb-4">
           <div class="card h-100">
```

```
<a href="#"><img class="card-img-</pre>
top" src="http://placehold.it/700x400" alt=""></a>
             <div class="card-body">
               <h4 class="card-title">
                 <a href="#">Item Two</a>
               </h4>
               <h5>$24.99</h5>
               text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Amet numquam aspe
rnatur! Lorem ipsum dolor sit amet.
             </div>
             <div class="card-footer">
              <small class="text-</pre>
muted">★ ★ ★ ☆</small>
             </div>
           </div>
         </div>
         <div class="col-lg-4 col-md-6 mb-4">
           <div class="card h-100">
             <a href="#"><img class="card-img-</pre>
top" src="http://placehold.it/700x400" alt=""></a>
             <div class="card-body">
               <h4 class="card-title">
                 <a href="#">Item Three</a>
               </h4>
               <h5>$24.99</h5>
               text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Amet numquam aspe
rnatur!
             </div>
             <div class="card-footer">
               <small class="text-</pre>
muted">★ ★ ★ ☆</small>
             </div>
           </div>
         </div>
         <div class="col-lg-4 col-md-6 mb-4">
           <div class="card h-100">
             <a href="#"><img class="card-img-</pre>
top" src="http://placehold.it/700x400" alt=""></a>
             <div class="card-body">
               <h4 class="card-title">
                <a href="#">Item Four</a>
```


```
</h4>
              <h5>$24.99</h5>
              text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Amet numquam aspe
rnatur!
            </div>
            <div class="card-footer">
              <small class="text-</pre>
muted">★ ★ ★ ☆</small>
            </div>
           </div>
         </div>
         <div class="col-lg-4 col-md-6 mb-4">
           <div class="card h-100">
            <a href="#"><img class="card-img-</pre>
top" src="http://placehold.it/700x400" alt=""></a>
            <div class="card-body">
              <h4 class="card-title">
                <a href="#">Item Five</a>
              </h4>
              <h5>$24.99</h5>
              text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Amet numquam aspe
rnatur! Lorem ipsum dolor sit amet.
            </div>
            <div class="card-footer">
              <small class="text-</pre>
muted">★ ★ ★ ☆</small>
           </div>
         </div>
         <div class="col-lg-4 col-md-6 mb-4">
           <div class="card h-100">
            <a href="#"><img class="card-img-</pre>
top" src="http://placehold.it/700x400" alt=""></a>
            <div class="card-body">
              <h4 class="card-title">
                <a href="#">Item Six</a>
              </h4>
              <h5>$24.99</h5>
              text">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Amet numquam aspe
rnatur!
```

```
</div>
            <div class="card-footer">
              <small class="text-</pre>
muted">★ ★ ★ ☆</small>
          </div>
        </div>
      </div>
     </div>
     <!-- /.col-lg-9 -->
   </div>
   <!-- /.row -->
 </div>
 <!-- Footer -->
 <footer class="py-5 bg-dark">
   <div class="container">
     white">Copyright © Your Website 2019
   </div>
 </footer>
 <!-- Bootstrap core JavaScript -->
 <script src="vendor/jquery/jquery.min.js"></script>
 <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Organizaciona šema

- Websajt je urađen tako da se može pristupiti svim stranicama sajta koje su navedene u navigaciji. Bitno napomenuti da se stranicama za logovanje I registraciju ne može pristupiti ukoliko je sesija aktivna (meni se dinamički menja). Takođe postoje stranice kojima se samo može pristupiti putem URL adrese, npr. Admin panel, kao I stranica za anketu (naravno treba uzeti u obzir ulogu korisnika). Stranici sa detaljinijim informacijama o zgradi može se pristupiti samo putem klika na linkove koji se nalaze na glavnoj stranici.

Organizacija baze




Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
     <loc>url-adresa</loc>
     <lastmod>2020-03-26</lastmod>
     <changefreq>weekly</changefreq>
     <priority>0.8</priority>
  </url>
     <url>
     <loc>url-adresa</loc>
     <lastmod>2020-03-26</lastmod>
     <changefreq>monthly</changefreq>
     <priority>0.3</priority>
  </url>
     <url>
     <loc>url-adresa</loc>
     <lastmod>2020-03-26</lastmod>
     <changefreq>weekly</changefreq>
     <priority>0.4</priority>
  </url>
     <url>
```


```
<loc>url-adresa</loc>
     <lastmod>2020-03-26</lastmod>
     <changefreq>monthly/changefreq>
     <priority>0.2</priority>
  </url>
     <url>
     <loc>url-adresa</loc>
     <lastmod>2020-03-26</lastmod>
     <changefreq>monthly</changefreq>
     <priority>0.2</priority>
  </url>
     <url>
     <loc>url-adresa</loc>
     <lastmod>2020-03-26</lastmod>
     <changefreq>weekly</changefreq>
     <priority>0.7</priority>
  </url>
</urlset>
```

Lokacija promenjena hostovanjem sajta!


Funkcionalnosti sajta:



Na glavnoj stranici, nalazi se dinamički ispisan meni, koji menja svoj sadržaj u odnosu na to da li je sesija aktivna ili ne. Nekretnine na početnoj stranici ispisane su dinamički dovlačenjem iz baze. **Svi kodovi biće lepo organizovani u sekciji Kodovi.** Sa leve strane nalazi se lista sa nazivima kategorija. Klikom na jedan od naziva kategorije, dinamički se ajaxom ispisuju one nekretnine koje zadovoljavaju dati filter.




Ispod svih zgrada nalazi se div paginacije, koji je dinamički ispisan u odnosu na broj nekretninta koje se nalaze u bazi, limit proizvoda koji se dohvata jednim upitom je šest. Klikom na jedan od brojeva dinamički se dohvata sadržaj baze. U futeru se nalaze linkovi dokumentacije, društvenih mreža kao I napomena autorskih prava. * Klikom na na jedan od linkova koji se nalaze u divu nekretnina, u koji ulaze (slika nekretnine, naziv, kao I tekst "More info ->") odlazi se na stranicu <u>building.php</u> koja u odnosu na prosleđeni id ispisuje informacije o datoj nekretnini:



Informacije o nekretnini su dinamički ispisane iz baze. Tekst READY TO BE USED će imati zelenu ili crvenu boju u odnosu na to da li je objekat u procesu gradnje ili ne. Od dodatnih informacija korisniku se prilaže detaljniji opis, graditelj, kao i Lokacija same zgrade.

Ukoliko prosleđeni id zgrade nije pronađen:







U sekciji ispod opisa zgrade nalazi se div sa komentarima koji daje mogućnost autorizovanim korisnicima da ostavljaju svoje komentare vezane za datu nekretninu. Ukoliko korisnik nije ulogovan u podnožiju diva će se nalaziti dugme logln koje dovodi na stranicu za logovanje. Ukoliko postoje komentari za dati objekat, oni će biti izlistani jedan ispod drugog, iznad svakog komentara nalazi se username korisnika koji je ostavio komentar. U slučaju da nema komentara, ispisaće se obaveštenje da nema komentara.




U slučaju da je korisnik ulogovan , umesto dugmeta LogIn , postojaće dugme Leave a comment, čijim klikom se otvara modal forme, gde korisnik unosi svoj komentar.



Ispod inputa za sam komentar, nalazi se kriterijum koji taj tekst mora da zadovoljava. Ukoliko kriterijum nije ispunjen korisnik će biti obavešten. U slučaju da je komentar uspešan, korisnik takođe dobija obaveštenje.




Na stranici Register korisniku se prikazuje forma za registraciju. Takođe, opisi kriterijuma za upis informacija o korinsiku nalaze se ispod input tagova. Klikom na dugme register vrsi se provera svih vrednosti, ukoliko neka vrednost ne ispunjava uslov, korisnik će bit obavešten o tome. Ako je registracija prošla dobro, korisnik se upsuje u bazu podataka, I korisnik biva obavešten o tome I redirektovan na stranicu za logovanje.



Na stranici za logovanje korisnik unosi svoje kredencijale potrebene za logovanje, a to su <u>username</u> is <u>password</u>. Ukoliko je došlo do greške prilikom logovanja, korisnik biva obavešten o tome, a ako je logovanje uspelo korsinik se redirektuje na tri moguće lokacije, u zavisnosti od svoje uloge, navigacija menja svoj sadržaj, te umesto registracije I logovanja na raspolaganju stoji dugme za logout:


- Ukoliko se korisnik loguje po prvi put u ulozi <u>user</u>, on biva redirektovan na stranicu sa anketom:




Na ovoj stranici korisnik daje svoj odgovor, korisnici imaju pravo samo jednom da glasaju, i ne mogu se više vraćati na datu stranicu, čak ni putem URL adrese. Klikom na dugme Vote korisniku se prikazuje uspešno glasanje, a potom biva redirektovan na glavnu stranicu sa objektima.

- Ukoliko se korisnik sa ulogom <u>user</u> ne loguje po prvi put, zbog mogućnosti glasanja samo jednom, on biva odmah redirektovan na glavnu stranicu.
- Ukoliko se korisnik uloguje sa ulogom <u>admin</u> on biva redirektovan na stranicu admin panela, gde mu na raspolaganju stoje svi objekti, komentari, useri, i rezultati ankete. O admin panelu više u nastavku.

Admin panel:




Prva od stavki admin panela jesu informacije o svim zgradama koje se nalaze u bazi podataka. Adminu se daje mogućnost da Ažurira postojeće zgrade, briše, kao i da kreira nove. Klikom na dugme <u>Create new building</u> otvara se forma za insertovanje nove zgrade.



Takođe ispod svakog inputa stoje uslovi upisa. Vrši se provera I na klijentu, I na serveru, ukoliko je došlo do greške, korisnik se obaveštava o tome. A ako je upit prošao, korisnik se obaveštava I stranica biva refrešovana. Insert u tabelu je izvršen, te se u tabeli za nekretnine, dodaje novi objekat.

Ukoliko admin klikne na dugme Update pojavljuje se već poopunjena forma o objektu. Klikom na dugme update, takođe se vrši provera I na klijentu I na serveru, I samim tim ukoliko je uspešno, vrši se update tog reda.



Klikom na dugme delete, briše se dati objekat iz baze podataka i admin biva obavešten o tome putem alert-a.

mySquare Home						Home Log Out A	author			
Reviews										
ID	Name	Surname	Email		Username	Role	Content		Remove	
27	Saša	Pajović	spajovicjv	@gmail.com	spajovic99	user	User commenting here.		Delete	
12	Saša	Pajović	spajovic0	07@gmail.com	spadmin	admin	Hello, im admin, and here is	my comment	Delete	
Users										
ID	Name	s	Surname	Email			Username	Role	Delete	
6	Saša	P	Pajović	spajovicjw@gn	nail.com		spajovic99	user	Delete	
21	John	V	Wall	johnwall@gma	il.com		jovazidar	user	Delete	
Vote results :										
				Number of votes		Average gr	rade			
				2		3.50				

Sledeća sekcija admin panela sadrži uvid u sve korisnike koji su registrovani na sajtu (samo one korisnike koji nemaju ulogu admina), sve komentare, kao i rezultate prethodno navedene anekete. Klikom na dugme delete brišu se redovi iz baze. Rezultati ankete predstavljeni su u vidu ukupnog broja glasova, kao i prosečne ocene koju su korisnici ostavljali. Kada govorimo o komentarima i korisnicima, adminu su prikazane sve informacije o korisniku, kao i o komentarima.

Kodovi

Glavne strane

Index.php

```
<?php
    session_start();
    include "views/head.php";
    if(isset($ SESSION['user'])){
      include "views/navlog.php";
   else{
      include "views/nav.php";
    require "logic/konekcija.php";
    if($konekcija){
      try{
          $stranica = isset($_GET['page'])? $_GET['page'] : 1;
          $limit = 6;
          $start = ($stranica - 1)*$limit;
          $zgrade = $konekcija-
>query("SELECT b.buildingId as id,b.name as ime,b.price as cena ,b.shortInfo as s
info,b.categoryid as kat ,p.src as src,p.alt as alt FROM buildings b INNER JOIN p
icture p ON b.buildingid = p.buildingid LIMIT $start,$limit")->fetchAll();
          $zgrade1 = $konekcija-
>query("SELECT count(buildingId) as broj FROM buildings");
          $ukupanBroj = $zgrade1->fetchAll();
          $total = $ukupanBroj[0]['broj'];
          $brojStrania = ceil($total/$limit);
      catch(PDOException $msg){
          echo $msg;
 }
  <div class="container">
   <div class="row">
```

```
<div class="col-lg-3">
       <h1 class="my-4" id="naslov">Our properties</h1>
       <div class="list-group" id="kategorije">
      </div>
     </div>
     <div class="col-lg-9">
      <div id="carouselExampleIndicators" class="carousel slide my-4" data-</pre>
ride="carousel">
        to="0" class="active">
          <div class="carousel-inner" role="listbox" id="slajdza">
            <div class="carousel-item active">
             <img class="d-block img-</pre>
fluid" src="assets/img/slajder1.jpg" alt="First slide">
            </div>
            <div class="carousel-item">
             <img class="d-block img-</pre>
fluid" src="assets/img/slajder2.jpg" alt="Second slide">
            </div>
            <div class="carousel-item">
              <img class="d-block img-</pre>
fluid" src="assets/img/slajder3.jpg" alt="Third slide">
            </div>
        </div>
        <a class="carousel-control-</pre>
prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
          <span class="carousel-control-prev-icon" aria-hidden="true"></span>
          <span class="sr-only">Previous</span>
        </a>
        <a class="carousel-control-</pre>
next" href="#carouselExampleIndicators" role="button" data-slide="next">
          <span class="carousel-control-next-icon" aria-hidden="true"></span>
          <span class="sr-only">Next</span>
        </a>
       </div>
```

```
<div class="row" id="zgrade">
         <!-- Ispis zgrada -->
         <?php foreach($zgrade as $zgrada) : ?>
           <div class="col-lg-4 col-md-6 mb-4">
           <div class="card h-100">
             <a href="building.php?id=<?= $zgrada['id']?>"><img class="card-img-</pre>
top" src="assets/img/<?=$zgrada['src']?>" alt="<?=$zgrada['alt']?>"></a>
             <div class="card-body">
               <h4 class="card-title">
                 <a href="building.php?id=<?= $zgrada['id']?>" data-
id="<?=$zgrada['id']?>"><?= $zgrada['ime'] ?></a>
               </h4>
               <h5 class="cenazgrade"><?= $zgrada['cena']?> $</h5>
               <?= $zgrada['sinfo']?>
             </div>
             <div class="card-footer">
               <a href="building.php?id=<?= $zgrada['id']?>" data-
id="<?=$zgrada['id']?>">More info -></a>
             </div>
           </div>
         </div>
         <?php endforeach; ?>
         <!-- Zgrade gotove -->
   <nav aria-label="Page navigation example">
           <!-- ISPIS PAGINACIJE -->
               <?php for($i = 1; $i <= $brojStrania;$i++) :?>
               <a class="page-</pre>
link" href="index.php?page=<?=$i?>"><?=$i?></a>
               <?php endfor;?>
               <!-- Zavrsen ispis paginacije -->
           </nav>
       <!-- Proizvodi -->
       <!-- Kraj Proizvoda -->
       </div>
       <!-- /.row -->
     </div>
     <!-- /.col-lg-9 -->
   </div>
   <!-- /.row -->
```

```
</div>
<!-- Footer -->
<?php
include "views/footer.php";
?>
```

Building.php

```
<?php
    if(isset($_GET['id'])){
        session_start();
        require "logic/konekcija.php";
        if($konekcija){
            $id = $_GET['id'];
            $query = "SELECT b.buildingId as id ,b.name as ime,b.location as lok
acija ,b.price as cena ,b.Info as info ,c.builderName as graditelj,b.underconstru
ction as konstrukcija,p.src as src,p.alt as alt FROM buildings b INNER JOIN build
er c ON b.builderId = c.builderId INNER JOIN picture p ON b.buildingid = p.buildi
ngid WHERE b.buildingId = :id";
            $dohvati = $konekcija->prepare($query);
            $dohvati->bindParam(":id",$id);
            try{
                $akcija = $dohvati->execute();
                $broj = $dohvati->rowCount();
                if(!$akcija ){
                    header('Location:index.php');
                else if($broj < 1){</pre>
                    header("Location: 404.php");
                else{
                    $zgrada = $dohvati->fetch();
            catch(PDOException $msg){
                echo $msg;
            }
        include "views/headzgrada.php";
```

```
if(isset($_SESSION['user'])){
            include "views/navlog.php";
          else{
            include "views/nav.php";
 <div class="container">
    <div class="row">
        <div class="col-lg-9">
                <div class="card mt-4">
                <img class="card-img-top img-</pre>
fluid" src="assets/img/<?php echo $zgrada['src'];?>" alt="<?php echo $zgrada['alt</pre>
'];?>">
                <div class="card-body">
                    <h3 class="card-
title naslovzgrade"><?php echo $zgrada['ime'];?></h3>
                    <h4 class="cenazgrade"><?php echo $zgrada['cena'];?> $</h4>
                    <?php echo $zgrada['info'];?>
                    <h6 class="ozgradi"><b>Builder</b>: <?php echo $zgrada['gradi</pre>
telj'];?></h6>
                    <h6 class="ozgradi"><b>Location</b>: <?php echo $zgrada['loka</pre>
cija'];?></h6>
                        <?php
                            $konstrukcija = $zgrada['konstrukcija'];
                            if($konstrukcija){
                                echo "<del>READY TO BE USED</del>";
                            }
                            else{
                                echo "<h5 class='spremno'>READY TO BE USED</h5>";
                    </h6>
                </div>
                </div>
                <div class="card card-outline-secondary my-4">
```

```
<div class="card-header">
                   <span id="naslov-komentar">Property reviews</span></br>
                   <small>(you must be logged in to comment)</small>
               </div>
               <div class="card-body">
                   <?php
                       $upitKomentar = "SELECT r.comment as komentar,u.username
as nickname FROM review r INNER JOIN user u ON r.userid = u.userid WHERE r.buildi
ngid=:id";
                       $dohvatiKomentar = $konekcija->prepare($upitKomentar);
                       $dohvatiKomentar->bindParam(":id",$id);
                       try{
                           $uspesnost = $dohvatiKomentar->execute();
                           if($uspesnost && $dohvatiKomentar->rowCount()>0){
                               $komentari = $dohvatiKomentar->fetchAll();
                               foreach($komentari as $comm){
                                   $nik = $comm['nickname'];
                                   $vrednostKomentara = $comm['komentar'];
                                   echo"
                                   <div class='card card-kom'>
                                   <div class='card-body'>
                                      <h5 class='card-
title usernameKom'> $nik</h5>
                                      -
 $vrednostKomentara
                                   </div>
                               </div>
                           else{
                               echo "<div class='card card-kom'>
                               <div class='card-body'>
                                   <span>There are no comments...
                               </div>
                           </div>";
                           }
                       catch(PDOException $mssg){
                           echo $mssg;
                       }
                   <?php
                       if(isset($_SESSION['user'])){
```

```
echo '<button type="button" class="btn btn-
info dgmKom" data-toggle="modal" data-
target="#exampleModal">Leave a comment</button>';
                             echo "<div class='modal fade' id='exampleModal' tabin
dex='-1' role='dialog' aria-labelledby='exampleModalLabel' aria-hidden='true'>
                             <div class='modal-dialog' role='document'>
                               <div class='modal-content'>
                                 <div class='modal-header'>
                                   <h5 class='modal-
title' id='exampleModalLabel'>New comment</h5>
                                   <button type='button' class='close' data-</pre>
dismiss='modal' aria-label='Close'>
                                     <span aria-hidden='true'>&times;</span>
                                   </button>
                                 </div>
                                 <div class='modal-body'>
                                   <form>
                                     <div class='form-group'>
                                       <label for='komentar' class='col-form-</pre>
label'>Comment:</label>
                                       <textarea class='form-
control' id='komentar'></textarea>
                                       <small id='komentarHelp' class='form-</pre>
text text-muted'>Comment must include at least 3 words/small>
                                     </div>
                                   </form>
                                 </div>
                                 <div class='modal-footer'>
                                   <button type='button' class='btn btn-</pre>
secondary' data-dismiss='modal'>Close</button>
                                   <button type='button' class='btn btn-</pre>
primary' id='dugme-komentar' data-id='$id'>Send message/button>
                                 </div>
                               </div>
                             </div>
                           </div>";
                        else{
                             echo '<a href="login.php" class="btn btn-
info">Log In</a>';
                </div>
```

Login.php

```
<?php
    include "views/headlogin.php";
    include "views/nav.php";
    session_start();
    if(isset($_SESSION['user'])){
        header('Location:index.php');
    <div class="container">
        <div class="row d-flex justify-content-around">
            <div class="col-lg-7" id="logovanje">
                <div class="card">
                         <div class="card-header">
                             <span class="span-naslov">Log In |</span>
                         </div>
                         <div class="card-body">
                         <form method="POST" action="logovanje.php">
                             <div class="form-group">
                                 <label for="username2" class="labela-</pre>
input">Username</label>
                                 <input class="form-</pre>
control" type="text" id="username2">
```

```
</div>
                              <div class="form-group">
                                   <label for="sifra3" class="labela-</pre>
input">Password</label>
                                   <input type="password" class="form-</pre>
control" id="sifra3">
                              </div>
                              <button type="button" class="btn btn-</pre>
primary" id="dugme1">Login</button>
                          </form>
                          </div>
                 </div>
             </div>
        </div>
    </div>
<?php
    include "views/footer.php";
```

Question.php

```
<?php
   session_start();
   if(isset($_SESSION['user'])){
       $user = $ SESSION['user'];
       if($user['role'] == 'user'){
            include 'views/headquestion.php';
            include 'views/nav.php';
            require 'logic/konekcija.php';
            if($konekcija){
                // Da li je user vec glasao
                $id = $user['id'];
                $kveri = "SELECT userid FROM votes WHERE userid = :id ";
                $provera = $konekcija->prepare($kveri);
                $provera->bindParam(":id",$id);
                try{
                    $uspeh1 = $provera->execute();
                    if($provera->rowCount() > 0){
                        header("location: index.php");
                }
                catch(PDOException $nesto){
```

```
echo $nesto;
<div class="container">
        <div class="row d-flex justify-content-around">
            <div class="col-lg-7" id="anketa">
                <div class="card">
                         <div class="card-header">
                             <span class="span-naslov">Vote |</span>
                         </div>
                         <div class="card-body">
                         <form>
                             <div class="form-group">
                                 <label for="ddl-vote" class="labela-</pre>
input" >Let us know, how would u rate your current living space :</label>
                                 <select id="ddl-vote">
                                     <option value="1">1</option>
                                     <option value="2">2</option>
                                     <option value="3">3</option>
                                     <option value="4">4</option>
                                     <option value="5">5</option>
                                 </select>
                             </div>
                             <button type="button" class="btn btn-</pre>
primary" id="dgmVote">Vote</button>
                         </form>
                         </div>
                </div>
            </div>
        </div>
    </div>
<?php
    include "views/footer.php";
    }
    else{
        header("Location:index.php");
```

Register.php

```
<?php
    include "views/headregister.php";
    include "views/nav.php";
    session_start();
    if(isset($_SESSION['user'])){
        header('Location:index.php');
<div class="container">
    <div class="row d-flex justify-content-around">
        <div class="col-lg-7" id="registracija">
            <div class="card">
                <div class="card-header">
                     <span class="span-naslov">Become our member today</span>
                </div>
                <div class="card-body">
                <form method="POST" action="registracija.php">
                         <div class="form-group">
                             <label for="ime1" class="labela-</pre>
input">First Name</label>
                             <input class="form-control" type="text" id="ime1">
                             <small id="imeHelp" class="form-text text-</pre>
muted">Name must have first capital letter, no numbers, and max 22 characters/sm
all>
                         </div>
                         <div class="form-group">
                             <label for="prezime1" class="labela-</pre>
input">Last Name</label>
                             <input class="form-</pre>
control" type="text" id="prezime1">
                             <small id="imeHelp" class="form-text text-</pre>
muted">Last name must have first capital letter, no numbers, and max 22 character
s</small>
                         </div>
                         <div class="form-group">
                             <label for="username1" class="labela-</pre>
input">Username</label>
                             <input class="form-</pre>
control" type="text" id="username1">
                             <small id="userlHelp" class="form-text text-</pre>
muted">Username can include letters, numbers, -
Or ,space is not allowed</small>
```

```
</div>
                         <div class="form-group">
                              <label for="mail1" class="labela-</pre>
input">Email address</label>
                             <input type="email" class="form-</pre>
control" id="mail1" aria-describedby="emailHelp">
                             <small id="emailHelp" class="form-text text-</pre>
muted">We'll never share your email with anyone else.
                         </div>
                         <div class="form-group">
                             <label for="sifra1" class="labela-</pre>
input">Password</label>
                             <input type="password" class="form-</pre>
control" id="sifra1">
                             <small id="passwordHelp" class="form-text text-</pre>
muted">Password must include at least one capital letter, one number, at least 8
characters, and maximum of 21 characters</small>
                         </div>
                         <div class="form-group">
                              <label for="sifra1" class="labela-</pre>
input">Confirm Password</label>
                             <input type="password" class="form-</pre>
control" id="sifra2">
                             <small id="passwordHelp" class="form-text text-</pre>
muted">Make sure your passwords match</small>
                         </div>
                         <button type="button" class="btn btn-</pre>
primary" id="dugme">Register</button>
                         <small id="redirekcija" class="form-text text-</pre>
muted">Already a member? <a href="login.php"> LogIn</a></small>
                </form>
                 </div>
            </div>
        </div>
    </div>
</div>
<?php
    include "views/footer.php";
```

```
<?php
   session start();
   if(isset($_SESSION['user'])){
      $user = $ SESSION['user'];
      if($user['role'] == "admin"){
      include "views/headbaza.php";
      if(isset($ SESSION['user'])){
          include "views/navlog.php";
        else{
          include "views/nav.php";
      include "logic/konekcija.php";
      if($konekcija){
          $upit = "SELECT b.buildingid as id,b.categoryId as katid,b.builderId
as gradid, k.categoryName as kategorija, g.builderName as graditelj, b.name as name,
b.price as price ,b.location as location ,b.underconstruction as gradnja FROM bui
lder g INNER JOIN buildings b ON b.builderId = g.builderId INNER JOIN category k
ON b.categoryId = k.categoryId";
          try{
             $uhvatisve = $konekcija->query($upit)->fetchAll();
          catch(PDOException $mssg){
             echo $mssg;
          }
          <h4 class="bazaNaslovi">Buildings</h4>
          <button type="button" class="btn btn-info" data-toggle="modal" data-</pre>
target="#insert-modal" id="insertDgm1">Create new building</button>
      <thead>
          ID
          Category
          Builder
          Name
          Price
          Location
          Construction
          UPDATE
```

```
DELETE
           </thead>
       <?php foreach($uhvatisve as $hvat) : ?>
           <?= $hvat['id'] ?>
           <?= $hvat['kategorija'] ?>
           <?= $hvat['graditelj'] ?>
           <?= $hvat['name'] ?>
           <?= $hvat['price'] ?>
           <?= $hvat['location'] ?>
           <?= $hvat['gradnja'] ?>
           td><button type="button" class="btn btn-info dgmUp" data-
toggle="modal" data-target="#update-modal" data-
<div class="modal fade" id="update-modal" tabindex="-</pre>
1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
                  <div class="modal-dialog" role="document">
                      <div class="modal-content">
                      <div class="modal-header">
                          <h5 class="modal-
title" id="exampleModalLabel" >Update</h5>
                          <button type="button" class="close" data-</pre>
dismiss="modal" aria-label="Close">
                          <span aria-hidden="true">&times;</span>
                          </button>
                      </div>
                      <div class="modal-body">
                          <!-- FORMA ZA UPDATE -->
                          <form method="post" action="updateZgrada.php">
                          <div class="form-group">
                             <label for="ddl-update" class="col-form-</pre>
label">Builder:</label>
                             <select id="ddl-update">
                             </select>
                          </div>
                          <div class="form-group">
                             <label for="ddl-update1" class="col-form-</pre>
label">Category:</label>
                             <select id="ddl-update1">
                             </select>
                          </div>
                          <div class="form-group">
```

```
<label for="update-name">Name:</label>
                                  <input class="form-</pre>
control" type="text" id="update-name">
                                 <small id="imeHelp3" class="form-text text-</pre>
muted">Name can only include letters, first letter must be capital, max 29 charac
ters</small>
                             </div>
                             <div class="form-group">
                                 <label for="update-price">Price:</label>
                                 <input class="form-</pre>
control" type="text" id="update-price">
                                 <small id="imeHelp3" class="form-text text-</pre>
muted">price must be in ****.00 format, and maximum of 10 digits before dot</smal</pre>
                             </div>
                             <div class="form-group">
                                 <label for="update-location">Location:</label>
                                  <input class="form-</pre>
control" type="text" id="update-location">
                                 <small id="imeHelp4" class="form-text text-</pre>
muted">Only letters and max of 29 charachters, location must be in format "city_n
ame, state_name"</small>
                             </div>
                             <div class='form-group'>
                                        <label for='infoDug' class='col-form-</pre>
label'>Info</label>
                                        <textarea class='form-
control' id='infoDug'></textarea>
                                        <small id='infoDugHelp' class='form-</pre>
text text-muted'>Info must include at least 3 words
                             </div>
                             <div class='form-group'>
                                        <label for='infoKrat' class='col-form-</pre>
label'>ShortInfo</label>
                                        <textarea class='form-
control' id='infoKrat'></textarea>
                                        <small id='infoKratHelp' class='form-</pre>
text text-muted'>Info must include at least 3 words</small>
                             </div>
                             <div class="form-group">
                                  <label for="ddl-</pre>
update2">Under Construction:</label>
                                 <select id="ddl-update2">
                                      <option value="0">No</option>
                                      <option value="1">Yes</option>
```

```
</select>
                            </div>
                            <input type="hidden" id="sakriveno">
                            <button type="button" class="btn btn-</pre>
primary" id="update-dugme">Update</button>
                            </form>
                            <!-- Kraj forme -->
                        </div>
                        </div>
                    </div>
                </div>
            td><button type="button" class="btn btn-info dgmDelete" data-
id="<?= $hvat['id'] ?>">Delete</button>
            <?php endforeach; ?>
        <div class="modal fade" id="insert-modal" tabindex="-</pre>
1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
                    <div class="modal-dialog" role="document">
                        <div class="modal-content">
                        <div class="modal-header">
                            <h5 class="modal-
title" id="exampleModalLabel" >Insert</h5>
                            <button type="button" class="close" data-</pre>
dismiss="modal" aria-label="Close">
                            <span aria-hidden="true">&times;</span>
                            </button>
                        </div>
                        <div class="modal-body">
                            <!-- FORMA ZA INSERT -->
                            <form>
                            <div class="form-group">
                                <label for="ddl-insert" class="col-form-</pre>
label">Builder:</label>
                                <select id="ddl-insert">
                                </select>
                            </div>
                            <div class="form-group">
                                <label for="ddl-insert1" class="col-form-</pre>
label">Category:</label>
                                <select id="ddl-insert1">
                                </select>
                            </div>
                            <div class="form-group">
```

```
<label for="insert-name">Name:</label>
                                  <input class="form-</pre>
control" type="text" id="insert-name">
                                  <small id="imeHelp3" class="form-text text-</pre>
muted">Name can only include letters, first letter must be capital, max 29 charac
ters</small>
                             </div>
                             <div class="form-group">
                                  <label for="insert-price">Price:</label>
                                  <input class="form-</pre>
control" type="text" id="insert-price">
                                  <small id="imeHelp3" class="form-text text-</pre>
muted">price must be in ****.00 format, and maximum of 10 digits before dot</smal</pre>
                             </div>
                             <div class="form-group">
                                  <label for="insert-location">Location:</label>
                                  <input class="form-</pre>
control" type="text" id="insert-location">
                                  <small id="imeHelp4" class="form-text text-</pre>
muted">Only letters and max of 29 charachters, location must be in format "city_n
ame, state_name"</small>
                             </div>
                             <div class='form-group'>
                                        <label for='infoDug1' class='col-form-</pre>
label'>Info</label>
                                        <textarea class='form-
control' id='infoDug1'></textarea>
                                        <small id='infoDugHelp' class='form-</pre>
text text-muted'>Info must include at least 3 words/small>
                             </div>
                             <div class='form-group'>
                                        <label for='infoKrat1' class='col-form-</pre>
label'>ShortInfo</label>
                                        <textarea class='form-
control' id='infoKrat1'></textarea>
                                        <small id='infoKratHelp' class='form-</pre>
text text-muted'>Info must include at least 3 words</small>
                             </div>
                             <div class="form-group">
                                  <label for="insert-src">Picture src:</label>
                                  <input class="form-</pre>
control" type="text" id="insert-src">
                                  <small id="imeHelp3" class="form-text text-</pre>
muted">Picture must have .jpg extension</small>
```

```
</div>
                       <div class="form-group">
                          <label for="ddl-
insert2">Under Construction:</label>
                          <select id="ddl-insert2">
                              <option value="0">No</option>
                              <option value="1">Yes</option>
                          </select>
                       </div>
                       <button type="button" class="btn btn-</pre>
primary" id="insertDgm">Insert new row</button>
                       </form>
                       <!-- Kraj forme -->
                    </div>
                    </div>
                </div>
             </div>
             <!-- TABELA KOMENTARI -->
          <h4 class="bazaNaslovi">Reviews</h4>
          <thead>
             ID
             Name
             Surname
             Email
             Username
             Role
             Content
             Remove
             </thead>
          <?php
             if($konekcija){
                $querykom = "SELECT r.comment as komentar,r.reviewid as id,u.
name as ime, u. surname as prezime, u. email as mail, u. username as imence, t. rolenam
e as uloga FROM review r INNER JOIN user u ON r.userId=u.UserId INNER JOIN role t
ON u.roleId=t.RoleId";
                    $komentari = $konekcija->query($querykom)->fetchAll();
                catch(PDOException $err){
```

```
echo($err);
            }
         <?php foreach($komentari as $kom) : ?>
            <?= $kom['id'] ?>
               <?= $kom['ime'] ?>
               <?= $kom['prezime'] ?>
               <?= $kom['mail'] ?>
               <?= $kom['imence'] ?>
               <?= $kom['uloga'] ?>
               <?= $kom['komentar'] ?>
               <button type="button" class="btn btn-
info komDelete" data-id="<?= $kom['id'] ?>">Delete</button>
            <?php endforeach; ?>
         <!-- TABELA KORISNICI -->
         <h4 class="bazaNaslovi">Users</h4>
         <thead>
            ID
            Name
            Surname
            Email
            Username
            Role
            Delete
            </thead>
         <?php
               if($konekcija){
                  $korisnici = "SELECT u.userid as idu,u.name as name,u.sur
name as surname, u.email as mail, u.username as userime, t.rolename as uloga1 FROM
user u INNER JOIN role t ON u.roleId=t.RoleId WHERE t.rolename = 'user'";
                  try{
                     $users = $konekcija->query($korisnici)->fetchAll();
                  catch(PDOException $porukica){
                     echo $porukica;
```

```
<?php foreach($users as $usr) : ?>
          <?= $usr['idu'] ?>
             <?= $usr['name'] ?>
             <?= $usr['surname'] ?>
             <?= $usr['mail'] ?>
             <?= $usr['userime'] ?>
             <?= $usr['uloga1'] ?>
             <button type="button" class="btn btn-
<?php endforeach; ?>
        <h4 class="bazaNaslovi">Vote results :</h4>
        <thead>
             Number of votes
                Average grade
             <?php
                if($konekcija){
                  $queryVote = "SELECT COUNT(voteid) as broj,ROUND(AVG(
result),2) as prosek FROM votes";
                  try{
                     $rezultatVotes = $konekcija->query($queryVote)-
>fetch();
                  catch(PDOException $mms){
                     echo $mms;
                }
             <?= $rezultatVotes['broj'] ?>
                <?= $rezultatVotes['prosek'] ?>
             </thead>
```

```
<?php
    include "views/footer.php";
}
    else{
    header('Location:index.php');
    }
else{
    header('Location:index.php');
}</pre>
```

Views

Head.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
  <meta name="author"content="Sasa Pajovic"/>
  <meta name="keywords" content="Building,Property,Info"/>
  <meta name="description" content="See the latest and greatest of our property o</pre>
ffers. Here you can find properties like houses, buildings or office spaces"/>
  <title>mySquare</title>
  <link rel="shortcut icon" href="assets/img/favicon.ico">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/al</pre>
1.css" integrity="sha384-
oS3vJWv+0UjzBfQzYUhtDYW+Pj2yciDJxpsK1OYPAYjqT085Qq/1cq5FLXAZQ7Ay" crossorigin="an
onymous">
```

```
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
  </head>
</body>
```

Headbaza.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
  <meta name="author"content="Sasa Pajovic"/>
  <meta name="keywords" content="Update,Delete, Id"/>
  <meta name="description" content="Admin panel page, where only admins can get i</pre>
n, and use CRUD operations on our database"/>
  <title>mySquare | Admin</title>
  <link rel="shortcut icon" href="assets/img/favicon.ico">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/al</pre>
1.css" integrity="sha384-
oS3vJWv+0UjzBfQzYUhtDYW+Pj2yciDJxpsK1OYPAYjqT085Qq/1cq5FLXAZQ7Ay" crossorigin="an
onymous">
  <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
</head>
<body>
```

Headlogin.php

```
<!DOCTYPE html>
<html lang="en">
<head>

<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
  <meta name="author"content="Sasa Pajovic"/>
  <meta name="keywords" content="Log,In, username"/>
  <meta name="description" content="Here you can log in into your mySquare accoun</pre>
t, open other possibilities with logging in"/>
  <title>mySquare | Log In</title>
  <link rel="shortcut icon" href="assets/img/favicon.ico">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/al</pre>
1.css" integrity="sha384-
oS3vJWv+0UjzBfQzYUhtDYW+Pj2yciDJxpsK10YPAYjqT085Qq/1cq5FLXAZQ7Ay" crossorigin="an
onymous">
  <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
</head>
<body>
```

Headquestion.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
  <meta name="author"content="Sasa Pajovic"/>
  <meta name="keywords" content="Vote, question, ddl"/>
  <meta name="description" content="Place where you can vote what do you think ab</pre>
out your current living space."/>
  <title>mySquare | Vote</title>
  <link rel="shortcut icon" href="assets/img/favicon.ico">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/al</pre>
1.css" integrity="sha384-
oS3vJWv+0UjzBfQzYUhtDYW+Pj2yciDJxpsK10YPAYjqT085Qq/1cq5FLXAZQ7Ay" crossorigin="an
onymous">
  <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
</head>
```

<body>

Headregister.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
  <meta name="author"content="Sasa Pajovic"/>
  <meta name="keywords" content="Register,name, username"/>
  <meta name="description" content="Here you can create your mySquare account, cr</pre>
eate new possibilites for yourself"/>
  <title>mySquare | Register</title>
  <link rel="shortcut icon" href="assets/img/favicon.ico">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/al</pre>
1.css" integrity="sha384-
oS3vJWv+0UjzBfQzYUhtDYW+Pj2yciDJxpsK1OYPAYjqT085Qq/1cq5FLXAZQ7Ay" crossorigin="an
onymous">
  <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
</head>
<body>
```

Headzgrada.php

```
<meta name="author"content="Sasa Pajovic"/>
  <meta name="keywords" content="Building,Builder,Info"/>
    <meta name="description" content="See the latest and greatest of our property o
ffers.Here you can find more about properties we have to offer."/>
    <title>mySquare | Property</title>
    link rel="shortcut icon" href="assets/img/favicon.ico">
    link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/al
l.css" integrity="sha384-
oS3vJWv+0UjzBfQzYUhtDYW+Pj2yciDJxpsK1OYPAYjqT085Qq/1cq5FLXAZQ7Ay" crossorigin="an
onymous">
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    link href="assets/css/main.css" rel="stylesheet">
    </head>
</body>
```

Nav.php

Navigacija dinamički popunjena, kao što sam i rekao

Navlog.php

Footer.php

```
<footer>
   <div class="container">
     <div class="row">
       <div class="col-lg-6">
         <h4 class="futer-naslov">About</h4>
         txt">Website made as a school project, based on PHP, keep in mind that non of thi
s belongs to me, and all pictures and names belong to the rightful owner.
         <a href="#" class="dokumentacija">Documentation</a>
         txt">Copyright © Template/<a href="https://startbootstrap.com/templates/">St
art Bootstrap</a>
       </div>
       <div class="col-lg-3">
         Connect
         <div class="drzimreze">
           <a target=" blank" href="https://www.instagram.com/"class="mreza"><i</pre>
class="fab fa-instagram"></i></a>
           <a target=" blank" href="https://www.facebook.com/"class="mreza"><i c</pre>
lass="fab fa-facebook-square"></i></i></a>
```

Logic

Funkcionalnosti za admina:

Deletekomentar.php

```
catch(PDOException $mssg){
        echo $mssg;
    }
    }
    else{
        header('Location:../index.php');
    }
} else{
        header('Location:../index.php');
}
```

Deletekorisnik.php

```
<?php
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        if($_POST['stiglo']){
            require 'konekcija.php';
            $id = $_POST['id'];
            if($konekcija){
                $upit = "DELETE FROM user WHERE userid = :id";
                $delete = $konekcija->prepare($upit);
                $delete->bindParam(":id",$id);
                try{
                    $uspeh = $delete->execute();
                    if($uspeh){
                        echo "User deleted successfully, please refresh page";
                    }
                    else{
                        echo "Error";
                catch(PDOException $mssg){
                    echo $mssg;
            }
        else{
            header('Location:../index.php');
        }
```

```
else{
    header('Location:../index.php');
}
```

Deletezgradu.php

```
<?php
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        if($_POST['stiglo']){
            require 'konekcija.php';
            $id = $_POST['id'];
            if($konekcija){
                $upit = "DELETE FROM buildings WHERE buildingid = :id";
                $delete = $konekcija->prepare($upit);
                $delete->bindParam(":id",$id);
                try{
                    $uspeh = $delete->execute();
                    if($uspeh){
                        echo "Building deleted successfully, please refresh page"
                    else{
                        echo "Error";
                }
                catch(PDOException $mssg){
                    echo $mssg;
                }
            }
        }
       else{
            header('Location:../index.php');
        }
   else{
        header('Location:../index.php');
```

```
<?php
    if($ SERVER['REQUEST METHOD']=="POST"){
        if($_POST['stiglo']){
            $ime = $ POST['ime'];
            $src = $_POST['src'];
            $gradid = $_POST['gradid'];
            $katid = $ POST['katid'];
            $cena = $_POST['cena'];
            $lokacija = $_POST['lokacija'];
            $shorttxt1 = $_POST['shorttxt1'];
            $longtxt1 = $_POST['longtxt1'];
            $konst = $ POST['konst'];
            gresak = [];
            proveraIme = "/^[A-ZĐŠŽĆČa-zđŠžćč0-9\s]{2,29}$/";
            $proveraCene = "/^[0-9]{1,10}.00$/";
            $proveraLokacije = "/^[A-ZĐŠŽĆČ][a-zđšžćč]{1,40},\s{0,1}[A-ZĐŠŽĆČ][a-
zđšžćč]{1,40}$/";
            $proveraInfo = "/^[a-zđšžćčA-ZĐŠŽĆČ.,;!?:'\%\-\.]{1,} [a-zđšžćčA-
ZĐŠŽĆČ.,:?;!]{1,} .+$/";
            if(!preg_match($proveraIme,$ime)){
                $gresak[] = "Name is invalid";
            if(!preg_match($proveraCene,$cena)){
                $gresak[] = "Price is invalid";
            if(!preg_match($proveraLokacije,$lokacija)){
                $gresak[] = "Price is invalid";
            if(!preg_match($proveraInfo,$longtxt1)){
                $gresak[] = "Long info is invalid";
            if(!preg_match($proveraInfo,$shorttxt1)){
                $gresak[] = "Short info is invalid";
            if(count($gresak)){
                foreach($gresak as $err){
                    echo $err;
                }
            }
            else{
                require "konekcija.php";
```

```
if($konekcija){
                    $query = "INSERT INTO buildings VALUES(null,:katid,:gradid,:i
me,:longtxt1,:cena,:lokacija,:konst,:shorttxt1)";
                    $insert = $konekcija->prepare($query);
                    $insert->bindParam(":katid",$katid);
                    $insert->bindParam(":gradid",$gradid);
                    $insert->bindParam(":ime",$ime);
                    $insert->bindParam(":longtxt1",$longtxt1);
                    $insert->bindParam(":cena",$cena);
                    $insert->bindParam(":lokacija",$lokacija);
                    $insert->bindParam(":konst",$konst);
                    $insert->bindParam(":shorttxt1",$shorttxt1);
                    try{
                        $uspeh = $insert->execute();
                        if($uspeh){
                           $query1 = "SELECT buildingid FROM buildings ORDER BY b
uildingid DESC LIMIT 1";
                           $zadnji = $konekcija->query($query1)->fetch();
                           if($zadnji['buildingid']){
                            $id = $zadnji['buildingid'];
                            $slikaquery = "INSERT INTO picture VALUES(:id,:src,'p
roperty')";
                            $ubacisliku = $konekcija->prepare($slikaquery);
                            $ubacisliku->bindParam(":id",$id);
                            $ubacisliku->bindParam(":src",$src);
                            try{
                                $uspeh1 = $ubacisliku->execute();
                                if($uspeh1){
                                    echo "Property inserted successfully, please
refresh page";
                            catch(PDOException $poruka){
                                echo $poruka;
                    catch(PDOException $mssg){
                        echo $mssg;
        }
        else{
```

```
header('Location:../index.php');
}
else{
  header('Location:../index.php');
}
```

Popuniupdate.php

```
<?php
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        if(isset($_POST['stiglo'])){
            header("Content-Type: application/json");
            $id = $ POST['id'];
            require "konekcija.php";
            if($konekcija){
                $query = "SELECT builderid as gradid, categoryid as katid, name a
s ime, price as cena, location as lokacija, shortinfo as kraci, info as duzi, und
erconstruction as konst FROM buildings WHERE buildingid = :id";
                $action = $konekcija->prepare($query);
                $action->bindParam(":id",$id);
                try{
                    $uspeh = $action->execute();
                    if($uspeh && $action->rowCount()==1){
                        $zgrada = $action->fetch();
                        http_response_code(200);
                        echo json_encode($zgrada);
                    }
                catch(PDOException $mssg){
                    echo $mssg;
```

```
}
}
else{
  header('location:../index.php');
}
```

Kod kojim se vracaju vrednosti, da se popuni forma za update.

Updatezgrade.php

```
<?php
   if($_SERVER['REQUEST_METHOD']=="POST"){
        if(isset($_POST['stiglo'])){
                $gradid = $_POST['gradid'];
               $katid = $_POST['katid'];
               $ime = $_POST['ime'];
               $cena = $_POST['cena'];
               $lokacija= $_POST['lokacija'];
               $longtxt = $_POST['longtxt'];
               $shorttxt = $_POST['shorttxt'];
               $konst = $_POST['konst'];
               $id = $_POST['id'];
               proveralme = "/^[A-ZĐŠŽĆČa-zđšžćčo-9\s]{2,29}$/";
               $proveraCene = "/^[0-9]{1,10}.00$/";
                $proveraLokacije = "/^[A-ZĐŠŽĆČ][a-zđšžćč]{1,40},\s{0,1}[A-
ZĐŠŽĆČ][a-zđšžćč]{1,40}$/";
                $proveraInfo = "/^[a-zđšžćčA-ZĐŠŽĆČ.,;!?:'\%\-\.]{1,} [a-zđšžćčA-
ZĐŠŽĆČ.,:?;!]{1,} .+$/";
               $greske = [];
                if(!preg_match($proveraIme,$ime)){
                    $greske[] = "Name is invalid";
                if(!preg_match($proveraCene,$cena)){
                    $greske[] = "Price is invalid";
                if(!preg_match($proveraLokacije,$lokacija)){
                    $greske[] = "Location is invalid";
```

```
if(!preg_match($proveraInfo,$longtxt)){
                    $greske[] = "Long info is invalid";
                if(!preg_match($proveraInfo,$shorttxt)){
                    $greske[] = "Short info is invalid";
                if(count($greske)){
                    foreach($greske as $err){
                        echo $err;
                }
                else{
                    require "konekcija.php";
                    if($konekcija){
                        $kveri = "UPDATE buildings SET builderid = :gradid,catego
ryid = :katid,name = :ime,price = :cena,location = :lokacija,shortinfo = :shorttx
t,info = :longtxt,underconstruction = :konst WHERE buildingid = :id";
                        $promeni = $konekcija->prepare($kveri);
                        $promeni->bindParam(":gradid",$gradid);
                        $promeni->bindParam(":katid",$katid);
                        $promeni->bindParam(":ime",$ime);
                        $promeni->bindParam(":cena",$cena);
                        $promeni->bindParam(":lokacija",$lokacija);
                        $promeni->bindParam(":shorttxt",$shorttxt);
                        $promeni->bindParam(":longtxt",$longtxt);
                        $promeni->bindParam(":konst",$konst);
                        $promeni->bindParam(":id",$id);
                        try{
                            $uspeh = $promeni->execute();
                            if($uspeh){
                                echo "Updated successfully, please refresh";
                            else{
                                echo "Error";
                        catch(PDOException $mssg){
                            echo $mssg;
                        }
                    }
                }
       else{
```

```
header("Location:'../index.php'");
}
else{
   header("Location:'../index.php'");
}
```

Logovanje i registracija

Logovanje.php

```
<?php
    session_start();
    if(isset($_POST['stiglo'])){
        header("Content-Type: application/json");
        $imence = $_POST['username'];
        $sifrica = $_POST['sifra'];
        $greskice = [];
        // Braca regexi
        $usernameProvera = "/^[A-ZĐŠŽĆČa-zđšžćč0-9]+(?:[ _-][A-Za-z0-9]+)*$/";
        sifraProvera = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*d)[a-zA-Zd]{8,21}$/";
        // provera
        if(!preg_match($usernameProvera,$imence)){
            $greskice[] = "Username is incorrect";
        if(!preg_match($sifraProvera,$sifrica)){
            $greskice[] = "Password is incorrect";
        if(count($greskice)== 0){
            require "konekcija.php";
            if($konekcija){
                $upit = "SELECT u.userid as id,u.username,r.rolename as role FROM
 user u INNER JOIN role r ON u.roleid=r.roleid AND u.username = :username AND u.p
assword = :sifra";
                $sifrica = md5($sifrica);
                $log = $konekcija->prepare($upit);
```

```
$log->bindParam(":username",$imence);
            $log->bindParam(":sifra",$sifrica);
            try{
                $uspelo = $log->execute();
                if($uspelo && $log->rowCount()==1){
                    $user = $log->fetch();
                    $ SESSION['user'] = $user;
                    http_response_code(200);
                    echo json_encode($user);
                else{
                    echo "Username or password is invalid";
            }
            catch(PDOException $mssg){
                echo $mssg;
    }
else{
    header("Location:../login.php");
```

Registracija.php

```
if(isset($_POST['stiglo'])){
    session_start();
    $ime = $_POST['ime'];
    $prezime = $_POST['prezime'];
    $userime = $_POST['username'];
    $mail = $_POST['mail'];
    $sifra = $_POST['sifra'];
    $sifraopet = $_POST['sifraopet'];
    $greske = [];

// MALO REGEKSI
```

```
$tekstProvera = "/^[A-ZĐŠŽĆČ][a-zđšžćč]{1,21}$/";
        $usernameProvera = "/^[A-ZĐŠŽĆČa-zđšžćč0-9]+(?:[ _-][A-Za-z0-9]+)*$/";
        mailProvera = "/^([a-zA-Z0-9 \-\.]+)@([a-zA-Z0-9 \-\.]+)\.([a-zA-Z0-9 \-\.]+))
Z]{2,5})$/";
        sifraProvera = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*d)[a-zA-Z](8,21}$/";
        if(!preg_match($tekstProvera,$ime)){
            $greske[] = "Malo je lose ime";
        if(!preg match($tekstProvera,$prezime)){
            $greske[] = "Malo je lose prezime";
        if(!preg match($usernameProvera,$userime)){
            $greske[] = "Malo je los username";
        if(!filter_var($mail,FILTER_VALIDATE_EMAIL)){
            $greske[] = "Malo je los mail";
        if(!preg_match($sifraProvera,$sifra)){
            $greske[] = "Malo je losa sifra";
        if(!($sifra==$sifraopet)){
            $greske[] = "Sifre se ne poklapaju";
        if(count($greske) == 0){
            require "konekcija.php";
            if($konekcija){
                $upit = "INSERT INTO user VALUE(null,:ime,:prezime,:mail,:sifra,:
uloga,:date,:username)";
                // ULOGA ZA AUTORIZOVANOG KORISNIKA
                define("ULOGA",1);
                $uloga = ULOGA;
                // VREDNOST SIFRE SE STAVLJA U Md5 format
                $sifra = md5($sifra);
                $date = time();
                $upis = $konekcija->prepare($upit);
                $upis->bindParam(":ime",$ime);
                $upis->bindParam(":prezime",$prezime);
                $upis->bindParam(":mail",$mail);
                $upis->bindParam(":sifra",$sifra);
                $upis->bindParam(":uloga",$uloga);
                $upis->bindParam(":date",$date);
                $upis->bindParam(":username",$userime);
```

Logout.php

```
    session_start();
    if(isset($_SESSION['user'])){
        unset($_SESSION['user']);
        session_destroy();
        header("Location:../login.php");
    }
    else{
        header("Location:../login.php");
    }
}
```

Komentari

Upiskomentara.php

```
<?php
   session_start();
   if(isset($_POST['stiglo'])){
        $id = $_POST['zgradaId'];
       $komentar = $_POST['komentar'];
       $covek = $_SESSION['user'];
       $covekId = $covek['id'];
        $proveraKomentar = "/^[a-zđšžćčA-ZĐŠŽĆČ.,;!?:'\%\-\.]{1,} [a-zđšžćčA-
ZĐŠŽĆČ.,:?;!]{1,} .+$/";
       if(!preg_match($proveraKomentar,$komentar)){
            echo "Malo gresak";
       else{
            require "konekcija.php";
            if($konekcija){
                $upit = "INSERT INTO review VALUES(null,:id,:userid,:komentar)";
                $upisKom = $konekcija->prepare($upit);
                $upisKom->bindParam(":id",$id);
                $upisKom->bindParam(":userid",$covekId);
                $upisKom->bindParam(":komentar",$komentar);
                try{
                    $uspelo = $upisKom->execute();
                    if($uspelo){
                        http_response_code(201);
                        echo "Successfully commented, please refresh page";
                catch(PDOException $mssg){
                    echo $mssg;
            }
   else{
       header("Location:../building.php");
```

Anketa

Glasovi.php

```
<?php
   session_start();
   if(isset($_SESSION['user'])){
   if($_SERVER['REQUEST_METHOD']=='POST'){
       if(isset($_POST['stiglo'])){
            $vote = $_POST['vote'];
            $user = $_SESSION['user'];
            $id = $user['id'];
            require "konekcija.php";
            if($konekcija){
                $query = "INSERT INTO votes VALUES(NULL,:vote,:id)";
                $upisi = $konekcija->prepare($query);
                $upisi->bindParam(":vote",$vote);
                $upisi->bindParam(":id",$id);
                try{
                    $uspeh = $upisi->execute();
                    if($uspeh){
                        http_response_code(201);
                        echo "Voted Successfully";
                    }
                catch(PDOException $sms){
                    echo $sms;
       else{
       header('Location:../index.php');
   }
   else{
       header('Location:../index.php');
```

Dohvatanje i filtriranje sadrzaja

Category.php

```
if($_POST['uspelo']){
    require_once "konekcija.php";
    header("Content-Type: application/json");
    if($konekcija){
        $query = "SELECT categoryId, categoryName FROM category WHERE parentId

IS NULL";

    try{
        $kategorije = $konekcija->query($query)->fetchAll();
        echo json_encode($kategorije);
    }
    catch(PDOException $mssg){
        echo $mssg;
    }
    }
    }
    else{
        header("Location:../index.php");
    }
}
```

Filter.php

```
http_response_code(200);
        echo json_encode($podaci);
    }
    catch(PDOException $msg){
        header('Location:../index.php');
    }
} else{
    header('Location:../index.php');
}
```

Graditelji.php

```
<?php
   if($_SERVER['REQUEST_METHOD'] == 'GET'){
       require "konekcija.php";
       if($konekcija){
            header("Content-Type: application/json");
            $upit = "SELECT builderId as id,builderName as name from builder";
            try{
                $graditelji = $konekcija->query($upit)->fetchAll();
                if($graditelji){
                    http_response_code(200);
                    echo json_encode($graditelji);
                }
            catch(PDOException $mssg){
                echo $mssg;
            }
   else{
       header("location:../index.php");
```

Navigacija.php

```
if(isset($_POST['stiglo'])){
    require "konekcija.php";
    header("Content-Type: application/json");
    $kveri = "SELECT navName as ime,href FROM navigation";
    if($konekcija){
        $navigacija = $konekcija->query($kveri)->fetchAll();
    }
    if($navigacija){
        http_response_code(200);
        echo json_encode($navigacija);
    }
}
else{
    header("Location:../index.php");
}
```

Navigacijalog.php

```
if($_SERVER['REQUEST_METHOD']=="GET"){
    require "konekcija.php";
    header("Content-Type: application/json");
    $kveri = "SELECT logname as ime,loghref as href FROM navigationlog";
    if($konekcija){
        $navigacija = $konekcija->query($kveri)->fetchAll();
    }
    if($navigacija){
        http_response_code(200);
        echo json_encode($navigacija);
    }
}
else{
    header("Location:../index.php");
}
```

Konekcija

Konekcija.php

Parametri promenjeni hostovanjem sajta

DžalaScript

```
});
            let ispis2 = ``;
            data.forEach(function(el){
                ispis2 +=`
                <option value="${el.categoryId}">${el.categoryName}</option>`;
            });
            $('#ddl-update1').html(ispis2);
            $('#ddl-insert1').html(ispis2);
            $('#kategorije').html(ispis);
            $('.kat').on('click',function(e){
                e.preventDefault();
                let id = this.dataset.id;
                $.ajax({
                    url:'logic/filter.php?id='+id,
                    type: 'get',
                    dataType:'json',
                    success:function(data){
                         console.log(data);
                         ispisiZgrade(data);
                    },
                    error:function(xhr, status, error){
                         console.log(xhr.status);
                })
            });
        },
        error:function(error){
            console.log(error);
        }
    });
    // Funkcija za ispisivanje zgrade
    function ispisiZgrade(data){
        let ispis = ``;
                data.forEach(function(el){
                    ispis+=`
                    <div class="col-lg-4 col-md-6 mb-4 buildings">
                    <div class="card h-100">
                       <a href="building.php?id=${el.id}"><img class="card-img-</pre>
top" src="assets/img/${el.src}" alt="${el.alt}"></a>
                       <div class="card-body">
                         <h4 class="card-title">
                           <a href="building.php?id=${el.id}" data-</pre>
id="${el.id}">${el.name}</a>
```

```
</h4>
                       <h5>$${el.price}</h5>
                       ${el.shortInfo}
                     </div>
                     <div class="card-footer">
                     <a href="building.php?id=${el.id}" data-</pre>
id="${el.id}">More info -></a>
                     </div>
                   </div>
                 </div>
               });
               $('#zgrade').html(ispis);
   // Ispisivanje navigacije
   $.ajax({
       url:'logic/navigacija.php',
       type:'post',
       dataType:'json',
       data:{
           stiglo:true
       },
       success:function(data){
           let ispis = ``;
           data.forEach(function(el){
               ispis+=
               `
               if(el.ime == "Author"){
                   ispis+=`<a class="nav-</pre>
link" href="${el.href}" target="_blank">${el.ime}</a>
               else{
               ispis+=`<a class="nav-link" href="${el.href}">${el.ime}</a>
               $('#dinamicki-meni').html(ispis);
       },
       error: function(xhr, status, error){
           console.log(xhr.responseText);
```

```
});
    // Ispisivanje navigacije za ulogovane korisnike
    $.ajax({
       url:'logic/navigacijalog.php',
       type: 'get',
       dataType:'json',
       success:function(data){
           let ispis = ``;
           data.forEach(function(el){
               ispis+=
               `
               if(el.ime == "Author"){
                   ispis+=`<a class="nav-
link" href="${el.href}" target="_blank">${el.ime}</a>
               }
               else if(el.ime == "Home"){
                   ispis+=`<a class="nav-link" href="${el.href}">${el.ime}</a>
               }
               else{
               ispis+=`<a class="nav-link" href="logic/${el.href}">${el.ime}</a>
               }
           });
           $('#dinamicki-log').html(ispis);
       },
       error: function(xhr, status, error){
           console.log(xhr.responseText);
    });
    // Ispisi u ddl za update i insert
   $.ajax({
       url:"logic/graditelji.php",
       dataType:'json',
       success:function(data){
           let ispis = ``;
           data.forEach(function(el){
               ispis +=`
```

```
<option value="${el.id}">${el.name}</option>`;
            });
            $('#ddl-update').html(ispis);
            $('#ddl-insert').html(ispis);
       },
        error:function(xhr, status){
            console.log(xhr);
       }
   });
   // Provera forme za registraciju na klijentu
   $('#dugme').on('click',function(){
       let imeVrednost = $('#ime1').val();
       let prezimeVrednost = $('#prezime1').val();
       let usernameVrednost = $('#username1').val();
       let emailVrednost = $('#mail1').val();
       let sifraVrednost = $('#sifra1').val();
       let ponoviSifru = $('#sifra2').val();
       let greske = [];
       let proveraTekst = /^[A-ZĐŠŽĆČ][a-zđšžćč]{1,21}$/;
       let proveraUsername = /^[A-ZĐŠŽĆČa-zđšžćč0-9]+(?:[ _-][A-Za-z0-9]+)*$/;
       let proveraMail = /^([a-zA-Z0-9_{-}.]+)@([a-zA-Z0-9_{-}.]+).([a-zA-Z0-9_{-}.]+)
Z]{2,5})$/;
       let proveraaSifre = /^(?=.*[a-z])(?=.*[A-Z])(?=.*d)[a-zA-Zd]{8,21}$/;
        if(proveraTekst.test(imeVrednost)){
            $('#ime1').css({border:"1px solid green"});
        else{
            $('#ime1').css({border:"1px solid red"});
            greske.push("Name is invalid");
       if(proveraTekst.test(prezimeVrednost)){
            $('#prezime1').css({border:"1px solid green"});
       else{
            $('#prezime1').css({border:"1px solid red"});
            greske.push("Surname is invalid");
       if(proveraUsername.test(usernameVrednost)){
            $('#username1').css({border:"1px solid green"});
       else{
            $('#username1').css({border:"1px solid red"});
            greske.push("Username is invalid");
```

```
if(proveraMail.test(emailVrednost)){
    $('#mail1').css({border:"1px solid green"});
}
else{
    $('#mail1').css({border:"1px solid red"});
    greske.push("Mail is invalid");
if(proveraaSifre.test(sifraVrednost)){
    $('#sifra1').css({border:"1px solid green"});
else{
    $('#sifra1').css({border:"1px solid red"});
    greske.push("Password is invalid");
if(sifraVrednost == ponoviSifru){
    $('#sifra2').css({border:"1px solid green"});
else{
    $('#sifra2').css({border:"1px solid red"});
    greske.push("Passwords don't match");
if(greske.length){
    for(let gres of greske){
        alert(gres);
else{
    $.ajax({
        url:'logic/registracija.php',
        type:'post',
        data:{
            ime:imeVrednost,
            prezime:prezimeVrednost,
            username:usernameVrednost,
            mail:emailVrednost,
            sifra:sifraVrednost,
            sifraopet:ponoviSifru,
            stiglo:true
        },
        success: function(data){
            alert(data);
            location.replace('http://localhost/php1sajt/login.php');
        },
        error:function(error, status, xhr){
            let message = "Error";
```

```
switch(xhr.status){
                       case 404:
                           message = "Page not found";
                           break;
                       case 409:
                           message = "Username or email exists";
                           break;
                       case 422:
                           message = "Not valid";
                           break;
                       case 500:
                           message = "Server is experiencing some errors, please
try again later";
                           break;
                   alert(message);
           })
   });
   // Provera forme za logovanje na klijentu
  $('#dugme1').on('click',function(){
       let usernameVrednost = $('#username2').val();
       let sifraVrednost = $('#sifra3').val();
       let proveraUsername = /^[A-ZĐŠŽĆČa-zđšžćč0-9]+(?:[ _-][A-Za-z0-9]+)*$/;
       let proveraaSifre = /^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{8,21}$/;
       let greske = [];
       if(proveraUsername.test(usernameVrednost)){
           $('#username2').css({border:"1px solid green"});
       else{
           $('#username2').css({border:"1px solid red"});
           greske.push("malo greska");
       if(proveraaSifre.test(sifraVrednost)){
           $('#sifra3').css({border:"1px solid green"});
       }
       else{
           $('#sifra3').css({border:"1px solid red"});
           greske.push("malo greska");
       if(greske.length){
           alert("Make sure your incredentials are correct");
```

```
else{
            // LOGOVANJE
            $.ajax({
                url:'logic/logovanje.php',
                type:'post',
                data:{
                    username:usernameVrednost,
                    sifra:sifraVrednost,
                    stiglo:true
                },
                success:function(data){
                    if(data == "Username or password is invalid"){
                         alert(data);
                    if(data.role == "admin"){
                        location.replace('http://localhost/php1sajt/baza.php');
                    }
                    else{
                         location.replace('http://localhost/php1sajt/question.php'
);
                    }
                },
                error:function(error, status, xhr){
                    let message = "Make sure your incredentials are correct";
                    switch(xhr.status){
                         case 404:
                             message = "Page not found";
                            break;
                         case 409:
                            message = "Username or email exists";
                            break;
                         case 422:
                             message = "Not valid";
                             break;
                         case 500:
                             message = "Server is experiencing some errors, please
 try again later";
                             break;
                    alert(message);
            });
```

```
});
    // Upisivanje komentara
   $('#dugme-komentar').on('click',function(){
        let id = this.dataset.id;
        let komentarVrednost = $('#komentar').val();
        let proveraKomentar = /^[a-zđšžćčA-ZĐŠŽĆČ.,;!?:'\%\\\-\.]{1,} [a-zđšžćčA-
ZĐŠŽĆČ.,:?;!]{1,} .+$/;
        if(proveraKomentar.test(komentarVrednost)){
            $('#komentar').css({border:"1px solid green"});
            $.ajax({
                url:'logic/upiskomentara.php',
                type:'post',
                data:{
                    zgradaId:id,
                    komentar:komentarVrednost,
                    stiglo:true
                },
                success:function(data){
                    alert(data);
                    if(data == "Successfully commented, please refresh page"){
                        location.replace('http://localhost/php1sajt/building.php?
id='+id);
                    }
                },
                error:function(error){
                    console.log(error);
            })
        else{
            $('#komentar').css({border:"1px solid red"});
    });
    // Upisivanje u formu za update zgrada
   $(".dgmUp").on("click",function(){
        let id = this.dataset.id;
        $.ajax({
            url:'logic/popuniupdate.php',
            type: 'POST',
            data:{
                id:id,
                stiglo:true
            success:function(data){
```

```
$('#ddl-update').val(data.gradid);
                    $('#ddl-update1').val(data.katid);
                    $('#update-name').val(data.ime);
                    $('#update-price').val(data.cena);
                    $('#update-location').val(data.lokacija);
                    $('#infoDug').val(data.duzi);
                    $('#infoKrat').val(data.kraci);
                    $('#ddl-update2').val(data.konst);
                    $('#sakriveno').val(id);
            },
            error:function(xhr,error){
            }
       })
   });
   // Provera forme za update
   $('#update-dugme').on("click", function(){
       let id = $('#sakriveno').val();
       let ddl update = $('#ddl-update').val();
        let ddl update1 = $('#ddl-update1').val();
       let update_price = $('#update-price').val();
       let update_name = $('#update-name').val();
       let update_location = $('#update-location').val();
       let ddl update2 = $('#ddl-update2').val();
       let longtxt = $('#infoDug').val();
       let shorttxt = $('#infoKrat').val();
       let proveraCene = /^[0-9]{1,10}.00$/;
       let proveraIme = /^[A-ZĐŠŽĆČa-zđšžćč0-9\s]{2,29}$/;
        let proveraLokacije = /^[A-ZĐŠŽĆČ][a-zđšžćč]{1,40},\s{0,1}[A-ZĐŠŽĆČ][a-
zđšžćč]{1,40}$/;
       let proveraInfo = /^[a-zđšžćčA-ZĐŠŽĆČ.,;!?:'\%\\\-\.]{1,} [a-zđšžćčA-
ZĐŠŽĆČ.,:?;!]{1,} .+$/;
       let greskice = [];
       if(!(proveraCene.test(update price))){
            $('#update-price').css({border:'1px solid red'});
            greskice.push("Price is invalid");
       if(!(proveraLokacije.test(update_location))){
            $('#update-location').css({border:'1px solid red'});
            greskice.push("Location is invalid");
       if(!(proveraIme.test(update_name))){
            $('#update-name').css({border:'1px solid red'});
            greskice.push("Name is invalid");
```

```
if(!(proveraInfo.test(longtxt))){
    $('#infoDug').css({border:'1px solid red'});
    greskice.push("Long info is invalid");
if(!(proveraInfo.test(shorttxt))){
    $('#infoKrat').css({border:'1px solid red'});
    greskice.push("Short info is invalid");
if(greskice.length){
    for(let greska of greskice){
        alert(greska);
}
else{
    $.ajax({
        url:'logic/updatezgrade.php',
        type: "post",
        data:{
            stiglo:true,
            gradid:ddl_update,
            katid:ddl update1,
            ime:update_name,
            cena:update_price,
            lokacija:update location,
            longtxt:longtxt,
            shorttxt:shorttxt,
            konst:ddl update2,
            id:id
        },
        success:function(data){
            alert(data);
        error:function(xhr, status, error){
            let message = "Error";
            switch(xhr.status){
                case 404:
                    message = "Page not found";
                    break;
                case 409:
                    message = "Something went worng";
                    break;
                case 422:
                    message = "Not valid";
                    break;
                case 500:
```

```
message = "Server is experiencing some errors, please
try again later";
                           break;
                   alert(message);
               }
           });
      }
   });
  // Brisanje zgrada
  $('.dgmDelete').on('click',function(){
       let id = this.dataset.id;
       $.ajax({
           url:'logic/deletezgradu.php',
           type:'post',
           data:{
               stiglo:true,
               id:id
           },
           success:function(data){
               alert(data);
               if(data == "Building deleted successfully, please refresh page"){
                   location.replace('http://localhost/php1sajt/baza.php');
           },
           error(xhr,err,error){
               alert(xhr);
           }
       });
   });
   // INSERT U TABELU
  $('#insertDgm').on('click',function(){
       let ddl insert = $('#ddl-insert').val();
       let ddl insert1 = $('#ddl-insert1').val();
       let insert_price = $('#insert-price').val();
       let insert_name = $('#insert-name').val();
       let insert_location = $('#insert-location').val();
       let ddl_insert2 = $('#ddl-insert2').val();
       let longtxt1 = $('#infoDug1').val();
       let shorttxt1 = $('#infoKrat1').val();
       let picture_src = $('#insert-src').val();
       let proveraCene = /^[0-9]{1,10}.00$/;
```

```
let proveraIme = /^[A-ZĐŠŽĆČa-zđšžćč0-9\s]{2,29}$/;
        let proveraLokacije = /^[A-ZĐŠŽĆČ][a-zđšžćč]{1,40},\s{0,1}[A-ZĐŠŽĆČ][a-
zđšžćč]{1,40}$/;
       let proveraInfo = /^[a-zđšžćčA-ZĐŠŽĆČ.,;!?:'\%\\-\.]{1,} [a-zđšžćčA-
ZĐŠŽĆČ.,:?;!]{1,} .+$/;
       let proveraPicture = /(.{2,95})\.jpg/;
       let greskice = [];
        console.log(picture_src);
        if(!(proveraCene.test(insert price))){
            $('#insert-price').css({border:'1px solid red'});
            greskice.push("Price is invalid");
       if(!(proveraIme.test(insert_name))){
            $('#insert-name').css({border:'1px solid red'});
            greskice.push("Name is invalid");
       if(!(proveraLokacije.test(insert_location))){
            $('#insert-location').css({border:'1px solid red'});
            greskice.push("Location is invalid");
       if(!(proveraInfo.test(longtxt1))){
            $('#infoDug1').css({border:'1px solid red'});
            greskice.push("Long info is invalid");
       if(!(proveraInfo.test(shorttxt1))){
            $('#infoKrat1').css({border:'1px solid red'});
            greskice.push("Short info is invalid");
       if(!(proveraPicture.test(picture src))){
            $('#insert-src').css({border:"1px solid red"});
            greskice.push("Src is invalid");
        if(greskice.length){
            for(let greska of greskice){
                alert(greska);
        }
        else{
            $.ajax({
                url:'logic/insertzgrade.php',
                type: 'post',
                data:{
                    gradid:ddl insert,
                    katid:ddl_insert1,
                   cena:insert price,
```

```
ime:insert_name,
                    lokacija:insert location,
                    longtxt1:longtxt1,
                    shorttxt1:shorttxt1,
                    konst:ddl_insert2,
                    src:picture_src,
                    stiglo:true
                },
                success:function(data){
                    alert(data);
                    if(data == "Property inserted successfully, please refresh pa
ge"){
                        location.replace('http://localhost/php1sajt/baza.php');
                },
                error:function(xhr,error,status){
                    let message = "Error";
                    switch(xhr.status){
                        case 404:
                            message = "Page not found";
                            break;
                        case 409:
                            message = "Username or email exists";
                            break;
                        case 422:
                            message = "Not valid";
                            break;
                        case 500:
                            message = "Server is experiencing some errors, please
 try again later";
                            break;
                    alert(message);
            });
    });
    // DELETE Komentara
    $('.komDelete').on("click",function(){
        let id = this.dataset.id;
        $.ajax({
            url:'logic/deletekomentar.php',
            type:'post',
            data:{
                stiglo:true,
```

```
id:id
        },
        success: function(data){
            alert(data);
            if(data == "Comment deleted successfully,please refresh page"){
                location.replace('http://localhost/php1sajt/baza.php');
        },
        error(xhr,err,error){
            console.log(error);
   });
});
// DELETE korisnika "user"
$('.userDelete').on("click",function(){
    let id = this.dataset.id;
    $.ajax({
        url:'logic/deletekorisnik.php',
        type:'post',
        data:{
            stiglo:true,
            id:id
        },
        success: function(data){
            alert(data);
            if(data == "User deleted successfully, please refresh page"){
                location.replace('http://localhost/php1sajt/baza.php');
        },
        error(xhr,err,error){
            console.log(error);
    });
});
// Uzimanje vrednosti sa Question stranice
$('#dgmVote').on("click",function(){
    ddl_vote = $('#ddl-vote').val();
    $.ajax({
        url:"logic/glasovi.php",
        type:'post',
        data:{
            stiglo:true,
```

```
vote:ddl_vote
},
success:function(data){
    alert(data);
    location.replace('http://localhost/php1sajt/index.php');
},
error: function(err, error, xhr){
    console.log(err);
}
});
});
});
```

CSS

```
@import url('https://fonts.googleapis.com/css?family=Crimson+Pro&display=swap');
body{
    padding-top: 56px;
    font-family: 'Crimson Pro', serif;
#naslov{
    font-size: 35px!important;
.navbar-dark .navbar-nav .nav-link{
    font-size: 18px;
.navbar-dark .navbar-brand{
    font-size: 24px;
a{
    color:#276FBF;
p{
    color:#0A0908;
.navbar-dark .navbar-brand{
    color:#F2F4F3;
#btnPanel{
    margin-top: 15px;
```

```
.list-group-item{
    font-size: 18px;
.pagination{
    margin-left: 15px;
    margin-bottom: 20px;
.spremno{
    color:rgb(50, 214, 77);
    font-size: 20px;
del{
    color:rgb(228, 74, 74);
    font-size: 20px;
.ozgradi{
    font-size: 17px;
    margin-top: 3px;
#naslov-komentar{
    font-size: 20px;
    color:#0A0908;
    font-weight: bold;
.card-kom{
    margin-bottom: 8px;
.dgmKom{
    margin-top:10px;
.bg-dark{
    background-color: #22333B;
.cenazgrade{
    font-weight:bold;
i{
    margin-top: 2px;
.usernameKom{
    font-size: 20px;
    font-style: italic;
.urediUser{
    text-decoration: underline;
```

```
.bazaNaslovi{
    text-align: center;
    padding: 16px 0px 10px 0px;
.vote-result{
    width:50%;
    margin: 0px auto;
    margin-bottom: 60px;
#insertDgm1{
    margin:10px 10% 10px 10%;
.labela-input{
    font-weight: bold;
.span-naslov{
    font-size: 21px;
#logovanje{
    margin:80px 0px 228px 0px;
#registracija {
    margin: 45px 0px 45px 0px;
#anketa{
    margin:155px 0px 280px 0px;
.futer-txt{
    color:#F2F4F3;
.dokumentacija{
    color:#276FBF;
.mreze{
    font-size: 20px;
.mreza{
    font-size: 20px;
footer{
    padding:10px 0px 0px 0px!important;
    background-color: #343a40!important;
.drzimreze{
```

```
width:60%;
  display: flex;
  justify-content: space-between;
}
.mreza{
  font-size: 18px;
  color:#F2F4F3;
}
.futer-naslov{
  color:#F2F4F3;
}
```