AI IN MEDICINE: IDENTIFICATION AND LOCALIZATION OF METASTATIC TISSUES IN HISTOPATHELOGICAL SCANS OF LYMPH NODES

A PREPRINT

Spandan Ghosh*

Department of Electronics and Communication Engineering
Institute of Engineering & Management
Kolkata, India
spandanghosh2@gmail.com

May 1, 2020

ABSTRACT

Artificial Intelligence has been setting the benchmark for almost all commercial and research fields. Since the rapidly growing popularity of these approaches now draw the interests of the people in the resepective fields of application, we now define state of the art benchmarks with respect to how well several networks perform in different fields. Medical Imaging and the analysis of these images are no different. The polished techniques in Digital Image Processing such as the various filters, transforms, thresholding techniques have already been in use to reduce redundant human work when these techniques can perform pattern recognition for trivial, repititive tasks. The effect of the evolution of Deep Learning has allowed the learning of complex convolution filters using Convolutional Neural Networks(CNNs) which now permit the detection of intricate patterns and segmenting them to such an extent that these now become more efficient than the human eye in several cases. Medical Images however, post various challenges that are usually absent in other applications of Deep Learning in Computer Vision.

The first and primary issue is the quantity of data available. The amount of data available is nowhere close to the other real world applications such as classification of cusines by their snapshots. Moreover, medical images cannot be readily scraped or taken from the real world. Taking the problem at hand, one cannot simply step out into the world and acquire scanned and labelled images of Lymph Tissues. Their aquisition depends on Medical Institutions. Furthermore, the process of capturing, labelling, processing and releasing such a dataset is difficult and requires specialized attention from medical professionals. The second issue is that this, combined with the fact that expensive equipment may be required for their collection makes the process expensive.

Segmentation adds another complexity: **The complexity of effort**. Segmentation involves a pixel to pixel mapping between the input and an output. Every single tissue sample image needs to be segmented by a medical expert for us to train an algorithm to do so automatically on other images. This process is tedious. In this project, along with reviewing certain approaches of interest, I am going to achieve the a segmentation map on the input image without using a segmentation levels and am also going to discuss some alternative methods in which the above claimed can be achieved and when and where which should be preferred.

 $\textbf{\textit{Keywords}} \ \ \text{Semantic Segmentation} \cdot \ \ \text{Medical Image Analysis} \cdot \ \ \text{Associative Networks} \cdot \ \ \text{Deep Learning}$

^{*}Apart from the above mentioned email address, several relevant background knowledge and information is available on https://spandanji.github.io

Contents

1	Introduction											3				
	1.1	Motivation										 		 		3
	1.2 Objective							 		4						
	1.3	Organization of the	Report	. .								 		 		5
2	Literature Review / Related works												6			
2.1 Classical Image Processing								 		6						
	2.2	2.2 Classical Machine Learning							 		7					
		2.2.1 KNN base	d Methods									 		 		7
		2.2.2 K Means C	lustering Base	ed Metho	ds							 		 		8
	2.3	.3 Deep Learning Methods				 		9								
		2.3.1 U-Nets .		. .								 		 		9
3	Bibl	iography														11

1 Introduction

The upsurge in the dominance of Deep Learning in defining the Statei-of-the-Art in a great variety of fields. Both Research and Industrial organizations all over the world are on a lookout to capitalize on the edge provided by Deep Learning and to leverage an increase in performance or profit in accordance with the goals of the organization. With data being in abundance in this digital age and the greatly evolved compute capacity with the rise of GPUs (Graphical Processing Units), the tedious and compute hungry processing of training models on particular datasets has become easier and practically feasable.

1.1 Motivation

There has been a huge upsurge in the replacement of tedious and laborious work with algorithms to automate the process. Segmentation is no different. Segmentation is the process of reconstruction of an input image as the output image with certain pixels of the image highlighted or labelled to be of a particular class or to have a particular property. In Medical Imaging, this is quite often required in the highlighting of infected regions or affected areas in cells or scans. Before getting into the approaches in Digital Image Processing and Deep Learning to solve such problems, let us have a look at some typical segmentated images.




Figure 1: Some Segmented images: Row-1 has the input images and row 2 has the output images also known as the segmented images or the segmentation maps

Segmentation is not limited to the world of medical prognosis. It is applicable in several fields of interest such as Handwriting analysis as seen in Kaur et. al.[1]. The usual idea behind segmentation would be to design a mathematical function that proposes a mapping between input and output pixels. As seen in Fig. 1, the left-most image is one that segments the retinal vesicles of the eye. Such a work would require constant supervision and analysis of such images manually by medical professionals as such a work requires a degree of domain knowledge and expertise.

This problem is one typical area where we would want to apply Image Processing to either independently solve the problem or to make the job easier by minimizing the human sipervision involved. The motivation as such, behind my analysis of approaches and the development of the project is the explotation of data to learn functions that map from the input image to the output image. However, such a task requires data in such a format that every input image has a corresponding output image in the dataset and this needs to be prepared as the dataset by the said professionals.

This project shall deal with a detailed comparative analysis on several different approaches on that are used in Semantic Segmentation but also discuss the main process under consideration where we DO NOT have to use segmentation data but we can still Localize the affected areas simply from the available data. This project shall be beneficial for the localization of cells with or without segmentation data and if segmentation data is available, the comparative analysis shall help in the choice of approach as will be beneficial for the project.

1.2 Objective

The Objective of this project is to achieve the localization of cancerous cells in slides containing lymph tissues in general. The specific problem we shall be dealing with is the identification of metastatic tissues in the histopathelogical scans of lymph node sections.




Figure 2: The cells and a certain box showing the areas of possible interest




Figure 3: Gradcam or the regions in the input image that most affect the output in the image

In Fig 2, we the images we see are the input images. These are the histopathelogical scans of lymph node sections. The data is such that each scan is labelled healthy and unhealthy. For this dataset we do not have a segmentation map available, and yet our objective shall be to localize the areas of interest which have caused the activation to be positive or negative. In other words we shall aim to effectively superimpose heat maps as shown in Fig 3 such that we solve the purpose of segmentation as surely such regions of interests are the patterns corresponding to the scan being healthy or unhealthy ie. they are the cancerous or metastatic regions.

1.3 Organization of the Report

This report shall be devided into several sections. We shall first have a look at the various literature that discusses approaches realated to our problem statement and decide on the pros and cons of such approaches. We shall be diving deep into the analysis of these approaches and then discuss our approach.

All prerequisite mathematical requirements shall also be discussed. The reasoning shall be provided behind the choice of the chosen model. The Dataset, training process etc. shall be discussed in detail. In addition to that we shall be covering the model itself as well as hyperparameter optimization.

2 Literature Review / Related works

Whenever someone discusses the works on segmentation, the great variety of work cannot be brought under a single banner. There is a great deal of work in digital image processing, classical machine learning, deep learning among several other fields that have greatly contributed to the development of the current state of the art in segmentation and localization. We will look at such pieces of literature in this section.

2.1 Classical Image Processing

Several advances has been made in the field of Digital Image processing for clustering and seperation of pixels. Several filters like the Gaussian blur, median blur etc. help in denoising images but one that deserves a special mention is the Anisotropic filter. These generallt numerically estimate the solution of a differentiable equation. Adaptive anisotropic filters have made the choice of the parameters involved fairly simple. This is evident from the work of Greenberg et. al. [2] where they improve the structure-adaptive anisotropic filtering approach using an elliptical kernel, a non-linear filtering function, and a more robust-to-noise technique for oriented pattern direction. Wang et.al. [3] proposed a new structure-adaptive anisotropic filtering scheme based on the local structure tensor. They utilized the local structure tensor to measure image local anisotropic features and estimate the orientation of image structures, and these informations are then used to shape and control the anisotropic Gaussian kernel. The proposed filter denoises noisy images while image structures such as corners, junctions and edges are well preserved. Their experimental results clearly show that the proposed scheme outperforms some other adaptive filters such as the adaptive Wiener filter, Weickertpsilas edge enhancing diffusion (EED) filter and Yangs structure-adaptive anisotropic filter in terms of both mean square errors ('MSE') and visual quality, and the one based on the nonlinear structure tensor (NLST) can give much better denoising results than that based on the linear structure tensor (LST), particularly in edge regions.

Kurt et.al. [4] provides a use case in medical images for image enhancement using anisotropic filter and clahe. Montagnat et.al. [5] used anisotropic filtering for model based segmentation of 4D cylindrical echocardiographic images. This paper presents a 4D (3D+time) echocardiographic image anisotropic filtering and a 3D model-based segmentation system. To improve the extraction of left ventricle boundaries, they rely on two preprocessing stages. First, they applied an anisotropic filter that reduces image noise. This 4D filter takes into account the spatial and temporal nature of echocardiographic images. Second, they adapted the usual gradient filter estimation to the cylindrical geometry of the 3D ultrasound images. The reconstruction of the endocardium takes place by deforming a deformable simplex mesh having an a priori knowledge of left ventricle shape and that is guided by a region-based data attraction force. The external force formulation improves the segmentation robustness against noise and outliers. They illustrated their method by showing experimental results on very challenging sparse and noisy ultrasound images of the heart and by computing quantitative measurements of the left ventricle volume.

One field of particular interest regarding the success of Digital Image Processing are MRI images of the brain. Atkins et.al. [6] demonstrated the use of such filters in the Fully automatic segmentation of the brain in MRI to identify tumor locations. The output can be seen in Fig 4.




Figure 4: Tumor segmentation

2.2 Classical Machine Learning

2.2.1 KNN based Methods

k-Nearest Neighbours(KNN) is a machine learning algorithm that looks at neighbouring pixels to determine the class of the current pixel. Vrooman et.al. [7] automated KNN for segmentation. Conventional k-Nearest-Neighbor kNN classification, which has been successfully applied to classify brain tissue in MR data, requires training on manually labeled subjects. This manual labeling is a laborious and time-consuming procedure. In this work, a new fully automated brain tissue classification procedure is presented, in which kNN training is automated. This is achieved by non-rigidly registering the MR data with a tissue probability atlas to automatically select training samples, followed by a post-processing step to keep the most reliable samples. The accuracy of the new method was compared to rigid registration-based training and to conventional kNN-based segmentation using training on manually labeled subjects for segmenting gray matter (GM), white matter (WM) and cerebrospinal fluid CSF in 12 data sets. Furthermore, for all classification methods, the performance was assessed when varying the free parameters. Finally, the robustness of the fully automated procedure was evaluated on 59 subjects. The automated training method using non-rigid registration with a tissue probability atlas was significantly more accurate than rigid registration. For both automated training using non-rigid registration and for the manually trained kNN classifier, the difference with the manual labeling by observers was not significantly larger than inter-observer variability for all tissue types. From the robustness study, it was clear that, given an appropriate brain atlas and optimal parameters, our new fully automated, non-rigid registration-based method gives accurate and robust segmentation results. A similarity index was used for comparison with manually trained kNN. The similarity indices were 0.93, 0.92 and 0.92, for CSF, GM and WM, respectively. It can be concluded that our fully automated method using non-rigid registration may replace manual segmentation, and thus that automated brain tissue segmentation without laborious manual training is feasible.

KNN with Tissue Type Bias: This was proposed in Steenwijk et.al. [8]. The segmentation and volumetric quantification of white matter (WM) lesions play an important role in monitoring and studying neurological diseases such as multiple sclerosis (MS) or cerebrovascular disease. This is often interactively done using 2D magnetic resonance images. Recent developments in acquisition techniques allow for 3D imaging with much thinner sections, but the large number of images per subject makes manual lesion outlining infeasible. This warrants the need for a reliable automated approach. Here the authors aimed to improve k nearest neighbor (kNN) classification of WM lesions by optimizing intensity normalization and using spatial tissue type priors TTPs. The kNN-TTP method used kNN classification with 3.0 T 3DFLAIR and 3DT1 intensities as well as MNI-normalized spatial coordinates as features. Additionally, TTPs were computed by nonlinear registration of data from healthy controls. Intensity features were normalized using variance scaling, robust range normalization or histogram matching. The algorithm was then trained and evaluated using a leave-one-out experiment among 20 patients with MS against a reference segmentation that was created completely manually. The performance of each normalization method was evaluated both with and without TTPs in the feature set. Volumetric agreement was evaluated using intra-class coefficient (ICC), and voxelwise spatial agreement was evaluated using Dice similarity index (SI). Finally, the robustness of the method across different scanners and patient populations was evaluated using an independent sample of elderly subjects with hypertension.

KNNs have also been administered for brain tumor segmentation. Havaei et.al. [9] used KNN for an interactive tumor segmenation. This task is most frequently tackled using machine learning methods that generalize across brains, by learning from training brain imagesin order to generalize to novel test brains. However this approachfaces many obstacles that threaten its performance, such as theability to properly perform multi-brain registration or brain-atlasalignment, or to extract appropriate high-dimensional featuresthat support good generalization. These operations are both non-trivial and time-consuming, limiting the practicality of theseapproaches in a clinical context. In this paper, the authors propose to sidestep these issues by approaching the problem as one ofwithin braingeneralization. Specifically, they propose a semi-automatic method that segments a given brain by training and generalizing within that brain only, based on some minimum user interaction. They investigate how k nearest neighbors (kNN), arguably the simplestmachine learning method available, combined with the simplestfeature vector possible raw MR signal + (x,y,z) position can becombined into a method that is both simple, accurate and fast. Results obtained on the online BRATS dataset reveal that our method is fast and second best in terms of the complete and core test set tumor segmentation.

2.2.2 K Means Clustering Based Methods

K Means Clustering unkike KNN is an unsupervised algorithm and clusters similar data points together. Medical image segmentation using k-means clustering by Ng et.al. [10] leverages this unsupervised algorithm to cluster similar images together. They proposed a methodology that incorporates k-means and improved watershed segmentation algorithm for medical image segmentation. The use of the conventional watershed algorithm for medical image analysis is widespread because of its advantages, such as always being able to produce a complete division of the image. However, its drawbacks include over-segmentation and sensitivity to false edges. The authors address the drawbacks of the conventional watershed algorithm when it is applied to medical images by using K-means clustering to produce a primary segmentation of the image before they appied their improved watershed segmentation algorithm to it. The K-means clustering is an unsupervised learning algorithm, while the improved watershed segmentation algorithm makes use of automated thresholding on the gradient magnitude map and post-segmentation merging on the initial partitions to reduce the number of false edges and over-segmentation. By comparing the number of partitions in the segmentation maps of 50 images, we showed that our proposed methodology produced segmentation maps which have 92% fewer partitions than the segmentation maps produced by the conventional watershed algorithm. The results are as seen in Fig 5.




Figure 5: Segmentation using k means clustering

Dhanachandra et.al. [11] used K-means and sustractive clustering together to achieve segmentation. Image segmentation is the classification of an image into different groups. Many researches have been done in the area of image segmentation using clustering. There are different methods and one of the most popular methods is k-means clustering algorithm.K -means clustering algorithm is an unsupervised algorithm and it is used to segment the interest area from the background. But before applying K-means algorithm, first partial stretching enhancement is applied to the image to improve the quality of theimage. Subtractive clustering method is data clustering method where it generates the centroid based on the potential value of thedata points. So subtractive cluster is used to generate the initial centers and these centers are used in k-means algorithm for the segmentation of image. Then finally medial filter is applied to the segmented image to remove any unwanted region from the image.

2.3 Deep Learning Methods

While classical machine learning algorithms have been in several cases adequate for the task at hand, when it comes to segmenting compicated patterns, RGB images etc, Deep Learning far outclasses the methods discussed so far and defines the benchmarks for quality in the current world of technology. There are several methods out there. Let us review and discuss the most prominent ones.

2.3.1 U-Nets

U-net has been the go-to choice for semantic segmentation for medical images. Ronneberger et.al. [12] proposed this structure in 2015 with primary focus on medical image segmentation. Before reviewing the architecture, let us have a look at the general structure of the model in Fig. 6. The U-Structure is a result of the symmetric contraction and expansion. As we propagate into the depth of any CNN, our field of vision on the input image increases but we may lose localization features and here comes the significance of passing the features from lower depth layers while upsampling for the output. At corner points or boundary regions, we may mirror parts of the input image so as to pass a consistent context.




Figure 6: U-net architecture example for 32x32 pixels in the lowest resolution. Each bluebox corresponds to a multichannel feature map. The number of channels is denoted ntop of the box. The x-y-size is provided at the lower left edge of the box. Whiteboxes represent copied feature maps. The arrows denote the different operations.

The Constricting part has repeated 3x3 conv - 2x2 maxPool units with number of feature channels doubling at each step. The ReLU activation layer is used. The expansive path has the upsampled featured map followed by 2x2 up-convolutions halving the number of feature channels at each step. The symmetrically opposite conv layer in the constricting block feeds its conv features to the corresponding block of the expansive path after upsampling which is followed by another convolution. Each block of convolution is defined as double convolution before pool as shown in Fig 6.

The model is trained end to end as a supervised model with the input images and the corresponding segmentation maps. Use of large tiles as input is recommended so as to minimize the GPU overhead. This can be achieved by compromising the batch size. At the time of inference, batch size will be low but these large tiles will allow minimum execution time. A momentum-based optimizer like Adam may be used but the paper uses SDG with momentum 0.99 arguing that such a high momentum allows previous examples to further impact the current optimization step thereby taking a more general step in our optimization space. They used a softmax function followed by a cross entropy evaluation.

The softmax function is as shown in eq 1

$$p_k(\vec{x}) = \frac{\exp(a_k(\vec{x}))}{\left(\sum_{k'=1}^K \exp(a_{k'}(\vec{x}))\right)}$$
(1)

where $a_k(\vec{x})$ is the activation of the last layer ie. the 1x1 Conv layer. This Softmax activation converts the output vector into probabilities and the elements of the obtained vector adds up to 1 along the dimension in which softmax is applied. Let us have a look at the cross entropy function as shown in the paper in eq. 2.

$$E = \sum_{\vec{x} \in \Omega} w(\vec{x}) \log(p_{\ell(\vec{x})}(\vec{x})) \tag{2}$$

3 Bibliography

References

- [1] George Kour and Raid Saabne. Real-time segmentation of on-line handwritten arabic script. In *Frontiers in Handwriting Recognition (ICFHR)*, 2014 14th International Conference on, pages 417–422. IEEE, 2014.
- [2] Shlomo Greenberg and Daniel Kogan. Improved structure-adaptive anisotropic filter. *Pattern Recognition Letters*, 27(1):59–65, 2006.
- [3] Wei Wang, Jinghuai Gao, and Kang Li. Structure-adaptive anisotropic filter with local structure tensors. In 2008 Second International Symposium on Intelligent Information Technology Application, volume 2, pages 1005–1010. IEEE, 2008.
- [4] Burçin Kurt, Vasif V Nabiyev, and Kemal Turhan. Medical images enhancement by using anisotropic filter and clahe. In 2012 International Symposium on Innovations in Intelligent Systems and Applications, pages 1–4. IEEE, 2012.
- [5] Johan Montagnat, Maxime Sermesant, Hervé Delingette, Grégoire Malandain, and Nicholas Ayache. Anisotropic filtering for model-based segmentation of 4d cylindrical echocardiographic images. *Pattern Recognition Letters*, 24(4-5):815–828, 2003.
- [6] M Stella Atkins and Blair T Mackiewich. Fully automatic segmentation of the brain in mri. *IEEE transactions on medical imaging*, 17(1):98–107, 1998.
- [7] Henri A Vrooman, Chris A Cocosco, Fedde van der Lijn, Rik Stokking, M Arfan Ikram, Meike W Vernooij, Monique MB Breteler, and Wiro J Niessen. Multi-spectral brain tissue segmentation using automatically trained k-nearest-neighbor classification. *Neuroimage*, 37(1):71–81, 2007.
- [8] Martijn D Steenwijk, Petra JW Pouwels, Marita Daams, Jan Willem van Dalen, Matthan WA Caan, Edo Richard, Frederik Barkhof, and Hugo Vrenken. Accurate white matter lesion segmentation by k nearest neighbor classification with tissue type priors (knn-ttps). *NeuroImage: Clinical*, 3:462–469, 2013.
- [9] Mohammad Havaei, Pierre-Marc Jodoin, and Hugo Larochelle. Efficient interactive brain tumor segmentation as within-brain knn classification. In 2014 22nd International Conference on Pattern Recognition, pages 556–561. IEEE, 2014.
- [10] HP Ng, SH Ong, KWC Foong, PS Goh, and WL Nowinski. Medical image segmentation using k-means clustering and improved watershed algorithm. In 2006 IEEE southwest symposium on image analysis and interpretation, pages 61–65. IEEE, 2006.
- [11] Nameirakpam Dhanachandra, Khumanthem Manglem, and Yambem Jina Chanu. Image segmentation using k-means clustering algorithm and subtractive clustering algorithm. *Procedia Computer Science*, 54:764–771, 2015.
- [12] Olaf Ronneberger, Philipp Fischer, and Thomas Brox. U-net: Convolutional networks for biomedical image segmentation. In *International Conference on Medical image computing and computer-assisted intervention*, pages 234–241. Springer, 2015.