# SAMPLE QUERY DATA






Pricing Help

Private.DB

Create a database linked to your account.

Demo.Memory

SQLite

0.2 beta

Table

- Customers
- demo
- Orders
- Order_Items
- Payments
- Products
- sqlite_sequence

DuckDB

PGLite

Demo.Server

MariaDB

PostgreSQL

Run SQLite SQLite SQLite

```
1 SELECT * FROM Orders;
```

| order_id | customer_id | order_date | status |
|---|---|---|---|
| 1 | 1 | 2026-03-01 | Delivered |
| 2 | 2 | 2026-03-02 | Shipped |

History

Syntax History

SQLite
SELECT * FROM Orders;
14:02:55

SQLite
SELECT * FROM Products;
14:02:19

SQLite
SELECT * FROM Customers;
14:01:32

SQLite
INSERT INTO Payments (order_id, payment_
(1, '2026-03-01', 598,
...
14:00:54

SQLite
INSERT INTO Order_Items (order_id, produ

```
1 SELECT * FROM Payments;
```

| payment_id | order_id | payment_date | amount | payment_method |
|---|---|---|---|---|
| 1 | 1 | 2026-03-01 | 598 | UPI |
| 2 | 2 | 2026-03-02 | 99 | Card |

Pricing Help

Private.DB

Create a database linked to your account.

Demo.Memory

SQLite

0.2 beta

Table

- Customers
- demo
- Orders
- Order_Items
- Payments
- Products
- sqlite_sequence

DuckDB

PGLite

Demo.Server

MariaDB

PostgreSQL

Run | SQLite | SQLite | SQLite

```
1 SELECT * FROM Products;
```

SQLite

| product_id | name | category | price | stock | carbon_footprint |
|---|---|---|---|---|---|
| 1 | Eco Bottle | Sustainable | 299 | 50 | 1.2 |
| 2 | Reusable Bag | Eco | 199 | 100 | 0.5 |
| 3 | Bamboo Toothbrush | Eco | 99 | 200 | 0.2 |

History

Syntax History

SQLite
```
SELECT * FROM Products;
```
14:02:19

SQLite
```
SELECT * FROM Customers;
```
14:01:32

SQLite
```
INSERT INTO Payments (order_id, payment_
(1, '2026-03-01', 598,
...
```
14:00:54

SQLite
```
INSERT INTO Order_Items (order_id, produ
(1, 1, 2, 299),
(2, 3, 1, 99)
...
```
14:00:40

Pricing Help

Private.DB

Create a database linked to your account.

Demo.Memory

SQLite

0.2 beta

Table

- Customers
- demo
- Orders
- Order_Items
- Payments
- Products
- sqlite_sequence

DuckDB

PGLite

Demo.Server

MariaDB

PostgreSQL

Run | SQLite | SQLite | SQLite

```
1 SELECT c.name, o.order_id, o.status
2 FROM Orders o
3 JOIN Customers c ON o.customer_id = c.customer_id;
```

| name | order_id | status |
|---|---|---|
| Spandana | 1 | Delivered |
| Ravi | 2 | Shipped |

History

Syntax History

SQLite
```
SELECT c.name, o.order_id, o.status
FROM Orders o
JOIN Customers c ON o.customer_id = c.cu
```
13:51:37

SQLite
```
SELECT * FROM Customers;
SELECT * FROM Products;
SELECT * FROM Orders;
```
13:50:41

SQLite
```
INSERT INTO Customers (name, email, phor
('Spandana', 'spandana@email.com', '987(
...
```
13:47:08

SQLite
```
-- Customers Table
CREATE TABLE Customers (
    customer_id INTEGER PRIMARY KEY AUT(
```

Pricing Help

Private.DB

Create a database linked to your account.

Demo.Memory

SQLite

0.2 beta

Table

- Customers
- demo
- Orders
- Order_Items
- Payments
- Products
- sqlite_sequence

DuckDB

PGLite

Demo.Server

MariaDB

PostgreSQL

Run | SQLite | SQLite | SQLite

```
1 SELECT SUM(amount) AS total_sales FROM Payments;
```

| total_sales |
|---|
| 697 |

History

Syntax History

SQLite
```
SELECT SUM(amount) AS total_sales FROM I
```
13:53:59

SQLite
```
SELECT c.name, o.order_id, o.status
FROM Orders o
JOIN Customers c ON o.customer_id = c.cu
```
13:52:43

SQLite
```
SELECT * FROM Customers;
SELECT * FROM Products;
SELECT * FROM Orders;
```
13:52:19

SQLite
```
INSERT INTO Customers (name, email, phor
('Spandana', 'spandana@email.com', '987(
...
```
13:47:08

Pricing Help

Private.DB

Create a database linked to your account.

Demo.Memory

SQLite

0.2 beta

Table

- Customers
- demo
- Orders
- Order_Items
- Payments
- Products
- sqlite_sequence

DuckDB

PGLite

Demo.Server

MariaDB

PostgreSQL

Run SQLite SQLite SQLite

```
1 SELECT p.name, SUM(oi.quantity) AS total_sold
2 FROM Order_Items oi
3 JOIN Products p ON oi.product_id = p.product_id
4 GROUP BY p.name
5 ORDER BY total_sold DESC;
```

| name | total_sold |
|---|---|
| Eco Bottle | 2 |
| Bamboo Toothbrush | 1 |

History

Syntax History

SQLite

```
SELECT p.name, SUM(oi.quantity) AS tota
FROM Order_Items oi
JOIN Products p ON oi.product_id =
...
```

13:54:35

SQLite

```
SELECT SUM(amount) AS total_sales FROM
```

13:53:59

SQLite

```
SELECT c.name, o.order_id, o.status
FROM Orders o
JOIN Customers c ON o.customer_id = c.cu
```

13:52:43

SQLite

```
SELECT * FROM Customers;
SELECT * FROM Products;
SELECT * FROM Orders;
```

Pricing Help

Private.DB

Create a database linked to your account.

Demo.Memory

SQLite

0.2 beta

Table

- Customers
- demo
- Orders
- Order_Items
- Payments
- Products
- sqlite_sequence

DuckDB

PGLite

Demo.Server

MariaDB

PostgreSQL

Run SQLite SQLite SQLite

```
1 SELECT name, stock FROM Products WHERE stock < 50;
```

| name | stock |
|---|---|

SQLite

```
SELECT c.name, o.order_id, o.status
FROM Orders o
JOIN Customers c ON o.customer_id = c.cu
```

13:52:43

SQLite

```
SELECT * FROM Customers;
SELECT * FROM Products;
SELECT * FROM Orders;
```

13:52:19

SQLite

```
INSERT INTO Customers (name, email, phor
('Spandana', 'spandana@email.com', '987(
...
```

13:47:08

SQLite

```
-- Customers Table
CREATE TABLE Customers (
    customer_id INTEGER PRIMARY KEY AUT(
    n
...
```

13:46:27