

Production lists

Frame: Q001 - Long façade description Café façade row 001 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q001-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q001-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q001-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q001-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q001-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q001-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q001-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q001-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q001-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q001-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000

Production lists

Frame: Q002 - Long façade description Café façade row 002 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q002-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q002-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q002-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q002-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q002-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q002-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q002-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q002-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q002-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q002-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000

Production lists

Frame: Q003 - Long façade description Café façade row 003 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q003-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q003-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q003-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q003-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q003-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q003-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q003-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q003-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q003-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q003-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000

Production lists

Frame: Q004 - Long façade description Café façade row 004 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q004-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q004-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q004-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q004-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q004-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q004-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q004-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q004-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q004-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q004-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000

Production lists

Frame: Q005 - Long façade description Café façade row 005 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q005-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q005-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q005-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q005-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q005-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q005-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q005-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q005-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q005-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q005-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000

Production lists

Frame: Q006 - Long façade description Café façade row 006 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q006-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q006-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q006-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q006-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q006-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q006-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q006-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q006-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q006-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q006-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000

Production lists

Frame: Q007 - Long façade description Café façade row 007 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q007-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q007-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q007-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q007-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q007-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q007-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q007-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q007-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q007-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q007-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000

Production lists

Frame: Q008 - Long façade description Café façade row 008 | Dimensions in mm

Cut list

Position	Member	Profile	Material	Net mm	Gross mm	Left deg	Right deg	Qty
Q008-SL	Frame left	67x114	Meranti	1366.5	1410.5	90	90	1
Q008-SR	Frame right	67x114	Meranti	1366.5	1410.5	90	90	1
Q008-DB	Frame top	67x114	Meranti	1200.25	1244.25	90	90	1
Q008-DO	Frame bottom	Sill 67x114	Meranti	1200.25	1244.25	90	90	1
Q008-V1-RSL	Sash left	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q008-V1-RSR	Sash right	Sash 67x114	Meranti	1366.5	1410.5	90	90	1
Q008-V1-RDB	Sash top	Sash 67x114	Meranti	928.25	972.25	90	90	1
Q008-V1-RDO	Sash bottom	Sash 67x114	Meranti	928.25	972.25	90	90	1

Glass list

Position	Type	Width mm	Height mm	Thickness mm	Ug W/m2K	Area m2	Qty
Q008-V1	HR++	1058.25	1358.5	24	1	1.4376	1

Hardware list

Cell	Component	Description	Qty
1	Hinge	Concealed hinge - load capacity 156.67663125 kg	4
1	Handle	Lever handle - height 1050 mm	1
1	Lock	Cremone bolt - 13 locking points	1

Gasket list

Type	Length mm	Qty
Inner glazing gasket	4853.5	1
Outer glazing gasket	4853.5	1
Sash seal	4885.5	1
Frame seal	4885.5	1

Production lists

Glazing bead list

Position	Cell	Side	Material	Width mm	Height mm	Cut length mm	Mitred	Qty
Q008-V1	1	Inside	meranti	15	17	4313.5	Yes	4

Bill of materials

Category	Description	Unit	Quantity
Profile	Meranti 67x114 mm	m	10.0750
Glass	HR+ +	m2	1.4376
Gasket	EPDM seal	m	19.4780
Hardware	Hinges and locks (various)	pieces	6.0000