AI QR Review & Feedback System

Client Setup Guide

Step-by-step instructions to copy this software for a new business — salon, spa, gym, clinic, restaurant or any other — get the API keys, set up Supabase, deploy it online and install it at the client's store.

Situation	Time needed
First client (learning)	About 1.5 hours
Every client after that	About 30–40 minutes of preparation
At the client's store	About 15 minutes

Version 1.0 · 30 September 2026

Contents

1. How it works (the big picture)
2. What you need before you start
3. One-time step: save your master copy on GitHub
4. Collect the client's details
5. Copy the code for the new client
6. Change the business configuration (salon, spa, gym, clinic …)
7. Get the Google Gemini AI key
8. Set up Supabase (database + admin login)
9. Create the .env.local file (all keys in one place)
10. Test on your computer
11. Put it online with Vercel
12. Print the QR codes
13. Install at the client's store (on-site checklist)
14. Hand over to the owner
15. Troubleshooting
16. Costs, security and Google policy

Appendix A — Ready-made settings for common businesses

Appendix B — Which files to change (and which never to touch)

Appendix C — One-page quick checklist

1. How it works (the big picture)

You built the software **once**. For every new client you make a **copy**, change **one settings file and the logo**, give it its **own database** and put it **online**. The review pages, AI, dashboard and security all stay the same.

Part	What it does	Where it lives
Your code (one copy per client)	Customer review page, admin dashboard, AI	GitHub → Vercel
Supabase (one project per client)	Stores visits, feedback, summaries; admin login	supabase.com
Google Gemini key	Writes the review drafts and weekly summaries	aistudio.google.com
Vercel (one project per client)	Puts the site online at an https address	vercel.com

Why a separate copy and database for each client? Each business's customer feedback stays completely private and separate, you can customise each one, and if one client stops paying you simply switch theirs off — nothing else is affected.

The customer journey (what you will demonstrate to the owner):

- Customer scans the QR code → sees the business logo and **How was your experience?**
- **4–5 stars:** picks what they liked → AI writes a short review from only their choices → they edit or approve → **Post on Google** copies the review and opens the business's Google review page.
- **1–3 stars:** picks what could be better → writes what happened → the feedback goes **privately** to the owner's dashboard (not to Google).
- The owner logs in to see numbers, private feedback, analytics, a weekly AI summary and the QR code.

2. What you need before you start

On your computer (install once)

Tool	Why	How to check / get it
Node.js 20 or newer	Runs the app	Terminal: `node -v` → shows v20 or higher. Download from nodejs.org (LTS).
Git	Copies and saves code	Terminal: `git --version`. On Mac it installs with Xcode tools if missing.
A code editor	To edit the settings file	VS Code (code.visualstudio.com) — free.
Your master code	The café version you already built	The folder `ai-review`.

Free online accounts (sign up once)

Account	Used for	Sign up at
GitHub	Storing a private copy of each client's code	github.com
Google (Gmail)	Getting the Gemini AI key	aistudio.google.com
Supabase	Database + admin login for each client	supabase.com (sign in with GitHub)
Vercel	Putting each client's site online	vercel.com (sign in with GitHub)

TIP Signing in to Supabase and Vercel **with your GitHub account** makes connecting everything much easier later.

IMPORTANT Never share or screenshot these secret values: **GEMINI_API_KEY**, **SUPABASE_SERVICE_ROLE_KEY**, **CRON_SECRET**, your Supabase **database password**, and the owner's admin password.

3. One-time step: save your master copy on GitHub

Do this **only once**. Your café version becomes the **master template** that every client copy starts from.

1. Go to **github.com** → click **+** (top right) → **New repository**.
2. Name it `ai-review-template`, choose **Private**, do **not** tick "Add a README". Click **Create repository**.
3. Open Terminal in your project folder and run (replace `YOUR-USERNAME`):

```
cd /Volumes/Work/projects/Practice/Web/ai-review
git add -A
git commit -m "Master template: AI QR review system"
git branch -M main
git remote add origin https://github.com/YOUR-USERNAME/ai-review-template.git
git push -u origin main
```

4. On GitHub, open the repository → **Settings** → tick **Template repository**. Now you can create client copies with one click.

TIP `.env.local` (your secret keys) is automatically **excluded** from Git, so your keys are never uploaded. Check: the file should not appear on GitHub.

4. Collect the client's details

Ask the owner for these before you start (WhatsApp or a short call is fine):

Item	Example (salon)	Notes
Business name	Glow Hair Studio	Exactly as customers know it
Type of business	salon	Any word: salon, spa, gym, dental-clinic, hotel …
Logo file	logo.png	Square PNG, at least 512 × 512 px, ideally transparent background

Item	Example (salon)	Notes
Brand colours	#6B3FA0 and #F3EDF9	Main colour (buttons) + light background colour
Tagline (optional)	Look good. Feel great.	Short line under the name
Google review link	https://g.page/r/…/review	See section 6.4 for how to get it
What customers like	Service, Staff, Result …	4–8 short words — see Appendix A
What could be better	Waiting Time, Price …	4–8 short words — see Appendix A
City / time zone	Pune → Asia/Kolkata	For India always Asia/Kolkata
Owner's email	owner@glowstudio.in	Becomes the admin login
Where QR codes go	Mirrors, reception, bill	Decides how many to print

5. Copy the code for the new client

Pick a short folder/repository name for the client, e.g. `glow-salon-reviews`.

Option A (recommended) — from your GitHub template

1. Open `ai-review-template` on GitHub → green **Use this template** → **Create a new repository**.
2. Name: `glow-salon-reviews` · **Private** → **Create repository**.
3. Copy it to your computer and install:

```
cd /Volumes/Work/projects/Clients
git clone https://github.com/YOUR-USERNAME/glow-salon-reviews.git
cd glow-salon-reviews
npm install
```

Option B — copy the folder on your computer

Copies everything **except** installed packages, build files, secret keys and Git history:

```
cd /Volumes/Work/projects/Practice/Web
rsync -a --exclude node_modules --exclude .next --exclude .env.local \
      --exclude .git ai-review/ glow-salon-reviews/
cd glow-salon-reviews
git init && git add -A && git commit -m "Start: Glow Hair Studio"
npm install
```

Then create an empty **private** repository on GitHub called `glow-salon-reviews` and push:

```
git branch -M main
git remote add origin https://github.com/YOUR-USERNAME/glow-salon-reviews.git
git push -u origin main
```

> **IMPORTANT** Never copy another client's `.env.local`. Each client gets their **own** Supabase project and keys (section 8).

6. Change the business configuration

Everything specific to a client is in **one file**: `src/config/business.ts`, plus the logo in `public/brand/`. Open the project in VS Code (`code .` in Terminal) and edit only the values in quotes.

6.1 The settings file — salon example

```
export const businessConfig: BusinessConfig = {
  name: "Glow Hair Studio",
  slug: "glow-hair-studio",          // QR link: /review/glow-hair-studio

  // Any text works: "salon", "spa", "gym", "dental-clinic", "hotel" ...
  category: "salon",

  logo: "/brand/logo.png",

  googleReviewUrl: "https://g.page/r/XXXXXXXXXXXX/review",

  primaryColor: "#6B3FA0",           // buttons, stars, highlights
  secondaryColor: "#F3EDF9",         // page background (keep it light)

  positiveCategories: ["Service", "Staff", "Result", "Cleanliness", "Ambience", "Experience"],
  negativeCategories: ["Service", "Staff", "Result", "Waiting Time", "Cleanliness", "Price"],

  tagline: "Look good. Feel great.",
  timezone: "Asia/Kolkata",
  offerGoogleReviewAfterPrivateFeedback: false,
};
```

Setting	Rules
name	The business name shown to customers.
slug	Lowercase letters, numbers and hyphens only (e.g. `glow-hair-studio`). It becomes part of the QR link — **if you change it later, reprint the QR codes.**
category	Any word. Only tells the AI what kind of place it is. No code change needed for new types.
logo	Path of the logo inside `public`, starting with `/brand/`.
googleReviewUrl	Must start with `https://` and be a Google link. Until it's valid, customers see “Google reviews aren't available” with a Copy button instead of Post on Google, and the dashboard shows a warning.
primaryColor / secondaryColor	6-digit hex codes like `#6B3FA0`.
positive / negativeCategories	1–12 short words each, max 40 characters. Use general words, not claims (“Staff”, not “Best staff in town”).
timezone	India: `Asia/Kolkata`. Dubai: `Asia/Dubai`. UK: `Europe/London`.
offerGoogleReview-AfterPrivateFeedback	`true` also offers unhappy customers an optional Google link after private feedback. See section 16 (Google policy).

6.2 Change the logo

1. Copy the client's logo into `public/brand/` — e.g. `public/brand/logo.png`.
2. Set `logo: "/brand/logo.png"` in the settings file.

3. Delete the old café logo `public/brand/logo.svg` so it isn't shipped by mistake.

> **TIP** The logo is shown in a circle and also used as the browser-tab icon. A square logo with a little padding looks best.

6.3 Choose colours that are easy to read

- **primaryColor** must be dark enough for white text on it. Check at `webaim.org/resources/contrastchecker`: foreground #FFFFFF, background your colour → aim for **4.5 : 1 or higher**.
- **secondaryColor** should be a very light tint (cream, light pink, light grey).
- Pick them from the client's logo, signboard or Instagram so it feels like their brand.

6.4 Get the Google review link

Method 1 — from the owner's Google Business Profile (best):

1. On the owner's phone or laptop, sign in to the Google account that manages the business.
2. Search the business name on Google (or open the Google Business Profile app/page).
3. Tap **Ask for reviews** (sometimes under **Read reviews** → **Get more reviews**).
4. Copy the link — it looks like `https://g.page/r/XXXXXXXXXXX/review`.

Method 2 — using the Place ID:

1. Open Google's Place ID Finder: `developers.google.com/maps/documentation/places/web-service/place-id`.
2. Search the business and copy the Place ID (starts with `ChIJ`).
3. Your link is: `https://search.google.com/local/writereview?placeid=` + the Place ID.

> **IMPORTANT** Always open the link on a phone **before printing** and check that the correct business's review box appears — not a similarly named shop nearby. Never invent or guess a link.

6.5 Other settings you may tune (optional)

File	What you can change
src/config/ai.ts	AI model (or set `GEMINI_MODEL` in .env.local), review prompt, regenerations per visit (5), weekly summary rules.
src/config/limits.ts	Text length limits and rate limits.
src/app/layout.tsx	Fonts (Fraunces + Figtree). Only if a client needs a very different look.

7. Get the Google Gemini AI key

1. Go to `aistudio.google.com/apikey` and sign in with a Google account.
2. Accept the terms if asked.
3. Click **Create API key**. Choose an existing Google Cloud project or let it create one.
4. Copy the key and paste it into `.env.local` as `GEMINI_API_KEY` (section 9).

- The default model is `gemini-3.5-flash-lite` (fast and very cheap). To change it without touching code, add `GEMINI_MODEL=model-name` to .env.local. Check current model names at `ai.google.dev/gemini-api/docs/models`.
- You can use **one key for all your clients**, or a separate key per client so you can track usage. A separate key per client is safer: if one leaks, only one client is affected.
- Free tier has daily limits and Google may use free-tier data to improve its products. For paying clients, consider turning on billing in Google AI Studio — cost per review is a tiny fraction of a rupee.

IMPORTANT The Gemini key must **never** start with NEXT_PUBLIC_ and must never be put in any file other than `.env.local` and Vercel's environment variables.

8. Set up Supabase (database + admin login)

Create **one new Supabase project for every client**.

8.1 Create the project

1. Go to `supabase.com` → **Dashboard** → **New project**.
2. Name: `glow-salon`. Create a strong **Database password** and save it in your password manager.
3. Region: **South Asia (Mumbai)** for Indian clients (fastest for their customers).
4. Click **Create new project** and wait about 2 minutes until it's ready.

8.2 Copy the keys

1. Open **Project Settings** (gear icon) → **API Keys** (or click the **Connect** button at the top).
2. Copy the **Project URL** (looks like `https://abcdefgh.supabase.co`) → NEXT_PUBLIC_SUPABASE_URL.
3. Copy the **anon / publishable** key → NEXT_PUBLIC_SUPABASE_ANON_KEY.
4. Copy the **service_role / secret** key → SUPABASE_SERVICE_ROLE_KEY.

TIP Newer Supabase projects show **Publishable** and **Secret** keys; the older **anon** and **service_role** keys are under the **Legacy API Keys** tab. This software was tested with the legacy anon + service_role keys — use those if unsure.

IMPORTANT Don't mix them up: the **anon/publishable** key is public; the **service_role/secret** key is a master key that bypasses all security. It must only go in SUPABASE_SERVICE_ROLE_KEY.

8.3 Create the database tables

1. In Supabase open **SQL Editor** → **New query**.
2. In VS Code open `supabase/migrations/0001_init.sql`, select all (Cmd+A), copy, paste into the SQL Editor and click **Run**. You should see **Success. No rows returned.**
3. Click **New query** again and do the same with `supabase/migrations/0002_weekly_summaries.sql`.

> **IMPORTANT** Run the files **in order** — 0001 first, then 0002 — and only **once** per project. Running 0001 twice gives “already exists” errors (harmless, but don't worry about it).

8.4 Turn off public sign-ups

1. **Authentication** → **Sign In / Providers**.
2. Switch **off** “Allow new users to sign up” → **Save**. (Only you create admin accounts.)
3. Make sure the **Email** provider stays **enabled** — the admin logs in with email + password.

8.5 Create the owner's admin login

1. **Authentication** → **Users** → **Add user** → **Create new user**.
2. Enter the owner's email and a strong password. Tick **Auto Confirm User**. Click **Create user**.
3. In VS Code open `supabase/create_admin.sql` and change the values:

```
insert into public.businesses (name, slug, category)
values ('Glow Hair Studio', 'glow-hair-studio', 'salon')   -- same as business.ts
on conflict (slug) do nothing;

insert into public.admin_users (user_id, business_id)
select u.id, b.id
from auth.users u
join public.businesses b on b.slug = 'glow-hair-studio'     -- same slug again
where u.email = 'owner@glowstudio.in'                       -- the admin's email
on conflict do nothing;
```

4. Paste it into a new SQL Editor query and click **Run**.
5. Check it worked — run this; it must show **1 row**:

```
select * from public.admin_users;
```

> **TIP** To add a second admin (e.g. the manager): create another user in step 1–2, then run the second `insert` again with their email.

9. Create the .env.local file (all keys in one place)

1. In Terminal, inside the client's project folder, copy the example file:

```
cp .env.example .env.local
```

2. Create a random secret for the weekly summary job:

```
openssl rand -hex 32
```

3. Open `.env.local` in VS Code and fill in every value (no spaces, no quotes needed):

```
GEMINI_API_KEY=AIza...your-gemini-key
NEXT_PUBLIC_SUPABASE_URL=https://abcdefgh.supabase.co
NEXT_PUBLIC_SUPABASE_ANON_KEY=eyJ...the-anon-key
SUPABASE_SERVICE_ROLE_KEY=eyJ...the-service-role-key
CRON_SECRET=the-long-random-text-from-openssl
# SITE_URL is set later, after deploying (section 11)
```

Variable	Secret?	Where it comes from
GEMINI_API_KEY	Yes	Section 7
NEXT_PUBLIC_SUPABASE_URL	No	Section 8.2 — Project URL
NEXT_PUBLIC_SUPABASE_ANON_KEY	No (public)	Section 8.2 — anon / publishable key
SUPABASE_SERVICE_ROLE_KEY	YES — master key	Section 8.2 — service_role / secret key
CRON_SECRET	Yes	Step 2 above
SITE_URL	No	Your live address, e.g. https://glow-salon.vercel.app (section 11)
GEMINI_MODEL (optional)	No	Only if you want a different AI model

10. Test on your computer

1. Run all automatic checks (lint, TypeScript, 128 tests, production build). Everything must pass:

```
npm run check
```

2. Start the app:

```
npm run dev
```

3. Open `http://localhost:3000` — it should open the review page with the new logo, name and colours.
4. Test this checklist:

- ☐ 5 stars → pick 2 categories → **Create my review** → a review appears in 2–5 seconds.
- ☐ **Regenerate** gives a different version; **Edit** → change text → **Save** works.
- ☐ **Looks Good** → copy icon shows “Copied” → **Post on Google** opens the client's Google page.
- ☐ Reload the page → 2 stars → pick a category → write feedback → **Send Feedback** → thank-you screen.
- ☐ Open `http://localhost:3000/admin/login` → sign in with the owner's account.
- ☐ Dashboard shows your test visits; **Feedback** shows the 2-star feedback; change its status → **Save changes**.
- ☐ **Insights** → **Create summary** works for this week.

Stop the app with **Ctrl + C**. Save the changes to GitHub:

```
git add -A
git commit -m "Configure Glow Hair Studio"
git push
```

11. Put it online with Vercel

1. Go to `vercel.com/new` → **Import** the client's GitHub repository (`glow-salon-reviews`). Framework is detected as **Next.js** — keep the defaults.
2. Open **Environment Variables** and add the same five values from .env.local: `GEMINI_API_KEY`, `NEXT_PUBLIC_SUPABASE_URL`, `NEXT_PUBLIC_SUPABASE_ANON_KEY`, `SUPABASE_SERVICE_ROLE_KEY`, `CRON_SECRET`.
3. Click **Deploy** and wait 1–2 minutes. You get an address like `https://glow-salon-reviews.vercel.app`.
4. Go to **Settings** → **Environment Variables** → add `SITE_URL` = that address (no slash at the end).
5. **Deployments** → on the latest one click □ → **Redeploy** (needed so SITE_URL takes effect).
6. In Supabase: **Authentication** → **URL Configuration** → set **Site URL** to the same address → **Save**.
7. Check **Settings** → **Cron Jobs** in Vercel: you should see `/api/cron/weekly-summary` (runs every Monday 07:00 India time).
8. Open the live address on your phone and repeat the quick test from section 10.

Optional: use the client's own domain

1. Vercel → project → **Settings** → **Domains** → add e.g. `reviews.glowstudio.in`.
2. Vercel shows a **CNAME** record — add it where the client's domain is managed (GoDaddy, Hostinger, …).
3. When it shows **Valid**, change `SITE_URL` and the Supabase Site URL to the new domain → **Redeploy**.
4. **Download the QR codes again** (they must use the final domain).

IMPORTANT Vercel's free **Hobby** plan is for **non-commercial** use. For a paying client use Vercel **Pro**, or create the Vercel project in the client's own account.

TIP After this, every `git push` to the client's repository automatically updates their live site.

12. Print the QR codes

1. Open the **live** site's admin: `https://your-live-address/admin/qr` (not localhost — otherwise the QR points to your computer).
2. Check the “Links to” address is the live address ending in `/review/your-slug`.
3. **Download PNG** for printing; **Download SVG** for a designer or large posters.
4. Design a small card: logo + “How was your visit? Scan to share your experience” + the QR.
5. Print a test copy and **scan it with two different phones** before printing in bulk.

Place	Suggested size	Tip
Table tent / counter stand	A6 (10 × 15 cm), QR at least 4 cm	Most scans come from here
Mirror / reception (salon, spa)	A5, QR 5–6 cm	At eye level, where customers wait
Bill / invoice / card	QR at least 2.5 cm	Leave white space around the QR

Place	Suggested size	Tip
Entrance poster	A4 or larger, QR 8+ cm	Use the SVG file for sharp printing

13. Install at the client's store (on-site checklist)

Bring: printed QR cards, your laptop, the owner's login details, and 15 minutes.

- ☐ Place the QR cards where customers wait or pay (tables, counter, mirrors, reception).
- ☐ Scan a card with the **owner's phone** — the review page opens with their logo.
- ☐ Do one **5-star** test together: show how the AI writes a review and how **Post on Google** opens their Google page (you don't need to actually post).
- ☐ Do one **2-star** test: show that it goes **privately** to them, not to Google.
- ☐ Sign the owner in at `/admin` on their phone and add it to their home screen (Share → Add to Home Screen).
- ☐ Show the Dashboard, Feedback (change a status), Analytics, Insights (weekly summary) and QR Code pages.
- ☐ **Clear the test data** so the dashboard starts from zero (below).

Clear the test visits before the real launch

Supabase → **SQL Editor** → **New query** → run:

```
truncate public.review_events, public.review_sessions, public.weekly_summaries;
```

This deletes only visits, feedback and summaries. The business, the admin login and all settings stay.

14. Hand over to the owner

- **Login:** the admin address, email and password. Send the password privately (in person or a separate message) and ask them to keep it safe.
- **What the numbers mean:** “Google Review Clicks” = customers who tapped the button — the app cannot see whether they actually posted on Google.
- **Private feedback:** check it daily; set **In Progress** when handling it and **Resolved** when done. Use internal notes to record what was done.
- **Every Monday morning** a weekly AI summary appears on the Insights page and dashboard.
- **Staff:** ask staff to invite customers to scan (“It takes 10 seconds”). Never offer discounts or gifts for reviews (Google forbids it).

Keep a record for each client

Item	Value
Client / business	
GitHub repository	
Supabase project name + region	
Vercel project + live address	
Admin email(s)	
Date installed / QR printed	
Plan / monthly fee / renewal date	

15. Troubleshooting

Problem	Likely cause	Fix
“Port 3000 is in use”	The app is already running in another window.	Stop it (Ctrl + C) or run `npm run dev -- -p 3001`.
Review page says “This page isn't available right now”	A mistake in business.ts (e.g. bad colour, slug or empty category list).	Look at the Terminal — it lists exactly what's wrong. Fix and save.
“We couldn't create your review right now”	Wrong/expired GEMINI_API_KEY, model name changed, or free-tier limit reached.	Check the Terminal/Vercel logs; create a new key or set GEMINI_MODEL; wait if rate-limited.
Admin login keeps returning to the login page	The user isn't linked as admin, or the email differs.	Run section 8.5 again with the exact same email; check `select * from admin_users;`.
“This account isn't an admin for this business”	Slug in create_admin.sql ≠ slug in business.ts.	Run create_admin.sql again with the correct slug.
“Supabase is not configured”	.env.local missing, misnamed, or values empty.	File must be named exactly `.env.local`, next to package.json. Restart `npm run dev`.
Changed .env.local but nothing changed	The app only reads it at start.	Stop (Ctrl + C) and run `npm run dev` again.
Post on Google button missing (“Google reviews aren't available”)	googleReviewUrl is still a placeholder or not a valid https Google link.	Fix it (section 6.4). The dashboard shows a warning until it's valid.
Insights page: “We couldn't load this page”	0002_weekly_summaries.sql wasn't run.	Run it in the SQL Editor (section 8.3).
QR opens localhost or wrong address	QR downloaded from your computer, or SITE_URL wrong.	Set SITE_URL, redeploy, download the QR from the **live** /admin/qr.
Vercel build failed	Usually a typo in business.ts.	Run `npm run check` locally — it shows the error — fix, commit, push.
Supabase project paused	Free projects pause after about a week without any activity.	Open the project in Supabase and click **Restore**. Active clients don't pause.

16. Costs, security and Google policy

Costs per client

Service	Free plan	When you may need to pay
Supabase	Free (2 active projects per account)	More than 2 clients on one account, or large data → Pro plan, or one account per client.
Vercel	Hobby — non-commercial only	Paying clients → Vercel Pro, or the client's own Vercel account.
Gemini	Free tier with daily limits	Busy clients or to keep data out of Google's training → enable billing (very cheap).
Domain	Not needed (vercel.app address)	If the client wants reviews.theirdomain.com.
Printing	—	QR cards / stands.

Security checklist (every client)

- ☐ Separate Supabase project and keys for this client.
- ☐ Public sign-ups **off** in Supabase.
- ☐ Strong admin password; shared privately.
- ☐ `.env.local` not on GitHub (it's excluded automatically — double-check).
- ☐ Service-role key only in SUPABASE_SERVICE_ROLE_KEY (never NEXT_PUBLIC_).
- ☐ CRON_SECRET set in Vercel.
- ☐ Test data cleared before launch.

Google review policy — read before selling

Google's policy says businesses must not **selectively ask only happy customers** for reviews or **discourage negative reviews** (“review gating”), and must not offer rewards for reviews. By default this software shows the Google button only to 4–5 star customers. To reduce the risk, set `offerGoogleReviewAfterPrivateFeedback: true` — unhappy customers then also get an optional Google link after sending private feedback. Check the current policy at `support.google.com/contributionpolicy/answer/7400114` before launch. This guide is not legal advice.

Appendix A — Ready-made settings for common businesses

Copy the lines for the business type into `src/config/business.ts`. Adjust words to match what the owner cares about. Colours are suggestions only.

Café / restaurant colours #8B5E3C / #F5EBDD

```
category: "cafe",
positiveCategories: ["Food", "Staff", "Service", "Ambience", "Cleanliness", "Value"],
negativeCategories: ["Food", "Staff", "Service", "Cleanliness", "Waiting Time", "Value", "Ambience"],
```

Salon colours #6B3FA0 / #F3EDF9

```
category: "salon",
positiveCategories: ["Service", "Staff", "Result", "Cleanliness", "Ambience", "Experience"],
negativeCategories: ["Service", "Staff", "Result", "Waiting Time", "Cleanliness", "Price"],
```

Spa colours #2F6F62 / #EAF4F1

```
category: "spa",
positiveCategories: ["Therapist", "Relaxation", "Ambience", "Cleanliness", "Hospitality", "Value"],
negativeCategories: ["Therapist", "Waiting Time", "Cleanliness", "Noise", "Value", "Booking"],
```

Gym colours #1F4E8C / #EAF0F8

```
category: "gym",
positiveCategories: ["Trainers", "Equipment", "Cleanliness", "Atmosphere", "Classes", "Value"],
negativeCategories: ["Equipment", "Crowding", "Cleanliness", "Trainers", "Staff", "Value"],
```

Dental clinic colours #1D6F8C / #E8F3F7

```
category: "dental-clinic",
positiveCategories: ["Doctor", "Staff", "Explanation", "Comfort", "Cleanliness", "Punctuality"],
negativeCategories: ["Waiting Time", "Staff", "Explanation", "Billing", "Comfort", "Cleanliness"],
```

Aesthetic / skin clinic colours #8C3B5E / #F8ECF1

```
category: "aesthetic-clinic",
positiveCategories: ["Doctor", "Consultation", "Staff", "Result", "Comfort", "Cleanliness"],
negativeCategories: ["Waiting Time", "Consultation", "Price", "Staff", "Follow-up", "Booking"],
```

Hotel colours #3E4A61 / #EEF0F4

```
category: "hotel",
positiveCategories: ["Room", "Staff", "Cleanliness", "Location", "Breakfast", "Value"],
negativeCategories: ["Room", "Check-in", "Cleanliness", "Noise", "Staff", "Value"],
```

Car service centre colours #B23A2E / #F8EBE9

```
category: "car-service",
positiveCategories: ["Service Quality", "Staff", "Timely Delivery", "Explanation", "Pricing", "Pickup"],
negativeCategories: ["Waiting Time", "Pricing", "Explanation", "Service Quality", "Staff", "Cleanliness"],
```

Retail store colours #2E5E3A / #EDF5EE

```
category: "retail-store",
positiveCategories: ["Products", "Staff", "Variety", "Pricing", "Store Layout", "Billing"],
negativeCategories: ["Staff", "Availability", "Pricing", "Billing Queue", "Returns", "Cleanliness"],
```

TIP Any new business type works the same way — e.g. `category: "pet-grooming"`. No code changes are ever needed for a new category.

Appendix B — Which files to change (and which never to touch)

File / folder	For a new client	Notes
src/config/business.ts	**CHANGE**	Name, slug, category, logo path, Google link, colours, categories, tagline, time zone.
public/brand/	**CHANGE**	Put the client's logo here; delete the old one.
.env.local	**CREATE NEW**	The client's own keys. Never copy from another client. Never upload.
supabase/create_admin.sql	Edit values, run, don't need to save	Business name/slug/category and owner email.
src/config/ai.ts, limits.ts	Optional	Only to tune AI behaviour or limits.
supabase/migrations/*.sql	Run once — don't edit	Creates tables and security in each new Supabase project.
src/components/, src/app/, src/lib/	**Don't touch**	The shared product. Improve it in the master template, not per client.
vercel.json	Don't touch	Schedules the Monday weekly summary.
README.md, docs/	Optional	Full technical documentation.

Updating clients when you improve the master template

If you add a feature to the master template later, you can pull it into a client's copy:

```
cd glow-salon-reviews
git remote add template https://github.com/YOUR-USERNAME/ai-review-template.git   # once
git pull template main --allow-unrelated-histories   # first time only; later just: git pull template main
# If Git reports a conflict in src/config/business.ts: keep the CLIENT's values.
npm run check
git push      # Vercel updates the live site automatically
```

If a new version adds a new file in `supabase/migrations/`, run that file in the client's Supabase SQL Editor too.

Appendix C — One-page quick checklist

Before the visit (≈ 30–40 min)

- ☐ Collect details: name, logo, colours, tagline, categories, Google review link, owner email.
- ☐ New repository from template → clone → `npm install`.
- ☐ Edit `src/config/business.ts`; put logo in `public/brand/`; delete old logo.
- ☐ Gemini key (aistudio.google.com/apikey).
- ☐ New Supabase project (Mumbai) → copy URL, anon key, service_role key.
- ☐ SQL Editor: run 0001_init.sql, then 0002_weekly_summaries.sql.
- ☐ Authentication: sign-ups OFF; add owner user (Auto Confirm); run create_admin.sql.
- ☐ `cp .env.example .env.local`; fill 4 keys + CRON_SECRET (`openssl rand –hex 32`).
- ☐ `npm run check` → `npm run dev` → test 5★ and 2★ flows and admin.
- ☐ `git push` → Vercel import → add env vars → Deploy.

- ☐ Add SITE_URL → Redeploy; Supabase Site URL; confirm the Cron Job exists.
- ☐ Download QR from the **live** /admin/qr → print → test-scan with 2 phones.

At the store (≈ 15 min)

- ☐ Place QR cards; scan with the owner's phone.
- ☐ Demo a 5★ flow (AI review → Post on Google) and a 2★ flow (private).
- ☐ Sign owner in to /admin; add to home screen; show each page.
- ☐ Clear test data: `truncate public.review_events, public.review_sessions, public.weekly_summaries;`
- ☐ Hand over login privately; explain daily feedback check and Monday summary.
- ☐ Fill in the client record (section 14).