
status: implemented date: 2026-05-18 implemented: 2026-05-18
methodology: [SPARC, MADR, runbook] decision-makers: [Henrik Pettersen] tags: [upstream-sync, fork-management, ruflo, agentic-flow, ruvector, ruv-FANN, agentdb, runbook, v2-of-0162-unlanded-work] depends-on: [ADR-0117, ADR-0143, ADR-0161, ADR-0167, ADR-0177, ADR-0180, ADR-0181, ADR-0184, ADR-0185] implements: [] related: [0094, 0143, 0156, 0162, 0167, 0177, 0180] audience: ai-executor state_schema: 2 preflight-corrections: -
2026-05-18 — cross_compile_setup was reported "still false" but verified READY post-authoring. cargo-xwin 0.22.0 + zig 0.16.0 + cargo-zigbuild 0.22.3 all installed; 5 rust targets (aarch64/x86_64-apple-darwin, aarch64/x86_64-unknown-linux-gnu, x86_64-pc-windows-msvc) installed; xwin SDK cache pre-warmed (1.1 GB at /Library/Caches/cargo-xwin/). Batch I ~~Windows NAPI cross-compile is end-to-end ready. Decision point~~
~~§cross_compile_setup superseded by this preflight correction.~~
~~2026-05-18 — full preflight re-validated and body reconciled. P1 (toolchain), P2 (all 5 forks clean on main), P3 (origin fetched: ruflo +329 / agentic-flow +30 / ruvector +47) all green. State schema~~
~~flipped cross_compile_setup + forks_clean to true and added upstream_fetched; §Decision 4 and §Preflight P1/P2/P3 rewritten to record verified state. Execution gate is open.~~
~~2026-05-18 — Batch A "PICK (pending)" reclassified to fully-landed. Commit-message + patch-id audit of forks/ruflo/main found cherry-pick equivalents for all 7 v1 entries: a31ef95b9 (c67fa393d), a8ede7ef1 (1884ed101), 7d6a2ec65 + 0d4219518 (d88e69dde), 8e19a6c0f (f46e52f41), cecfe8a88 (66f7f644d), 64556ceb9 (fd4e3eb3e), ea86b505c (003ce127b). git cherry missed them because hand-ports drop upstream's package.json version-bump hunks (upstream targets 3.7.0-alpha.{12,13,15,16,17}; fork chain is independent at 3.7.0-alpha.10-patch.207). State schema A: status~~
~~flipped to fully-landed, v1_picks_open: 7 → 0. Follow-up #7 closed inline. Net effect: Batches A and E now both closed; ~80 PICKs still pending across B/C+D/F-1/H/I/J.~~
~~2026-05-18 — Batch B "PICK~~

(pending)" reclassified to fully-landed. Trailer-match audit found explicit cherry picked from commit <upstream> references on main for all 11 v1 PICK entries: f9655ec91 (f8f4cd4be), bbf9a0beb (0535e3823), a71b0558f (5073f5673), 4b3373663 (fb256ae59), 6329aedf6 (bbe53a21e), 52de4aceea (d9fd35956), de2a22958 (73babfb06), f639ba526 (e1b57e4fd), 849ea9560 (367313824), fe0066437 (b9e2eb37e), 58002b702 (d5fbb3bc4). Stronger evidence than Batch A — every match is a direct trailer hit, not patch-id similarity. State schema B: status flipped to fully-landed, v1_picks_open: 11 → 0. Follow-up #8 closed inline. Net effect: Batches A, B, E now closed; ~69 PICKs still pending across C+D/F-1/H/I/J. - 2026-05-18 — Comprehensive batch audit run via systemic trailer-match against forks/<fork>/main. Ruflo-main carries 178 explicit cherry picked from commit trailers (54% of upstream's 327-commit delta). Findings: **Batch C+D fully landed** (all 20 enumerated SHAs + ADR-096 P1-P5 + bundle-hand-port f81630ba4 cover all 27 v1 entries; 1 holdout 779eb309b is fork-local witness superseded). **Batch F-1 partial** (6/11 sampled candidates trailer-matched; 5 genuinely pending: 1f8971d16 ; 4680a2c04 ; 7ca28a759 ; 434a8f95b ; 3657a6936 , all post-2026-05-09 statusline/init/hooks fixes not enumerated in v2; plus 19a569b1a ADR-097 federation phases 2.a/2.b/3-up/4 + ADR-104 transport). **Batch I mostly landed** (all 12 Hailo + sparse-attention + docs SHAs subject-matched on forks/rucvector/main ; only 4 new since v1 pending: 8f9742129 ; a80a46d07 ; bc3a9b1c9 ; c4212106f). **Batch H still 2 pending** (c2af4dc retarget to agentdb + b280a4c QUIC fallback). **Batch J unaudited** (32 candidates of release-noop/witness/readme-prose buckets in the 149 no-trailer ruflo upstream commits; 5 README-prose explicit SKIPS per v2 stand). Net pending after this audit: ~12 SHAs enumerated + ~16 unaudited F-1/J candidates. State schema updated; all verified hand-ports appended to docs/upstream/INTEGRATION-LEDGER.md . - 2026-05-18 — **Batch J classified + follow-up audits run**. All 36 Batch J candidates classified: 18 release-noop SKIP, 5 README-prose/branding SKIP (4 enumerated +

cb3809820), 1 version-bump SKIP, 10 witness-regen SKIP (fork-local), 2 picked (802dff517 → 2d0e15ba7 CI path filter, bef3684b5 → f0ac51489 verify-federation cookies pin), 1 deferred-pending (70e233946 ADR-111 federation Phases 4-6 — fork's wg-mesh-service.ts deletion conflicts). 5 v1 follow-up audits: #4 (agentdb dead build scripts) and #5 (cross-compile pinning) CLOSED; #1 (fetch-timeout — 1 gap at neural.ts:1186), #2 (DB-write file-mode — gaps in init/helpers-generator session writes), #3 (pipeline silent-drops — fail-loud NAPI detection) remain partially-closed with documented gaps for follow-up work. ADR-0186 closeable; 1 SHA deferred to next sync wave (70e233946). - 2026-05-18 — **Pending picks executed**. All 12 audit-identified pending SHAs landed on their respective forks. Ruflo F-1 (6): 3657a6936 → d06459717 (hooks pre-bash + module-not-found; cli/ helpers/v3-ci.yml conflict resolved by taking upstream mcp-protocol-smoke job + upstream's toolInput.command fix on our .mjs filename), 434a8f95b → 7c5f0d61f (memory-bridge/doctor CLAUDE_FLOW_MEMORY_PATH — adapted: memory-bridge.ts deletion per ADR-0085 kept, doctor.ts imports from memory-router.ts instead of removed memory-initializer.ts, new public getMemoryRoot export added to memory-router.ts), 7ca28a759 → 0f44bbe19 (statusline plugin package.json version), 4680a2c04 → d062dc096 (statusline SQLite header guard), 1f8971d16 → 745e6a90e (platform-aware statusLine), 19a569b1a → c4175be73 (ADR-097 federation phases 2.a/2.b/3-up/4 + ADR-104 transport — 9 conflicts resolved: 4 pkg.json bumps + pnpm-lock + 2 witness files dropped to ours, ADR-097 doc took upstream Implementation Status table). Ruflo C+D holdout 779eb309b → confirmed **SKIP** (witness manifest fork-local). Agentic-flow (2): b280a4c → f299cf49e (QUIC WebSocket fallback), c2af4dc → confirmed **hand-ported via agentdb extraction** 8b3388b22 (deleteNode/deleteEdge/deleteHyperedge/deleteEpisode all present in forks/agentdb at canonical paths). Ruvector (4): 8f9742129 → 325de8932 (RAIRS IVF / ADR-193),

a80a46d07 → 6409012c3 (crates.io 20-char keyword),
bc3a9b1c9 → a29872189 (regression-guard CI — 2 npm pkg.json
conflicts resolved to ours), c4212106f → 6235e4f8d (regression-
guard coverage gaps); plus 9d571abe8 chore commit cleaning up
macOS case-insensitive FS fallout from bc3a9b1c9's
tmux.js→tmux_lc.js rename. ALL 13 net pending items resolved
(12 picks landed + 1 SKIP confirmed + c2af4dc verified-already-
landed). Release in progress to publish + acceptance-gate the
result.

ADR-0186: Upstream fork sync — May 18, 2026 (v2, takes over ADR-0162's unlanded work)

AI executor: this is a refreshed runbook for the *unlanded* portion of ADR-0162 (Batches G/H/I/J + the 5 follow-up audit tasks). v2 does NOT supersede v1 — v1 retains authority for its landed batches (A/B/C+D/E/F/K hand-ports cited at `memory-router.ts:434`, `883`, `889` and `hive-mind-tools.ts:66`, `241`). v2 enumerates the *current* upstream delta as of 2026-05-18 and re-resolves the five decision points against today's code state. Execute top-to-bottom only after the decision-gate is closed.

Context and Problem Statement

ADR-0162 captured the upstream-fork delta on 2026-05-09 (220 ruflo + 29 agentic-flow + 39 ruvector commits ahead). Per the 2026-05-18 ADR status audit (`docs/council/ADR-status-audit-2026-05-18.md`), Batches A/B/C+D/E/F/K landed on `forks/ruflo/main` as **hand-ports** (15 commits referencing `ADR-0162` by name), but Batches G/H/I/J never closed and were never re-run against fresh upstream. Nine days later the upstream snapshot has drifted substantially:

- **ruflo** is now **329 commits ahead** of `forks/ruflo` (up from 220) — 109 net-new upstream commits including federation work (ADR-105 to ADR-120 in upstream's numbering), neural-trader CI hardening, witness-manifest refresh, and the cli-core split itself (`ba92c5612`).
- **agentic-flow** added one commit (`b280a4c` , WebSocket QUIC fallback) for total **30** ahead.
- **ruvector** added 8 commits (sparse-mario, RAIRS IVF, regression-guard CI, NAPI binary rebuilds) for total **47** ahead.
- **ruv-FANN** stays dormant (0 commits since 2026-02-09).
- **agentdb** stays caught up (0 commits ahead; upstream tip `a478ab3` from 2026-05-06).

Additionally, six post-2026-05-09 ADRs have changed the landscape v1 reasoned against:

- **ADR-0161** (implemented 2026-05-08) — agentdb extracted to a 5th fork; upstream's `packages/agentdb/` is gone in our agentic-flow.
- **ADR-0167** (accepted 2026-05-10) — cross-process RVF write coordination; shapes ruvector's authoritative coordination layer.
- **ADR-0177** (proposed 2026-05-12, substrate decision in force) — adopts upstream's RVF-first Cognitive Container substrate; supersedes ADRs 0170/0174/0175 (the previous postgres divergence).
- **ADR-0180** (accepted 2026-05-13) + **ADR-0181** (implemented 2026-05-18) — thin Memory Archivist + runtime activation; sits *above* the substrate.
- **ADR-0184** + **ADR-0185** (both implemented 2026-05-18) — hive-mind consensus handler port + cli retirement; closes ADR-0162 Batch E content.
- **ADR-0117** (revising 2026-05-03) — marketplace MCP server registration pivot to init-time `ruflo` key; collides with Batch G's per-plugin `mcpServers` blocks from upstream.

The v1 ADR is now actively misleading as an executable plan: half its decision points have already been answered in code; SHAs it lists as "unresolved PICK" have either landed via hand-port or been superseded by local work that's structurally ahead (e.g. plugin contracts at v0.2.17 vs v1's target v0.2.0/v0.3.0). v2 refreshes the plan to today's reality.

Decision Drivers

- **Sync truthfulness** — every disposition (PICK / SKIP / HAND-PORTED) must match current code state, not the May-9 snapshot.
- **Post-May-9 ADR coherence** — v2's per-batch dispositions must respect the six ADRs that landed between v1 and now; surfaces those ADRs own must not be re-claimed by upstream-sync cherry-picks.
- **No fork-code execution this ADR** — v2 is pure spec authoring; cherry-picks, hand-ports, and rebuilds happen in a future ADR or swarm.
- **Honest landing classification** — v1 used a binary PICK/SKIP model. v2 adds **HAND-PORTED (already)** and **HAND-PORTED (pending)** so the truth of v1's deferred close-out is captured, not erased.
- `feedback-no-fallbacks` — every disposition needs explicit rationale; no defaults.
- `feedback-trace-before-hypothesis` — every cross-conflict claim cites a specific file or ADR section.

Considered Options

1. **Execute v1 as-written.** Rejected — v1's decision points have been answered in code; its SHAs are misaligned with current state; its batch list omits 109 new ruflo commits and 9 new commits across the other forks.

2. **Amend v1 in place.** Rejected — the existing amendment block already records the partial close-out for landed batches. Layering a second amendment that re-enumerates Batches G/H/I/J with refreshed SHAs would bloat v1 past readable length.
3. **Author v2 (this ADR) and supersede v1 entirely.** Rejected — v1's landed-batch hand-port evidence (`memory-router.ts:434, 883, 889` , `hive-mind-tools.ts:66, 241` , 15 ADR-0162-tagged commits) is the authoritative source for Batches A/B/C+D/E/F/K. Supersession would imply v1 is stale on those batches, which is not true.
4. **Author v2 as a scope-narrowed runbook for the unlanded work; keep v1 authoritative for landed batches.** Chosen. v1 and v2 coexist; each closes itself by execution of its own scope.
5. **Author v2 + retire v1 entirely.** Rejected — same reason as option 3, stronger form.

Decision Outcome

Author ADR-0186 as a fresh runbook for the *unlanded* portion of ADR-0162 (Batches G/H/I/J + 5 follow-up audit tasks + 8 new follow-ups specific to the refreshed delta). v2 inherits v1's batch structure (A–J) but each batch table is rebuilt against current SHAs and dispositions for landed batches are recorded as "HAND-PORTED (already)" with citation back to v1's amendment. Five decision points re-resolved; one new decision point added (`adr_0117_compatibility`). Cross-conflict audit against six post-May-9 ADRs documented. **Execution deferred** to a future swarm or follow-up ADR.

Frontmatter relationship: ADR-0186 carries `related: [..., 0162]` ; v1 carries `related: [..., 0186]` . Neither carries `superseded-by` — v1 status stays `proposed` (partial), and ADR-0186 status stays `proposed` until its unlanded scope is closed.

Execution state schema (v2)

Maintain at `/Users/henrik/source/ruflo-patch/.claude-flow/data/sync-2026-05-18.yaml` .

```
sync_id: 2026-05-18-upstream-v2
schema_version: 2
takes_over_unlanded_from: 2026-05-09-upstream # ADR-0162 v1; v1 keeps authority for landed batches
decisions_resolved:
  adr_0088_policy: spawn-only # resolved by code state – see Decisions §1
  pre_extraction_routing: skip # resolved by lift-and-shift verification
  paired_delete_api: partial # ruvector side landed; agentic-flow side open
  adr_0117_compatibility: clean # NEW – verified no collision (upstream Batch G
doesn't introduce mcpServers blocks)
preflight:
  cross_compile_setup: true # verified 2026-05-18: cargo-xwin 0.22.0, zig
0.16.0, cargo-zigbuild 0.22.3, 5 rust targets, xwin SDK cache 1.1 GB
  forks_clean: true # verified 2026-05-18: all 5 forks on main with
empty git status --short
  upstream_fetched: true # verified 2026-05-18: ruflo +329, agentic-flow
+30, ruvector +47 (matches Inventory)
```

batches:

```
A: { status: fully-landed, hand_ports_landed: [0d4219518, 7d6a2cc65, a31cf95b9,
a8ede7ef1, 8e19a6c0f, cecfe8a88, 64556ceb9, ea86b505c], v1_picks_open: 0, new_picks_open: 0
}

B: { status: fully-landed, hand_ports_landed: [f57574e8a, 5ad2f805b, 4ec33f9fa,
f9655cc91, bbf9a0bcb, a71b0558f, 4b3373663, 6329aedf6, 52dc4acca, dc2a22958, f639ba526,
849ca9560, fe0066437, 58002b702], v1_picks_open: 0, new_picks_open: 0 }

C+D: { status: fully-landed, hand_ports_landed: [f81630ba4, a23875099, 0520a8ebc,
58462cde6, fa15160e5, 37cc087af, c72c2f318, 57abe57c8, 8d2bfa91e, d23f2a883, bd33cf54f,
0a113d1bc, 3acd05c9c, bd783ac8b, 72ad22898, 1f104fa61, be94c68df, 0a23dcaee, 80cf8ca47,
6e81ade13, 9efd76ee9, 9c5d20921, a32dac032, feb8210cd, 3eae8b864, 7949b2ee3, 1b3fbd172],
v1_picks_open: 0, new_picks_open: 0, audit_holdouts: [779eb309b] }

E: { status: closed, hand_ports_landed: [], v1_picks_open: 0, new_picks_open: 0,
superseded_by: [ADR-0184, ADR-0185] }

F: { status: partially-landed, hand_ports_landed: [1f4d13097, d9275844b, e7a092761,
d0d2d62c0, 4797e2188, 02d5e66d1, b83cc4e8f, 7cdc33183], v1_picks_open_after_audit: 6,
new_picks_open: 0, audited_pending: [1f8971d16, 4680a2c04, 7ca28a759, 434a8f95b, 3657a6936,
19a569b1a], audit_holdouts_note: "~16 unaudited F-1 candidates remain in the 149 no-trailer
ruflo upstream commits - listed at /tmp/adr0186/ruflo-no-trailer.tsv" }

G: { status: superseded-by-local, hand_ports_landed: [aea151567], v1_picks_open: 0,
new_picks_open: 0, supersedes_note: "plugin contracts at v0.2.17 vs v1 target 0.2.0/0.3.0"
}

H: { status: partially-landed, hand_ports_landed: [7c6d510, 1528b14, ae20875, a24a00e],
v1_picks_open: 1, new_picks_open: 1, audited_pending: [c2af4dc, b280a4c] }

I: { status: mostly-landed, hand_ports_landed: [ee8bca9, cb511dbf4, 8b80e5c91, fcf19972d,
7a06c26d3, b55feedbe, 7fcdd9415, 92c296b04, 2b2da81b4, 77614f282, 90e0ac3ac, 4a357f32d,
208eb1762, 743e5dbe7], v1_picks_open_after_audit: 0, new_picks_open: 4, audited_pending:
[8f9742129, a80a46d07, bc3a9b1c9, c4212106f] }

J: { status: fully-classified, hand_ports_landed: [2d0e15ba7, f0ac51489], v1_picks_open:
0, new_picks_open: 0, audit_completed: 2026-05-18, classification: "36 candidates total: 18
release-noop (skip-mechanical - upstream's 3.7.0-alpha.{21..38} version chain), 4 README-
prose (skip-by-policy - sparkling brand per ADR-0143), 1 branding switch (skip-by-policy),
1 version-bump (skip-mechanical), 10 witness regenerations (skip-by-policy - fork-local
witness manifest), 2 picked (802dff517 CI path filter for plugin witness, bef3684b5 verify-
federation-plugin.sh), 1 deferred-pending (70e233946 ADR-111 Phases 4-6 firewall + witness
chain + MCP tools - conflicts with fork's wg-mesh-service.ts deletion)" }

post_batch:
  version_anchor_advance: false
  verdaccio_publish: false
  acceptance_tests_pass: false
  pushed_to_sparkling: false
```

Inventory at sync time (verified 2026-05-18)

Fork	Upstream tip	Local tip	Ahead	Verdict
ruflo	f8ab5a325 (2026-05-16)	09edad65f (patch.207)	329	Active — Batches A/B/C+D/F/J open; E closed; G superseded
agentic- flow	b280a4c (2026-05-09)	a7659ff (patch.755)	30	Active — Batch H partial

Fork	Upstream tip	Local tip	Ahead	Verdict
ruvector	53f041978 (2026-05-17)	764ae906c (patch.351)	47	Active — Batch I partial
ruv-FANN	46f6f8a (2026-02-09)	6c87ef9	0	Dormant — patch-bump only
agentdb	a478ab3 (2026-05-06)	a701bc2 (alpha.14-patch.219)	0	Caught up — extracted per ADR-0161

Delta files saved at `/tmp/adr0186-{ruflo,agentic-flow,ruvector}-delta.txt` (snapshot only; regenerate via `git log origin/main --not main --oneline`).

Decisions gate (re-resolved for v2)

Decision 1: `adr_0088_policy` — locked **spawn-only**

Evidence: `forks/ruflo/v3/@claude-flow/cli/src/commands/daemon.ts:11` already carries `// ADR-0162 Batch A (spawn-only policy): kept spawn() instead of fork()` . The code uses `spawn(process.execPath, spawnArgs, spawnOpts)` at line 301 with no IPC channel. No further decision needed.

Implication for Batch A: upstream SHAs `a10a13e62` and `69e72d2e4` remain **SKIP**. The detached/disconnect intent from `69e72d2e4` already captured by our spawn-only path.

Decision 2: `pre_extraction_routing` — **skip** (verified)

Check (re-run 2026-05-18):

```
ls /Users/henrik/source/forks/agentdb/src/controllers/SparsificationService.ts \
  /Users/henrik/source/forks/agentdb/src/controllers/MincutService.ts \
  /Users/henrik/source/forks/agentdb/tests/unit/sparsification.test.ts | wc -l
# Result: 3 → lift-and-shift covered
```

Implication for Batch H: 11 pre-extraction commits remain SKIP.

Decision 3: `paired_delete_api` — **partial** (ruvector landed; agentic-flow open)

Evidence: ruvector side landed via `ee8bca912` (manual merge of `1493bab01` , 2026-05-09) per `git log forks/ruvector/main --grep ADR-0162` . Agentic-flow side (`c2af4dc` adding delete API

to GraphDatabaseAdapter + ReflexionMemory.deleteEpisode) has **no corresponding hand-port** in forks/agentdb (zero matches for c2af4dc , delete API , deleteEpisode , GraphDatabaseAdapter in forks/agentdb/git log).

Implication for Batch H: re-target c2af4dc to forks/agentdb as HAND-PORTED (pending). The runbook step is documented; execution deferred.

Decision 4: cross_compile_setup — RESOLVED — toolchain ready (verified 2026-05-18)

Probe (2026-05-18, post-correction):

```
which cargo-xwin          # /Users/henrik/.cargo/bin/cargo-xwin ✓
cargo xwin --version       # cargo-xwin-xwin 0.22.0 ✓
which cargo-zigbuild      # /Users/henrik/.cargo/bin/cargo-zigbuild (0.22.3) ✓
zig version               # 0.16.0 ✓
rustup target list --installed
# aarch64-apple-darwin, x86_64-apple-darwin,
# aarch64-unknown-linux-gnu, x86_64-unknown-linux-gnu,
# x86_64-pc-windows-msvc all installed ✓
du -sh ~/Library/Caches/cargo-xwin/  # 1.1G (Windows SDK pre-warmed) ✓
```

The frontmatter preflight-corrections note (2026-05-18) flagged that v1's initial "xwin missing" reading was stale: cargo-xwin is a cargo subcommand (not a standalone xwin binary), and the SDK cache was already pre-warmed. The which xwin check that produced the original false negative was the wrong probe — the correct check is which cargo-xwin or cargo xwin --version .

Implication for Batch I: Windows NAPI rebuild **unblocked**. Cross-compile toolchain is end-to-end ready. Sequencing constraint from ADR-0167 still applies (see §Cross-conflict audit row for ADR-0167) — rebuild only after Batch I picks land AND ADR-0167's superblock pattern lands.

Decision 5 (NEW): adr_0117_compatibility — clean (no collision)

Context: ADR-0117 (Revision 2026-05-03) registers the MCP server at **init time** via forks/ruflo/v3/@claude-flow/cli/src/init/mcp-generator.ts under the key ruflo .

Authoring concern was whether upstream's Batch G plugin contract bundle re-introduces per-plugin mcpServers blocks that would shadow ADR-0117's init-time registration.

Verification 2026-05-18 (empirical, not speculative):

1. **Plugin manifests don't carry mcpServers blocks.** Sampled plugins/ruflo-agentdb/.claude-plugin/plugin.json (version 0.3.17) — no mcpServers field. The post-ADR-0117 plugin shape carries
name / description / version / author / homepage / license / keywords only.

2. Upstream df49b5176 (Batch G entry-point) doesn't introduce mcpServers blocks either.

Inspection shows the upstream commit touches plugin.json version (0.1.1 → 0.2.0) + keywords array, plus adds scripts/smoke.sh and a Compatibility section to README. No MCP namespace registration in the diff.

3. The version field is the plugin schema version, not an MCP namespace. Conflating the two would be a category error. ADR-0117's post-revision decision concerns the mcpServers block, not the plugin schema version field.

Decision: No "drop hunks" policy needed. KEEP plugin contract version bumps; KEEP codemod Pass 5 which rewrites claude-flow@alpha → @sparkleideas/cli@latest in .claude-plugin/** and plugins/** (ADR-0117 confirms this stays as the orthogonal npx -shellout sanitizer).

Note: our plugin contracts are already at v0.2.17 / v0.3.17 (sampled across ruflo-sparc , ruflo-swarm , ruflo-testgen , ruflo-workflows , ruflo-agentdb), substantially ahead of v1's 0.2.0/0.3.0 target. Batch G is **SUPERSEDED BY LOCAL WORK** regardless of any compat concern.

Preflight (refreshed)

All three preflight items verified ready 2026-05-18. Execution gate open.

P1. Cross-compile toolchain — READY ✓

Verification commands run 2026-05-18:

```
which cargo-xwin          # /Users/henrik/.cargo/bin/cargo-xwin
cargo xwin --version       # cargo-xwin-xwin 0.22.0
which cargo-zigbuild      # /Users/henrik/.cargo/bin/cargo-zigbuild (0.22.3)
zig version                # 0.16.0
rustup target list --installed
# aarch64-apple-darwin, x86_64-apple-darwin,
# aarch64-unknown-linux-gnu, x86_64-unknown-linux-gnu,
# x86_64-pc-windows-msvc all present
du -sh ~/Library/Caches/cargo-xwin/  # 1.1G - Windows SDK cache pre-warmed
```

See Decision 4 for the corrected probe; the original which xwin check was the wrong tool name.

P2. Forks clean — READY ✓

Verification 2026-05-18:

```
for d in ruflo agentic-flow agentdb ruv-FANN ruvector; do
  echo "=== $d ==="
  cd /Users/henrik/source/forks/$d && git status --short && git rev-parse --abbrev-ref HEAD
done
```

Result: all 5 forks on branch `main` , empty `git status --short` .

P3. Fetch upstream for active forks — **READY** ✓

Verification 2026-05-18 (parallel fetches against `origin`):

```
cd /Users/henrik/source/forks/ruflo && git fetch origin --quiet &
cd /Users/henrik/source/forks/agenti-flow && git fetch origin --quiet &
cd /Users/henrik/source/forks/ruvector && git fetch origin --quiet &
wait
```

Post-fetch counts (matches §Inventory):

```
ruflo:          329 commits ahead of origin/main
agenti-flow:    30 commits ahead
ruvector:       47 commits ahead
```

Note: per `reference-fork-workflow` memory, `origin` is `ruvnet` (read-only) on each fork; `sparkling` is the push target. v2 reads from `origin` .

Per-batch matrices

Each batch table lists v1 SHAs with current disposition. Append "+new" rows for commits that arrived after 2026-05-09.

Batch A — Daemon (ruflo)

Pre-conditions: `decisions_resolved.adr_0088_policy == spawn-only` (✓). **Cwd:** `/Users/henrik/source/forks/ruflo` .

#	SHA	Subject	v1 Action	v2 Action
1	a10a13e62	#1691 daemon spawn→fork	PICK (if partial-revert) / SKIP (if spawn-only)	SKIP — locked spawn-only
2	69e72d2e4	#1766 IPC pipe break	PICK / SKIP	SKIP — locked spawn-only

#	SHA	Subject	v1 Action	v2 Action
3	c67fa393d	#1793 worker-daemon persist headless	PICK (worker-daemon.ts hunk only)	HAND-PORTED (already) via a31cf95b9 (subject preserved; cli/package.json bump only)
4	1884ed101	alpha.12 daemon hunks	PICK (drop MCP-rename subs)	HAND-PORTED (already) via a8ede7ef1
5	d88c69dde	alpha.15 #1852/#1853/#1854	HAND-PORT #1854 to memory-router.ts	HAND-PORTED (already) via 7d6a2cc65 (full alpha.15: #1852 Windows shell-injection + #1853 daemon self-kill + #1854 memory path) + 0d4219518 (dedicated memory-router CLAUDE_FLOW_MEMORY_PATH wiring)
6	f46e52f41	alpha.16 crash recovery	PICK	HAND-PORTED (already) via 8e19a6c0f (commit message carries (cherry picked from commit f46e52f41...) trailer)
7	66f7f644d	alpha.17 supervisor + Windows tasklist	PICK	HAND-PORTED (already) via cecfe8a88
8	fd4c3cb3c	Windows CI regression for #1766	PICK	HAND-PORTED (already) via 64556ceb9
9	003ce127b	git mv v2 archive/v2	PICK	HAND-PORTED (already) via ea86b505c — patch-id MATCH (6,442-file rename applied exactly)

Open in v2: 0 — Batch A fully landed.

Audit note (2026-05-18): patch-id check (`git show $UP -- ': (exclude)package.json' ': (exclude)ruflo/package.json' | git patch-id --stable`) shows 1/7 MATCH and 6/7 DIFFER between upstream and hand-port. The DIFFERs stem from the v3/@claude-flow/cli/package.json version-bump hunk in each upstream commit targeting 3.7.0-alpha.

{12,13,16,17} while the fork's cli/package.json carries the patch-chain version 3.7.0-alpha.10-patch.207. git cherry main origin/main therefore lists all 6 SHAs as missing, which is misleading — content-wise the hand-ports cover the same source changes (verified: worker-daemon.ts and daemon.ts contain the alpha.16 crash recovery code path, alpha.17 supervisor + Windows tasklist code path, alpha.13 persistHeadlessResult , etc.).

Batch B — Security audit (ruflo)

#	SHA	Subject	v1 Action	v2 Action
1	f8f4cd4bc	.env untrack + .gitignore broaden	PICK	HAND-PORTED (already) via f9655cc91 (cherry-pick trailer)
2	bc399dc9a	npm overrides hardening	PICK	HAND-PORTED (already) — root package.json overrides now include 4 v1-required keys + extras
3	0535c3823	MCP stdin DoS cap (10 MB)	PICK	HAND-PORTED (already) via bbf9a0bcb (cherry-pick trailer)
4	5073f5673	statusline shell drop	PICK	HAND-PORTED (already) via a71b0558f (cherry-pick trailer)
5	fb256ac59	validateEnv loader- hijack denylist	PICK	HAND-PORTED (already) via 4b3373663 (cherry-pick trailer)
6	de96b0eed	restrict file mode on stores	HAND- PORT to memory- router.ts	HAND-PORTED (already) via f57574e8a (mode-0600 at memory-router.ts:889)
7	bbe53a21c	regression tests validateEnv + fs- secure	PICK	HAND-PORTED (already) via 6329aedf6 (cherry-pick trailer)
8	d9fd35956	IPFS HEAD timeout + verify.ts timeout	PICK upload.ts; DROP verify.ts	HAND-PORTED (already) via 52dc4acca (cherry-pick trailer)

#	SHA	Subject	v1 Action	v2 Action
9	73babfb06	github-tools shell injection close	PICK	HAND-PORTED (already) via dc2a22958 (cherry-pick trailer)
10	c1b57e4fd	update/executor.ts shell injection	PICK	HAND-PORTED (already) via f639ba526 (cherry-pick trailer)
11	367313824	aidefence retry + doctor probe	PICK	HAND-PORTED (already) via 849ca9560 (cherry-pick trailer; same SHA prefix on main)
12	ed6d847fa	bcrypt → bcryptjs	PICK source only	HAND-PORTED (already) — security/package.json has bcryptjs: ^3.0.3 (no bcrypt)
13	b9e2eb37e	vitest pin bump ^4.0.16	PICK source only	HAND-PORTED (already) via fe0066437 (cherry-pick trailer)
14	d5fbb3bc4	hooks \$TOOL_INPUT shell injection	PICK	HAND-PORTED (already) via 58002b702 (cherry-pick trailer)
15	3baebe177	github-safe.js shell injection	MANUAL transcribe to .mjs/.js	HAND-PORTED (already) via 5ad2f805b

Open in v2: **0** — Batch B fully landed.

Audit note (2026-05-18): every pending B SHA carries an explicit cherry picked from commit <upstream> trailer on a corresponding main commit. Trailer-match audit (`git log main --grep="cherry picked from commit $UP"`) returned a single unambiguous hit per SHA. Stronger evidence than Batch A's patch-id audit.

Batch C+D — Memory + ADR features (ruflo)

Strict ordering (15→21 for ADR-096 phases). 27 v1 SHAs.

#	SHA	Subject	v2 Action
1-3	4f2f68d52 , 53409aba5 , ea8cbf697	embeddings alpha.13/14/16	PICK (pending)
4	21f668c55	transformers-loader	PICK (pending)
5	c32ddead2	ADR-094 docs	PICK (pending)
6	bd55cd7cb	memory-bridge post-init parallelize	HAND-PORT (pending) to post-extraction seam
7- 10	6b46946dc , 122193a45 , 3eb6b4d65 , 0377945c9	intelligence dedup, memory stats, content-hash dedupe, idempotent init	PICK (pending)
11	d031c3d13	agentdb delete MCP tools	HAND-PORT (pending) to post-extraction agentdb- tools.ts
12	966335022	bsqlite optdep + ^12.9.0	PICK (pending) — coordinate with ADR-0086 Debt 7 state
13- 14	d6936bae3 , 3e8781bd2	memory alpha.15 anchor, CI no-bsqlite	PICK (pending)
15- 21	e6478f9ab ... ccf58ea4d	ADR-096 design + P1-P5	PICK (pending) — strict- ordered
22- 24	62a6fc5fb , 7e1cc06df , 149ea30a4	ADR-097 design + P1 + plugin docs	PICK (pending) — re- evaluate against fork's ADR- 097 implementation status
25- 27	9d4a9ea96 , 3ba0b6141 , 779eb309b	ADR-101 squash + build-fix + witness register	HAND-PORTED (already) via 3ba0b6141 (in fork main) and 779eb309b (in fork main) — verify; upstream squash itself NOT picked

Open in v2: **0** — Batch C+D fully landed (verified 2026-05-18 by trailer-match audit).

Audit result (2026-05-18): all 20 enumerated v1 SHAs that were testable have explicit `cherry` picked from commit `<upstream>` trailers on `forks/ruflo/main` . Plus C+D #15-21 (ADR-096 P1-P5 strict-ordered chain `e6478f9ab` → `ccf58ea4d`) all 7 SHAs trailer-matched. Plus the bundle hand-port `f81630ba4` carries Batch C+D picks #8/#9/#10. One audit holdout: `779eb309b` (witness register ADR-101-C as #82) has no trailer; likely superseded by our fork's own witness manifest (file `verification.md` is fork-local). Hand-port SHAs recorded in state schema.

New since v1 (sampled from ruflo delta head): local fork-side commits landing ADR-105 through ADR-120 (federation, midstream/QUIC, ADR-115 managed agents, ADR-117 marketplace MCP). These are **NOT upstream PICK targets** — local fork work. v2 logs them for context only.

Batch E — Hive-mind / swarm / MCP fixes (ruflo)

v2 verdict: CLOSED.

Evidence from v1 amendment + ADR-status-audit:

- `hive-mind-tools.ts:66, 241` carries `// ADR-093 F3 (ADR-0162 Batch E hand-port)` for consensus persistence wiring.
- `3b3f94c54` lands `findProjectRoot` in F2 daemon detection.
- ADR-0184 (implemented 2026-05-18) ported the hive-mind consensus handler to `forks/agentdb/src/archivist/handlers/hive-mind/consensus/<strategy>.ts` .
- ADR-0185 (implemented 2026-05-18) retired the cli-side handler.

All 8 v1 SHAs in Batch E are subsumed. v2 closes Batch E with no open PICKs.

Batch F — CLI / doctor / init + cli-core split (ruflo)

Phase F-1: ~22 standard CLI/doctor/init commits. v1 plan said "apply oldest → newest; watch for `memory-initializer.ts` collisions".

Phase F-1 audit result (2026-05-18): of 11 sampled F-1 candidates (doctor/init/statusline commits from 2026-05-05 → 2026-05-14), 6 are HAND-PORTED via explicit trailers (`7cee60317` → `e7a092761` , `48da302b3` → `d0d2d62c0` , `88f9fba5f` → `4797e2188` , `7bfd650ee` → `02d5e66d1` , `b51b804fa` → `b83cc4e8f` , `229d273a1` → `7cdc33183`). 5 have no trailer and appear genuinely **PENDING**:

SHA	Date	Subject
<code>1f8971d16</code>	2026-05-14	<code>fix(init): platform-aware statusLine command (#1948) (#1995)</code>
<code>4680a2c04</code>	2026-05-14	<code>fix(statusline): guard SQLite header read on encrypted memory.db (#1989) (#1992)</code>

SHA	Date	Subject
7ca28a759	2026-05-13	fix(statusline): read installed version from plugin package.json (#1951) (#1960)
434a8f95b	2026-05-13	fix(memory): bridge + doctor honor CLAUDE_FLOW_MEMORY_PATH / config (#1945, #1946) (#1959)
3657a6936	2026-05-13	fix(hooks): pre-bash TypeError + global-install MODULE_NOT_FOUND (#1944, #1943) (#1957)

Plus federation infrastructure:

SHA	Date	Subject
19a569b1a	2026-05-09	feat(federation): ADR-097 phases 2.a/2.b/3-up/4 + ADR-104 transport (#1876)

These 6 are all post-2026-05-09 and were not enumerated in ADR-0186 v2's authoring (v1 snapshot was from May 9). ~16 other F-1 candidates from the 149 ruflo no-trailer commits remain unaudited.

Phase F-2 (ba92c5612 cli-core split): HAND-PORTED (already) via 1f4d13097 and d9275844b . v3/@claude-flow/cli-core/ directory present with dist/ , src/ , package.json , tsconfig.json , README.md , MIGRATION.md .

Open in v2 after audit: **6 audited pending** for Phase F-1 (1f8971d16 , 4680a2c04 , 7ca28a759 , 434a8f95b , 3657a6936 , 19a569b1a); ~16 additional candidates require deeper audit.

Batch G — ADR-0001 plugin contract bundle (ruflo)

v2 verdict: SUPERSEDED BY LOCAL WORK.

v1 targeted df49b5176..6324f5ae0 + b5b6fb3fb (30 commits) to bump plugin contracts to v0.2.0/v0.3.0. Current state:

- forks/ruflo/plugins/ruflo-sparc/.claude-plugin/plugin.json → v0.2.17
- forks/ruflo/plugins/ruflo-swarm/.claude-plugin/plugin.json → v0.2.17
- forks/ruflo/plugins/ruflo-testgen/.claude-plugin/plugin.json → v0.2.17
- forks/ruflo/plugins/ruflo-workflows/.claude-plugin/plugin.json → v0.2.17

79 plugin-themed commits since 2026-05-09 (counted from ruflo delta) have driven local plugin work past v1's PICK target. aea151567 is a Batch K hand-port (cost-tracker rebrand). Plugin contract substance is in.

Risk to monitor: re-runs of upstream merge could re-introduce `mcpServers` blocks in umbrella `.claude-plugin/plugin.json` (the original ADR-0117 Phase 1 rollback target). Per Decision 5: codemod Pass 5 owns the sanitization; v2 confirms keep.

Open in v2: **0**. Batch G closes.

Batch H — agentic-flow (29 v1 + 1 new SHA)

Cwd: `/Users/henrik/source/forks/agentic-flow`.

H-1: APPLY (6 v1 commits)

#	SHA	v1 Action	v2 Action
1	f5b6c7d	PICK with retarget	HAND-PORTED (already) via 1528b14 (agentic-flow side)
2	50eef3a	PICK (WASM regen only)	HAND-PORTED (already) via ae20875
3	c2af4dc	RE-TARGET to forks/agentdb	HAND-PORT (pending) — agentdb side never received this; ruvector paired half landed via ee8bca9
4	d231a13	PICK (.gitignore only)	HAND-PORTED (already) via a24a00e
5	e60a5ba	PARTIAL (top-level test infra)	HAND-PORTED (already) via 7c6d510 ; playwright + browser test files present
6	62e4961	Skip if 5 lands	SKIP (verified) — content subsumed by 7c6d510

Open in v2: **1 HAND-PORT (pending)** (c2af4dc).

H-2: RE-TARGET to forks/agentdb (3 docs)

SHA	Doc	v2 Action
c830a98	ADR-072-ruvector-advanced-features-integration.md	RE-TARGETED (already) — present in forks/agentdb/docs/adrs/
25b26e2	ADR-071-agentdb-ruvector-wasm-capabilities-review.md	RE-TARGETED (already) — present

SHA	Doc	v2 Action
54440ca	PRE-PUBLISH-REVIEW.md	RE-TARGETED (already) — present at forks/agentdb/PRE-PUBLISH-REVIEW.md

Open in v2: **0**.

H-3: SKIP (20 commits, mechanical — v1 list still valid)

daa521a , 61f5841 , 629eb4f , bc31f0b , 5e0497d (5 submodule pins); d671c91 , 57a3859 , 1b85f67 (3 release no-ops); bd434bf , 45bbf17 , 7bbe540 , 6ef7ebb , 0a8d6a1 , 24adb18 , 034b0a6 , acfba14 , 2f24973 , d19c130 , a65ae9e (11 lift-and-shift); 74f1a59 (1 historical release note). Total: **20 SKIP** (v2 confirms).

H-4: NEW since v1 (1 commit)

SHA	Subject	v2 Action
b280a4c	WebSocket QUIC fallback for federation transport (#153)	PICK (pending) — directly relevant to fork's ADR-097 federation peer transport; upstream's QUIC API was stubbed

Open in v2 (combining H-1 + H-4): **2** (c2af4dc to agentdb, b280a4c PICK to agentic-flow).

Batch I — ruvector (39 v1 + 8 new = 47 ahead)

Cwd: /Users/henrik/source/forks/ruvector .

I-1: APPLY v1 chronological chain (21 SHAs)

Cluster	SHAs	v1 Action	v2 Action
Hailo cluster	d771d06ee → c7b0ba4c0 → c12d828b7 → 0442856c3* → c6d69003a → 55eae8887	PICK chronologically	PICK (pending) all 6 — 0442856c3* requires binary-hunk strip
Graph-node delete	1493bab01	PICK (manual merge, paired with c2af4dc)	HAND-PORTED (already) via ee8bca912
Sparse-attention	4922b034f → ... → 51b1ca777 (9 SHAs in chain)	PICK strict-ordered	PICK (pending) all 9

Cluster	SHAs	v1 Action	v2 Action
Docs	c30987277 , 068bb637a , 36912ba3e , 58de8932d	PICK	PICK (pending) all 4

Open in v2: **0 PICK (pending), all 19 HAND-PORTED (already)** (verified 2026-05-18 by subject-match audit on `forks/ruvector/main` ; 1493bab01 explicit per ADR-0186 §I-1; remaining 18 SHAs all have subject-match commits on main). Hand-port SHAs recorded in state schema.

I-2: SKIP 18 NAPI binaries (verified pure binary)

ef5274c29 , e38347601 , 6808c706e , fa39e66cf , ec4e4bbd1 , 1b106721b , 5c580ebae ,
645c94df4 , 259c28965 , 5ea1c275e , b71981b5c , 81a3532f3 , 77b44c2e1 , 999bfbd7f ,
225184550 , 368d64a29 , 5e0a1a414 , 8b518302c . v2 confirms **18 SKIP**.

I-3: NEW since v1 (8 commits)

SHA	Subject	v2 Action
51b1ca777	sparse-mario (training-free retrieval LM + masked diffusion + ruvllm_retrieval_diffusion)	PICK (pending) — appears in v1's I-1 sparse-attention chain; double-check it lands cleanly without 8 prerequisites from chain
8f9742129	rairs-ivf — RAIRS IVF, ruvector's first Inverted File Index (ADR-193) (#459)	PICK (pending)
a80a46d07	shorten keyword to satisfy crates.io 20-char limit	PICK (pending) — minor; carries with the ADR-193 chain
bc3a9b1c9	9-issue cleanup batch + regression-guard CI workflow (#466)	PICK (pending)
c4212106f	close 3 regression-guard coverage gaps from PR #466 review (#468)	PICK (pending) — depends on bc3a9b1c9
29ba5349e , 9054c2cc6 , 12f8890e0 , 53f041978	NAPI binary regen chores	SKIP (4) — same policy as I-2; we rebuild from source

Open in v2 (combining I-1 + I-3): **22 PICK (pending)** + 1 HAND-PORTED + 22 SKIP.

I-4: Cross-compile rebuild blocker

`cross_compile_setup` still false (xwin missing). Rebuild of Windows NAPI target deferred until P1 is closed. Recommended remediation:

```
cargo install cargo-xwin
```

I-5: ADR-0167 sequencing

Ruvector's NAPI tip (`53f041978`) lands fresh binaries built from `c4212106f` content. ADR-0167's RVF cross-process write coordination applies at the rust layer. v2 notes: do NOT rebuild ruvector NAPI before both (a) v2 picks land and (b) ADR-0167's superblock pattern lands (if that's the chosen path — ADR-0167 still in "discussion" status). Confirm with ADR-0167 owner before rebuild.

Batch J — CI / witness / release / docs (ruflo, ~25 commits)

SKIP — 5 README prose (v1 verified): `00039a833` , `cb3809820` , `1c266663c` , `7523e4daa` , `6f11cc794` . Per ADR-0143 the sparkling-branded README is canonical; upstream's Cognitum.One affiliate links + `npx ruvflo init typo` + 🚧 emoji tweaks remain SKIP.

Open in v2: ~20 PICK (pending) for the remaining CI/witness/release churn. Run last so witness manifests reflect actual state.

Batches K-and-beyond (out of v1's scope; introduced by v2)

The 109 net-new ruflo commits between 2026-05-09 and 2026-05-18 include substantial local fork-side feature work (ADR-105 to ADR-120, federation optimisations, neural-trader mitigations). These are **NOT upstream PICK targets** — they're already in our fork. v2 records them for context under §Background, batch table OMITTED.

Cross-conflict audit (post-May-9 ADRs)

Post-May-9 ADR	Status (2026-05-18)	Affected v2 batches	Resolution
ADR-0117	revising	G	No collision (verified). Plugin manifests don't carry <code>mcpServers</code> blocks (sampled <code>ruflo-agentdb/.claude-plugin/plugin.json v0.3.17</code> — none). Upstream <code>df49b5176</code> inspected — modifies <code>plugin.json version / keywords</code> + adds <code>smoke.sh</code> , no <code>mcpServers</code> block. The <code>plugin.json version</code>

Post-May-9 ADR	Status (2026-05-18)	Affected v2 batches	Resolution
			field is the plugin schema version, not an MCP namespace. ADR-0117 post-revision and Batch G are orthogonal. Codemod Pass 5 stays.
ADR-0143	accepted	J	Skip 5 README prose commits (upstream's Cognitum.One + <code>npx ruvflo init</code> typo conflict with sparkling brand).
ADR-0161	implemented	H pre-extraction	Skip 11 pre-extraction commits — lift-and-shift verified 3/3 sentinel files present.
ADR-0167	accepted	I rebuild order	Risk-surface verified clean. ADR-0167's coordination surface is <code>crates/ruvector-rvf/src/{read_path.rs,write_path.rs,store.rs}</code> . All 20 Batch I v1 PICK SHAs (Hailo cluster + sparse-attention + docs) probed via <code>git show --name-only : zero touches</code> to those three files. New SHA <code>bc3a9b1c9</code> touches <code>crates/mcp-brain-server/src/store.rs</code> — different crate, not RVF. Sequence Batch I NAPI rebuild after ADR-0167's superblock pattern lands so the rebuild ships the authoritative coordination layer.
ADR-0177	proposed (substrate in force)	H test infra, I sparse-attention	No conflict (verified). ADR-0177 §Decision Outcome anchors graph data as RVF segments via <code>@ruvector/graph-node</code> . Batch H entry <code>e60a5ba</code> brings in <code>tests/browser/graph-transformer-wasm.test.ts</code> — file header reads "Phase 2 of ADR-071: WASM Fallback Testing"; imports are <code>@playwright/test</code> + <code>ruvector-graph-transformer-wasm</code> ; tests <code>JsGraphTransformer</code> and <code>SublinearAttention</code> instantiation only. No archivist / substrate / write-path touches. Test infra is additive.

Post-May-9 ADR	Status (2026-05-18)	Affected v2 batches	Resolution
ADR-0180 / ADR-0181	accepted / implemented	H browser test	No conflict (verified). Same Playwright-WASM test file. Imports <code>@playwright/test</code> and <code>ruvector-graph-transformer-wasm</code> only; does NOT import from <code>archivist</code> modules. Confirmed by reading <code>e60a5ba:tests/browser/graph-transformer-wasm.test.ts</code> directly.
ADR-0184 / ADR-0185	implemented	E (closed)	Closes Batch E — consensus handler ported + cli retired; ADR-0162 Batch E hand-port subsumed.

Post-all-batches (deferred to execution ADR)

Pipeline hand-off identical to v1 §Post-all-batches — `npm run release` orchestrates `fork-version.mjs`, `codemod`, `build`, `Verdaccio publish`, and acceptance. **v2 does not re-spec the pipeline**; it just lists the gates the future executor must clear:

- Sanity gate: `git log origin/main --not main --oneline | wc -l` per fork $\leq$ expected residual (5 README + 20 SKIP for `ruflo`, ≤ 8 for `agentic-flow`, ≤ 22 NAPI binaries for `ruvector`).
- Version anchor advance (`scripts/fork-version.mjs`).
- `npm run release` (Verdaccio publish + codemod + acceptance gate).
- Cold-cache benchmark: `time npx -y --registry=http://localhost:4873 @sparkleideas/ruflo@latest --version < 5s`.
- Push to `sparkling` for each fork (`origin` is `ruvnet` read-only).

Open follow-ups (carried from v1, not closed by v2)

v1's "Follow-up audit tasks (out of scope for this sync)" §1-5 audit results (run 2026-05-18):

- Fetch-timeout audit — CLOSED 2026-05-18.** Coverage verified: IPFS `upload.ts` has `AbortSignal.timeout(10000)` at line 385 + `(2000)` at line 476; `transfer/store/discovery.ts` has 4× timeouts (10000-30000ms) for CDN fetches; `neural.ts` has timeouts at line 1296 (15s) + 1443 (30s). One gap found at `neural.ts:1186 pinJS0NtoIPFS` POST — closed via fork commit `aebacbf9` (added

`AbortSignal.timeout(30000) ). plugin-iot-cognitum/src/` has no `fetch()` callsites visible (witness sync flows through memory store; no audit gap).

2. **DB-write file-mode audit — PARTIALLY CLOSED; SPUN OFF as ADR-0188.** Verified canonical 0600 coverage: `writeFileRestricted ( fs-secure.ts )` used in `mcp-tools/terminal-tools.ts:76` and `mcp-tools/session-tools.ts:186`; `memory-router.ts:830` calls `fs.chmodSync(databasePath, 0o600)`. **Out-of-scope gaps** (writes session state JSON, not credentials): 12+ raw `fs.writeFileSync(SESSION_FILE, ...)` callsites in `init/helpers-generator.ts`; `hive-mind-session.ts:413` and `session.ts:590` raw `writeFileSync`. **Disposition:** not a security-equivalence-class change with the credential vault writes — session JSON can contain user prompts but isn't credential material. Spun off as a separate "session-state file mode review" task; not picked up here because it's a ~15-callsite refactor that needs its own scope decision (convert all to `writeFileRestricted`, or keep mode 0644 as the design intent).
3. **Pipeline silently-drops new artifacts — SPUN OFF as ADR-0189.** `lib/napi-config.sh` has 8 hardcoded `NAPI_PACKAGES` entries; the ruvector fork now ships 120+ crates. The 112 non-NAPI crates are intentional (Rust-only libs, no npm package); no fail-loud detection exists for a new NAPI crate appearing upstream that isn't in the allowlist. **Recommended implementation:** new `scripts/check-napi-coverage.mjs` that scans each `forks/<fork>/crates/*/Cargo.toml` for `napi-derive` or `napi.build` and cross-checks against `NAPI_PACKAGES`, with a pre-flight or CI gate. Not blocking ADR-0186; spin off as separate ADR because it crosses the ruvector-patch ↔ fork boundary and warrants its own scope decision (CI-only fail, or block `npm run release` entirely?).
4. **agentdb dead build scripts — CLOSED 2026-05-18.** Removed `build:napi / build:wasm / build:optimized` from `forks/agentdb/package.json` + deleted `scripts/optimize-napi.sh` (cd'd to non-existent `../native/`) and `scripts/optimize-wasm.sh` (cd'd to non-existent `../wasm/`). Commit: `forks/agentdb/main` HEAD as of 2026-05-18.
5. **Cross-compile pinning — CLOSED 2026-05-18.** Preflight P1 verification recorded the in-use versions: `cargo-xwin 0.22.0`, `cargo-zigbuild 0.22.3`, `zig 0.16.0`, plus 5 rust targets and xwin SDK cache (1.1G). Future cross-compile work pins to these versions; explicit pin file is unnecessary while the toolchain is verified-working.

Net: 3 follow-ups remain (gaps in #1, #2, #3) — none block ADR-0186 closure but should be tracked. #4 + #5 closed.

New follow-ups from v2 analysis:

6. **c2af4dc → forks/agentdb hand-port** — agentic-flow side of the paired delete API never reached agentdb. Ruvector graph-node side landed via `ee8bca9`; agentdb `GraphDatabaseAdapter` + `ReflexionMemory` half is open.
7. **Batch A pending PICKs — RESOLVED 2026-05-18.** Re-verified via commit-message + patch-id audit: all 7 v1 PICK entries are already hand-ported (`c67fa393d → a31cf95b9`, `1884ed101 → a8ede7ef1`, `d88c69dde → 7d6a2cc65 + 0d4219518`, `f46e52f41 → 8e19a6c0f`,

66f7f644d → cecfe8a88 , fd4c3cb3c → 64556ceb9 , 003ce127b → ea86b505c). git cherry missed them because hand-port commits drop the package.json / ruflo/package.json version bumps that target upstream's 3.7.0-alpha.{12,13,15,16,17} chain — our fork's 3.7.0-alpha.10-patch.207 chain is independent. State schema flipped A: { status: fully-landed, v1_picks_open: 0 } .

8. **Batch B pending PICKs — RESOLVED 2026-05-18.** Trailer-match audit found explicit cherry picked from commit <upstream> matches on main for all 11 v1 PICK entries:

f8f4cd4bc → f9655cc91 , 0535c3823 → bbf9a0bcb , 5073f5673 → a71b0558f , fb256ac59 → 4b3373663 , bbe53a21c → 6329aedf6 , d9fd35956 → 52dc4acca , 73babfb06 → dc2a22958 , c1b57e4fd → f639ba526 , 367313824 → 849ca9560 , b9e2eb37e → fe0066437 , d5fbb3bc4 → 58002b702 . State schema flipped B: { status: fully-landed, v1_picks_open: 0 } .

9. **Batch C+D pending PICKs / hand-ports — RESOLVED 2026-05-18.** All 20 enumerated v1

SHAs + 7 ADR-096 P1-P5 SHAs are trailer-matched on forks/ruflo/main . C+D #6

(bd55cd7cb memory-bridge parallelize) bundled into f81630ba4 . One audit holdout:

779eb309b (witness register ADR-101-C as #82) is superseded by our fork's own witness manifest. State schema flipped to fully-landed.

10. **Batch F-1 pending PICKs — AUDITED 2026-05-18, partial.** Of 11 sampled F-1 candidates, 6 trailer-matched (7cee60317 → e7a092761 , 48da302b3 → d0d2d62c0 , 88f9fba5f → 4797e2188 , 7bfd650ee → 02d5e66d1 , b51b804fa → b83cc4e8f , 229d273a1 → 7cdc33183). 6 genuinely pending: 1f8971d16 , 4680a2c04 , 7ca28a759 , 434a8f95b , 3657a6936 , 19a569b1a (federation ADR-097 phases 2/3/4 + ADR-104 transport). ~16 additional F-1 candidates in the 149 no-trailer ruflo upstream commits remain unaudited.

11. **Batch I pending PICKs — AUDITED 2026-05-18, mostly landed.** All 12 Hailo cluster + sparse-attention chain + docs SHAs subject-matched on forks/ruvector/main ; 1493bab01 explicit per ADR-0186 §I-1 (→ ee8bca912). 4 new-since-v1 pending: 8f9742129 (RAIRS IVF / ADR-193), a80a46d07 (crates.io keyword fix), bc3a9b1c9 (regression-guard CI), c4212106f (regression-guard coverage gaps).

12. **Batch J pending PICKs — CLASSIFIED 2026-05-18.** All 36 candidates classified: 18 release-noop SKIP (upstream's 3.7.0-alpha.{21..38} version chain, not applicable to our 3.7.0-alpha.10-patch.N fork chain), 5 README-prose / branding SKIPS (sparkling brand per ADR-0143, the 4 enumerated + cb3809820 branding switch), 1 version-bump SKIP, 10 witness regeneration SKIPS (fork-local witness manifest supersedes), 2 picked (802dff517 → 2d0e15ba7 CI path filter for plugin witness scripts; bef3684b5 → f0ac51489 verify-federation-plugin cookies pin), 1 architecturally-blocked (70e233946 — see #15).

13. **70e233946 ADR-111 federation Phases 4-6 — SPUN OFF as ADR-0187.** Investigation 2026-05-18: wg-mesh-service.ts was never in our fork — it was added upstream by bcdeed8d (ADR-111 Phases 1-3 opt-in WireGuard mesh layer) on 2026-05-10. Our fork has the upstream ADR-097 + ADR-104 transport (just picked via 19a569b1a → c4175be73) but **never adopted ADR-111's WireGuard mesh layer**. 70e233946 (Phases 4-6) is the tip of a 4+ commit chain (bcdeed8d + 8f0d90032 + 70e233946 + ...); single-pick structurally impossible. ADR-0187 is the architectural-decision ADR; ADR-0186 closes without ADR-111.

14. **Net pending after 2026-05-18 audit + execution — all 12+ enumerated picks resolved** (12 picks executed across forks + 1 confirmed SKIP `779eb309b` + 1 confirmed-already-landed `c2af4dc` via agentdb extraction). Plus Batch J's 36 candidates fully classified (33 SKIP + 2 picked + 1 deferred-pending `70e233946` ADR-111). Single remaining audit holdout in active scope: `70e233946` (ADR-111 federation Phases 4-6) — needs architectural review against fork's `wg-mesh-service.ts` deletion before picking. Spun off to next sync wave.
15. **Verify ADR-0094 living-tracker claim** — ADR-status-audit-2026-05-18 flagged that "the ADR-0094 living tracker has not been updated with `acceptance_tests_pass: true` for ADR-0162". ADR-0094 itself is **closed** as a decision snapshot (per its frontmatter); volatile state lives in `docs/adr/ADR-0094-log.md` + `test-results/CATALOG.md` . v2 leaves the audit-tracker-update question to whoever executes the pending PICKs.

Ledger maintenance rule (going-forward discipline)

This audit ran from a cold start because no per-SHA running record existed. Reconstructing 178 cherry-pick trailers + classifying 149 no-trailer commits across 3 forks consumed hours and would have to happen again on every sync wave at current velocity.

Rule (enforced via `CLAUDE.md` + `feedback-update-integration-ledger` memory): every upstream integration action — cherry-pick, hand-port, SKIP, retarget, superseded-by-local, superseded-by-adr — appends a row to `docs/upstream/INTEGRATION-LEDGER.md` in the same commit/PR as the integration. Captured at integration time the entry costs seconds; reconstructed later it costs hours. The rule binds equally during batched sync runs (ADR-0186 / future v3) and one-off picks.

Mechanical guardrails:

- Always cherry-pick with `git cherry-pick -x <SHA>` so the trailer (cherry picked from commit `<SHA>`) lands in the fork commit body. The audit tooling (`git log main --grep="cherry picked from commit"`) reads these. Trailer-less cherry-picks are the failure mode that forced ADR-0186's full re-audit.
- The ledger row references the authorizing ADR in the `ADR` column. For one-off picks outside a sync wave, cite the most recent upstream-program ADR (currently ADR-0186).
- Disposition vocabulary lives in the ledger's header; do not invent new dispositions — extend the header instead and reference the new term in this ADR.

More information

- **Integration ledger:** `docs/upstream/INTEGRATION-LEDGER.md` is the single cumulative record of per-SHA dispositions across all forks. Batches A and B were appended on 2026-05-18; subsequent batches must append their hand-port / skip / pending decisions there as part of close-out (in addition to maintaining the per-batch table here).

- **Supersedes:** ADR-0162 (kept open; v1 amendment records partial close-out for Batches A/B/C+D/E/F/K).
- **Source-of-truth status audit:** docs/council/ADR-status-audit-2026-05-18.md .
- **v1 plan files** (still applicable for execution detail):
 - docs/plans/upstream-sync-2026-05-09.md
 - docs/plans/upstream-sync-2026-05-09-batch-A-daemon.md
 - docs/plans/upstream-sync-2026-05-09-batch-B-security.md
 - docs/plans/upstream-sync-2026-05-09-batch-CD-memory-adr.md
 - docs/plans/upstream-sync-2026-05-09-batch-G-plugin-contract.md
 - docs/plans/upstream-sync-2026-05-09-batch-HI-cross-fork.md
- **Delta snapshots (2026-05-18):**
 - /tmp/adr0186-ruflo-delta.txt (329 lines)
 - /tmp/adr0186-agentic-flow-delta.txt (30 lines)
 - /tmp/adr0186-ruvector-delta.txt (47 lines)
- **Author report:** docs/council/ADR-0186-author-report.md .