localhost/security.php

- Home
- Instructions
- Setup / Reset DB

- Brute Force
- Command Injection
- CSRF
- File Inclusion
- File Upload
- Insecure CAPTCHA
- SQL Injection
- SQL Injection (Blind)
- Weak Session IDs
- XSS (DOM)
- XSS (Reflected)
- XSS (Stored)
- CSP Bypass
- JavaScript

- DVWA Security
- PHP Info
- About

- Logout

DVWA Security

Security Level

Security level is currently: **high**.

You can set the security level to low, medium, high or impossible. The security level changes the vulnerability level of DVWA:

1. Low - This security level is completely vulnerable and **has no security measures at all**. It's use is to be as an example of how web application vulnerabilities manifest through bad coding practices and to serve as a platform to teach or learn basic exploitation techniques.
2. Medium - This setting is mainly to give an example to the user of **bad security practices**, where the developer has tried but failed to secure an application. It also acts as a challenge to users to refine their exploitation techniques.
3. High - This option is an extension to the medium difficulty, with a mixture of **harder or alternative bad practices** to attempt to secure the code. The vulnerability may not allow the same extent of the exploitation, similar in various Capture The Flags (CTFs) competitions.
4. Impossible - This level should be **secure against all vulnerabilities**. It is used to compare the vulnerable source code to the secure source code.
   Prior to DVWA v1.9, this level was known as 'high'.

Low [Submit]

PHPIDS

PHPIDS v0.6 (PHP-Intrusion Detection System) is a security layer for PHP based web applications.

PHPIDS works by filtering any user supplied input against a blacklist of potentially malicious code. It is used in DVWA to serve as a live example of how Web Application Firewalls (WAFs) can help improve security and in some cases how WAFs can be circumvented.

You can enable PHPIDS across this site for the duration of your session.

PHPIDS is currently: **disabled**. [Enable PHPIDS]

[Simulate attack] - [View IDS log]

localhost/vulnerabilities/brute/

- Home
- Instructions
- Setup / Reset DB

- Brute Force
- Command Injection
- CSRF
- File Inclusion
- File Upload
- Insecure CAPTCHA
- SQL Injection
- SQL Injection (Blind)
- Weak Session IDs
- XSS (DOM)
- XSS (Reflected)
- XSS (Stored)
- CSP Bypass
- JavaScript

- DVWA Security
- PHP Info
- About

- Logout

Vulnerability: Brute Force

Login

Username:
admin
Password:
••••••••

Login

More Information

- https://www.owasp.org/index.php/Testing_for_Brute_Force_(OWASP-AT-004)
- http://www.symantec.com/connect/articles/password-crackers-ensuring-security-your-password
- http://www.sillychicken.co.nz/Security/how-to-brute-force-http-forms-in-windows.html

localhost/vulnerabilities/brute/?username=admin&password=password&Login=Login#

DVWA

- Home
- Instructions
- Setup / Reset DB

- Brute Force
- Command Injection
- CSRF
- File Inclusion
- File Upload
- Insecure CAPTCHA
- SQL Injection
- SQL Injection (Blind)
- Weak Session IDs
- XSS (DOM)
- XSS (Reflected)
- XSS (Stored)
- CSP Bypass
- JavaScript

- DVWA Security
- PHP Info
- About

- Logout

Vulnerability: Brute Force

Login

Username:

Password:

Login

Welcome to the password protected area admin

More Information

- https://www.owasp.org/index.php/Testing_for_Brute_Force_(OWASP-AT-004)
- http://www.symantec.com/connect/articles/password-crackers-ensuring-security-your-password
- http://www.sillychicken.co.nz/Security/how-to-brute-force-http-forms-in-windows.html

localhost/vulnerabilities/brute/?username=admin&password=password&Login=Login#

Elements | Console | Sources | Network | Performance | Memory | Application | Privacy and security | Lighthouse | Recorder

Home
Instruct
Setup /
Brute F
Comma
CSRF
File Incl
File Upl
Insecur
SQL Inj
SQL Inj
Weak S
XSS (D
XSS (Re
XSS (St
CSP By
JavaSc
DVWA S
PHP Inf
About
Logout

Application
- Manifest
- Service workers
- Storage

Storage
- Local storage
- Session storage
- Extension storage
- IndexedDB
- Cookies
  - http://localhost
- Private state tokens
- Interest groups
- Shared storage
- Cache storage
- Storage buckets

Background services
- Back/forward cache
- Background fetch
- Background sync
- Bounce tracking mitigati...
- Notifications
- Payment handler
- Periodic background sync
- Speculative loads
- Push messaging
- Reporting API

Frames
- top

Filter | Only show cookies with an issue

Name	Value	Domain	Path	Expire...	Size	HttpO...	Secure	Same...	Partiti...	Cross ...	Priority
jenkins-timestamper-offset	-19800000	localh...	/	2027-...	35						Medi...
language	en	localh...	/	2027-...	10						Medi...
PHPSESSID	54lbuhi9gngfb93mvin2qeqf41	localh...	/	Session	35						Medi...
security	low	localh...	/	Session	11						Medi...
welcomebanner_status	dismiss	localh...	/	2027-...	27						Medi...

Cookie Value | Show URL-decoded

54lbuhi9gngfb93mvin2qeqf41

Login :: Damn Vulnerable Web App

localhost/login.php

Import favorites | For quick access, place your favorites here on the favorites bar. Manage favorites now

DVWA

Username

Password

Login

Damn Vulnerable Web Application (DVWA)

Welcome | Elements | Console | Application

Application
- Manifest
- Service workers
- Storage

Storage
- Local storage
- Session storage
- Extension storage
- IndexedDB
- Cookies
  - http://localhost
- Private state tokens
- Interest groups
- Shared storage
- Cache storage
- Storage buckets

Background services
- Back/forward cache
- Background fetch
- Background sync
- Bounce tracking mitigatio...
- Notifications
- Payment handler
- Periodic background sync
- Speculative loads
- Push messaging
- Reporting API

Frames
- top

Filter | Only show cookies with an issue

Name	Value	D...	Pa...	Ex...	Size	Ht...	Se...	Sa...	Pa...	Cr...	Pri...
PHPSESSID	54lbuhi9gngfb93mvin2qe...	lo...	/	Se...	35						M...
security	low	lo...	/	Se...	11						M...

Cookie Value | Show URL-decoded

4l04qiidkbes8gh292lpsf5nt4

Console | Issues

Login :: Damn Vulnerable Web App

localhost/index.php

Welcome :: Damn Vulnerable Web Application (DVWA) v1.10 *Development* - localhost/index.php

localhost/index.php - Search

localhost/index.php **xampp**

localhost/index.php **wamp**

localhost/index.php **not working**

Filter your search: History Favorites Tabs

Chat

Username

Password

Login

Damn Vulnerable Web Application (DVWA)

Welcome :: Damn Vulnerable Web

localhost/index.php

Summarize Chat

Import favorites | For quick access, place your favorites here on the favorites bar. Manage favorites now

DVWA

- Home
- Instructions
- Setup / Reset DB

- Brute Force
- Command Injection
- CSRF
- File Inclusion
- File Upload
- Insecure CAPTCHA
- SQL Injection
- SQL Injection (Blind)
- Weak Session IDs
- XSS (DOM)
- XSS (Reflected)
- XSS (Stored)
- CSP Bypass
- JavaScript

- DVWA Security
- PHP Info
- About

- Logout

Welcome to Damn Vulnerable Web Application!

Damn Vulnerable Web Application (DVWA) is a PHP/MySQL web application that is damn vulnerable. Its main goal is to be an aid for security professionals to test their skills and tools in a legal environment, help web developers better understand the processes of securing web applications and to aid both students & teachers to learn about web application security in a controlled class room environment.

The aim of DVWA is to **practice some of the most common web vulnerabilities**, with **various levels of difficultly**, with a simple straightforward interface.

General Instructions

It is up to the user how they approach DVWA. Either by working through every module at a fixed level, or selecting any module and working up to reach the highest level they can before moving onto the next one. There is not a fixed object to complete a module; however users should feel that they have successfully exploited the system as best as they possible could by using that particular vulnerability.

Please note, there are **both documented and undocumented vulnerability** with this software. This is intentional. You are encouraged to try and discover as many issues as possible.

DVWA also includes a Web Application Firewall (WAF), PHPIDS, which can be enabled at any stage to further increase the difficulty. This will demonstrate how adding another layer of security may block certain malicious actions. Note, there are also various public methods at bypassing these protections (so this can be seen as an extension for more advanced users)!

There is a help button at the bottom of each page, which allows you to view hints & tips for that vulnerability. There are also additional links for further background reading, which relates to that security issue.

WARNING!

Damn Vulnerable Web Application is damn vulnerable! **Do not upload it to your hosting provider's public html folder or any Internet facing servers**, as they will be compromised. It is recommend using a virtual machine (such as VirtualBox or VMware), which is set to NAT networking mode. Inside a guest machine, you can downloading and install XAMPP for the web server and database.

Disclaimer

We do not take responsibility for the way in which any one uses this application (DVWA). We have made the purposes of the application clear and it should not be used maliciously. We have given warnings and taken measures to prevent users from installing DVWA on to live web servers. If your web server is compromised via an installation of DVWA it is not our responsibility it is the responsibility of the person/s who uploaded and installed it.

More Training Resources

DVWA aims to cover the most commonly seen vulnerabilities found in today's web applications. However there