kmit@kali: ~

kmit@kali: ~ | kmit@kali: ~

```
zsh: corrupt history file /home/kmit/.zsh_history
┌──(kmit㉿kali)-[~]
└─$ python3 -m http.server 8080
Serving HTTP on 0.0.0.0 port 8080 (http://0.0.0.0:8080/) ...
```

Apps Places Feb 6 09:54 5% 40% ↑0.0

Directory listing for / ×

http://127.0.0.1:8080

Import bookmarks... OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Directory listing for /

- .bash_logout
- .bashrc
- .bashrc.original
- .cache/
- .config/
- .face
- .face.icon@
- .java/
- .local/
- .mozilla/
- .pki/
- .profile
- .sudo_as_admin_successful
- .vboxclient-clipboard-tty2-control.pid
- .vboxclient-clipboard-tty2-service.pid
- .vboxclient-draganddrop-tty2-control.pid
- .vboxclient-hostversion-tty2-control.pid
- .vboxclient-seamless-tty2-control.pid
- .vboxclient-vmsvga-session-tty2-control.pid
- .vboxclient-vmsvga-session-tty2-service.pid
- .zprofile
- .zsh_history
- .zshrc
- capture.pcap
- Desktop/
- Documents/
- Downloads/
- Music/
- Pictures/
- Public/
- Templates/
- Videos/

---

kmit@kali: ~

kmit@kali: ~ | kmit@kali: ~

```
zsh: corrupt history file /home/kmit/.zsh_history
┌──(kmit㉿kali)-[~]
└─$ sudo tcpdump -i any -w capture.pcap port 8080
[sudo] password for kmit:
tcpdump: WARNING: any: That device doesn't support promiscuous mode
(Promiscuous mode not supported on the "any" device)
tcpdump: listening on any, link-type LINUX_SLL2 (Linux cooked v2), snapshot leng
th 262144 bytes
```

kmit@kali: ~

kmit@kali: ~ | kmit@kali: ~

```
zsh: corrupt history file /home/kmit/.zsh_history
┌──(kmit㉿kali)-[~]
└─$ python3 -m http.server 8080
Serving HTTP on 0.0.0.0 port 8080 (http://0.0.0.0:8080/) ...
127.0.0.1 - - [06/Feb/2026 09:54:42] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 09:54:43] code 404, message File not found
127.0.0.1 - - [06/Feb/2026 09:54:43] "GET /favicon.ico HTTP/1.1" 404 -
```

Directory listing for /

http://localhost:8080

Import bookmarks... OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Directory listing for /

- .bash_logout
- .bashrc
- .bashrc.original
- .cache/
- .config/
- .face
- .face.icon@
- .java/
- .local/
- .mozilla/
- .pki/
- .profile
- .sudo_as_admin_successful
- .vboxclient-clipboard-tty2-control.pid
- .vboxclient-clipboard-tty2-service.pid
- .vboxclient-draganddrop-tty2-control.pid
- .vboxclient-hostversion-tty2-control.pid
- .vboxclient-seamless-tty2-control.pid
- .vboxclient-vmsvga-session-tty2-control.pid
- .vboxclient-vmsvga-session-tty2-service.pid
- .zprofile
- .zsh_history
- .zshrc
- capture.pcap
- Desktop/
- Documents/
- Downloads/
- Music/
- Pictures/
- Public/
- Templates/
- Videos/

kmit@kali: ~

kmit@kali: ~ | kmit@kali: ~

```
zsh: corrupt history file /home/kmit/.zsh_history
┌──(kmit㉿kali)-[~]
└─$ sudo tcpdump -i any -w capture.pcap port 8080
[sudo] password for kmit:
tcpdump: WARNING: any: That device doesn't support promiscuous mode
(Promiscuous mode not supported on the "any" device)
tcpdump: listening on any, link-type LINUX_SLL2 (Linux cooked v2), snapshot leng
th 262144 bytes
^C441 packets captured
882 packets received by filter
0 packets dropped by kernel

┌──(kmit㉿kali)-[~]
└─$
```

kmit@kali: ~

kmit@kali: ~ | kmit@kali: ~

```
127.0.0.1 - - [06/Feb/2026 10:00:55] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:56] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:56] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:56] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:56] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:56] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:57] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:57] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:57] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:58] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:58] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:00:59] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:00] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:00] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:00] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:01] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:05] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:05] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:06] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:06] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:07] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:08] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [06/Feb/2026 10:01:09] "GET / HTTP/1.1" 200 -
```

capture.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	127.0.0.1	127.0.0.1	TCP	80	41234 → 8080 [SYN] Sec
2	0.000011	127.0.0.1	127.0.0.1	TCP	80	8080 → 41234 [SYN, ACK
3	0.000023	127.0.0.1	127.0.0.1	TCP	72	41234 → 8080 [ACK] Sec
4	5.010014	127.0.0.1	127.0.0.1	TCP	72	41234 → 8080 [FIN, ACK
5	5.010221	127.0.0.1	127.0.0.1	TCP	72	8080 → 41234 [FIN, ACK
6	5.010239	127.0.0.1	127.0.0.1	TCP	72	41234 → 8080 [ACK] Sec
7	5.338815	127.0.0.1	127.0.0.1	TCP	80	53468 → 8080 [SYN] Sec
8	5.339045	127.0.0.1	127.0.0.1	TCP	80	8080 → 53468 [SYN, ACK
9	5.339116	127.0.0.1	127.0.0.1	TCP	72	53468 → 8080 [ACK] Sec
10	7.300836	127.0.0.1	127.0.0.1	HTTP	510	GET / HTTP/1.1
11	7.301036	127.0.0.1	127.0.0.1	TCP	72	8080 → 53468 [ACK] Sec
12	7.302300	127.0.0.1	127.0.0.1	TCP	228	8080 → 53468 [PSH, ACK
13	7.302399	127.0.0.1	127.0.0.1	TCP	72	53468 → 8080 [ACK] Sec
14	7.302442	127.0.0.1	127.0.0.1	HTTP	2080	HTTP/1.0 200 OK (text
15	7.302447	127.0.0.1	127.0.0.1	TCP	72	53468 → 8080 [ACK] Sec
16	7.302485	127.0.0.1	127.0.0.1	TCP	72	8080 → 53468 [FIN, ACK
17	7.302867	127.0.0.1	127.0.0.1	TCP	72	53468 → 8080 [FIN, ACK

```
▸ Frame 1: Packet, 80 bytes on wire (640 bits), 80 by
▸ Linux cooked capture v2
▸ Internet Protocol Version 4, Src: 127.0.0.1, Dst: 1
▸ Transmission Control Protocol, Src Port: 41234, Dst
```

```
0000  08 00 00 00 00 00 00 01  03 04 00 06 00 00 00
0010  00 00 00 00 45 00 00 3c  af d9 40 00 40 06 8c
0020  7f 00 00 01 7f 00 00 01  a1 12 1f 90 c4 e8 8b
0030  00 00 00 00 a0 02 ff d7  fe 30 00 00 02 04 ff
0040  04 02 08 0a b0 c7 b1 a4  00 00 00 00 01 03 03
```

capture.pcap | Packets: 441 | Profile: Default

Wireshark · Packet 9 · capture.pcap

```
▸ Frame 9: Packet, 72 bytes on wire (576 bits), 72 bytes captured (576 bits)
▸ Linux cooked capture v2
▸ Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
▸ Transmission Control Protocol, Src Port: 53468, Dst Port: 8080, Seq: 1, Ack: 1,
```

```
0000  08 00 00 00 00 00 00 01  03 04 00 06 00 00 00 00   ........ ........
0010  00 00 00 00 45 00 00 34  0c f2 40 00 40 06 2f d0   ....E··4 ··@·@·/·
0020  7f 00 00 01 7f 00 00 01  d0 dc 1f 90 bf ec 77 ae   ........ ......w·
0030  ca f9 05 4f 80 10 00 80  fe 28 00 00 01 01 08 0a   ···O···· ·(......
0040  b0 c7 c6 7f b0 c7 c6 7f                            ........
```

No.: 9 · Time: 5.339116 · Source: 127.0.0.1 · Destination: 127....] Seq=1 Ack=1 Win=65536 Len=0 TSval=2965882495 TSecr=2965882495

✓ Show packet bytes Layout: Vertical (Stacked)

× Close Help