Outbreak of pests and diseases due to unseasonal rains	**Vegetative stage**	**Flowering stage**	**Crop maturity stage**	**Post harvest**
Cotton	Spray Larwin@250g Or Ekalux 800ml/acre to check Mealy bug	**1. Insect/Pests:** Spray Imedachloprid 40 ml/ Pride20ml/acre for Jassid; Hostathion 600 ml/acreagainst white fly; Larwin@250gOr Ekalux 800ml/acre to check Mealy bug; synthetic pyrethroids / Carbamate insecticides against Pink/ spotted /American(small size) boll worm ; Organophosphate/Naturalite/oxaddiazine against American(big size) boll worm and Carbamate/ Organochlorinate/ Organophosphates against Tobacco boll worm. **2. Diseases:** grow LH 144/LH 2076 against Leaf curl;; Cobalt chloride($COCl_2$) to check para wilt disease,Spray blitox + streptocycline against Bacterial Blight and Blitox/ Captan for control of Anthrcnose, leaf blightand leaf spot .		Storage of produce in dry place
Rice	Spray Nuvacron/Monocil@ 560 ml/acre against leaf folder and stem borer.	**1. Insect/Pests**:Spray Nuvacron/Monocil@ 560 ml/acreagainst leaf folder and stem borer; Confidor @40 ml/acre/ Ekalux @ 800 ml/acre against Plant hoppers/ Rice ear cutting caterpillar. **2. Diseases**: Grow PR 120, PR 111 against Bacterial leaf blight (BLB); spray Blitox		Storage of produce in dry place

		(500ml)/Tilt (200ml) per acre to control False smut;Spray Tilt @ 200ml/acre against sheath blight ,Sheath rot and Bunt diseases.		
Wheat	Spray pesticide to control pink boll worm especially in rice fields.	Spray Nuvacron @150ml/acre to control sucking pest (Aphid)	Spray Nuvacron @150ml/acre to control Aphid, Ekalux for Army worm (@400 ml); Bollworm (800 ml) per acre and Tilt @200ml/acre to check Karnal bunt & rusts.	Treat the produce meant for seed with 250gmMalathion dust (5%) and disinfest 10gunny bags with 5 ml cymbush/10 litres water, Godowns with 100 ml ythion/10 litres water.
Horticulture				
Citrus	Chemical control of phytophthora / foot rot with Ridomil-MZ/ Alliette as per recommendation, Control of sucking pests with systemic pesticides	Chemical control of phytophthora / foot rot with Ridomil-MZ/ Alliette as per recommendation, Control of sucking pests with systemic pesticides	Chemical control of phytophthora / foot rot with Ridomil-MZ/ Alliette as per recommendation, Control of sucking pests with systemic pesticides	Application of fungicides/ nutrients to check post harvest losses
Guava	Chemical control of sucking pests and diseases like powdery mildew/ anthracnose	Chemical control of sucking pests and diseases like powdery mildew/ anthracnose	Chemical control of sucking pests and diseases like powdery mildew/ anthracnose/ hen and chicken	Timely harvesting of grapes, storage in proper CFB boxes.

			disease/shot berry etc.	
Grapes	Chemical control of sucking pests	Chemical control of sucking pests and diseases like anthracnose.	Chemical control of fruit fly and anthracnose of guava. Harvesting at proper maturity level.	Storage at proper place
Chilli	-	Pumping out of excess rain water to check wilt	Spray Blitox @ 5 g/ l water to check rottening of fruit	Keep in dry place
Cucurbits	-	Spray Indofil M 45 @ 3 g/l water against downy mildew	Spray Blitox @ 5 g/ l water to check rottening of fruit. Also destroy the infested fruits and spray the crop with Endosulfan @ 8 ml/l or Sevin @ 5 g/l water to control fruit fly	-