Un-timely (unseasonal) rains

Condition	Suggested contingency measure			
	Vegetative stage	**Flowering stage**	**Crop maturity stage**	**Post harvest**
Outbreak of pests and diseases due to unseasonal rains				
Cotton	Spray Larwin@250g Or Ekalux 800ml/acre to check Mealy bug	**1.Insect/Pests:** Spray Imedachloprid 40 ml/ Pride20ml/acre for Jassid; Hostathion 600 ml/acreagainst white fly; Larwin@250gOr Ekalux 800ml/acre to check Mealy bug; synthetic pyrithoids/Carbamate insecticides against Pink/ spotted /American(small size) boll worm ; Organophosphate/Naturalite/ oxaddiazine against American(big size) boll worm and Carbamate/ Organochlorinate/ Organophosphates against Tobacco boll worm.	Storage of produce in dry place	

		2.Diseases: grow LH 144/LH 2076 against Leaf curl;; Cobalt chloride($COCl_2$) to check para wilt ,Spray blitox+streptocycline against Bacterial Blight and Blitox/Captan for control of Anthrcnose,leaf blight and leaf spot .		
Rice	Spray Nuvacron/Monocil@ 560 ml/acre against leaf folder and stem borer.	**1.Insect/Pests**:Spray Nuvacron /Monocil@ 560 ml/acreagainst leaf folder and stem borer; Confidor @40 ml/acre/ Ekalux @ 800 ml/acre against Plant hoppers/ Rice ear cutting caterpillar. **2. Diseases**: Grow PR 120, PR 111 against Bacterial leaf blight (BLB); spray Blitox(500ml)/Tilt (200ml) per acre to control False smut; Spray Tilt @ 200m l/acre against sheath blight ,Sheath rot and Bunt diseases.	Storage of produce in dry place	
Wheat	Spray pesticide to control Pink boll worm especially in rice fields.	Spray Nuvacron @150ml/acre to control sucking pest (Aphid)	Spray Nuvacron @150ml/acre to control Aphid,Ekalux for Army worm (@400 ml); Boll worm(800 ml) per acre and	Treat the produce meant for seed with 250gmMalathion

			Tilt @200ml/acre to check Karnel bunt&rusts.	dust(5%)and disinfest 10gunny bags with 5 ml cymbush/10 litres water ,Godowns with 100 ml ythion/10 litres water.
Rapeseed-mustard	-	**Diseases** : Two Sprays of Indofil M-45/ Blitox @ 250 g/acre at interval of 15 days to control the incidence of White rust and *Alternaria* blight. **Aphids**: spray 40g Actara 25 WG or 400 ml Endosulfan 35EC in 80-125 litres of water per acre to check aphid.	Shifting of produce at safer place for drying	
Horticulture				
Ber	Chemical control of Leaf eating caterpillar and diseases like powdery mildew.	Chemical control of Leaf eating caterpillar and diseases like powdery mildew.	Clean cultivation/ sanitation and spray of Rogar 30 EC @ 500 ml in 300 l water for control of	Pick the fruit at green and firm stage and shift at proper place

			fruit fly and Chemical control of diseases like powdery mildew/leaf mould	
Guava	Chemical control of sucking pests and diseases and drain out excessive water to avoid guava wilt.	Chemical control of sucking pests and diseases like anthracnose.	Clean cultivation/ sanitation and spray of Sumicidin 20 EC @ 1250 ml in 500 l water for control of fruit fly and Chemical control of anthracnose of guava	Pick the fruit at green and firm stage and shift at proper place
Peach	Chemical control of sucking pests and diseases. Apply Mashobra paste after clearing wound for control of bacterial canker and gummosis.	Spray 800 ml Rogar 30EC in 500 l of water for control of Peach leaf curl aphid.	Cultivation of early ripening cultivars, Clean cultivation/ sanitation and spray of Sumicidin 20 EC @ 1250 ml in 500 l water for control of fruit fly	Pick the fruit at green and firm stage, storage in CFB boxes
Grapes	Chemical control of sucking pests and diseases like downy mildew/ powdery mildew/ anthracnose	Chemical control of sucking pests and diseases like downy mildew/ powdery mildew/ anthracnose	Chemical control of sucking pests, diseases like powdery mildew/ downy mildew /anthracnose/ hen	Timely harvesting of grapes, storage in proper CFB boxes

			and chicken disease/shot berry etc	
Chilli	-	Spray Endosulfan @ 1 litre/ acre to check fruit borer and spray the crop with M -45 or Blitox @ 3 gm per litter water		Keep in dry place
Potato	-	spray Ridomil @500 g/acre to the late blight		-
Cauliflower	Spray Mencozeb @ 3g / litre to check downy mildew	-		-
Peas	-	Spray Endosulfan @ 1 litre/ acre to check pod borer		