

Your First C++ Program

Student Edition — VEX EXP · C++ in VS Code

Name: _____ Date: _____ Period: _____

Introduction

Since week 1 you've been writing code in the starter — typing between the two purple lines and leaving everything else alone. This is where you open up those other lines and read the **whole program**: the **setup lines**, the **device list**, **int main()**, **vexcodeInit()**, and the curly braces. Once you know what each part does you're not limited to the region anymore — you can write a complete program yourself, and turn the **pseudocode** you planned in Chapter 9 into real, running code. It's the same **download-and-run** loop you already know, now with nothing hidden. Read Chapter 10 in the textbook for the full walkthrough.

Learning Objectives

- Set up VS Code with the VEX extension and create an EXP project.
- Identify the parts of a VEX C++ program — the setup lines, the device list, int main(), and vexcodeInit() — and say what each does.
- Write motor commands (setVelocity in percent, spin, wait, stop) to make a motor run for a set time, then stop.
- Download a program to the EXP Brain over USB-C and run it, building and testing one piece at a time.


Key Ideas (quick reference)

- **Program anatomy:** the setup lines (#include "vex.h", using namespace vex;) bring in the VEX commands; the device list names each motor and its Smart Port; int main() { } is where the robot starts and runs each line top to bottom; vexcodeInit() is the first line inside main and must stay. Every command ends with a semicolon.
- **Talking to a motor:** setVelocity sets speed as a percent (0–100; a new motor starts at 50%); spin(forward) or spin(reverse) starts it; wait(2, seconds) pauses the whole program (also msec); stop() halts it. Shortcut: spinFor(forward, 5, seconds) does start-wait-stop in one line.
- **Direction and the EXP motor:** reverse a backwards-mounted motor once where you name it — motor rightMotor = motor(PORT6, true);. Your EXP Smart Motor is fixed-speed (Chapter 3), so there is no gear cartridge to choose, unlike the V5 motor.
- **Download & run:** connect the Brain by USB-C, click Download (it builds your code, then sends it to the Brain), then Run it on the bench — or unplug and run from the Brain's screen for a robot that drives. Build a little, test a lot.

From Code to a Running Robot

FROM CODE TO A RUNNING ROBOT

write it in VS Code → download it over USB-C → run it on the robot



Write your code in VS Code, download it to the Brain over USB-C, and run it — then test, change one thing, and download again.

The Program, Line by Line

A complete program — and you'll recognize most of it. It's the AR-Starter you've been using: the setup lines, your motor, main, and a few commands in the middle (this one sets a speed, then spins for five seconds and stops). This time we read every line, including the ones you've been skipping:

The whole program – nothing hidden this time

```
// setup – brings in all the VEX commands
#include "vex.h"
using namespace vex;

// your device list – name each motor and its Smart Port
motor leftMotor = motor(PORT1);

int main() {
    vexcodeInit(); // gets the robot ready – don't delete

    // spin at half speed for 5 seconds, then stop
    leftMotor.setVelocity(50, percent);
    leftMotor.spin(forward);
    wait(5, seconds);
    leftMotor.stop();
}
```

Every program has this skeleton (a new project writes most of it for you): the **setup lines** bring in the VEX commands; the **device list** names each motor and its Smart Port; **int main()** is where the robot starts and runs each line in order to the closing brace; **vexcodeInit()** gets the robot ready and must stay. Every command ends with a **semicolon** — "this instruction is finished." Forgetting one is the most common first mistake, and the editor underlines it in red.

Talking to a Motor

Almost everything you do to a motor is one of four commands — the motor's name, a dot, then what to do:

```
leftMotor.setVelocity(50, percent);
leftMotor.spin(forward);
wait(2, seconds);
```

```
leftMotor.stop();
```

Speed is a **percent, 0 to 100** (50 is half, 100 is full; a new motor starts at 50%). Direction is **forward** or **reverse**; flag a backwards-mounted motor once where you name it: `motor rightMotor = motor(PORT6, true);`. **wait** pauses the whole program (seconds or msec) while what you started keeps going — that's why `spin`, then `wait(5, seconds)`, then `stop` runs the motor for five seconds. Leave out **stop** and the motor keeps spinning — the classic Chapter 9 bug.

Lab Setup & Ground Rules

Lab setup & ground rules: (1) You need a computer with VS Code and the VEX extension installed, the classroom kit's EXP Brain with a charged battery, an EXP Smart Motor (or your robot), and a USB-C cable. The work happens on the computer in front of you — not in the cloud — because your program has to travel down the cable into the Brain. (2) Don't borrow the separate competition team's V5 brain or motors; they're a different system and stay in their own pool. (3) Before you run anything, make sure the robot can't drive off the bench, and only run a driving program after you've unplugged the USB-C cable.

Safety

- Before you run a program, make sure the robot can't drive off the bench — prop the wheels up or be ready to grab it. A first program can lurch unexpectedly.
- Keep fingers, hair, and loose clothing clear of the spinning motor shaft and any gear or wheel on it.
- Run a driving program only after you've unplugged the USB-C cable — never let the robot drive while tethered to the computer.
- Seat the USB-C cable gently, and power the Brain down with the X button when you are done.

Equipment & Materials

- A computer with VS Code and the VEX extension installed
- A VEX EXP Brain and a charged EXP battery
- At least one EXP Smart Motor (or your robot from earlier chapters)
- A USB-C cable to connect the Brain to the computer
- Your pseudocode from Chapter 9, and your engineering notebook

Procedure

1. **Create a project.** In VS Code, make a new EXP project and name it (your name shows up on the Brain's screen). Open the file in the src folder.
2. **Name your motor.** Add the device line for your motor near the top — its name and the Smart Port it's plugged into, like `motor leftMotor = motor(PORT1);`.
3. **Type the first program.** Inside main, after `vexcodeInit();`, write the four lines that set the speed, spin forward, wait five seconds, and stop.
4. **Download and run.** Plug in the Brain over USB-C, click Download, then Run. Watch the motor spin for five seconds and stop. If the build complains, fix the first error and try again.
5. **Add a second motor (build a little, test a lot).** Name a second motor on another port, mounted on the other side so set it reversed. Make both motors spin, run a few seconds, and stop. Download and test — then try one forward and one reverse.
6. **Make your plan real.** Take one behavior from your Chapter 9 pseudocode and translate it into C++, one line at a time, downloading and testing as you go.

Worksheet 1 — Label the program

For each part of a VEX C++ program, write what it does.

Program part	What does it do?
#include "vex.h"	
motor leftMotor = motor(PORT1);	
int main() { ... }	
vexcodeInit();	
leftMotor.spin(forward);	
the semicolon ; at the end of a line	

Worksheet 2 — Write the code

Write the C++ command(s) for each behavior. Don't forget the **semicolons**.

Behavior (in English)	Your C++ command(s)
Set armMotor to full speed	
Spin leftMotor forward	
Wait 3 seconds	
Stop leftMotor	
Spin armMotor at full speed for 3 seconds, then stop	

Worksheet 3 — Trace the program

Read this program and describe, start to finish, **what the robot does** (assume both motors drive the wheels):

```
leftMotor.setVelocity(50, percent);
rightMotor.setVelocity(50, percent);
leftMotor.spin(forward);
rightMotor.spin(forward);
wait(3, seconds);
leftMotor.stop();
rightMotor.stop();
```

Your answer

Conclusion Questions

Answer in complete sentences.

1. Name the parts of a VEX C++ program: what do the setup lines, the device list, `int main()`, and `vexcodeInit()` each do?
2. What does a semicolon mean at the end of a C++ command, and what usually happens if you forget one?
3. Write the commands to spin a motor named `armMotor` at full speed for 3 seconds, then stop.
4. What does the Download button do — and why isn't writing code alone enough to move the robot?
5. You wrote `spin and wait(3, seconds)` but left out `stop`. What will the motor do, and why?
6. Why is it better to write and test one command at a time than to type the whole program first? Connect your answer to the test loop in the diagram.