







C2DACE


CZDACL			
C Language	SDFG Equivalent	C Language	SDFG Equivalent
Declarations and Types		Statements	
Primitive data type	Scalar data container	Compound (blocks)	Nested SDFG
Type qualifier (const,volatile)	Implicit, hints provided are inherent to the SDFG	Branching (if,switch)	Branch conditions on state transition edges
Storage class	representation Data container properties (e.g., life-time, storage	Iteration (for, while,dowhile)	Nested SDFG for compound state-ment, with states and state transi-tions for loop logic
(static,auto,register, etc.) Pointer	location) Access node	Function flow (break,continue, return)	Edge to SDFG exit state, using helper variable to find context
Array	Array data container	goto	State transition if within same SDFG,otherwise
Structure	Data container type struct		unsupported
Union	Data container references	C Language	SDFG Equivalent
C Language	SDFG Equivalent	Functions	
Expressions and Assignments		Function calls (with source)	Nested SDFG for content, memlets reduce shape of inputs and outputs
Operators (e.g., Unary,Binary)	Tasklet with incoming and outgoingmemlets for read/written operands	External/Library calls	Tasklet with library state
Compound assignments	Tasklet	Recursion	Unsupported
Array expression	Memlet	Function pointers	No equivalent, unsupported
, ,		C Language	SDFG Equivalent
		Parallelism	
		-	Parametric Map scope







Dataflow extaction pipeline for C/C++




- Typedef elimination
- Array index extraction
- Function call isolation
- Separating variable declaration and initialization






Library states







Dataflow extaction pipeline for C/C++




Candidates:

- Polybench
- LULESH
- C HPC codes?

SDFG Transformations


- Symbol promotion
- Create WCR accesses where necessary
- Loop to Map








Break/Return





Break/Return



A THE STATE OF THE



Thank you!

