Following is the Code for Sortable.min.js

```
/*! Sortable 1.15.2 - MIT | git://github.com/SortableJS/Sortable.git
*/ !function(t,e){"object"==typeof exports&&"undefined"!=typeof
module?module.exports=e():"function"==typeof define&&define.amd?define(e):(t=t||self).Sortal
strict";function e(e,t){var n,o=Object.keys(e);return Object.getOwnPropertySymbols&&(n=Object.keys(e);return Object.getOwnPropertySymbols&&(n=Object.keys(e));return Object.getOwnPropertySymbols&&(n=
Object.getOwnPropertyDescriptor(e,t).enumerable})),o.push.apply(o,n)),o}function
I(o) {for(var t=1; t<arguments.length; t++) {var i=null!=arguments[t]?arguments[t]:{}; t%2?e(Objection of the context of the c
e,n;e=o,t=i[n=t],n in e?Object.defineProperty(e,n,{value:t,enumerable:!0,configurable:!0,wr:
offunction o(t) {return(o="function"==typeof Symbol&&"symbol"==typeof
Symbol.iterator?function(t){return typeof t}:function(t){return
t&&"function"==typeof Symbol&&t.constructor===Symbol&&t!==Symbol.prototype?"symbol":typeof
t})(t)}function a(){return(a=Object.assign||function(t){for(var
e=1;e<arguments.length;e++){var n,o=arguments[e];for(n in o)Object.prototype.hasOwnProperty
t\}).apply(this,arguments)\} function i(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ \}; var \} \} = t(t,e) \{ if(null==t) return \{ 
n,o=function(t,e){if(null==t)return{};for(var n,o={},i=0bject.keys(t),r=0;r<i.length;r++)n=
o}(t,e);if(Object.getOwnPropertySymbols)for(var i=Object.getOwnPropertySymbols(t),r=0;r<i.le
offunction r(t){return function(t){if(Array.isArray(t))return
l(t)}(t)||function(t){if("undefined"!=typeof Symbol&&null!=t[Symbol.iterator]||null!=t["@@i"
Array.from(t)}(t)||function(t,e){if(t){if("string"==typeof t)return
\label{locality} $$1(t,e);$ var $n=0$ bject.prototype.toString.call(t).slice(8,-1);$ return"Map"===(n="0bject"====n\&\&t"). $$$ toString.call(t).slice(8,-1);$ return"Map"===(n="0bject"====n\&\&t"). $$$$$ toString.call(t).slice(8,-1);$ return"Map"===(n="0bject"====n\&\&t"). $$$$$$$$$$$$$$$$$$$
0}}(t)||function(){throw new TypeError("Invalid attempt to spread
non-iterable instance.\nIn order to be iterable, non-array objects
 \label{lem:must_have a [Symbol.iterator]() method.")}()} function 1(t,e) \\ \{(null==e \mid | e > t.length) \\ \& (e=t.length) \\ 
n=0,o=new Array(e);n<e;n++)o[n]=t[n];return o}function t(t){if("undefined"!=typeof
window&&window.navigator)return!!navigator.userAgent.match(t)}var
y=t(/(?:Trident.*rv[ :]?11\.|msie|iemobile|Windows Phone)/i),w=t(/Edge/i),s=t(/firefox/i),u=
h(t,e,n){t.addEventListener(e,n,!y&&d)}function f(t,e,n){t.removeEventListener(e,n,!y&&d)}function f(t,e,n){t.removeEventListener(e,n,!y&d)}function f(t,e,n){t.removeEventListener(e
p(t,e) \{ if(e\&\&(">"===e[0]\&\&(e=e.substring(1)),t) \} try \{ if(t.matches) return \} \} 
\verb|t.matches|(e); if (t.msMatchesSelector)| return t.msMatchesSelector(e); if (t.webkitMatchesSelector)| t.msMatchesSelector(e); if (t.webkitMatchesSelector)| t.msMatchesSelector(e)| t.msMatchesSel
t.webkitMatchesSelector(e)}catch(t){return}}function P(t,e,n,o){if(t){n=n||document;do{if(notation P(t,e,n,o)}}}function P(t,e,n,o){if(t){n=n||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document||document|
t}while(t!==n&&(t=(i=t).host&&i!==document&&i.host.nodeType?i.host:i.parentNode))}var
i;return null}var g,m=/\s+/g;function k(t,e,n){var o;t&&e&&(t.classList?t.classList[n?"add"
"+t.className+" ").replace(m," ").replace(" "+e+" "," "),t.className=(o+(n?"
 "+e:"")).replace(m," ")))}function R(t,e,n){var o=t&&t.style;if(o){if(void
O===n)return document.defaultView&&document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.defaultView.getComputedStyle?n=document.de
0 === e?n:n[e]; o[e=!(e in o||-1!==e.indexOf("webkit"))?"-webkit-"+e:e] = n+("string"==typeof("webkit"))?"-webkit-"+e:e] = n+("string"==typeof("webkit"))
n?"":"px")}}function v(t,e){var n="";if("string"==typeof t)n=t;else
\label{local_condition} $$ do\{var o=R(t,"transform")\}$ while (o&&"none"!==o&&(n=o+" "+n),!e&&(t=t.parentNode)); vare the substitution of the sub
i=window.DOMMatrix||window.WebKitCSSMatrix||window.CSSMatrix||window.MSCSSMatrix;return
i&&new i(n)}function b(t,e,n){if(t){var o=t.getElementsByTagName(e),i=0,r=o.length;if(n)for
o}return[]}function O(){var t=document.scrollingElement;return
t||document.documentElement}function X(t,e,n,o,i){if(t.getBoundingClientRect||t===window){variation}
r,a,l,s,c,u,d=t!==window&&t.parentNode&&t!==0()?(a=(r=t.getBoundingClientRect()).top,l=r.le:
h=i.getBoundingClientRect();a-=h.top+parseInt(R(i, "border-top-width")),l-=h.left+parseInt(R
```

 $o\&\&t! = \\ \text{window}\&\&(o = (e = \\ v(i | | t))\&\&e.a, \\ t = &\&e.d, \\ e\&\&(s = (a/=t) + (u/=t), \\ c = (1/=o) + (d/=o))), \\ \{top:a, le: \\ t = &\&e.d, \\ e\&\&(s = (a/=t) + (u/=t), \\ c = (1/=o) + (d/=o))), \\ \{top:a, le: \\ t = &\&e.d, \\ e\&\&(s = (a/=t) + (u/=t), \\ c = (1/=o) + (d/=o))), \\ \{top:a, le: \\ t = &\&e.d, \\ e\&\&(s = (a/=t) + (u/=t), \\ c = (1/=o) + (d/=o))), \\ \{top:a, le: \\ t = &\&e.d, \\ e\&\&(s = (a/=t) + (u/=t), \\ c = (1/=o) + (d/=o))), \\ \{top:a, le: \\ t = &\&e.d, \\ e\&\&(s = (a/=t) + (u/=t), \\ e\&\&(s = (a/=t) +$

```
Y(t,e,n)\{for(var o=M(t,!0),i=X(t)[e];o;)\{var r=X(o)[n];if(!("top"===n||"left"===n?r<=i:i<=r\})\}\}
o; if(o===0())break; o=M(o,!1)} return!1 function B(t,e,n,o) for (var
i=0,r=0,a=t.children;r<a.length;)\{if("none"!==a[r].style.display&&a[r]!==Ft.ghost&&(o||a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r].style.display&&a[r
a[r];i++}r++}return null}function F(t,e){for(var n=t.lastElementChild;n&&(n===Ft.ghost||"nor
n||null}function j(t,e){var n=0;if(!t||!t.parentNode)return-1;for(;t=t.previousElementSibli
n}function E(t){var e=0,n=0,o=0();if(t)do{var i=v(t),r=i.a,i=i.d}while(e+=t.scrollLeft*r,n+
M(t,e){if(!t||!t.getBoundingClientRect)return O(); var n=t,o=!1; do{if(n.clientWidth<n.scrollVinch.education of the content of
i=R(n); if (n.clientWidth<n.scrollWidth&&("auto"==i.overflowX||"scroll"==i.overflowX)||n.clientWidth<n.scrollWidth&&("auto"==i.overflowX||"scroll"==i.overflowX)|
O(); if(o||e)return n; o=!0}}} while(n=n.parentNode); return O()} function
D(t,e){return Math.round(t.top)===Math.round(e.top)&&Math.round(t.left)===Math.round(e.left)
S(e,n){return function(){var t;g||(1===(t=arguments).length?e.call(this,t[0]):e.apply(this,t]}
0},n))}}function H(t,e,n){t.scrollLeft+=e,t.scrollTop+=n}function
_(t){var e=window.Polymer,n=window.jQuery||window.Zepto;return
e&&e.dom?e.dom(t).cloneNode(!0):n?n(t).clone(!0)[0]:t.cloneNode(!0)}function
C(t,e)\{R(t,"position","absolute"),R(t,"top",e.top),R(t,"left",e.left),R(t,"width",e.width),R(t,"uidth",e.width)\}
T(t){R(t, "position", ""), R(t, "top", ""), R(t, "left", ""), R(t, "width", ""), R(t, "height", "")}funct:
L(n,o,i){var r={};return Array.from(n.children).forEach(function(t){var
e; P(t,o.draggable,n,!1) \&\&!t.animated\&\&t! == i\&\&(e=X(t),r.left=Math.min(null!==(t=r.left)\&\&voice(t,o.draggable,n,!1)) & (t,o.draggable,n,!1) & (t,o.draggable
0!==t?t:-1/0,e.right),r.bottom=Math.max(null!==(t=r.bottom)&&void
0!==t?t:-1/0,e.bottom))}),r.width=r.right-r.left,r.height=r.bottom-r.top,r.x=r.left,r.y=r.to
K="Sortable"+(new Date).getTime();function x(){var e,o=[];return{captureAnimationState:function}
e,n; "none"! == R(t, "display") \& \& t! == Ft.ghost \& \& (o.push(\{target:t, rect: X(t)\}), e= I(\{\}, o[o.length-t], rect: X(t)\}) = I(\{\}, o[o
n in t)if(t.hasOwnProperty(n))for(var o in e)if(e.hasOwnProperty(o)&&e[o]===t[n][o])return
Number(n);return-1}(o, {target:t}), 1)}, animateAll:function(t) {var
c=this;if(!this.options.animation)return clearTimeout(e),void("function"==typeof
t&&t()); var u=!1,d=0; o.forEach(function(t) {var e=0,n=t.target,o=n.fromRect,i=X(n),r=n.prevFi
t&&t()},d):"function"==typeof t&&t(),o=[]},animate:function(t,e,n,o){var
i,r;o\&\&(R(t,"transition",""),R(t,"transform",""),i=(r=v(this.el))\&\&r.a,r=r\&\&r.d,i=(e.left-n)
"+o+"ms"+(this.options.easing?" "+this.options.easing:"")), R(t, "transform", "translate3d(0,0
t.animated&&clearTimeout(t.animated),t.animated=setTimeout(function(){R(t,"transition",""),l
A=[],N={initializeByDefault:!0},W={mount:function(e){for(var t in
Cannot mount plugin ".concat(e.pluginName, "more than once")}), A.push(e)}, pluginEvent:funct:
t=this; this.eventCanceled=!1,o.cancel=function(){t.eventCanceled=!0}; var
i=e+"Global"; A.forEach(function(t) \{n[t.pluginName] \&\&(n[t.pluginName][i] \&\&n[t.pluginName][i] \}
e in A.forEach(function(t){var e=t.pluginName;(n.options[e]||t.initializeByDefault)&&((t=nev
t(n,o,n.options)).sortable=n,t.options=n.options,n[e]=t,a(i,t.defaults))}),n.options){var
r;n.options.hasOwnProperty(e)&&(void 0!==(r=this.modifyOption(n,e,n.options[e]))&&(n.options
o={};return A.forEach(function(t){"function"==typeof t.eventProperties&&a(o,t.eventPropertie
i;return A.forEach(function(t){e[t.pluginName]&&t.optionListeners&&"function"==typeof
t.optionListeners[n]&&(i=t.optionListeners[n].call(e[t.pluginName],o))}),i}};function
z(t){var e=t.sortable,n=t.rootEl,o=t.name,i=t.targetEl,r=t.cloneEl,a=t.toEl,l=t.fromEl,s=t.c
g, m=e.options, t="on"+o.charAt(0).toUpperCase()+o.substr(1); !window.CustomEvent||y||w?(g=docu
CustomEvent(o,{bubbles:!0,cancelable:!0}),g.to=a||n,g.from=1||n,g.item=i||n,g.clone=r,g.old
```

O; var v,b=I(I({},p),W.getEventProperties(o,e)); for(v in b)g[v]=b[v];n&&n.dispatchEvent(g),m

```
G(t,e){var n=(o=2<arguments.length&&void 0!==arguments[2]?arguments[2]:{}).evt,o=i(o,U);W.p.
U=["evt"];function q(t){z(I({putSortable:st,cloneEl:et,targetEl:V,rootEl:Q,oldIndex:ot,oldDr
V,Z,$,Q,J,tt,et,nt,ot,it,rt,at,lt,st,ct,ut,dt,ht,ft,pt,gt,mt,vt,bt,yt,wt=!1,Et=!1,Dt=[],St=
document, Mt=n, At=w||y?"cssFloat":"float", Nt=Ot&&!c&&!n&&"draggable"in
document.createElement("div"),It=function(){if(0t){if(y)return!1;var
t=document.createElement("x");return t.style.cssText="pointer-events:auto","auto"===t.style
n=R(t),o=parseInt(n.width)-parseInt(n.paddingLeft)-parseInt(n.paddingRight)-parseInt(n.bordo
n.gridTemplateColumns.split(" ").length<=1?"vertical":"horizontal";if(i&&a.float&&"none"!==
i&&("block"===a.display||"flex"===a.display||"table"===a.display||"grid"===a.display||o<=s&
l(r,a){return function(t,e,n,o){var i=t.options.group.name&&e.options.group.name&&t.options
r;if("function"==typeof r)return 1(r(t,e,n,o),a)(t,e,n,o);e=(a?t:e).options.group.name;return
r\&\&r===||r.join\&\&-1 < r.indexOf(e)|\} var e=\{\}, n=t.group; n\&\&"object"==o(n)||(n=\{name:n\}), e.name(n)|| e.name(n)
t.preventDefault(),t.stopPropagation&&t.stopPropagation(),t.stopImmediatePropagation&&t.stop
Yt(t){if(V){t=t.touches?t.touches[0]:t;var e=(i=t.clientX,r=t.clientY,Dt.some(function(t){var})}
e=t[K].options.emptyInsertThreshold;if(e&&!F(t)){var n=X(t),o=i>=n.left-e&&i<=n.right+e,e=r:
o\&\&e?a=t:void 0}),a);if(e){var n,o={};for(n in t)t.hasOwnProperty(n)&&(o[n]=t[n]);o.target={};for(n in t)t.hasOwnProperty(n)&&(o[n]=t[n]);o.
0,o.stopPropagation=void 0,e[K]._onDragOver(o)}}var i,r,a}function
Bt(t){V&&V.parentNode[K]._isOutsideThisEl(t.target)}function
Ft(t,e){if(!t||!t.nodeType||1!==t.nodeType)throw"Sortable: `el`
must be an HTMLElement, not ".concat({}.toString.call(t)); this.el=t, this.options=e=a({},e),
n,o,i={group:null,sort:!0,disabled:!1,store:null,handle:null,draggable:/^[uo]l$/i.test(t.noc
Pt(t,this.options)},ghostClass:"sortable-ghost",chosenClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen",dragClass:"sortable-chosen dragClass:"sortable-chosen dragClass:"sortable-chosen
img",filter:null,preventOnFilter:!0,animation:0,easing:null,setData:function(t,e){t.setData
window&&!u,emptyInsertThreshold:5};for(n in W.initializePlugins(this,t,i),i)n
in e||(e[n]=i[n]);for(o in kt(e),this)"_"===o.charAt(0)&&"function"==typeof
this[o] &&(this[o]=this[o].bind(this)); this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFallback&&Nt,this.nativeDraggable=!e.forceFal
CustomEvent("move", {bubbles:!0, cancelable:!0}), s.to=e, s.from=t, s.dragged=n, s.draggedRect=o, s
Ht(t){t.draggable=!1}function Lt(){Tt=!1}function Kt(t){return
\texttt{setTimeout(t,0)} \\ \texttt{function Wt(t){return clearTimeout(t)}} \\ \texttt{ft.prototype=\{constructor:Ft,\_isOutside(t,0)\}} \\ \texttt{function Wt(t){return clearTimeout(t)}} \\ \texttt{ft.prototype=\{constructor:Ft,\_isOutside(t,0)\}} \\ \texttt{function Wt(t){return clearTimeout(t)}} \\ \texttt{function Wt(t){return clear
this.options.direction?this.options.direction.call(this,t,e,V):this.options.direction},_onTa
n=this,o=this.el,t=this.options,i=t.preventOnFilter,r=e.type,a=e.touches&&e.touches[0]||e.pe
e=t.getElementsByTagName("input"),n=e.length;for(;n--;){var
o=e[n];o.checked&&xt.push(o)}}(o),!V&&!(/mousedown|pointerdown/.test(r)&&0!==e.button||t.di:
c){if(c.call(this,e,l,this))return q({sortable:n,rootEl:s,name:"filter",targetEl:l,toEl:o,fi
if(c=c\&\&c.split(",").some(function(t){if(t=P(s,t.trim(),o,!1))return}
q({sortable:n,rootEl:t,name:"filter",targetEl:1,fromEl:o,toEl:o}),G("filter",n,{evt:e}),!0}
void(i&&e.cancelable&&e.preventDefault());t.handle&&!P(s,t.handle,o,!1)||this._prepareDragS
o,i=this,r=i.el,a=i.options,l=r.ownerDocument;n&&!V&&n.parentNode===r&&(o=X(n),Q=r,Z=(V=n),
t=this.el.ownerDocument;f(t,"mouseup",this._disableDelayedDrag),f(t,"touchend",this._disable
n;wt=!1,Q&&V?(G("dragStarted",this,{evt:e}),this.nativeDraggable&&h(document,"dragover",Bt)
t = document.elementFromPoint(ut.clientX, ut.clientY), e = t; t \& t.shadowRoot \& (t = t.shadowRoot.elementFromPoint(ut.clientX), ut.clientY), e = t; t \& t.shadowRoot \& (t = t.shadowRoot.elementFromPoint(ut.clientX), ut.clientY), e = t; t \& t.shadowRoot \& (t = t.shadowRoot.elementFromPoint(ut.clientX), ut.clientY), e = t; t \& t.shadowRoot \& (t = t.shadowRoot.elementFromPoint(ut.clientX), ut.clientY), e = t; t \& t.shadowRoot \& (t = t.shadowRoot.elementFromPoint(ut.clientX), ut.clientY), e = t; t \& t.shadowRoot & t.shadowRoot 
e=this.options,n=e.fallbackTolerance,o=e.fallbackOffset,i=t.touches?t.touches[0]:t,r=$&&v($
t=this.options.fallbackOnBody?document.body:Q,e=X(V,!0,Mt,!0,t),n=this.options;if(Mt){for(y
 "+pt/parseInt($.style.height)*100+"%")}},_onDragStart:function(t,e){var
n=this,o=t.dataTransfer,i=n.options;G("dragStart",this,{evt:t}),Ft.eventCanceled?this._onDro
```

```
o,i,r,t,e,a=this.el,l=n.target,s=this.options,c=s.group,u=Ft.active,d=lt===c,h=s.sort,f=st|
0!==n.preventDefault&&n.cancelable&&n.preventDefault(),1=P(1,s.draggable,a,!0),0("drag0ver"
g;if(V.contains(n.target)||1.animated&&l.animatingX&&l.animatingY||p._ignoreWhileAnimating=
A(!1); if(Et=!1,u\&\&!s.disabled\&\&(d?h||(i=Z!==Q):st===this||(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPull(this.lastPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode=lt.checkPutMode
g;if(i)return Z=Q,M(),this._hideClone(),O("revert"),Ft.eventCanceled||(J?Q.insertBefore(V,J)
 m=F(a,s.draggable); if(m\&\&(S=n,c=r,x=X(F((D=this).el,D.options.draggable)),D=L(D.el,D.options.draggable)), b=L(D.el,D.options.draggable)), b=L(D.el,D.optio
v=B(a,0,s,!0); if(v===V) return A(!1); if(E=X(1=v),!1!==jt(Q,a,V,o,1,E,n,!1)) return
M(),a.insertBefore(V,v),Z=a,N(),A(!0)}else if(l.parentNode===a){var
b,y,w,E=X(1),D=V.parentNode!==a,S=(S=V.animated\&\&V.toRect||o,x=1.animated\&\&1.toRect||E,\_=(example all the context of the con
0; if(mt! = 1\&\&(y = E[], St = !1, _t = !S\&\&s.invertSwap||D), 0! = = (b = function(t, e, n, o, i, r, a, 1) {var})
s=o?t.clientY:t.clientX,c=o?n.height:n.width,t=o?n.top:n.left,o=o?n.bottom:n.right,n=!1;if(
if(1==vt?s< t+bt:o-bt< s)return-vtelse if(t+c*(1-i)/2< s\&\& s< o-c*(1-i)/2)return
function(t) \{ return \ j(V) < j(t)?1:-1 \} (e); if((n=n||a) \&\&(s < t + c * r/2 ||o - c * r/2 < s)) return
t+c/2<s?1:-1;return 0}(n,1,E,r,S?1:s.swapThreshold,null==s.invertedSwapThreshold?s.swapThreshold?
T=j(V); (w=Z.children[T--b]) \& ("none"===R(w,"display")||w===$);); if (0===b||w===1) return
A(!1); vt=b; var x=(mt=1).nextElementSibling, D=!1, S=jt(Q,a,V,o,1,E,n,D=1===b); if(!1!==S) return x=(mt=1).nextElementSibling, D=!1, S=jt(Q,a,V,o,1,E,n,D=1==b); if(!1!=S) return x=(mt=1).nextElementSibling, D=!1, S=jt(Q,a,V,o,1,E,n,D=1=b); if(!1!=S) return x=(mt=1).nextElementSibling, D=!1, S=jt(Q,a,V,o,1,E,n,D=1=b); if(!1!=S) retu
1! = S\&\&-1! = S \mid | (D=1==S), Tt=!0, setTimeout(Lt,30), M(), D\&\&!x?a.appendChild(V): 1.parentNode.instance | (D=1==S), Tt=!0, setTimeout(Lt,30), M(), D&\&!x?a.appendChild(V): 1.parentNode.instance | (D=1==S), Tt=!0, setTimeout(Lt,30), M(), D&&!x?a.appendChild(V): 1.parentNode.instance | (D=1==S), Tt=!0, setTimeout(Lt,30), M(), D&&!x?a.appendChild(V): 1.parentNode.instance | (D=1=S), Tt=!0, setTimeout(Lt,30), M(), D&&!x.appendChild(V): 1.parentNode.instance | (D=1=S), Tt=!0, setTimeout(Lt,30), M(), SetTimeout(Lt,30
0==y|_t|_t|_t|_t (bt=Math.abs(y-X(1)[_])),N(),A(!0)}}else{if(m===V)return}
A(!1); if((1=m\&\&a===n.target?m:1)\&\&(E=X(1)),!1!==jt(Q,a,V,o,1,E,n,!!1))return
M(),m&&m.nextSibling?a.insertBefore(V,m.nextSibling):a.appendChild(V),Z=a,N(),A(!0)}if(a.com
A(!1) \} return!1 \} function \ O(t,e) \{G(t,p,I(\{evt:n,is0wner:d,axis:r?"vertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal",revertical":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal":"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horizontal:"horiz
jt(Q,a,V,o,t,X(t),n,e)},changed:N},e))}function M(){O("dragOverAnimationCapture"),p.capture
A(t){return O("dragOverCompleted",{insertion:t}),t&&(d?u._hideClone():u._showClone(p),p!==f&
t=this.el.ownerDocument; f(t, "mouseup", this._onDrop), f(t, "touchend", this._onDrop), f(t, "pointer
e=this.el,n=this.options;it=j(V),at=j(V,n.draggable),G("drop",this,{evt:t}),Z=V&&V.parentNoc
t,e=[],n=this.el.children,o=0,i=n.length,r=this.options;o<i;o++)P(t=n[o],r.draggable,this.el
\verb|e=t.tagName+t.className+t.src+t.href+t.textContent, n=e.length, o=0; for(;n--;)o+=e.charCodeAt| textContent, n=e.length, n=e.length
o.toString(36)}(t));return e},sort:function(t,e){var n={},o=this.el;this.toArray().forEach(
t=this.options.store;t&&t.set&&t.set(this)},closest:function(t,e){return
P(t,e||this.options.draggable,this.el,!1)},option:function(t,e){var
n=this.options;if(void 0===e)return n[t];var o=W.modifyOption(this,t,e);n[t]=void
0!==o?o:e, "group"===t&&kt(n)}, destroy:function() {G("destroy", this); var
t=this.el;t[K]=null,f(t,"mousedown",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart),f(t,"touchstart",this._onTapStart,this._onTapStart,this._onTapStart,this._onTapStart,this._onTapStart,this._onTapStart,this._onTapStart,t
n in e)e.hasOwnProperty(n)&&(t[n]=e[n]);return t},throttle:S,closest:P,toggleClass:k,clone:
Mounted plugin must be a constructor function, not ".concat({}.toString.call(t));t.utils&&(l
new Ft(t,e)}; var zt,Gt,Ut,qt,Vt,Zt,$t=[],Qt=!(Ft.version="1.15.2"); function
Jt(){$t.forEach(function(t){clearInterval(t.pid)}),$t=[]}function
te(){clearInterval(Zt)}var ee,ne=S(function(n,t,e,o){if(t.scroll){var
i,r=(n.touches?n.touches[0]:n).clientY,a=(n.touches?n.touches[0]:n).clientY,l=t.scrollSensi
d=0,h=zt;do{var f=h,p=X(f),g=p.top,m=p.bottom,v=p.left,b=p.right,y=p.width,w=p.height,E=void
O,D=void O,S=f.scrollWidth,_=f.scrollHeight,C=R(f),T=f.scrollLeft,p=f.scrollTop,D=f===c?(E=
x=0; x <= d; x++) t[x] | | (t[x]={}); t[d] .vx=T&&t[d] .vy==p&&t[d] .el===f||(t[d].el=f,t[d].vx=f(d).el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=f,t[d].el=
t=$t[this.layer].vy?$t[this.layer].vy*s:0,e=$t[this.layer].vx?$t[this.layer].vx*s:0;"function
```

i&&"continue"!==i.call(Ft.dragged.parentNode[K],e,t,n,Vt,\$t[this.layer].el)||H(\$t[this.layer

```
e=t.originalEvent,n=t.putSortable,o=t.dragEl,i=t.activeSortable,r=t.dispatchSortableEvent,a=
oe(){}function ie(){}oe.prototype={startIndex:null,dragStart:function(t){t=t.oldDraggableInc
e=t.dragEl,n=t.putSortable;this.sortable.captureAnimationState(),n&&n.captureAnimationState
e=t.dragEl,t=t.putSortable||this.sortable;t.captureAnimationState(),e.parentNode&&e.parentNode
re,ae,le,se,ce,ue=[],de=[],he=!1,fe=!1,pe=!1;function ge(n,o){de.forEach(function(t,e){e=o.o
{\tt me()\{ue.forEach(function(t)\{t!==le\&\&t.parentNode\&\&t.parentNode.removeChild(t)\})}\} return
Ft.mount(new function(){function t(){for(var t in this.defaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={scroll:!0,forceAutoScrollFaults={s
this[t]&&(this[t]=this[t].bind(this))}return t.prototype={dragStarted:function(t){t=t.origin
0}, nulling: function() {Vt=Gt=zt=Qt=Zt=Ut=qt=null, $t.length=0}, _handleFallbackAutoScroll:function()
o,i=this,r=(e.touches?e.touches[0]:e).clientX,a=(e.touches?e.touches[0]:e).clientY,t=documents
 \texttt{t=M} (\texttt{document.elementFromPoint}(\texttt{r},\texttt{a}), \texttt{!0}); \texttt{t!==o\&\&}(\texttt{o=t},\texttt{Jt()}), \texttt{ne(e,i.options,t,n)}\}, \texttt{10)}, \texttt{Ut=r,qt=a}) 
function(){function t(){this.defaults={swapClass:"sortable-swap-highlight"}}return
t.prototype={dragStart:function(t){t=t.dragEl;ee=t},dragOverValid:function(t){var
e=t.completed,n=t.target,o=t.onMove,i=t.activeSortable,r=t.changed,a=t.cancel;i.options.swa
e,n,o=t.activeSortable,i=t.putSortable,r=t.dragEl,a=i||this.sortable,l=this.options;ee&&k(ee
function(){function t(o){for(var t in this)"_"===t.charAt(0)&&"function"==typeof
this[t]&&(this[t]=this[t].bind(this));o.options.avoidImplicitDeselect||(o.options.supportPo
n="";ue.length&&ae===o?ue.forEach(function(t,e){n+=(e?", ":"")+t.textContent}):n=e.textContent
t.prototype={multiDragKeyDown:!1,isMultiDrag:!1,delayStartGlobal:function(t){t=t.dragEl;le=
e=t.sortable,t=t.cancel;if(this.isMultiDrag){for(var n=0;n<ue.length;n++)de.push(_(ue[n])),
e=t.sortable,n=t.rootEl,o=t.dispatchSortableEvent,t=t.cancel;this.isMultiDrag&&(this.options
e=t.cloneNowShown,n=t.rootEl,t=t.cancel;this.isMultiDrag&&(ge(!1,n),de.forEach(function(t){1}
e=this, n=(t.sortable, t.cloneNowHidden), t=t.cancel; this.is \texttt{MultiDrag&&} (de.forEach(function(t) - t.concel)) + t.concel (de.forEach(function(t) - t.concel))) + t.concel (de.forEach(function(t) - t.concel (de.forEach(function(t) - t.concel (de.forEach(function(t) - t.concel (de.forEach(function(t) - t.concel (de.forEach(fun
t.sortableIndex-e.sortableIndex}),pe=!0},dragStarted:function(t){var
e,n=this,t=t.sortable;this.isMultiDrag&&(this.options.sort&&(t.captureAnimationState(),this
e=t.target, n=t.completed, t=t.cancel; fe&&-ue.indexOf(e)&&(n(!1),t())}, revert:function(t){var}
n,o,e=t.fromSortable,i=t.rootEl,r=t.sortable,a=t.dragRect;1<ue.length&&(ue.forEach(function
e,n=t.sortable,o=t.isOwner,i=t.insertion,r=t.activeSortable,a=t.parentEl,l=t.putSortable,t=
e=t.dragRect,n=t.isOwner,t=t.activeSortable;ue.forEach(function(t){t.thisAnimationDuration=
\verb|e=t.originalEvent,n=t.rootEl,o=t.parentEl,i=t.sortable,r=t.dispatchSortableEvent,a=t.oldIndotes and all of the contract of
c,u,d,h=this.options,f=o.children;if(!pe)if(h.multiDragKey&&!this.multiDragKeyDown&&this.de
p=j(re), t=j(le); if(\sim p\&\&\sim t\&\&p!==t)for(var g,m=p<t?(g=p,t):(g=t,p+1);g<m;g++)\sim ue.indexOf(f[g])
re=le; ae=s pe&&this.isMultiDrag&&(fe=!1,(o[K].options.sort||o!==n)&&1<ue.length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(le),u=length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X(length&&(c=X
e;t.thisAnimationDuration=null,t!==le&&(e=fe?X(t):c,t.fromRect=e,s.addAnimationState({targe
0!==pe&&pe||ae!==this.sortable||t&&P(t.target,this.options.draggable,this.sortable.el,!1)||t
e=ue[0];k(e,this.options.selectedClass,!1),ue.shift(),z({sortable:this.sortable,rootEl:this
e=t.parentNode[K];e&&e.options.multiDrag&&!~ue.indexOf(t)&&(ae&&ae!==e&&(ae.multiDrag._dese
e=t.parentNode[K],n=ue.indexOf(t);e&&e.options.multiDrag&&~n&&(k(t,e.options.selectedClass,
n=this,o=[],i=[];return ue.forEach(function(t){var e;o.push({multiDragElement:t,index:t.sor
```