
R3M




GUIDE

# climax·

Climax · VWAP · Liquidity · Entries

EDITION
October 2026

PLATFORM
TradingView · Pine Script v6

SCRIPTS
climax· · clx·screener·

CLIMAX· GUIDE

# Contents


01 **What climax does** 3
Three questions a day, and a record of the answers

02 **Quick start** 5
Four checks, then let it run

03 **The daily bias** 7
25 %, 50 %, two clocks, one handover

04 **The climax** 10
One oversized candle, four readings, one trap

05 **The entry** 12
Entry at the close, stop beyond the extreme, two targets

06 **The checklist** 15
Eleven facts, read at the entry

07 **The scoreboard** 18
Every climax counted, with two controls

08 **The VWAP** 20
A rolling or a day-anchored average, its bands and its divergences

09 **The gaps as passengers** 22
HTF FVGs and opening gaps at entry and targets

10 **The liquidity** 23
Runs, equal levels, session highs and lows

11 **The views** 26
Simple, Standard, Full

12 **Reading the status readout** 27
Up to eight lines, top centre

13 **Everything on the chart** 29
A legend from top to bottom

14 **The settings** 31
Nine groups, every input with its default

15 **Setting up alerts** 38
Drivers, passengers and the situation line

16 **The screener · clx·screener·** 43
Ten symbols, one ranking, two reports a day

17 **Reading a day** 51
The gold day from 18:00 to 18:00

18 **What the chart does not show** 53
Ten rules behind the display

19 **Common mistakes** 55
And what is really going on

20 **Glossary** 57
The terms in one line each

21 **Ten sentences that replace the rest** 60
The short version


**IMPORTANT** **This guide explains a tool, not a trading strategy**

climax (R3M) measures and names what the market has already done. It does not predict what it will do. Every number in this guide is a default, not a law — the daily bias comes from the Essence Model (rytrades), the climax bar from Linda Raschke's trading rules, the extension reading from William O'Neil's climax-top rules. None of it is investment advice, and none of the settings is optimised for your market. The scoreboard counts your history — it is a sample, not a proof.

SECTION 1

# 01 What climax does

climax answers three questions every trading day — and on the side keeps a record of how often the answer was right.

→ The one core idea 3
→ What sets climax apart from equinox 4
→ What you need 4

| Question | The indicator's answer | When |
|---|---|---|
| **1 · Which direction?** | The **bias** from the previous-day candle — the same engine as in equinox: 25 %, 50 %, projections, validation on 210m closes, two session clocks with a handover, and the 210m signature quarters. | At the start of the day, then on every 210m close of the night |
| **2 · Has the market exhausted an extreme?** | The **climax**: an oversized candle that prints a new day extreme and closes in its opposite half. climax reads it against the day's levels — at the 25 %, through the 25 %, at the projection or simply at the day extreme. | On every completed candle of the two climax timeframes |
| **3 · Is the fade worth it?** | The **entry** against the climax: entry at the candle's close, stop beyond its extreme, TP1 and TP2 at the next two quarter levels. Plus the **checklist** — eleven plain facts about the setup, ✓ or ×, among them whether the climax took liquidity — and the **scoreboard**, which says how such fades have run on this market so far. | With the climax, then live until TP, stop or end of day |

The three layers build on each other. The bias provides the levels at which a climax means anything at all. The climax is the event. The entry is the consequence — and the scoreboard is the check on whether the consequence is worth anything on your instrument.

The indicator does not trade on its own and gives no buy or sell recommendation. It labels the chart, keeps a checklist and counts. The decision stays with you.

## The one core idea

> **NOTE** **Exhaustion before reversal**
>
> Linda Raschke's observation, counted on ten markets: a candle at least twice as wide as usual, printing a new day extreme and still closing in its other half, is fully retraced the same day in nine cases out of ten. The market saw the extreme and rejected it in the same candle. climax trades exactly that return — and first asks the bias whether the return runs with the day or against it.

## What sets climax apart from equinox

equinox reads the whole day: frameworks, profiles, CISD entries, SMT, session liquidity. climax takes the bias engine from it and concentrates everything else on a single pattern. What it carries besides serves that pattern: the liquidity — low-resistance runs and equal highs and lows from gaps·, the session highs and lows and the 8–9 range from bias· — says what the climax took and rides along in the entry, the readout and the alerts. From bias· it also takes the 210m signature quarters, as context: while they are live, every message's situation line shows `💠 210m BULL` or `💠 210m BEAR`. It is not a read of the whole day.

If you run both on the same chart, you get the same levels twice and the same status readout twice — which is why the levels ( `25% / 50% Levels` ), the projections ( `Projections (PDH / PDL ± 25% & 50%)` ) and the open lines ( `Day & 00:00 Open Lines` ) can be switched off separately in climax (group 1), and why the session clock must be the same in both. The same goes for bias·: the 210m quarters (group 1), the session liquidity and the 8–9 range (group 7) are drawn there too and can be switched off here.

## What you need

- A TradingView chart on a timeframe that divides 210 minutes evenly — 1m, 2m, 3m, 5m, 10m, 15m, 30m. That is what the bias's 210m validation runs on. The session highs and lows need a timeframe that divides the 7-hour grid — all of these do.
- Volume in the data. The Volume and VWAP Stretch rows of the checklist use it; on CFDs it is tick volume, which is fine, only the thresholds differ (section 6).
- History. The scoreboard counts over the loaded candles — 10,000 by default, about five weeks on the 5m chart. Less history means less to say.

SECTION 2

# 02 Quick start

Five minutes and everything runs. Four things need checking; the rest can stay on its defaults.

→ Step 1 · Pick the chart timeframe 5
→ Step 2 · Understand the climax timeframe 5
→ Step 3 · Match the session clocks with equinox 5
→ Step 4 · Pick the view 6
→ What you see on the first day 6

## Step 1 · Pick the chart timeframe

climax reads the bias on 210-minute closes, and for that the timeframe must divide 210. 5m is the chart for trading (in the replay on 21 symbols the climax on 10m + 5m earned +140R on the 5m chart against +103R on 3m), 3m works too, 15m for the overview. On 45m, 1H or above the validation falls back to chart closes — the status readout then says `Intact` instead of `210m Intact`.

## Step 2 · Understand the climax timeframe

The climax is not read on the chart candle but on higher timeframes. `Auto` picks one matched to the chart: 1m → 5m, 2m / 3m → 10m, 5m → 15m, 10m → 30m, 15m / 20m → 1H, 30m → 2H, 1H → 4H, 4H → 1D, 1D → 1W. The default ↳ `Climax Timeframe` · `MTF` reads that one and the step below it — on the 3m chart 10m + 5m, on the 1m chart 5m + 3m, on the 5m chart 10m + 5m and on the 10m chart 15m + 10m (since v10.24c: there the lower one is the chart candle itself, which paid best in the replay of every chart size) —, the second only while it is not below the chart timeframe. On the 3m chart a climax is therefore a 10-minute or a 5-minute candle at least twice as wide as the ATR of its own timeframe. The mark's tooltip carries the timeframe with it ( `2.3× ATR (10m)` , or `(10m + 5m)` when both printed on the same candle). `Auto` reads only the upper one, `Chart` the chart candle itself — louder, more climaxes, smaller fades. The fixed choices in the list run from 1m to 1W; 2H is only reached through `Auto` and `MTF`.

## Step 3 · Match the session clocks with equinox

In the Full view the first line of the status readout — top centre by default, bottom centre if you move it ( `Status Readout` , group 4) — names the clocks:

```
clx · XAUUSD · 3m · London ⇄ New York
```

In the default Simple view that line is missing; the readout starts with the bias line, led by the clock on duty: `▸ London · BULL · A+ · 25% …`.

`First Session Clock` (London by default, counted in Berlin hours) is the clock whose overnight window 18:00–08:00 validates the bias and whose 08:00–15:00 is the decision session. The second clock is always the next in the cycle London → New York → Asia → London and takes over with the handover from its 08:00 until 18:00. If equinox sits on the same chart, the first clock must be the same in both — otherwise on some days the two read different overnight windows and therefore different states. The times climax writes — labels, tooltips, the readout, alerts — are shown in `Display Time Zone` (group 8, Europe/Berlin by default), whatever the clock: on the New York or Asia clock they read Berlin too unless you set the zone there.

## Step 4 · Pick the view

`View` is set to **Simple** by default: one bias line, the day's climax, the running entry, a three-line checklist, a two-line scoreboard. Everything else keeps computing and sits in the hover tooltips. **Standard** and **Full** reveal it piece by piece (section 11). Start with Simple.

> **TIP** **Watch first, trade later**
>
> Let the indicator just run for a few weeks and look at the scoreboard in the evening: how many climaxes were there, how often did the day confirm the reading, how often did the entries reach TP1? Those numbers tell you whether the pattern exists on your instrument at all — before you change a single setting.

## What you see on the first day





**Fig. 1** **XAUUSD · 3m · view Full:** the climax at the day low (ϟ below the candle at 14:50), the fade upwards with its two targets, the rolling VWAP with its bands, the checklist top right, the scoreboard bottom right, the status readout below the candles. In the Simple view a third of this remains. Screenshot from an earlier version — its tables still show grades and score rows, the stop then sat at the climax extreme (TP1 2.2R, TP2 2.9R), the entry was drawn with long target lines and the readout sat at the bottom; the current numbers and tables are in sections 5, 6, 7 and 12.

SECTION 3

# 03 The daily bias

The bias engine is the same as in equinox — line for line. Here the short version; the full derivation with all figures is in the equinox guide, section 3.

→ Where the bias comes from 7
→ The 25 % and 50 % levels 7
→ Invalidation, reversal, reclaim 8
→ Two clocks, one handover 8
→ The 210m signature quarters 9

## Where the bias comes from

| Previous-day candle | Bias | Status readout |
|---|---|---|
| Close above open | bullish | `PD BULLISH · Bias BULL` |
| Close below open | bearish | `PD BEARISH · Bias BEAR` |
| Close = open (doji) | none | `PD NEUTRAL · No Bias (Doji)` |

The previous day (PD) comes from TradingView's daily series with the `settlement as close` option switched off, not from the chart candles — a 3-minute chart sees exactly the same previous day as a daily chart. On a doji day there are no levels and no entries: a climax is still marked, but without levels it has nothing to be read against.

## The 25 % and 50 % levels

The levels are not laid over the whole previous-day range, only over the part between the previous-day close and the opposite extreme: with a bullish previous day from the close down to the low, with a bearish one from the close up to the high. The zero point is the previous-day close — that is where the new day opens. The 25 % is therefore a shallow lid or floor close to the open: a continuation day may run against it briefly, but not deeply.





**Fig. 1** **On the daily chart:** left the bullish case — the new day opens at the previous close, the 25 % sits just underneath and holds. Right the bearish counterpart with its 210-minute resolution.

## Invalidation, reversal, reclaim

- `Validate With 210m Closes` (on): only a fully completed 210-minute candle can invalidate through the 25 %. A single 3-minute outlier cannot tip the day.
- `Overnight Candles Only (18:00–08:00)` (on): only the overnight candles between 18:00 and 08:00 of the respective clock may invalidate. From 08:00 that clock's reading is locked in.
- `Reversal Framework On 25% Break` (on): a close through the 25 % flips the working direction; the projections jump to the other side of the previous-day range. If price later closes back — and the 50 % was never broken — it flips back again ( `25% Reclaimed` , an A framework, no longer A+).

The projections `PDH +25% / +50%` and `PDL −25% / −50%` measure a quarter and half of the full previous-day range, added to the extreme in the working direction. In climax they are more than expansion areas: they are the targets of the fades that run with the day, and the place where the climax is read at the projection (section 4).

A break or a reclaim of the 25 % is not marked on the chart and sends no message of its own. The readout, the checklist's `Bias Now` line and the 🧭 situation line at the head of every message show the reading as it stands (section 15).

## Two clocks, one handover

With `Second Session Clock (Next In Cycle)` (on), climax computes the bias a second time on the next clock in the cycle — same previous day, same levels, but its own overnight window. A 210m close that still falls into the night on the London clock may already be day on the New York clock, and vice versa; that is why the two readings can be `A+` and `Reversal` on the same day. ↳ `Session Handover` (on) gives the second clock the say from its 08:00 until 18:00: its reading steers the entries, the projections and the status readout ( `▸ New York ·` ), the other runs along dimmed.

Below the candle of the switch stands `◑ NY` , `◑ LON` or `◑ ASIA` — at 18:00 the mark of the first clock follows when the decision session returns to it. With `◑◑ Handover` (group 9, on by default) the switch rides along in the next message as `🔄 NY on duty` (section 15). The hover tooltip of the mark says what changed hands:

🔄 Handover · New York reading now owns the decision session (its 08:00) · London BULL → New York BEAR · entries and readout follow it

With the handover switched off, the ◑ is still drawn when the two readings disagree at the second clock's 08:00 or 18:00; its tooltip then ends `· the London reading keeps steering (handover off)`.

## The 210m signature quarters

With `210m Signature Quarters` (on) climax carries a finer pair of levels over from bias·. On every completed 210m candle it compares that candle with the one before. A bull signature is a bullish 210m candle that either held above the previous low and closed above the previous candle's midpoint, or undercut the previous low and closed above both the previous open and the midpoint. It counts only if the first clock's working direction is BULL and the candle's low reached the daily 25 % while it closed above it. A bear signature is the mirror image: a poke over the 25 %, a close below it, working direction BEAR.

From such a candle climax measures its own quarters, from its close to its low (bull) or high (bear): `210m 25%` and `210m 50%`, dashed, in the `Levels` colour, marked `◇` on the next candle (below for bull, above for bear, in the `Mark Colors`). A later 210m close through the 210m 25 % removes them (a ◇ in the `Levels` colour); the day open clears them anyway. The ◇ tooltip carries the text, in the same short form as equinox — 💠 `· 210m Quarters Set · BULL · holds above … · 50% … · longs only · targets PDH +25% / +50%.`, or, naming the side that died, 💠 `· 210m Quarters Invalidated · BULL · 210m closed below the 210m 25% at … · continuation read gone.` They are context — not in the checklist, not a target, not in the readout — and need a chart timeframe that divides 210m. While they are live, every message's situation line carries 💠 `210m BULL` or 💠 `210m BEAR` (alert switch `◇ 210m Quarters`, on).

SECTION 4

# 04 The climax

A climax bar is a candle that does three things at once: it is at least `Climax Bar (× ATR)` wide (twice the ATR(14) of its timeframe by default), it prints a new day high or day low, and it closes in the opposite half of its own range.

→ Which candle it is read on 10
→ The four readings 10
→ The day keeps its most telling climax 11
→ The trap · ϟ× 11

## Which candle it is read on

↳ `Climax Timeframe` decides. `MTF` (the default) reads two higher timeframes, `Auto` only the upper of them (section 2); `Chart` reads the chart candle; or you pick a fixed one from the list. A higher timeframe is read on its completed candles: width, day extreme, close position, ATR(14), volume and the SMA 50 then belong to that candle. It is judged exactly once — on the first chart candle after its close, against the day extreme of its own timeframe as it stood at that close. The `ϟ` mark sits at the candle's extreme, at its middle in time, above it for a climax at the high, below it at the low.

With `MTF` each of the two timeframes is judged on its own candles against its own day extreme. When both close on the same chart candle and only the lower one prints a climax, the lower one stands in — a 10m candle that closed just under its middle while its last 5m candle rejected cleanly still gives a climax, read on the 5m. When both print in the same direction, the upper one counts and the tooltip names the confluence: `(10m + 5m)`. The 5m candles in between, which close while the 10m is still running, are judged as well. So `MTF` finds more climaxes than `Auto`, and some of them smaller.

## The four readings

Every climax is read against the day's levels, in this order of precedence:

| Reading | What the candle did | Hover text of the mark |
|---|---|---|
| **25% defended** | The candle attacked the 25 % of the daily bias and closed on the right side — with a bull bias its low at or below the level, its close above it; with a bear bias the mirror image. The level was tested and held. | `⚡ · Climax at the 25% 4149.24 · counter-move exhausted, bias defended` |
| **exhausted break** | The same candle, but the close sits beyond the level: wide, through the 25 %, and still closed weakly. The break stands, but the run that produced it is exhausted — a reclaim is likely. | `⚡ · Climax through the 25% 4149.24 · exhausted break, reclaim likely` |
| **at the projection** | The candle's extreme reached `PDH +25%` or `PDL −25%` in the working direction. The day's run is probably over there. | `⚡ · Climax at PDL −25% · the move is likely ending` |
| **day extreme** | Everything else: a climax at a new day high or low, at no level. | `⚡ · Climax at the day low` |

On the chart the mark is the glyph `ϟ`; in its hover tooltip the glyph becomes ⚡. The text always ends with the width in ATR and the timeframe it was read on, the volume from 1.5× its average, and the distance from the VWAP: `· 2.3× ATR (10m), vol ×1.8 · 2.9σ from VWAP.` If the bar ran liquidity, the tooltip adds what it took: ✂️ `took -LRLR 4070.2.` for a run or an equal high or low, ✂️ `took 10/13 ASIA.L 4068.1.` for a session or 8–9 level (section 10).

In the messages the climax speaks more briefly. A climax that fires an entry opens the entry block (⚡ `climax exhausted break ▲ · against the bias BEAR Reversal · …`, the same text as the entry tooltip); one without an entry rides along as ⚡ `exhausted break 2.3× ATR` (section 15).

## The day keeps its most telling climax

A day can have several climaxes. For the status readout and the scoreboard one counts: a reading at the 25 % or at the projection displaces one at the mere day extreme, and the first reading of that quality stays. Every climax still gets its mark — and every one can trigger an entry (section 5).

## The trap · ϟ×

A defence can fail: if a climax held the 25 % and later the same day a 210m candle closes through it after all, climax marks that as a **Failed Climax** — `ϟ✗` on the candle of that close, with the tooltip ⚡❌ `· Failed Climax · the 25% that held the climax was closed through after all · the flip after a trap is usually the strong one.` The readout's climax line becomes `ϟ✗ failed climax`, and the scoreboard counts the traps within the defences. The trap is a mark and a count; it sends no message.

The reading behind it: a failed defence is a trap, and the run that springs the trap is usually the strong one.

> **NOTE** **A climax is an exhaustion, not a reversal signal**
>
> The mark says that the market saw an extreme and rejected it in the same candle. What comes of it is decided by the context: a climax at the 25 % that defends the level is the prototype of the model; a climax at the day extreme without a level is just a wide candle. The checklist in section 6 writes that context down, fact by fact.

SECTION 5

# 05 The entry

An entry is the fade of the climax bar: in the direction of its close, against the extreme it has just rejected.

→ The numbers 12
→ The entry gate 12
→ The status 13
→ What is drawn 13
→ The entry's tooltip 13

## The numbers

| What | Where |
|---|---|
| **Entry** | The close of the climax bar. A climax at the day low gives a long, one at the day high a short. |
| **Stop** | Beyond the extreme of the climax bar: ↳ `Stop Room ×` (2.0) times the distance from the entry to the extreme, measured from the entry. With the default the stop sits as far beyond the extreme as the extreme lies from the entry; at 1.0 it sits on the extreme itself. A chart close through it ends the trade ( `Stopped` ). |
| **Risk** | The distance between entry and stop — the R in which the targets are measured. |
| **TP1 · TP2** | The next two quarter levels ahead of the entry in the trade direction: the day's 25 % and 50 % marks and — only if the fade runs with the working direction — the projections PDH / PDL ± 25 % and ± 50 %. Only levels that actually lie ahead of the entry qualify; TP1 is the nearer one. If none lies ahead, there is no target, and `Clear Targets` reads ×. |

A fade with the working direction — the long after a climax that defended the 25 % of a bull day — therefore has up to four candidates and often reaches the projection with TP2. A counter-trade, say the short back from the projection of a bull day, has only the two quarter levels.

## The entry gate

| Setting | Effect |
|---|---|
| **Every Climax (default)** | Every ϟ is traded, with or against the day. The direction is in the checklist. |
| **Working Direction Only** | Only fades that run with the reading on duty — a 25 % defence, an exhausted break back into the bias. |
| **At A Level Only** | Only a climax at the 25 % or at a projection. A climax at the mere day extreme triggers nothing. |
| **Day Extreme Only** | The mirror image: only the plain climax at a day extreme, at no level. The readings at the 25 % and at the projection trigger nothing. |

In addition ↳ `One Entry Per Day` (**off** by default): off, every qualifying climax is an entry, and a newer one replaces a trade that is still live — the checklist, the readout and the status alerts follow the new trade, the old one sends no result. Switched on, the first qualifying climax of the day gets the entry; if it is stopped out, the day is armed again and the next climax may. Nothing else filters — the checklist only describes the setup (section 6).

## The status

From the candle after the entry on, climax checks on every chart close:

| Status | Glyph | When |
|---|---|---|
| **Live** | ● | Nothing decided yet. |
| **TP1 Hit** | ◆ | Price touched TP1 — by wick, no close needed. From here the trade is read as partially secured: the status can only advance, a later close through the stop no longer counts as Stopped. At the day end the trade ends there (TP2 is not followed into the next day). |
| **TP2 Hit** | ◈ | TP2 touched as well. |
| **Stopped** | ○ | A chart close beyond the stop before TP1 was reached. With `One Entry Per Day` on, the day is armed again. |
| **Expired** | ○ | The day ended without TP1 or the stop being reached. |


## What is drawn

At the climax bar one mark, its glyph nearest the candle: `▲` over `CLX` below the candle for a long, `CLX` over `▼` above it for a short, in the `Mark Colors` — with `Colors` · `Theme` (group 8) both in full ink; the glyph and its side of the candle tell them apart. From the entry candle to the right, as in equinox: the stop as a short dotted line, eight candles long, and the two targets as short stubs from 13 to 15 candles ahead, tagged `TP1  1.1R` and `TP2  1.45R` at their right end. While the trade is live, ↳ `Std Dev Ladder` (on) adds dotted steps ahead of it: 1 · 2 · 2.5 · 3 · 4 · 4.5 times the entry leg — entry to climax extreme —, measured from the leg's middle, each tagged with its number.

When the trade is stopped, reaches TP2, expires or is replaced by a newer entry, only the ladder goes. The mark, the stop and the TP stubs stay on the chart, and the mark's tooltip says how it ended.

## The entry's tooltip

Hover the mark: its tooltip is the entry's complete file, in three paragraphs — and once the trade has ended, its fate stands on top. Here a short — a climax at the day high on the London clock, with the stop at twice the distance to the extreme, stopped out later:




It reads from the top:

1. **The fate**, once there is one: `🛑 Stopped (-1.18R)`, `🏆 TP2 Hit (+1.43R)` `✅ TP1 Hit (+1.1R), then the day ended` or `Expired · the day ended`, each with the date and time of the candle that decided it — or `Replaced by a newer entry`. A trade that has touched TP1 gets its fate line at TP2 or at the day end.
2. **The read.** The climax and its reading ( `25% defended`, `exhausted break`, `at the projection`, `day extreme` — the plain one adds `at the day high / low` ) with the trade's arrow, then whether the fade runs with or against the bias, the working direction on duty and its state ( `A+`, `25% Reclaimed`, `Reversal` ), the σ distance from the VWAP, `vol ×3.7` from 1.5× volume, and `✂️ took …` with what the climax took, without prices (section 10).
3. **The trade line:** direction, entry, stop ( `SL` ), TP1 and TP2 with their R, to one decimal (or `no TP ahead` ), and the reading once more.
4. ⚖️ **Pro / contra:** the facts behind the checklist, with their values, read at the entry — how far the candle closed back from its extreme ( `rejection 86%`, from 75 % that is Strong Rejection), its width in ATR, `in 08–15` or `outside 08–15 (against)` on the clock on duty, the distance from the SMA 50 in ATR ( `3.4 ATR from SMA 50`, when it can be measured), the first taps of the running 7h block ( `taps 2↓ 1↑`, `(with)` or `(against)` when one side leads; section 9), the live gaps at the entry and at the targets ( `entry in …`, `TP1 at …`, `TP2 at …` ), a VWAP divergence waiting as a passenger ( `VWAP divergence bullish (with)`, section 8) and the open liquidity between entry and farthest target on the side the trade runs to ( `💧 In Path …`, section 10). A part with nothing to say is left out.

The ✓ / × rows themselves are not in the tooltip; they stand in the checklist table (section 6). The alert for the entry carries the same three paragraphs, below its 🧭 situation line (section 15).

> **UNDER THE HOOD** **Stop on close, room beyond the extreme, target on touch**
>
> The asymmetry is deliberate. A wick back to the climax extreme — and a little beyond it — is exactly what a climax leaves behind: liquidity that gets taken once more. That is why the stop sits `Stop Room ×` beyond the extreme and why only a close beyond it refutes the exhaustion. A target, on the other hand, is a level the market has traded at; there a touch is enough. The price of the room is the R: the wider the stop, the nearer the targets read.


SECTION 6


# 06 The checklist

Top right sits the checklist of the latest entry: what the trade is doing now, whether the day still stands behind it — and eleven plain facts about the setup, each ✓ or ×. The facts are read at the entry and gate nothing: no row decides whether there is a trade.

→ The two live lines 16

→ The eleven rows 16




The header names direction, reading and entry; below it the status with its glyph and `Bias Now` with ✓ or × — and in Full every switched-on row. Simple shows no rows — the facts behind them, with their values, are in the ⚖️ line of the entry mark's tooltip (section 5). Standard adds only the rows the setup is missing (×). The glyphs take the `Mark Colors` (group 8): with `Colors` · `Theme` both in full ink, with `Custom` light for ✓ and dark for × by default. The table's position is chosen next to `Strategy Checklist` (Top Left, Top Right, Middle Right, Bottom Left, Bottom Right). Every row explains itself in its hover tooltip.

> **NOTE** **The checklist describes, it does not filter**
>
> The rows say what kind of setup this is — a 25 % defence with the day, or a counter-trade at a plain day extreme on thin volume. They do not add up to a number and they keep nothing off the chart: on the replay, setups that met more rows did not run better than those that met few. The only filters are `Entry Gate` and `One Entry Per Day` (section 5). Read the rows to understand the trade, and the scoreboard to judge the pattern.

## The two live lines

| Line | Meaning |
|---|---|
| **Status · Live ●** | The state of the trade (section 5): `Live ●`, `TP1 Hit 4134.44 ◆`, `TP2 Hit 4149.24 ◈`, `Stopped 4045.09 ○`, `Expired ○`. The tooltip names stop, targets and since when — or what was reached when. |
| **Bias Now · BEAR · Reversal · New York ×** | The working direction of the reading on duty, now — with its state ( `A+`, `25% Reclaimed`, `Reversal` ) and clock: ✓ runs with the trade, × against it, `·` no bias. A long that began as a 25 % defence of a bull day and now stands against a flipped day gets its × here — the rows below stay as they were at the entry, the situation does not. |

## The eleven rows

| Row | ✓ means | Default |
|---|---|---|
| **Working Direction** | The fade runs with the reading on duty — a 25 % defence, an exhausted break back into the bias. × is the counter-trade, say the fade from the projection; it gets only the quarter levels as targets. | on |
| **A+ Bias** | The 25 % had never been broken on a closing basis at the entry — an A+ day, not a reclaimed or flipped one. | on |
| **At A Level** | The climax printed at the 25 % (defended or exhausted break) or at a projection, not at the mere day extreme. | on |
| **Strong Rejection** | The climax bar closed in the outer quarter of its range, seen from the extreme — not just in the other half, but right at the back. | on |
| **Volume ≥ 1.5×** | The candle's volume against its 50-candle average, on the climax timeframe. On CFDs that is tick volume; 1.2–1.3 is often the realistic threshold there. | on · 1.5 |
| **Wide Bar ≥ 3× ATR** | The candle's range at least this many ATR — stricter than the climax threshold itself (2×). | on · 3.0 |
| **Clear Targets** | There is a TP1, and it lies at least 1.5 R away — measured against the stop, so with the default `Stop Room ×` 2.0 TP1 must lie at least three times as far from the entry as the climax extreme. | on |
| **Decision Session** | The climax printed between 08:00 and 15:00 on the clock on duty. | on |
| **VWAP Stretch ≥ 2σ** | The climax extreme lay at least this many standard deviations from the VWAP (section 8). Needs the VWAP add-on and volume. | on · 2.0 |


| Row | ✓ means | Default |
|---|---|---|
| **Extension ≥ 3 ATR** | O'Neil's reading: the distance of the climax extreme from the SMA 50 of the climax timeframe, in that timeframe's ATR. A climax far above its average is the one that returns to the mean. Off by default; switched on, its row shows the measured value. | off · 3.0 |
| **Liquidity Swept** | The climax bar ran an open LRLR / HRLR or EQH / EQL level on the side of its extreme — the move ended by taking the resting liquidity. With ↳ `Session & 8–9 Levels Count` (on) a session high or low (ASIA / LON / NY .H / .L) or an 8–9 high or low counts as well — all of them, drawn or not. Needs `LRLR · Low Resistance Liquidity` (group 7); with it off the row is not shown (section 10). | on |

Every row can be switched off individually in group 3; it then leaves the checklist. Nothing else changes — the rows gate nothing, so switching one off never adds or removes a trade.

SECTION 7

# 07 The scoreboard

Bottom right, climax counts every climax since the first loaded candle: by reading, with the day's confirmation, with the outcome of the entries — and with two control groups without which the numbers mean nothing.




21 days of history, four readings with count, confirmation and entry outcome, the traps, the sum of the entries, below that the two controls — the same rows in Standard and Full. Every row explains itself in its hover tooltip. In the Simple view only two rows remain — `ϟ 21 days · 11 entries` and `TP1 73% · TP2 55% · stopped 9%` — and the split by reading moves into their tooltip.

## The rows

| Row | What is counted | ✓ means |
|---|---|---|
| **25% defended · 3 · ✓ 67% · TP1 50% · TP2 50% (2)** | Days with a climax that defended the 25 % — one climax per day, the most telling one. | No later 210m close through the 25 % for the rest of the day — read without the overnight lock, so a defence at 11:00 can still fail. |
| **exhausted break** | Days with a climax through the 25 % with a weak close. | The last 210m close of the day sits back on the bias side — the break was reclaimed. |
| **at projection** | Days with a climax at PDH +25 % / PDL −25 %. | A later close beyond the far end of the climax bar — the run actually retraced. |
| **day extreme** | Days with a climax at a day extreme without a level. | The same retrace check. |
| **ϟ× traps · 1 of 3 defences** | Defences that were closed through later in the day after all (included in the defences). | — |

| Row | What is counted | ✓ means |
|---|---|---|
| **entries · 11 · TP1 73% · TP2 55% · stopped 9%** | All entries: the share that touched TP1, the share with TP2, the share closed through the stop. The rest expired at the end of the day. | — |
| **control · 25% held, no ϟ · 7 · ✓ 14%** | Control 1: days on which an ordinary candle tapped the 25 % and closed on the bias side, with no climax that day. | The same defence check. The thesis requires: the defence row must beat this one. |
| **control · wide bar, no rejection · 15 · ✓ 93%** | Control 2: the day's first equally wide candle at a new extreme that closes in its far half instead — a momentum candle, not a rejection. | The same retrace check as for the climax rows. |

Behind the entry percentages, in brackets, is how many there were. Three entries at 100 % are three entries — not a hundred percent. The scoreboard counts hits, not R: a stop counts as stopped, whatever the close it fired on.

> **IMPORTANT** **Twenty days are a small sample**
>
> Eleven entries at 73 % TP1 are eight hits. Two trades fewer and it would be 55 %. Read the scoreboard as a tendency, not as a statistic: what holds over weeks — defences beat the control clearly, one reading never runs — is information. What lies between two percentages in the middle range is noise.

SECTION 8

# 08 The VWAP

A VWAP runs along as a visual support — rolling by default, anchored to the day if you prefer — and supplies the checklist with the VWAP Stretch row.

→ The bands 20
→ What else is drawn 20
→ The VWAP Stretch row 21

An ordinary VWAP starts from zero every day. The rolling VWAP (after TradingView's Rolling VWAP script) never resets: it carries a window of constant length along with price, so the line means the same thing everywhere — the volume-weighted average of the last four hours, say. The window is a time window, not a candle count. By default it scales with the chart (↳ `Fixed Time Window` off): about one hour on 1m, four hours on 2m to 5m, one day up to 1H. With a fixed window it stays at `Days / Hours / Minutes`, whatever the timeframe.

↳ `Type` chooses between the two: `Rolling` (the default) as just described, or `Day (Anchored)` — the ordinary VWAP that starts fresh at every new day of the chart's daily bar and grows through the day. Then the window settings do not apply, and ↳ `Minimum Bars In Window` counts from the day's start. Line, bands, fills, colours, Z-score tag and divergences stay the same; the tag reads `VWAP Day`.

## The bands

Around the line lie three pairs of dotted bands at `Band 1 · 2 · 3` standard deviations (0.5 · 1 · 2 by default), measured over the same window — on `Day (Anchored)` over the day so far —, so the bands breathe with the average. A band set to 0 is hidden. Between the bands there is no fill — except while they are compressed. On `Rolling` the bandwidth is ranked against its own last 150 candles, and below ↳ `Compression Level` the space between the bands fills, the darker the tighter — 0.25 means the tightest quarter of the recent range. A day's deviation first grows and then drifts, so on `Day (Anchored)` it is compared instead with its normal at the same candle of the day (the average of about the last 20 days), halved so that normal reads 0.5 as on the rank — 0.25 then means half the usual width for that time of day. The default 0.0 switches the fill off: plain dotted bands.

## What else is drawn

| What you see | Meaning |
|---|---|
| **The line, coloured** | ↳ `Colored Midline` (off by default: the line in one neutral colour) on: light while price is above it, neutral on a touch, dark while price is below it. A candle whose range spans the line counts as a touch. With `Colors` · `Theme` (group 8) the line looks like the candles: white above on every chart, below black on a light chart and a dim grey on a dark one, a lighter grey on a touch. |
| **VWAP 4H · -2.1 Z** | The Z-score tag at the right edge: the window ( `Day` on `Day (Anchored)` ) and how many standard deviations price currently is from the average. From ±2 it is outside the outer band — a climax there is the stretched one. |

| What you see | Meaning |
|---|---|
| **Dot below / above a candle** | ↳ `Divergence Dots ◓ ◒`: the candle closes higher while the average turns down (bullish, dot below the candle) — or the reverse (bearish, dot above) —, after a move of at least `ATR ×` 3 over the `Lookback` of five candles, with no gap in it. A new dot needs more than 15 candles since the last one of its side, or more than 10 when the last 20 candles span over 2 ATR. Divergences ride along in the alerts as passengers ( `〽 1 bull · 2 bear`, section 15), and one that is waiting when an entry fires stands in its ⚖ line ( `VWAP divergence bullish (with)`, section 5). |

## The VWAP Stretch row

At the climax, climax measures how many standard deviations the candle's extreme lay from the VWAP and writes it into the mark ( `2.9σ from VWAP` ), into the checklist and into the read of the entry tooltip and message ( `· 2.9σ` ). From ↳ `σ` (2.0) the row is ✓. On many markets a climax is practically always outside two sigma — then the row is ✓ on every entry and says nothing. A higher threshold, 2.5 or 3, turns it back into information. The screener always measures against the rolling VWAP — with `Day (Anchored)` on the chart its VWAP Stretch can differ.

> **UNDER THE HOOD** **Switching the VWAP off switches the measurement off**
>
> If you switch `Rolling VWAP` off, line, bands, tag and dots disappear — and the VWAP Stretch row is no longer measured: it reads × on every entry. If you only want a quieter picture, set the three bands to 0 and leave the switch on.

SECTION 9

# 09 The gaps as passengers

The gap engine from equinox runs along in climax — not as a drawing, but as context: which gap sits at the entry, which at TP1, which at TP2.

climax knows two kinds of gaps. **HTF FVGs**, fair value gaps of higher timeframes, in `Automatic` mode two levels matched to the chart (up to 1m → 15m + 1H · up to 5m → 1H + 4H · up to 15m → 4H + 1D · up to 1H → 1D + 1W), or up to three fixed ones. And the **opening gaps**: NWOG, the gap from the Friday close to the Sunday open, and NDOG, the one from the previous day's close to the next open — on US index CFDs and futures from the cash close 16:14 New York to the reopen at 18:00, otherwise the chart's day boundary. An FVG disappears when a chart close runs through its far edge; opening gaps stay until `Keep · NWOG / NDOG` (1 / 5) pushes them out, or with `Remove On Close Through` likewise on a close through.

## Where the gaps show up

| Place | What is written there |
|---|---|
| **The entry's ⚖️ line** | `entry in 1H +FVG 102.032–102.352` , `TP1 at 10/1 -NDOG 101.991–102.039` , `TP2 at 1H +FVG 101.977–102.017 · 4H +FVG 101.936–102.017` — every gap that a level lies in or that sits closer to it than ↳ `Level Proximity (× ATR)` (0.5). It stands in the entry tooltip and in the entry message; these are the only places where the gaps at entry and targets are named. |
| **Status readout** | A gaps line with the nearest gaps above and below price: `Gaps · ↑ 4H -FVG 4124.47–4128.67 · ↓ 1H +FVG 4075.0–4076.1` (from the Standard view). |
| **☐ above or below a candle** | The first tap into a live gap, per gap and direction: above the candle when price came in from above (↓, supports longs), below it when from below (↑, supports shorts). The hover tooltip names gap and edge. Re-armed every 7H (on the first clock's grid), every 210m or never. In the alerts they show as the gauge `👉 2↓ 1↑` in the 🧭 line (alert switch `☐ First Tap` ): the first taps since the running 7h block of the first clock began. The entry's ⚖️ line counts the same block as `taps 2↓ 1↑` , with `(with)` or `(against)` when one side leads. |
| **Boxes with tags** | Only with ↳ `Draw Boxes & Tags` (**off** by default): the gaps as soft boxes with `4H -FVG` / `10/5 +NDOG` , tags closer together than `Tag Row Merge (× ATR)` (0.5) merged into one row — the same setting merges the liquidity tags (section 10). The levels work in tooltips and messages without the boxes, too. |

A target in a gap is an argument: the market still has unfinished business there. An entry in a gap likewise — the fade starts from an area the market has already jumped over once. Both therefore stand where you read them at the entry — in its tooltip and its message. A new opening gap rides along in the alerts as `🕳 1 new gap` .

The gaps also feed the liquidity (section 10): a live HTF FVG of the opposing side in a run's path makes it an HRLR, and the tag of a liquidity level names the live gap it sits in.

SECTION 10

# 10 The liquidity

Two liquidity engines run along in climax — like the gaps, as context for the fade. Neither moves entry, stop or targets. They answer one question: did the climax take the liquidity that was resting there?

→ Low-resistance runs · LRLR and HRLR 23
→ Session highs and lows · the 8–9 range 24
→ What you see 24
→ What it does for the trade 25

The first is the run engine from gaps·: **LRLR**, low-resistance liquidity runs, their defended variant **HRLR**, and the equal highs and lows **EQH / EQL**. The second comes from bias·: the **session highs and lows** of the 7-hour blocks and the **8–9 range**. Both sit in group 7.

## Low-resistance runs · LRLR and HRLR

A swing is a pivot high or low, seen only once the candles to its right have closed. A series of lower highs with no open bearish FVG between consecutive swings is a `+LRLR` : liquidity rests above, and price meets little resistance on its way up into it. Higher lows with no open bullish FVG are a `-LRLR` , liquidity below. The level is the outermost swing; three swings make a run.

Only a chart-timeframe FVG of real size breaks a series, and only one still open when the next swing confirms. What counts as defended liquidity — an `+HRLR` / `-HRLR` — is chosen by ↳ `HRLR` :

- **Turtle Soup + Breakers** (the default, after Hudson, as in lrlr·, lava· and kit·): a wick runs a swing high or low and its candle closes back inside; within ↳ `Displacement Within (Bars)` (10) a close follows through the last opposite swing. The swept extreme — the deepest wick until then — is the level, drawn dashed from the candle that ran the swing. A close beyond the swept swing first, or a window that runs out, cancels it. With ↳ `Becomes The Draw (◎)` (on) such an HRLR becomes the draw once an LRLR on the other side has been taken: its tag reads `+HRLR ◎` , its line turns solid.
- **Behind An Open FVG** (the gaps· reading): a run whose series a later open FVG of the opposing side broke below it — or, with ↳ `HTF FVG In Path Counts Too` (on), one with a live HTF FVG of the opposing side between its last swing and its level — becomes an HRLR.
- **Off:** no HRLR.

In the two other modes a chart-timeframe break leaves a run an LRLR, and a run behind a live HTF FVG is not kept. Every HRLR is still liquidity — a climax that takes one counts for Liquidity Swept —, but defended.

`EQH / EQL` are two swing highs or lows in a row within `Tolerance (Ticks)` ; the level sits at the outer one. A run or equal level is taken as soon as price touches it — it is then `Mitigated` , and the series behind it ends. Only live, untaken levels are open liquidity.

## Session highs and lows · the 8–9 range


`Session Liquidity (.H / .L)` keeps the high and low of every completed 7-hour block on the first clock's grid — 18:00–01:00, 01:00–08:00, 08:00–15:00; the block 15:00–18:00 is not used. Each block carries the name of its session: on the London clock NY, ASIA, LON; on the New York clock ASIA, LON, NY; on the Asia clock LON, NY, ASIA. A session level is taken only when price trades beyond it; with ↳ `Preserve After Sweep` its line then ends at the candle that took it and drops a day later.

`8–9 Range (→ 10:30 Cutoff)` draws the 08:00–09:00 high and low of each clock — of the second only with the second clock on — at 09:00, as two lines from 08:00 to 10:30. They count as liquidity like the session levels, until taken or until the next 08:00 of their clock. The session levels need a chart timeframe that divides the 7-hour grid; at most 72 session and 8–9 levels are kept.

## What you see

| What you see | Meaning |
|---|---|
| **Solid line with a tag +LRLR / -LRLR, swings joined by a dotted line** | A low-resistance run: liquidity above (+) or below (–). Faded once run; the line stops `Extension After Run (Bars)` (5) after the candle that took it. |
| **Dashed, paler line +HRLR / -HRLR** | Defended liquidity: a turtle-soup level (the default) or a run behind an open FVG of the opposing side. `+HRLR ◎`, solid: the turtle-soup level became the draw. |
| **Line with a tag EQH / EQL** | Equal highs / lows. |
| **Dotted line with a tag 10/13 ASIA.H, LON.L, NY.H …** | The high or low of a 7-hour block, run to the right edge until taken. Tags at the same height share one label: `10/13 ASIA.H · 10/13 NY.H`. |
| **Line pair 8–9 LON.H / 8–9 LON.L from 08:00 to 10:30** | The 8–9 range of each clock. |

The run levels are drawn by default (↳ `Draw Levels & Tags`, on); the logic works without them. Their tags sit right of the gap tags, and tags within about eight candles of each other share a row ( `EQL · -LRLR`, `Tag Row Merge` in group 6). Hover a tag for its file: kind and swings, price, a live gap it sits in and whether it lies with or against the order flow — in a bullish working direction the highs are the targets, in a bearish one the lows. Below that, where and when it formed and was run, and the swings still ahead:




Once run, the tag reads `· Mitigated` with the time, and a line ✂️ `Run at the day low 4066.35 · 13.10 14:42` follows — with `· multi sweep ×2` when the same wick took several levels on that side. A run whose inner swings are partly taken shows it in its targets: `(1 of 3 swings taken)`. A turtle-soup HRLR names its origin instead of swings: `+HRLR (turtle soup + displacement · protected)`, `now the draw` once it carries the ◎.

## What it does for the trade

| Place | What it says |
|---|---|
| **Checklist** | `Liquidity Swept` (section 6): ✓ when the climax bar ran an open level on the side of its extreme — a climax at the high, levels above. With ↳ `Session & 8–9 Levels Count` (on) the session and 8–9 levels count too, drawn or not. |
| **Climax mark** | The tooltip names what the bar took: ✂️ `took -LRLR 4070.2` , ✂️ `took 10/13 ASIA.L 4068.1` . |
| **Entry** | Tooltip and message alike: the read names what the climax took at its end ( `· ✂️ took -LRLR · 10/13 ASIA.L` , without prices), and the ⚖️ line ends with `💧 In Path …` — every open level between the entry and the farthest target on the side the trade runs to, LRLR / HRLR / EQ first, then session and 8–9 levels, with prices. |
| **Status readout** | The eighth line: the nearest open level above and below price, per side whichever is nearer — `Liquidity · ↑ +LRLR 4120.5 · ↓ 10/13 NY.L 4061.9` (section 12). |
| **Alerts** | With ↳ `Ride With · Every Driver` , `≈ Liquidity Formed` and `≈ Liquidity Run` send on their own for a clean LRLR at the day high or low, at the running session's high or low or on a named level (PDH / PDL, a session or 8–9 level) — a Formed waits up to 30 minutes and stays silent if the level is run meanwhile; EQH / EQL, HRLR and anything elsewhere ride along (🧲 / ✂️). With the default `Entries` every liquidity event rides along. Session and 8–9 levels taken ( `◌ Session Liquidity Taken` ) ride along under ✂️ by name, each name once; a level formed and run while the passengers wait shows once, under ✂️ (section 15). |
| **Screener** | The same Liquidity Swept, and a liquidity column (section 16). |

> **NOTE** **Why liquidity matters for the climax**
>
> A climax is a run that spends itself on an extreme. If that extreme is a level where liquidity was resting — the top of a run of lower highs, equal lows, a session low — the move had a reason to get there and nothing left once it had taken it. That is the classic exhaustion the fade wants. A climax in empty space is still a climax; it just lacks this one argument.

The settings of both engines are in section 14, group 7.

SECTION 11

# 11 The views

Too much data does as much harm as too little. `View` in group 4 decides how much of it is on the chart — everything is always computed.

| | Simple (default) | Standard | Full |
|---|---|---|---|
| **Status readout** | bias line of the clock on duty · the day's climax · the running entry with status, stop and targets — no entry line before the first entry | the short bias line, the other clock, the climax, the entry line with reading and status, the gaps line and the liquidity line | all eight lines: header, bias, quality, other clock, climax, entry, gaps, liquidity |
| **Checklist** | header · Status · Bias Now — the facts behind the rows sit in the entry mark's tooltip | as Simple, plus only the missing rows (×) | all switched-on rows with ✓ / × |
| **Scoreboard** | two lines: `ϟ 21 days · 11 entries` and `TP1 73% · TP2 55% · stopped 9%` — the split by reading is in the tooltip | by reading, traps, entries, controls | the same as Standard |

The tooltips are the same in all three views. If you want the facts behind the rows in Simple, hover over the `▲ CLX` / `CLX ▼` mark — its ⚖️ line carries them with their values; if you want to see the readings, hover over the first row of the scoreboard.

> **NOTE** **Mental capital**
>
> The Simple view is not the stripped-down one — it is the one you trade with. It shows what you need in order to trade: where the day stands, whether there was a climax, what the trade is doing, what the setup lacks. Full is the view for the evening, when the scoreboard is read.

SECTION 12

# 12 Reading the status readout

Top centre by default — or bottom centre, with the `Status Readout` position in group 4 — up to eight lines. An example from the Full view, line by line:

```
clx · XAUUSD · 3m · London ⇄ New York
▸ New York · PD BULLISH · BULL → BEAR · 25% Broken
Reversal Framework · Expecting Lower
London · BULL → BEAR · 25% Broken · Reversal
ϟ exhausted break · low 4066.35
CLX LONG 4087.61 · exhausted break · Live
Gaps · ↑ 4H -FVG 4124.47–4128.67
Liquidity · ↑ +LRLR 4120.5 · ↓ 10/13 NY.L 4061.9
```

| Line | Meaning |
|---|---|
| **1 · Context** | Name, symbol, timeframe, the first clock and — with ⇄ — the second. The tooltip explains the handover. Only in Full. |
| **2 · Bias** | The reading on duty (▸ with its name as soon as the handover is on): previous day, bias, state — `210m Intact`, `Intact`, `25% Closed Through`, `50% Closed Through`, `25% Reclaimed` or the flip `BULL → BEAR · 25% Broken`. In Simple and Standard shortened to `▸ New York · BEAR · Reversal · 25% 4149.24`. |
| **3 · Quality** | `✓ A+ Setup Valid`, `A Framework · 25% Reclaimed`, `A Framework · Lower Prob` or `Reversal Framework · Expecting Higher / Lower`. Only in Full — in Simple and Standard it is in the bias line's tooltip. |
| **4 · The other clock** | Dimmed: the same levels, but its own overnight window, therefore independently intact or broken — `London · Bias BULL · A+`, `… · 25% Reclaimed · A Framework` or `London · BULL → BEAR · 25% Broken · Reversal`. From Standard. |
| **5 · Climax** | The day's most telling climax with its extreme — or `ϟ✗ failed climax` if a defence failed. If the line is missing, there was none today. |
| **6 · Entry** | Direction, entry, reading, status — or `No Climax Entry Yet`. In Simple: direction, entry, status, stop and targets — no line before the first entry. |
| **7 · Gaps** | The nearest gap above (↑) and below (↓) price — or `Gaps · none live`. From Standard. |
| **8 · Liquidity** | The nearest open liquidity above (↑) and below (↓) price: LRLR, HRLR, EQH / EQL and the untaken session and 8–9 levels, per side whichever is nearer — or `Liquidity · none open`. From Standard (section 10). |

The same moment in the Simple view — three lines:

```
▸ New York · BEAR · Reversal · 25% 4149.24
ϟ exhausted break · low 4066.35
CLX LONG 4087.61 · Live · stop 4045.09 · TP1 4134.44 · TP2 4149.24
```

Every line has a tooltip that says what it reads and which numbers stand behind it — the levels, the projections, the width of the climax, the entry's targets. The bias line takes the first clock's `Mark Colors` on a reversal day and the `Levels` colour on a broken or reclaimed one; the entry line takes the trade's colour while it is open.

SECTION 13

# 13 Everything on the chart

A legend from top to bottom. Everything here can be switched off individually.

| What you see | Meaning |
|---|---|
| **Solid lines 25 % and 50 %** | The day's invalidation levels ( `25% / 50% Levels` , group 1). Can be switched off on a chart with equinox, where they are already drawn. |
| **Dotted PDH +25% / +50% or PDL -25% / -50%** | The projections in the working direction ( `Projections (PDH / PDL ± 25% & 50%)` , group 1) — the targets of the fades with the day and the place of the climax at the projection. They follow the reading on duty: a flip, a reclaim or a handover re-points them. |
| **Dotted with a timestamp** | The day open of the first clock and the midnight open 00:00 ( `Day & 00:00 Open Lines` ). |
| **◑ NY / ◑ LON / ◑ ASIA below a candle** | The handover: from here the decision session belongs to the other clock. Hover = what changed hands (section 3). |
| **Dashed lines 210m 25% / 210m 50%** | The 210m signature quarters ( `210m Signature Quarters` , group 1 · section 3). |
| **◇ below or above a candle** | A 210m signature set its quarters — below for bull, above for bear, in the `Mark Colors` ; in the `Levels` colour when they are invalidated. Hover = the Set / Invalidated text. |
| **ϟ above or below a candle** | A climax bar — above the candle at the day high, below it at the day low, in the middle of the candle for a higher timeframe. Hover = reading, width in ATR, volume, σ from VWAP and the liquidity it took ( ✂️ `took …` ). |
| **ϟ× above or below a candle** | A failed climax — the defended 25 % was closed through after all (the trap, section 4). Hover = ⚡❌ `· Failed Climax · …` . |
| **▲ over CLX / CLX over ▼** | The entry: below the climax bar for a long, above it for a short, in the `Mark Colors` . Hover = the entry's file, and how it ended (section 5). |
| **Short dotted line from the entry candle** | The stop, `Stop Room ×` beyond the climax extreme, eight candles long. |
| **Two short stubs with TP1 1.1R / TP2 1.45R** | The targets with their R, 13 to 15 candles ahead of the entry. |
| **Dotted steps 1 · 2 · 2.5 · 3 · 4 · 4.5 ahead of a live entry** | The `Std Dev Ladder` : multiples of the entry leg from its middle. Gone once the trade has ended. |
| **One line with three pairs of bands** | The VWAP, rolling or anchored to the day (section 8). Dotted bands; the space between them fills only while they are compressed, once `Compression Level` is above 0. |
| **VWAP 4H · -2.1 Z at the right edge** | Window and Z-score of price. |

| What you see | Meaning |
|---|---|
| **Dot below / above a candle** | Bullish / bearish VWAP divergence ( `Divergence Dots` ◓ ◒ ). |
| **☐ above or below a candle** | The first tap into a live gap (section 9). |
| **Solid line with a tag +LRLR / -LRLR, swings joined by a dotted line** | A low-resistance run, liquidity above or below; faded once run (section 10). |
| **Dashed, paler line +HRLR / -HRLR** | Defended liquidity: a turtle-soup level (the default) or a run behind an open FVG of the opposing side. `+HRLR` ◎ , solid: the turtle-soup level became the draw. |
| **Line with a tag EQH / EQL** | Equal highs / lows. |
| **Dotted line with a tag 10/13 ASIA.H, LON.L, NY.H …** | The high or low of a 7-hour block of the first clock, until taken. |
| **Line pair 8–9 LON.H / 8–9 LON.L from 08:00 to 10:30** | The 8–9 range of each clock. |
| **Soft boxes with 4H -FVG / 10/5 +NDOG** | Only with `Draw Boxes & Tags` : the gaps themselves. |
| **Table top right** | The checklist of the latest entry (section 6), position selectable. |
| **Table bottom right** | The scoreboard (section 7). |
| **Lines top centre (or bottom centre)** | The status readout (section 12). |

> **NOTE** **Entries do not disappear at the end of the day**
>
> An entry's mark, its stop and its TP stubs stay on the chart — only the std dev ladder goes when the trade ends. `Keep Previous Days' Drawings` (group 8) only decides whether the day's 25 % / 50 %, projections, open lines and 8–9 lines stay when the next day begins — entries, marks and liquidity levels are not affected; the oldest drop out only when TradingView's limit of 500 lines or labels is reached. The status runs until the end of the day ( `Expired` ) or until TP2. So the next morning you can still look up how yesterday's fade went — the mark's tooltip says it on top.

SECTION 14

# 14 The settings

Nine groups, numbered in the order the model runs in. To begin with, leaving the defaults in place is enough — with three exceptions: set the first clock as in equinox; switch off in climax what equinox or bias· already draws (levels, projections, open lines, quarters, session liquidity); and on CFDs lower the volume threshold to 1.2–1.3. Settings marked ↳ belong to the one above them and are greyed out while it is off.

→ 1 · Daily Bias 31
→ 2 · Climax Read 32
→ 3 · Entries 32
→ 4 · View, Scoreboard & Status 33
→ 5 · VWAP Add-On 33
→ 6 · Gaps 33
→ 7 · Liquidity 34
→ 8 · Visuals 35
→ 9 · Alerts 36
→ Six settings with real effect 37

## 1 · Daily Bias

| Setting | Default | What it does |
|---|---|---|
| **First Session Clock** | London | London · New York · Asia. Its 18:00–08:00 validates the bias, its 08:00–15:00 is the decision session. London runs on Berlin hours, Asia on Tokyo. Must match equinox on the same chart. |
| **Second Session Clock (Next In Cycle)** | on | A second reading on the next clock in the cycle London → New York → Asia → London, with its own overnight window. |
| ↳ **Session Handover** | on | From the second clock's 08:00 to 18:00 its reading steers entries, projections and readout (▸). Off: the first clock steers throughout. |
| **Validate With 210m Closes** | on | Only a completed 210m close through the 25 % invalidates. Off: any chart close. |
| **Overnight Candles Only (18:00–08:00)** | on | Only closes inside each clock's overnight window can invalidate its reading. |
| **Reversal Framework On 25% Break** | on | A close through the 25 % flips direction and projections; a close back reclaims, if the 50 % held. |
| **25% / 50% Levels** | on | Draw the two levels. |
| **Projections (PDH / PDL ± 25% & 50%)** | on | Draw the projections in the working direction. |
| **Day & 00:00 Open Lines** | on | Dotted lines at the day open (tagged with its time on the `Display Time Zone`) and at 00:00 of the first clock. |
| **210m Signature Quarters** | on | The 210m 25 % / 50 % with the ◇ mark (section 3). |

## 2 · Climax Read

| Setting | Default | What it does |
|---|---|---|
| **Climax Bar (× ATR)** | 2.0 | 1–6. The minimum range of a climax bar in ATR(14) of the climax timeframe. |
| ↳ **Climax Timeframe** | MTF | Chart · Auto · MTF · 1m · 2m · 3m · 5m · 10m · 15m · 20m · 30m · 1H · 4H · 1D · 1W. Auto matches one higher timeframe to the chart, MTF adds the step below it (sections 2 and 4). |

## 3 · Entries

| Setting | Default | What it does |
|---|---|---|
| **Enable Entries** | on | The fade of every qualifying climax, with its lines, checklist, status and alerts. |
| ↳ **Entry Gate** | Every Climax | Every Climax · Working Direction Only · At A Level Only · Day Extreme Only (section 5). |
| ↳ **One Entry Per Day** | off | On: one entry per day, a stop-out re-arms the day. Off: every climax is an entry, a newer one replaces a live trade. |
| ↳ **Std Dev Ladder** | on | While the entry is live, the dotted steps 1 · 2 · 2.5 · 3 · 4 · 4.5 × the entry leg ahead of it (section 5). |
| ↳ **Stop Room ×** | 2.0 | 1–4, in steps of 0.25. The stop at this many times the distance from the entry to the climax extreme. 1.0 = on the extreme. Set it the same in the screener. |
| **Strategy Checklist** | on · Top Right | The checklist table and its position: Top Left · Top Right · Middle Right · Bottom Left · Bottom Right. |
| **Working Direction · A+ Bias** | on · on | Checklist rows (section 6). |
| **At A Level · Strong Rejection** | on · on | Rows. |
| **Volume ×** | on · 1.5 | Row with its threshold, 1.0–5. |
| **Wide Bar × ATR** | on · 3.0 | Row with its threshold, 1.0–10. |
| **Clear Targets · Decision Session** | on · on | Rows: TP1 at least 1.5 R away · climax 08:00–15:00 on the clock on duty. |
| **VWAP Stretch · ↳ σ** | on · 2.0 | Row with its threshold, 0.5–5. |
| **Extension (SMA 50) · ↳ × ATR** | off · 3.0 | Row with its threshold, 0.5–10. |
| **Liquidity Swept (LRLR / EQH / EQL)** | on | Row; shown only while `LRLR · Low Resistance Liquidity` (group 7) is on. |
| ↳ **Session & 8–9 Levels Count** | on | Session and 8–9 highs and lows count for Liquidity Swept too, drawn or not. Set it the same in the screener. |

## 4 · View, Scoreboard & Status

| Setting | Default | What it does |
|---|---|---|
| **View** | Simple | Simple · Standard · Full (section 11). |
| **Scoreboard (Bottom Right)** | on | The scoreboard table (section 7). |
| **Status Readout** | on · Top Center | The readout and its position: Top Center · Bottom Center. |

## 5 · VWAP Add-On

| Setting | Default | What it does |
|---|---|---|
| **Rolling VWAP** | on | Line, bands, Z-score tag and divergence dots — and the VWAP Stretch measurement. |
| ↳ **Source** | hlc3 | The price that is averaged. |
| ↳ **Type** | Rolling | Rolling · Day (Anchored). Day: reset at every new day of the chart's daily bar, bands from the day's own deviation; the window settings below do not apply. |
| ↳ **Fixed Time Window** | off | Rolling only. Off: the window scales with the chart. On: it stays at the length below. |
| ↳ **Days · Hours · Minutes** | 1 · 0 · 0 | The fixed window. |
| ↳ **Minimum Bars In Window** | 10 | Nothing is drawn before the window holds this many candles — on Day (Anchored), before the day does. |
| ↳ **Band 1 · 2 · 3** | 0.5 · 1.0 · 2.0 | Standard deviations of the three band pairs, each with its colour (with `Custom` : #9c9c9c, half transparent · `Theme` : ink 70). 0 hides a pair. |
| ↳ **Compression Level** | 0.0 | 0–1. Below this rank of the bandwidth (Rolling: last 150 candles · Day: half its normal at that time of day) the space between the bands fills, darker the tighter. 0 = no fill, plain dotted bands. |
| ↳ **Colored Midline** | off | Off = one neutral colour · on = colours with price above · touch · below, with `Custom` : #ffffff · #9c9c9c · #363a45. `Theme` : as the candles (section 8). |
| ↳ **Z-Score Tag** | on | The tag at the right edge. |
| ↳ **Divergence Dots** ◓ ◒ | on | The divergence dots. |
| ↳ **Lookback · ATR ×** | 5 · 3.0 | Candles and minimum move of a divergence. |

## 6 · Gaps

| Setting | Default | What it does |
|---|---|---|
| **Gaps · HTF FVGs & Opening Gaps** | on | The gap engine (section 9). |

| Setting | Default | What it does |
|---|---|---|
| ↳ **Draw Boxes & Tags** | off | The gaps as boxes with tags. |
| ↳ **☐ First Tap Marks** | on · 7H | The ☐ marks and their re-arm: 7H · 210m · Never. |
| ↳ **Level Proximity (× ATR)** | 0.5 | How close a gap must be to entry, TP1 or TP2 to be named there. 0 = only gaps the level lies in. |
| ↳ **HTF FVGs** | on | Fair value gaps of higher timeframes. |
| ↳ **Timeframe Mode · Manual Count** | Automatic · 3 | Automatic (two layers matched to the chart) · Manual with 1–3 layers. |
| ↳ **TF 1 · 2 · ↳ TF 3** | 1H · 4H · 1D | The manual layers. |
| ↳ **FVGs Per Side** | 3 | 1–10 per side and layer; the oldest drops first. |
| ↳ **Min Size (Ticks)** | 4 | Smaller gaps are ignored. |
| ↳ **Bullish / Bearish Fill** | #9c9c9c · 88 % transparent | The box colours, with `Custom . Theme` : ink at 97 % transparency. |
| ↳ **Opening Gaps · NWOG · NDOG** | on · on · on | The opening gaps. |
| ↳ **Keep · NWOG · Keep · NDOG** | 1 · 5 | 1–50 kept; the oldest drops first. |
| ↳ **Remove On Close Through** | off | On: an opening gap goes on a close through, like an FVG. |
| ↳ **Box Extension (Bars)** | 23 | How far the boxes reach to the right. |
| ↳ **Tag Row Merge (× ATR)** | 0.5 | Gap tags — and drawn liquidity tags — closer than this share one row. 0 = off. |

## 7 · Liquidity

| Setting | Default | What it does |
|---|---|---|
| **LRLR · Low Resistance Liquidity** | on | The run engine. Off: the Liquidity Swept row disappears. |
| ↳ **Draw Levels & Tags** | on | The lines and tags. The logic works without them. |
| ↳ **Swing Bars Left · ↳ Right** | 5 · 5 | Candles that confirm a swing. |
| ↳ **Min Swings In Run** | 3 | 2–10 swings needed for a run. |
| ↳ **Breaking FVG Min Size (× ATR)** | 0.3 | Smaller chart-timeframe FVGs do not break a series. 0 = any. |
| ↳ **Only Open FVGs Break It** | on | A gap already closed again is no resistance. |

| Setting | Default | What it does |
|---|---|---|
| ↳ **HRLR** | Turtle Soup + Breakers | Turtle Soup + Breakers · Behind An Open FVG · Off — what counts as defended liquidity, tagged HRLR (section 10). |
| ↳ **Displacement Within (Bars)** | 10 | 1–50. Turtle Soup only: the window for the close through the last opposite swing. |
| ↳ **Becomes The Draw (◎)** | on | Turtle Soup only: once an LRLR on the other side is taken, the HRLR becomes the draw (◎, solid line). |
| ↳ **HTF FVG In Path Counts Too** | on | Behind An Open FVG only: a live opposing HTF FVG counts too (needs the HTF FVGs of group 6). |
| ↳ **EQH / EQL · Tolerance (Ticks)** | on · 10 | Equal highs / lows. |
| ↳ **Keep Per Type · Live · ↳ History** | 10 · 20 | Levels kept per type (LRLR, EQH / EQL), untaken (1–50) / taken (0–60). |
| ↳ **Extension After Run (Bars)** | 5 | How far a taken level is still drawn. |
| **Session Liquidity (.H / .L)** | on | 7-hour block highs and lows; ↳ Asia · London · New York, each on. |
| **8–9 Range (→ 10:30 Cutoff)** | on | The 08:00–09:00 high and low of each clock. |
| ↳ **Preserve After Sweep** | on | A taken session or 8–9 level stays a day, its line ending at the sweep. Off: it goes at once. |

## 8 · Visuals

| Setting | Default | What it does |
|---|---|---|
| **Display Time Zone** | Europe/ Berlin | The zone of every time climax writes: labels, tooltips, tables, alerts and their header. Pine cannot read the chart's time zone, so set it here as an IANA name, such as `America/New_York` or `UTC`. Only the display: the sessions, the 8–9, the 7h blocks and the 210m candles keep their own clocks, so the signals are the same for everyone. |
| **Keep Previous Days' Drawings** | on | Off: at each day open the previous day's 25 % / 50 %, projections, open lines and 8–9 lines are removed. |
| **Monospace Font** | on | Fixed-width digits in labels, tables and readout. |
| **Font Size** | Default | -2 · -1 · Default · +1 · +2 · +3. +1 or +2 on 4K displays. |
| **Levels · Projection** | #4a4a4a · #636363 | The level colours, with `Custom`; `Levels` also colours the 210m quarters. `Theme`: ink 25 · ink 40. |
| **Mark Colors · 1st Session Clock** | #ffffff · #363a45 | Bullish / bearish, with `Custom`: entry marks, TP stubs and tags, ◇, divergence dots, the checklist's glyphs, the readout's reversal and entry lines. `Theme`: both full ink. |

| Setting | Default | What it does |
|---|---|---|
| **Colors** | Theme | Theme · Custom. Theme takes every colour from the chart theme, so the script follows a light or a dark chart by itself — ink is the chart's text colour, the number its transparency: entries long and short both in full ink, levels ink 25, projections ink 40, gap fills ink 97, the VWAP as the candles (section 8). Custom: the colour fields of this and the other groups. |

## 9 · Alerts

| Setting | Default | What it does |
|---|---|---|
| **Prefix Symbol & Timeframe** | on | Plain Text only: the header in front of the first line. |
| **◑◐ Handover · ϟ Climax** | on · on | Passengers: 🔄 the handover, ⚡ a climax without an entry. |
| **▲ ▼ Entry · ◆ ◈ ○ TP / Stop** | on · on | Drivers: the entry block (read · trade line · ⚖️ pro / contra), the TP and stop lines. |
| **◓ ◒ VWAP Divergence** | on | Passenger 🦯. |
| **☐ First Tap · ▭ New Opening Gap** | on · on | ☐: the 👉 tap gauge in the 🧭 line (needs ↳ `☐ First Tap Marks`, group 6); off, the taps stay on the chart. ▭: 🕳️ new opening gaps as a passenger. |
| **≋ Liquidity Formed · ≋ Liquidity Run** | on · on | With `Ride With` · `Every Driver`: drivers for a clean LRLR at an extreme or on a named level (Formed after up to 30 minutes, section 15). EQH / EQL, HRLR and everything elsewhere — and with `Entries` everything — are passengers 🧲 / ✂️. |
| **◇ 210m Quarters** | on | The live quarters in the 🧭 line ( 💠 `210m BULL` ). Off: the ◇ marks and their tooltips stay on the chart only. |
| **◌ Session Liquidity Taken** | on | Passenger: session and 8–9 levels taken, by name under ✂️. |
| **Passengers Ride Along** | on | Passengers collect and ride in the 🧭 line of the next driver. Off: each candle's passengers go out on their own. |
| **↳ Ride With** | Entries | Entries · Every Driver (section 15). Entries: only entries and their TP / stop speak, liquidity at an extreme rides along too. Every Driver: a clean LRLR at an extreme speaks as well and takes the passengers along. |
| **↳ Max Age (Bars)** | 60 | 5–500. A passenger kind that got nothing new for this many candles is dropped unsent. |
| **Message Format** | Telegram | Plain Text · Telegram. |
| **↳ Telegram Chat ID** | preset | Your chat or channel ID. |

## Six settings with real effect

| Setting | What happens when you change it |
|---|---|
| ↳ **Climax Timeframe (MTF)** | `Auto` reads only the upper timeframe (10m on the 3m chart): fewer, larger climaxes. On `Chart` there are many times more — every wide 3m candle counts —, the fades get smaller and the scoreboard louder. A higher fixed timeframe (30m on the 3m chart) finds only the big exhaustions. |
| ↳ **Entry Gate (Every Climax)** | `Working Direction Only` removes the counter-trades — often the fades from the projection. `At A Level Only` and `Day Extreme Only` split the readings: the first keeps the 25 % and projection climaxes, the second only the plain day extremes. Each cuts the entries hard — compare the scoreboard's rows by reading before you choose. |
| ↳ **Stop Room × (2.0)** | The stop's distance and with it every R. At 1.0 the stop sits on the climax extreme: the targets read twice as far in R, but every wick back to the extreme stops out. At 2.0 the trade survives that wick. |
| **Volume × (1.5)** | With tick volume (CFDs) 1.5 almost never hits — the row is then always × and says nothing. 1.2 to 1.3 is the honest threshold there. |
| **Second Session Clock (on)** | Off: one reading, no handover, no ⇄. The days on which the two clocks disagree vanish from the picture — and with them the information that the afternoon is reading a different day from the morning. |
| ↳ **Session & 8–9 Levels Count (on)** | On, every session or 8–9 high or low the climax bar runs counts for `Liquidity Swept` — the row hits far more often. Off: only LRLR, HRLR and EQH / EQL. Set it the same in the screener. |

SECTION 15

# 15 Setting up alerts

climax reports through a single alert — in the same format as equinox, straight to Telegram if you like. A few events speak on their own; everything else rides along in one short line.


→ What a message looks like 38
→ The drivers 39
→ The passengers 40
→ Emojis in the messages 41
→ Message Format: Plain Text or Telegram 41

1. **Right-click the chart → Add alert.**
2. **Pick climax· as the condition, below it "Any alert() function call".**
3. **In the Notifications tab enter the webhook URL (Telegram) or set the format to Plain Text.**
4. **Save. After every change to the script: delete the alert and create it again.** A running alert computes with the state of the script from the moment it was created.

At most one message goes out per candle, at its close. It is built in a fixed order: the header, the 🧭 situation line with the passengers joined to it, a blank line, then the drivers — the entry block, liquidity formed, liquidity run, TP / stop — each a paragraph of its own; the entry block has three.

## What a message looks like

The gold day from section 17, at 14:51 — one gap had been tapped from below since 08:00, the handover and two divergences had collected since the afternoon began, and the entry takes them along:




The header names symbol, timeframe, the clock on duty and the script's version — `climax v10.24c`. The version changes with every change to the logic or a default; the archive stores it with every trade, so the statistics can tell which version sent it. The **situation line** 🧭 gives the working direction of the reading on duty, its state — `A+`, `25% Reclaimed` or `Reversal`; `None (Doji)` on a doji day — and the clock (with the second clock on); while 210m quarters are live it adds `· 💠 210m BEAR`, then the tap gauge `· 👉 2↓ 7↑` —

the first taps into gaps since the running 7h block of the first clock began, ↓ from above (backs longs), ↑ from below (backs shorts), absent while there are none. It heads every message that carries an entry, a liquidity driver or passengers. The **passengers** follow on the same line after a `·`: everything that happened since the last message, in counts and short names.

## The drivers

With the default ↳ `Ride With` · `Entries` only the first two speak; the two liquidity drivers send on their own only with `Every Driver` and otherwise ride along as passengers.

| Switch | When it sends |
|---|---|
| ▲ ▼ **Entry** | An entry, as a block of three paragraphs — the same text as the entry tooltip (below). |
| ◆ ◈ ○ **TP / Stop** | ✅ · `CLIMAX LONG TP1 Hit 4134.44 (+1.1R) · TP2 4149.24 ahead. ·` 🏆 · `CLIMAX LONG TP2 Hit 4149.24 (+1.45R). ·` 🛑 · `CLIMAX SHORT Stopped at 102.301 (-1.18R) · closed above 102.279.` Each result carries its R, to two decimals; a stop fires on a chart close beyond the stop and books that close, so it is rarely exactly −1R. The fate of a trade goes out alone — without the situation line and without passengers. |
| ≋ **Liquidity Formed** | A new clean LRLR at the day high or low, at the running session's high or low ( `at the LON high` ) or on a named level ( `at the PDH` , `at 10/13 ASIA.L` , `at 8–9 LON.L` ). It waits up to 30 minutes: if price runs the level within that time, only the Run speaks; otherwise it goes out then, with `· since 11:06` . |
| ≋ **Liquidity Run** | Price takes a clean LRLR at the day or session extreme or on a named level. |

**The entry block** is the entry tooltip without its fate (section 5). The read: ⚡ `climax` with the reading and the trade's arrow, `with the bias` or `against the bias` with the working direction on duty and its state, the σ distance from the VWAP, `· vol ×1.8` when the volume stands out (from 1.5×), and `· ✂️ took …` with what the climax took, without prices. The trade line: direction, entry, stop and targets with their R, to one decimal, and the reading. The ⚖️ line: rejection, width, session, extension, the taps, the gaps at entry and targets, a waiting VWAP divergence and the open liquidity in the trade's path ( 💧 `In Path …` ), each with `(with)` or `(against)` where it takes a side. The ✓ / × rows stay in the checklist table, not in the message.

**Liquidity at an extreme** (with `Every Driver` ). The text says where the level sits, whether it lies with or against the order flow, ⚖️ for an equal high or low, and `· beyond the VWAP outer band` (formed) or `· at the VWAP outer band` (run) when it applies — the VWAP band alone does not make it send. Only a clean LRLR speaks: it is the one level the market runs for more often than its distance predicts (see the box below). EQH / EQL and HRLR ride along instead. When one wick takes several levels on one side, they are ranked by importance — LRLR before EQH / EQL before HRLR, the deepest first within a kind — one name per price, three by name, then `+n` . The message goes out when the leading level is an LRLR. Several at once become one heading with a `•` line each:



R3M Alerts
**GER40 · 3m · London · climax v10.24c**
🧭 BEAR · A+ · London · 👉 1↓ 0↑

🧲 · Liquidity Formed
• -LRLR 24095.5 at the PDL · with order flow (BEAR) · since 11:06
• -LRLR 24102.0 at the LON low · with order flow (BEAR) · since 11:06.

11:39

R3M Alerts
**XAUUSD · 3m · New York · climax v10.24c**
✅ · CLIMAX LONG TP1 Hit 4134.44 (+1.1R) · TP2 4149.24 ahead.

15:27

**NOTE** **Why only LRLR**

Measured on NAS100 and GER40 across 15m, 1h and 4h, a clean LRLR is taken 11–24 percentage points more often than its distance and volatility predict — the only level kind with a consistent edge. HRLR is taken 9–17 points less often than predicted, and EQH / EQL swing either way on small samples. Session, 8–9, opening-gap and PDH / PDL levels are reached about as often as their distance says. So only the LRLR earns a message of its own; the rest still rides along.

## The passengers

Everything else does not send on its own. It collects, one kind at a time, and rides along in the 🧭 line of the next driver, after the situation — in this order:

| Switch | In the 🧭 line | What it carries |
|---|---|---|
| ϟ **Climax** | `⚡ exhausted break 2.3× ATR` | A climax that fired no entry: its reading ( `day high` / `day low` for the plain one) and width. |
| ◑◐ **Handover** | `🔄 NY on duty` | The clock that took over the decision session. |
| ≋ **Liquidity Formed** | `🧲 ⚖️ EQH 4150.2 · -LRLR 4100.0` | New EQH / EQL and HRLR, and new LRLR away from an extreme. |
| ≋ **Liquidity Run** · ◌ **Session Liquidity Taken** | `✂️ +LRLR 4150.2 ×2 · ASIA.L · 8–9 LON.H` | EQH / EQL and HRLR run, LRLR run away from an extreme (×n = taken together, the most important named), and the session and 8–9 levels taken, by name, each name once. |
| ◓ ◒ **VWAP Divergence** | `🔨 1 bull · 2 bear` | The divergences, counted. |
| ▭ **New Opening Gap** | `🕳️ 1 new gap` | New NWOG / NDOG, counted. |

Climaxes are named up to two, the other kinds up to three; more read as `+2` . A level that is formed and run within the same wait appears once, under ✂️ — not also under 🧲. The first taps are not passengers: they belong to the situation itself, as the 👉 gauge. The details stay on the chart: the gaps and taps in the entry tooltip, the levels in their tags.

↳ `Ride With` chooses which drivers take the passengers along: `Entries` (the default), so that they wait for the next trade, or `Every Driver` — the entry and a clean LRLR at an extreme. The TP / stop line never takes passengers. A passenger kind that has received nothing new for ↳ `Max Age (Bars)` candles (60) is dropped unsent; the queue clears at the day open anyway. With `Passengers Ride Along` off, each candle's passengers go out on their own, in the same compact form in the 🧭 line.

## Emojis in the messages

| Emoji | Meaning | Where |
|---|---|---|
| 🧭 | The situation: working direction on duty, its state, the clock | First line of every message except a TP / stop alone |
| 💠 | 210m quarters live, with their direction | In the 🧭 line |
| 👉 | First taps in the running 7h block, ↓ · ↑ | In the 🧭 line, after 💠 |
| ⚡ | A climax and its reading | The entry's read; passenger for a climax without an entry |
| 🟢🔴 | Long · short entry with its levels | The entry's trade line |
| ⚖️ | Pro / contra: the facts of the setup, with or against the trade | The entry's third paragraph |
| 💧 | Open liquidity in the trade's path | End of the ⚖️ line ( 💧 `In Path` ) |
| ✂️ | Liquidity taken | The entry's read (what the climax took), Liquidity Run, passenger |
| 🧲 | Liquidity formed | Liquidity Formed, passenger |
| ⚖️ | An equal high or low (EQH / EQL) | In 🧲 and ✂️ items |
| • | One of several levels | Liquidity Formed / Run with more than one level |
| ✅🏆🛑 | TP1 hit · TP2 hit · stopped | The fate of a trade, alone |
| 🔄 | Handover | Passenger |
| 〽️🕳️ | Divergences · new opening gaps | Passengers |

The chart's tooltips use the same language — the entry's 🛑 `Stopped` / 🏆 `TP2 Hit` fate and its ⚖️ line, ✂️ `took` , 💧 `In Path` , ⚡❌ `· Failed Climax` , 💠 `· 210m Quarters …` , 🧲 `Formed` , ✂️ `Run` — while the chart's own text keeps its glyphs (ϟ, ◇, ☐).

## Message Format: Plain Text or Telegram

Telegram is the default: the message is a ready-made `sendMessage` request for the Bot API, TradingView posts it unchanged to the webhook URL `https://api.telegram.org/bot<TOKEN>/sendMessage` (webhooks need a paid TradingView plan). The header becomes bold, the ticker links to the chart. If you use an ordinary TradingView alert — app, e-mail, alert log —, set Plain Text, otherwise the notification shows the raw JSON. In Plain Text, `Prefix Symbol & Timeframe` (on) puts the header in front of the first line — `XAUUSD ·`

`3m · New York · climax v10.24c · 🧭 BEAR · Reversal · New York`; off, there is no header. Set up bot, chat ID and webhook as described in the equinox guide, section 11; the chat ID goes into ↳ `Telegram Chat ID`.

SECTION 16

# 16 The screener · clx·screener·

climax reads one chart. The screener reads up to ten symbols with the same pipeline and puts them in a ranking — by how their climaxes have run so far.

→ The columns 44
→ The heatmap 45
→ The ranking 45
→ Settings 46
→ Reports and alerts 47
→ Reading the record against its chance 49

clx·screener· is an indicator of its own. It draws nothing on price, only a table, best placed in the bottom panel (right-click the table → `Move tables to bottom panel`). For every symbol the complete pipeline from climax runs: previous day from the symbol's own chart bars, bias on 210m closes with both clocks and handover, rolling VWAP, climax on the two climax timeframes, entry with stop and targets, the checklist facts — Liquidity Swept included, read by the same LRLR engine without drawings —, status on chart closes. What a row says, climax says just the same on that symbol's chart.

clx·screener· · theme Dark Panel, heatmap on · 15:10 · left part

| # | symbol | runs | TP1 | TP2 | stop | ΣR | with | against | bias · LON → NY | liquidity |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | XAUUSD | 10 | 70% | 60% | 10% | +4.2 | 50% · 4 | 83% · 6 | BEAR → BEAR · rev · NY | → +LRLR 1.5 ATR |
| 2 | GER40 | 7 | 57% | 43% | 14% | +1.6 | 75% · 4 | 33% · 3 | BEAR → BEAR · A+ · NY | took EQH +1 |
| 3 | USDCHF | 10 | 60% | 40% | 20% | +0.8 | 67% · 6 | 50% · 4 | BULL → BULL · rcl · NY | ↑ +LRLR 0.6 ATR |
| 4 | GBPUSD | 9 | 56% | 33% | 22% | +0.5 | 60% · 5 | 50% · 4 | BULL → BULL · A+ · NY | ↑ EQH 0.4 ATR |
| 5 | EURUSD | 9 | 56% | 22% | 22% | −0.2 | 60% · 5 | 50% · 4 | BULL → BULL · A+ · NY | ↑ +LRLR 2.3 ATR |
| 6 | UK100 | 6 | 50% | 33% | 17% | +0.3 | 67% · 3 | 33% · 3 | BULL → BEAR · rev · NY | ↓ -LRLR 0.9 ATR · LOD |
| 7 | USDJPY | 8 | 50% | 25% | 25% | −0.6 | 33% · 3 | 60% · 5 | BEAR → BEAR · rcl · NY | → +LRLR 3.1 ATR |
| 8 | NAS100 | 5 | 40% | 20% | 40% | −1.3 | 67% · 3 | 0% · 2 | BULL → BULL · A+ · NY | ↑ +LRLR 1.1 ATR |
| 9 | US500 | 6 | 33% | 17% | 33% | −1.9 | 50% · 2 | 25% · 4 | BULL → BULL · A+ · NY | → EQL 6.2 ATR |
| 10 | EUSTX50 | 2 · | 50% | 0% | 50% | −0.5 | · | 50% · 2 | doji | ↓ -LRLR 1.6 ATR |

... and its right part (# and symbol repeated here for reading)

| # | symbol | setup · 3m → 10m+5m | ext | since | status | R | price |
|---|---|---|---|---|---|---|---|
| 1 | XAUUSD | ϟ ▲ exhausted break | 1.9 ATR | 14:51 | Live | 1.1 | 4101.8 |
| 2 | GER40 | ϟ ▼ 25% defended | 3.4 ATR | 11:24 | Live | 5.2 | 24162.4 |
| 3 | USDCHF | · | · | · | · | · | 0.83353 |
| 4 | GBPUSD | · | · | · | · | · | 1.34215 |
| 5 | EURUSD | · | · | · | · | · | 1.16418 |
| 6 | UK100 | · | · | · | · | · | 9871.6 |
| 7 | USDJPY | ϟ ▲ at the projection | 1.2 ATR | 09:36 | Stopped | 0.7 | 147.212 |
| 8 | NAS100 | · | · | · | · | · | 25418.7 |
| 9 | US500 | ϟ ▼ day extreme | 0.9 ATR | 15:06 | Live | 0.6 | 6731.4 |
| 10 | EUSTX50 | · | · | · | · | · | 5512.5 |

Seventeen columns — on screen one table, here in two parts. From left to right: # and symbol; the record (runs · TP1 · TP2 · stop · ΣR, split by the bias into with · against); the day — the bias on both clocks and the liquidity; today's setup — setup, extension, since, status, R; the price on the right. Sorted by climax performance — XAUUSD and GER40 on top, the young EUSTX50 at the bottom. The heatmap colours each cell by strength (section below).

## The columns

| Column | Meaning |
|---|---|
| **# · symbol** | Rank and symbol. The tooltip of the `#` header lists the ten slots and whether data arrived for each. |
| **runs · TP1 · TP2 · stop** | The record: fades on the loaded candles (or inside the `Record Window`), the share that touched TP1, the one with TP2, the one closed through the stop. A dot behind the count (`2 ·`) marks a young symbol, with fewer than `Min Entries`. The row tooltip splits the record by reading and by bias; the `runs` header tooltip gives the whole watchlist with its chance (see the last section of this chapter). |
| **ΣR** | Σ R of the record: every fade booked all out at TP1 with its R, a stop as −1R, gross (before spread and commission), as in the lava screener. Shown and hidden with the `stop` column. The split with / against the bias and at a PD projection is in the row tooltip, the watchlist's Σ in the header tooltip and in the report. |
| **with · against** | The record split by the bias: the fades whose direction was the working direction on duty (`with`), and all others — against it, or on a doji day (`against`). Each cell gives the share that touched TP1 and the count: `67% · 6`. The header tooltips give the whole watchlist with chance and stop rate. |
| **bias · LON → NY** | The working direction on both clocks, first → second, then the state on the clock on duty — `A+`, `rcl` (reclaimed; tooltip and report write it out), `rev` (flipped; `broken` with the reversal framework off), `doji` — and the clock on duty: `BULL → BEAR · rev · NY`. Green for a bullish, red for a bearish working direction on duty; orange when the two clocks disagree. With the second clock off, one direction and no clock. |
| **liquidity** | With a setup today: what its climax took — `took EQH`, `took -LRLR +1` (+1 = one level more), `took Session` or `took 8–9` (only with ↳ `Session & 8–9 Levels Count`) —, otherwise the next open level in the trade's direction with its distance in ATR(14): `→ -LRLR 1.2 ATR`, or `none ahead`. Without a setup: the next open level on the side of the order flow — bullish bias above, bearish below — or the nearer side when that one has none: `↑ +LRLR 0.6 ATR`, `↓ EQL 0.3 ATR`, or `none open`. Open levels here are LRLR, HRLR, EQH and EQL only. `· HOD` / `· LOD` (orange) marks an LRLR or HRLR that is the day high or low itself. Green when taken, orange within 1 ATR, grey beyond ↳ `Grey Beyond (× ATR)` (5.0). |
| **setup · 3m → 10m+5m** | The day's fade: `ϟ ▲ exhausted break` — direction and reading (`25% defended`, `exhausted break`, `at the projection`, `day extreme`). In the direction's colour while the trade is open (Live, TP1 Hit), grey once it is done; `·` when there was no climax today. A setup counts as today's within the symbol's own trading day — an FX day begins at 23:00, a metals day at 00:00. The header names the chart timeframe and the climax timeframes (`3m → 10m` with `Auto`, `3m → 10m+5m` with `MTF`). |
| **ext** | The setup's extension from the SMA 50 of the climax timeframe, in ATR; marked from the `Extension` threshold (3.0). |
| **since** | When the setup fired, on the `Display Time Zone` — the first chart candle after the climax bar closed (`14:51` for the 10m candle that closed at 14:50). |
| **status** | `Live`, `TP1 Hit`, `TP2 Hit`, `Stopped`, `Expired`. |
| **R** | Today's setup: the distance to TP1 in R (risk = entry to the stop) — below 1 the target is nearer than the stop. Grey once the trade is done. |
| **price** | The last price. |

Every column except # and symbol can be switched off under `Table · Columns`; ΣR follows `stop`, the liquidity column follows `LRLR · Liquidity Column` (group 3). A hidden column only leaves the table — the ranking, the record and the reports stay the same.

## The heatmap

With `Heatmap` on (the default, panel themes only) a cell colours by strength instead of on / off: every rate against its own yardstick, the further off the deeper the colour, about even = no fill. Few runs make it paler — the colour grows with the count. All three screeners share this one colour ladder.


| Cells | Yardstick and colour |
|---|---|
| **TP1 · with · against** | Their chance (see the last section of this chapter): above it green, below it red. |
| **TP2 · stop** | TP2 against 60 % of the chance; the stop against 100 % minus the chance — fewer stops = green. |
| **symbol · #** | The symbol cell carries the record's heat (TP1 and stop together), the `#` cell today's fate: a live trade faintly green, TP1 and TP2 greener, a stop red, fading over about six hours. |
| **since · status** | `Live` orange · TP hit green · `Stopped` red · `Expired` grey, the fill fading over about six hours. |
| **ext · R** | ext orange from the threshold on; R green above 1.5, red below, while the trade is open. |
| **ΣR** | Green from zero up, red below. |

With `Heatmap` off you get the classic tints: hit rates green, stop rates red, the more strongly the higher the rate; since in the direction's colour while the trade is open; `TP1 Hit` / `TP2 Hit` green, `Stopped` red, `Expired` grey; ext green from the threshold.

## The ranking

The table is sorted by climax performance: the symbols whose fades run best sit at the top — TP1 rate minus stop rate, the TP2 rate as the tie-breaker. Symbols with fewer than ↳ `Min Entries` (5) count as young and sit at the bottom, symbols without data below them. A symbol without a setup today keeps its rank; its setup cells simply read `·`.

Every row has a tooltip: the record with the split by reading, by bias and at a projection, each with its chance; then today's setup with its stop and targets and one ✅ / ❌ per switched-on checklist row; and last the liquidity on both sides — and, when the climax took something, ✂️ `The climax took EQH 24248.6 and 1 more`:




## Settings

| Group | What for |
|---|---|
| **1 · Watchlist** | `Watchlist` (Custom): Custom reads the ten slots below; a preset replaces them — Forex · Pepperstone, Indices · Pepperstone, Commodities · Pepperstone, S&P 500 · Top 10, Nasdaq 100 · Next 10, DAX · Top 10, Futures · CME / Eurex, Crypto · Pepperstone, Crypto · Binance Perps, each with its first ten symbols. `History Bars` (10,000; 1,000–10,000): how many candles every symbol is read over (box below). Slots `1 – 10` with `EXCHANGE:TICKER`, preset with PEPPERSTONE GER40, UK100, EUSTX50, US500, NAS100, EURUSD, USDCHF, USDJPY, GBPUSD, XAUUSD. An empty slot is skipped. Ten slots, as in the other two screeners: every symbol here costs three data requests — chart timeframe, climax timeframe and the step below it —, and TradingView allows forty. |
| **2 · Bias & Climax** | `First Session Clock` (London), `Second Session Clock (Next In Cycle)` with ↳ `Session Handover`, `Validate With 210m Closes`, `Overnight Candles Only (18:00–08:00)`, `Reversal Framework On 25% Break`, `Climax Bar (× ATR)` (2.0) with ↳ `Climax Timeframe` (MTF), `Setup Gate` (Every Climax · Working Direction Only · At A Level Only · Day Extreme Only), `One Setup Per Day` (off, as climax's `One Entry Per Day`: a newer climax replaces a live setup), `Stop Room ×` (2.0). Set them the same as climax groups 1 to 3 and the screener reads the same. The climax timeframe stops at 4H here, and `Auto` / `MTF` top out at 4H + 2H. |

| Group | What for |
|---|---|
| **3 · Scoring** | The eleven checklist rows with their thresholds, as in climax group 3 — the eleventh `Liquidity Swept (LRLR / EQH / EQL)` with ↳ `Session & 8–9 Levels Count` —; they decide which ✅ / ❌ lines the row tooltips show, nothing else. Then `LRLR · Liquidity Column` with ↳ `Grey Beyond (× ATR)` (5.0) and the LRLR engine: swing bars (5 / 5), `Min Swings In Run` (3), `Breaking FVG Min Size (× ATR)` (0.3), `Only Open FVGs Break It`, `HRLR` (Turtle Soup + Breakers · Behind An Open FVG · Off, as climax) with ↳ `Displacement Within (Bars)` (10), `EQH / EQL` with `Tolerance (Ticks)` (10), `Keep Per Type · Live` (10). Set them the same as climax group 7 and Liquidity Swept reads the same. The screener has no HTF FVGs and no ◎: a run that climax keeps as HRLR because of a live HTF FVG — or, outside `Behind An Open FVG`, does not keep — counts here as LRLR. |
| **4 · Table** | `Display Time Zone` (Europe/Berlin: the zone of every time the screener writes, the report times included), `Record Window (Days · 0 = All)` (0) with ↳ `Min Entries` (5), `Rows` (12), `Position` (Middle Center), `Width · % Of Panel (0 = Auto)` (0 = the panel themes take the whole panel width with fixed column shares, Chart Ink sizes every column to its text), `Theme` (Chart Ink · Dark Panel · Light Panel; Dark Panel by default) with ↳ `Heatmap` (on, panels only), `Monospace Font` (on), `Font Size` (+1), `Columns · runs · TP1 · TP2 · stop · with · against · bias · setup · since · status · ext · price · R` (all on), colours `Long / Short (Chart Ink)` (#ffffff · #363a45) with `Colors` (Theme: both in full chart ink · Custom: the two fields — only these two follow the theme, the panels' status colours and the table theme stay), `Up / Down (Panels)` (#089981 · #f23645) and ↳ `Middle / Caution` (#ff9800). |
| **5 · Report & Alerts** | `Entries & Results` (on): every fade and its result of every symbol, in the screeners' compact format (below) — one alert on the screener replaces climax's watchlist alert (switch climax's own alert off, or every fade arrives twice; the passengers stay in climax). `Top N In The Report` (3, 1–12), `Report 1` (09:00) and `Report 2` (15:00) on the `Display Time Zone`, `Message Format` (Telegram) with ↳ `Telegram Chat ID`, and two diagnostic switches, off by default: `Send A Test Report On The Next Bar Close` and `Heartbeat Every Bar Close (Diagnostics)`. |

**UNDER THE HOOD** **History Bars and Bar Replay**

A data request otherwise computes over its symbol's entire history, not only over the candles the chart has loaded — the record would then count more days than climax's scoreboard, which runs on 10,000 candles. `History Bars` (10,000) keeps every symbol on that span. Bar Replay holds far more in memory: if the screener shows "Memory limits exceeded" there, lower `History Bars` to 3,000–5,000 for the replay and set it back afterwards. The record then covers fewer days.

## Reports and alerts

One alert is enough: Add alert → condition `clx·screener·` → `Any alert() function call` → webhook. Every message starts with the same header — ⚡ `clx screener` with the version ( `v10.24c` ), the chart and climax timeframes, the first clock and the candle's time on the `Display Time Zone`. At the two report times the screener sends the top N of the ranking as one message — symbols with a setup in a full line, those without with record and bias, each a paragraph of its own, in the table's order:

R3M Alerts
⚡ **clx screener v10.24c · 3m → 10m+5m · London 15:00**
📊 · Top 3 of 10 symbols · ranked by how their climaxes run:

1. 🟢 XAUUSD · 📈 10 runs · 🎯 TP1 70% · 🎯 TP2 60% · 🛑 SL 10% · Σ +4.2R · 🧭 BEAR · rev · NY · ⚡ ▲ exhausted break · 4087.61 · SL 4045.09 · TP1 4134.44 · TP2 4149.24 (1.1R) · ⏳ Live · ⏰ 14:51 · 🚧 ext 1.9 ATR · 4101.8

2. 🔴 GER40 · 📈 7 runs · 🎯 TP1 57% · 🎯 TP2 43% · 🛑 SL 14% · Σ +1.6R · 🧭 BEAR · A+ · NY · ⚡ ▼ 25% defended · 24236.8 · SL 24262.4 · TP1 24104.3 · TP2 24021.7 (5.2R) · ⏳ Live · ⏰ 11:24 · 🚧 ext 3.4 ATR · ✂️ took EQH +1 24248.6 · 24162.4

3. ⚪ USDCHF · 📈 10 runs · 🎯 TP1 60% · 🎯 TP2 40% · 🛑 SL 20% · Σ +0.8R · 🧭 BULL · reclaimed · NY · 💧 liquidity ↑ +LRLR 0.6 ATR · ⚡ no climax today · 0.83353

📈 watchlist · 71 runs · 🎯 TP1 55% · 🎯 TP2 34% · 🛑 SL 23% · Σ +2.9R
🧭 bias with · 21 of 35 TP1 | against · 18 of 36 TP1
⚡ today · 3 climaxes · 0 at TP1 or beyond · 1 stopped

15:03

A line reads in the same order as the table: the symbol, its record (📈 runs, 🎯 TP1 / TP2, 🛑 stops, Σ R; `· young` behind it while a symbol has fewer than `Min Entries`), the day (🧭 bias, state, clock), then the setup — ⚡ direction and reading, entry, stop and targets with TP1's distance in R in brackets, status, ⏰ time, 🚧 extension, ✂️ `took …` when its climax took something — and the price last. A line without a setup carries 💧 `liquidity …`, the nearest open level, and ⚡ `no climax today`. The targets lie on the symbol's tick grid, rounded away from the entry — up for a long, down for a short: a level at 91.56725 becomes `TP1 91.568` on a long. In Telegram every symbol links to its chart. The report closes with three footer lines for the whole watchlist: 📈 its record, 🧭 the fades with and against the bias, ⚡ today's climaxes and how many already reached TP1 or were stopped.

`Entries & Results` (on) sends every fade the moment its candle closes and its result later, in the screeners' compact format (the same in all three screeners). All events of one candle go out as one message, set apart by a blank line, in the order of the table's ranking:

R3M Alerts
⚡ **clx screener v10.24c · 3m → 10m+5m · London 14:51**
🆕 · 🟢 XAUUSD · ⚡ climax ▲ · 🧭 BEAR · rev · NY
🟢 · LONG 4087.61 · SL 4045.09 · TP1 4134.44 (1.1R) · TP2 4149.24 (1.4R) · ⚡ exhausted break
⚖️ against the bias · 2.9σ · 📈 10 runs · 🎯 TP1 70%

14:54

R3M Alerts
⚡ **clx screener v10.24c · 3m → 10m+5m · London 15:27**
✅ · XAUUSD · LONG 4087.61 TP1 Hit 4134.44 (+1.1R) · TP2 4149.24 ahead.

🛑 · US500 · SHORT 6731.4 Stopped at 6744.9 (-1.14R) · SL 6743.2.

15:30

An entry reads in three lines, as the tooltips do. First the colour of its side, the symbol, ⚡ `climax ▲` or `▼` and the 🧭 day (working direction, state, clock). Then the trade: side, entry, `SL`, the targets with their R and the ⚡ reading. Then ⚖️ the facts: `with the bias` or `against the bias`, the σ distance from the

VWAP, `· vol ×1.8` from 1.5× volume, `· ✂️ took …` when the climax took an LRLR, HRLR or equal level, and the symbol's record at the end (📈 runs, 🎯 TP1). A result stays one line. It names side and entry, then `TP1 Hit`, `TP2 Hit` or `Stopped at` with the price and its R — a stop fires on a chart close beyond the stop and books that close, followed by the stop level (`· SL …`). The archive reads these lines as trades.

| Emoji | Meaning |
|---|---|
| 📊🆕 | Report · entry |
| ⚖️ | The entry's facts: with / against the bias, σ, volume, what it took, the record |
| 🟢🔴⚪ | Long setup · short setup · no setup today |
| 📈🎯🛑 SL Σ | Runs · TP1 / TP2 rate · stop rate · Σ R |
| 🧭 | The day: working direction, state, clock — in the footer the split with / against the bias |
| ⚡⏰🚧 | Reading · time of the setup · extension — in the footer today's climaxes |
| ⏳✅🏆🛑💤 | Live · TP1 Hit · TP2 Hit · Stopped · Expired |
| ✂️💧 | What the climax took · the nearest open level |
| 🧪❤ | Test report · heartbeat |

**TIP** **Three rules for the alert**

First: after every change to the script, delete the alert and create it again. Second: reports and entries fire only on real-time candles. Each event goes out once — on its candle's close, or one candle late when the symbol's candle closed after the chart's —, and a report goes out from its time for two hours: if TradingView restarts an alert or you create it after the report time, the day's report still goes out on the next candle close inside that window; after that, it is skipped. The day is the calendar day on the `Display Time Zone`. Third: to test the chain there are `Send A Test Report On The Next Bar Close` (one-off, `🧪 test · …`) and `Heartbeat Every Bar Close (Diagnostics)` (one `♥ alive · 10/10 symbols with data · bar 14:51` message per candle) — switch both off again after the test. Report and heartbeat go out at most once per candle.

## Reading the record against its chance

Do the climax fades work? The screener answers in two places. The rows rank the symbols by their fades — read them as a tendency, the numbers per symbol are small. The whole watchlist is the larger sample: the report's footer counts it, and since every report stays in the Telegram history, it keeps a log beyond the loaded candles too. The yardstick sits in the tooltips — the `runs`, `with` and `against` headers for the whole watchlist, each row for its symbol:

```
The whole watchlist · 72 runs · TP1 54% (chance 41%) · SL 22%
🧭 with the bias · 21 of 35 TP1 (chance 37%) · SL 17% | against · 18 of 37 TP1 (chance 45%) · SL 27%
```

Every TP1 rate stands next to its chance — in this guide 🎲, in the tooltips the word `chance`: how often TP1 would come before the stop on distance alone, risk ÷ (risk + distance to TP1), averaged over the fades counted. TP1 one risk away gives 🎲 50 %, TP1 at 2R gives 🎲 33 %. The rule of thumb:

- ✅ **TP1 rate clearly above 🎲:** the setup brings something.
- ➖ **TP1 rate about at 🎲:** no edge — the fade reaches its target only as often as its distance says.
- ⏳ **Fewer than 30 fades:** not decided yet, keep collecting.

In the example: with the bias 21 of 35 (60 %) against 🎲 37 % — an edge. Against the bias 49 % against 🎲 45 % — little more than the distance. The row tooltips add a third split, the fades whose climax took a PDH / PDL ±25 % or ±50 % projection ( `🎯 at PDH / PDL ±25 / 50%` ) — with few fades per symbol, read it only over weeks.

SECTION 17

# 17 Reading a day

This is what a complete run looks like — the gold day from the figures, on the London clock with the New York handover.

| Time | What happens |
|---|---|
| **18:00 (previous day)** | The day begins. climax reads the completed previous-day candle — bullish —, sets the bias BULL and draws 25 %, 50 % and the projections PDH +25 % / +50 %. The status readout: `PD BULLISH · Bias BULL · 210m Intact`. |
| **Night** | A 210m candle closes below the 25 %. On both clocks the close falls into the overnight window. Working direction BEAR, the projections jump to PDL −25 % / −50 %, the readout flips to `BULL → BEAR · 25% Broken`. Nothing is drawn and no message goes out for it — the next message's situation line reads 🧭 `BEAR · Reversal · London`. |
| **08:00 London** | The London reading is locked in: `BULL → BEAR · 25% Broken · Reversal`. No climax so far, `No Climax Entry Yet`. |
| **14:00 (= 08:00 New York)** | The handover. `◑ NY` below the candle, the status readout switches to `▸ New York ·`. The New York reading reads the same break — both clocks agree. The handover rides along: the next message carries 🔄 `NY on duty`. |
| **14:50** | The 10m candle 14:40–14:50 falls to 4066.35, below PDL −25 %, and closes at 4087.61 in its upper half: 2.3× the 10m ATR, 2.9σ below the VWAP. On the first 3m candle of the next 10m period climax judges it — the 10m prints, so the 5m does not need to stand in: a climax through the 25 % of the flipped day — `exhausted break`. `ϟ` below the candle. No climax message of its own — the climax opens the entry message. |
| **14:51** | The entry: long at 4087.61. The climax extreme lies 21.26 below, so with `Stop Room ×` 2.0 the stop sits at 4045.09, risk 42.52. Ahead of the entry lie the 50 % (4134.44) and the 25 % (4149.24) — the fade runs against the working direction, the projections are out. TP1 1.1 R, TP2 1.45 R. The checklist: At A Level, Strong Rejection, Decision Session and VWAP Stretch ✓; Working Direction, A+ Bias, Volume, Wide Bar, Clear Targets and Liquidity Swept ×. At the candle's close the alert goes out — the read `⚡ climax exhausted break ▲ · against the bias BEAR Reversal · 2.9σ`, the trade line 🟢 `⚡CLIMAX LONG 4087.61 · SL 4045.09 · TP1 4134.44 (1.1R) · TP2 4149.24 (1.4R) · exhausted break` and the ⚖️ line with the gaps at TP1 and TP2 and 💧 `In Path +LRLR 4120.5` (section 15), the same text as the mark's tooltip. |
| **Afternoon** | Price runs back to the VWAP and above it; the checklist shows `Status · Live ●` and `Bias Now · BEAR · Reversal · New York ✗` — the day still stands against the trade. At 15:27 a wick touches the 50 %: ✅ `· CLIMAX LONG TP1 Hit 4134.44 (+1.1R) · TP2 4149.24 ahead.` goes out on its own, and from now on the status can only advance. |
| **18:00** | The day ends. An entry that has not touched TP1 by then becomes `Expired`; this one stays `TP1 Hit`. The scoreboard counts the exhausted break as confirmed if the last 210m close was back above the 25 %, and the entry as a TP1 hit. The next day begins with the first line. |

> **NOTE** **The most honest observation first**
>
> On many days there is no climax. A candle twice as wide as usual, at a new day extreme, with a close in the opposite half — on the 10m that is perhaps ten to fifteen days a month, and half of those without a level. No entry is the normal case, and the reason the scoreboard needs weeks before it says anything.

SECTION 18

# 18 What the chart does not show

The bookkeeping behind the display: deadlines, precedences and re-checks that climax handles in the background. Ten of them — they explain most of the moments when the display says something different from price.

→ 1 · An HTF candle is judged exactly once 53
→ 2 · The day keeps the most telling climax 53
→ 3 · Stop on close, target on touch — and after TP1 only forwards 53
→ 4 · One trade at a time 53
→ 5 · The checklist is a snapshot 54
→ 6 · The scoreboard reads without the overnight lock 54
→ 7 · The controls are half the statement 54
→ 8 · Alerts fire on real-time candles, history counts 54
→ 9 · Liquidity Swept reads the whole climax bar 54
→ 10 · Touched or beyond 54

## 1 · An HTF candle is judged exactly once

On the 3m chart the climax is a 10m candle. It is not read while it is running, but on the first 3m candle after its close — and against the day extreme as it stood at that close, built from the 10m candles themselves. That is why the mark sits in the middle of the 10m candle, and why the entry's time says 14:51 when the candle closed at 14:50: the first 3m candle of the new 10m period is the one the decision is made on. History and real time read the same candle that way.

## 2 · The day keeps the most telling climax

For the status readout and the scoreboard one climax per day counts: a reading at the 25 % or at the projection displaces one at the mere day extreme; after that the first one stays. Mark and entry go to every climax. A day can therefore stand in the scoreboard as 25% defended and still have an entry from a later day extreme, if the first one was stopped out.

## 3 · Stop on close, target on touch — and after TP1 only forwards

The stop needs a chart close beyond the stop — `Stop Room ×` beyond the climax extreme; a wick is not enough. The targets need only the touch. And once TP1 is touched, the status cannot go back: a later close through the stop does not turn `TP1 Hit` into `Stopped`. The reading behind it is the partially secured trade — the scoreboard counts it as a TP1 hit, not as a loss.

## 4 · One trade at a time

There is only ever one running trade. With `One Entry Per Day` off (the default) every climax that passes the gate is an entry, and a newer one replaces the live trade: the checklist, the readout and the status alerts follow the new one, the old one sends no result, and its mark keeps its stop and TP stubs with `Replaced by a newer entry` on top of its tooltip. The scoreboard counts it as an entry with what it had

reached until then. With the switch on, it means one slot per day: if the entry is stopped out, the slot is free, and the next climax may. Two entries on one day are then possible — two at the same time are not. An entry that has reached TP1 occupies the slot until the end of the day.

## 5 · The checklist is a snapshot

The rows are read at the moment of the entry: the bias as it stood then, the session, the σ distance, the volume. None of it is changed afterwards. If the day flips later, the `Bias Now` line shows it — the rows stay what they were, so you can still see what the setup looked like when it fired.

## 6 · The scoreboard reads without the overnight lock

The bias may break only at night. The scoreboard, however, checks its defences the whole day: ✓ means no 210m close through the 25 % for the rest of the day, whatever the hour. A defence at 11:00 that is closed through at 16:00 has failed in the scoreboard and is a trap — in the status readout the bias is still intact, because the close fell after 08:00. Both are right; they answer different questions.

## 7 · The controls are half the statement

75 % confirmed defences mean nothing if an ordinary touch of the 25 % holds just as often. The first control counts exactly that. And 90 % retrace after a climax means nothing if an equally wide momentum candle retraces just as often — the second control counts that. Only the gap between climax row and control is the information.

## 8 · Alerts fire on real-time candles, history counts

When an alert is created, TradingView computes through the history — without sending. Climaxes, entries and targets that already lie there never appear as a message; only what happens afterwards on a real-time candle does. The scoreboard, by contrast, counts both, and it counts from scratch on every reload of the chart — with `calc_bars_count = 10000` always over the same span.

## 9 · Liquidity Swept reads the whole climax bar

On a higher climax timeframe every level run anywhere inside that candle's span — from its open to the next candle's open — counts, on the side of its extreme, not only the chart candle that printed the extreme. And with ↳ `Session & 8–9 Levels Count` the session and 8–9 levels count even when they are not drawn, so the row does not depend on the display switches.

## 10 · Touched or beyond

An LRLR or equal level is run on the touch. A session or 8–9 level is taken only when price trades beyond it — as in bias·. An untaken 8–9 level expires at the next 08:00 of its clock; a taken session or 8–9 level drops a day after the sweep; at most 72 of them are kept.

SECTION 19

# 19 Common mistakes

The complaints that come in most often — and what is really going on in each case.

| Mistake | What is really going on |
|---|---|
| **“There is never a climax.”** | Usually the timeframe: on `MTF` and `Auto` the climax is read on higher timeframes, and there twice the ATR width at a day extreme is rare — that is the idea. If you want to see more, set `Climax Timeframe` to `Chart` or lower `Climax Bar (× ATR)` — and watch the scoreboard. |
| **“The climax is there, but no entry.”** | One of three: a doji day (no levels), `Entry Gate` excludes it, or — only with `One Entry Per Day` switched on — the slot is taken (an entry with TP1 Hit holds it until the end of the day). Neither the mark nor the readout names the reason — check the three in this order. The checklist never keeps a trade off. |
| **“A live trade never sent its result.”** | A newer climax replaced it ( `One Entry Per Day` off, the default): only the newest trade is followed. Its mark says `Replaced by a newer entry` . Switch `One Entry Per Day` on if you want the first trade of the day to run out. |
| **“The climax is there, but no message.”** | A climax without an entry is a passenger: it rides along as ⚡ `exhausted break 2.3× ATR` in the next message with an entry or liquidity at an extreme. |
| **“The mark does not sit on the candle.”** | With a higher climax timeframe it sits at the middle in time of the HTF candle, which consists of several chart candles. The entry time is the first chart candle after its close. |
| **“Volume is always ×.”** | Tick volume on CFDs. 1.5× almost never hits there; 1.2–1.3 is the honest threshold. |
| **“VWAP Stretch is always ✓.”** | Two sigma is the normal case for a climax on many markets. Threshold to 2.5 or 3, or switch the row off. |
| **“The checklist no longer matches the chart.”** | It is a snapshot from the entry (section 18). What has changed is in `Bias Now` . |
| **“Stopped, although the wick was only briefly below.”** | Then it was not a wick but a chart close beyond the stop. On the 3m chart the 3m candle decides — on the screener's chart likewise. The result line says at which close ( `Stopped at …` ). |
| **“The status readout says intact, the scoreboard counts a trap.”** | Both are right: the bias breaks only at night, the scoreboard checks defences the whole day (section 18). |
| **“equinox and climax disagree on the bias.”** | Almost always a different `First Session Clock` in one of the two — or a tooltip read at a different time. Align the clock. |
| **“The screener shows different numbers from climax.”** | Different settings (clock, Climax Timeframe, Entry / Setup Gate, `Stop Room ×` , the LRLR settings of screener group 3 against climax group 7, `Session & 8–9 Levels Count` ) or a different chart timeframe. Put both on the same chart timeframe and the same switches. One difference stays: climax takes the previous day from the daily series, the screener builds it from the symbol's chart bars — where the two disagree, so do the levels. |

| Mistake | What is really going on |
|---|---|
| **“My alert arrives as JSON text.”** | `Message Format` is set to Telegram by default. For TradingView's own notifications switch to Plain Text. |
| **“The tap messages never come.”** | The first taps have no message of their own: they are counted in the 🧭 line, `👉 2↓ 1↑` (alert switch `◻ First Tap`), and in the entry's ⚖️ line. Passengers ride along and only go out in the 🧭 line of the next driver (`Ride With`); if you want them on their own, switch `Passengers Ride Along` off — climaxes without an entry, the handover, liquidity away from an extreme, divergences and new gaps. |
| **“Liquidity Swept is never ✓.”** | `LRLR · Low Resistance Liquidity` (group 7) is off — then the row is not shown at all — or no level was open on the side of the climax extreme. Session levels need a chart timeframe that divides the 7-hour grid. |
| **“I get no bias alerts any more.”** | climax sends no message for a 25 % break or reclaim. Every message's 🧭 line shows the reading on duty, and the readout and `Bias Now` show it on the chart. The handover rides along (`👀 Handover`, on). |
| **“There are no session levels.”** | The chart timeframe does not divide the 7-hour grid. (The 8–9 range does not need it.) |
| **“Nothing comes any more after saving the script.”** | The alert computes with the old version. Delete and create it again. |

SECTION 20

# 20 Glossary

The terms the guide uses without explaining them again — one line each.

| Term | Meaning |
|---|---|
| **A+ setup** | A day whose 25 % level has never been broken on a closing basis. |
| **ATR** | Average True Range over 14 candles — the unit in which width, extension and gap proximity are measured, each on the timeframe it is read on. |
| **Bias** | The underlying direction of the day, taken from the previous-day candle. |
| **Bias Now** | The checklist line that holds the working direction now against the trade — as opposed to the rows below it, which are a snapshot. |
| **Climax · ϟ** | Raschke's P3 bar: a candle of at least twice the ATR width at a new day extreme that closes in its opposite half. |
| **Checklist** | Eleven facts about a setup, ✓ or ×, read at the entry. They describe; they gate nothing. |
| **Climax timeframe** | The candle size the climax is read on — by default `MTF` : a higher timeframe matched to the chart and the step below it (10m + 5m on the 3m and the 5m chart, 15m + 10m on the 10m chart). |
| **Decision session** | 08:00–15:00 on the clock on duty. |
| **Driver** | An alert line that sends on its own: the entry, TP / stop (alone, without passengers), and a clean LRLR formed or run at an extreme or on a named level. The entry and a liquidity driver take all passengers along. |
| **EQH / EQL** | Equal highs / lows: two swings in a row within `Tolerance (Ticks)` (10). |
| **Exhausted break** | A climax through the 25 % with a weak close: the break stands, the run is exhausted. |
| **Extension** | O'Neil's reading: the distance of the climax extreme from the SMA 50 of the climax timeframe, in ATR. |
| **Fade** | The trade against the extreme of the climax bar, in the direction of its close. |
| **First tap · ☐** | The first touch of a live gap, per gap and direction (👉 gauge in the 🧭 line). |
| **FVG · HTF FVG** | Fair value gap, a three-candle gap; HTF = on a higher timeframe. |
| **Handover** | The second clock takes over the decision session from its 08:00 until 18:00; the ▸ in the status readout and the ◑ NY below the candle show it. |
| **HRLR** | High-resistance liquidity: by default a turtle-soup level — a swing run by a wick that closed back, then displaced through the last opposite swing; otherwise an LRLR whose liquidity sits behind an open FVG of the opposing side. Still liquidity, but defended; ◎ = it became the draw. |
| **In path** | Open liquidity between the entry and the farthest target, on the side the trade runs to ( 💧 `In Path` in the ⚖️ line). |
| **Liquidity Swept** | The eleventh checklist row: the climax bar ran an open liquidity level on the side of its extreme. |

| Term | Meaning |
|---|---|
| **LRLR** | Low-resistance liquidity run: lower highs with no open bearish FVG between them (+LRLR, liquidity above) or higher lows with no open bullish FVG (-LRLR, below). |
| **NDOG / NWOG** | New day / new week opening gap — the gap between a close and the next open. |
| **Order flow** | In a bullish working direction the highs are the targets, in a bearish one the lows; the liquidity tooltips and the liquidity messages say with or against order flow. |
| **Passengers** | ⚡ climax without an entry, 🔄 handover, 🧲 / ✂️ EQH / EQL, HRLR and liquidity away from an extreme, ✂️ session levels taken, 〽️ divergences, 🕳️ new gaps — joined to the 🧭 situation line of the next driver. |
| **PD · PDH · PDL** | Previous day — the day before, its high and its low. |
| **Projection** | PDH +25 % / +50 % or PDL −25 % / −50 % — a quarter and half of the previous-day range beyond the extreme in the working direction. |
| **Pro / contra · ⚖️** | The third paragraph of an entry's tooltip and message: the facts of the setup with their values, `(with)` or `(against)` the trade where they take a side. |
| **R** | The entry–stop distance as a unit; TP1 1.1R lies 1.1 risks away. Results carry their R, a stop at the close it fired on. |
| **Reading (kind)** | Where a climax was read: 25% defended, exhausted break, at the projection, day extreme. |
| **Record** | A symbol's tally in the screener: runs, TP1, TP2, stops. |
| **Rolling VWAP** | The volume-weighted average over a moving time window that is never reset; `Day (Anchored)` resets it every day instead. |
| **Std dev ladder** | Dotted steps 1 · 2 · 2.5 · 3 · 4 · 4.5 × the entry leg ahead of a live entry, measured from the leg's middle. |
| **Stop Room** | How far beyond the climax extreme the stop sits: `Stop Room ×` times the entry–extreme distance, 2.0 by default. |
| **Session clock** | London (Berlin hours), New York or Asia (Tokyo) — the clock whose 18:00–08:00 validates the bias. The second is the next in the cycle. |
| **Session liquidity · .H / .L** | The high / low of a completed 7-hour block of the first clock, tagged M/D ASIA / LON / NY .H / .L. |
| **Situation line · 🧭** | The first line of a message: working direction on duty, its state and clock, 💠 210m while the quarters are live, the 👉 tap gauge, then the passengers. |
| **Trap · ϟ×** | A defence of the 25 % that was closed through later in the day after all. |
| **Z-score · σ** | The distance from the VWAP in standard deviations of its window (or of the day). |
| **8–9 range** | The 08:00–09:00 high / low of each clock, drawn to the 10:30 cutoff; liquidity until taken or the next 08:00. |
| **210m** | The bias's confirmation resolution. One third of the 7h block. |
| **210m signature quarters · ◇** | The 25 % / 50 % of a 210m reversal signature that rejected the daily 25 %. |

**IMPORTANT** **One last thing**

No indicator creates an edge. climax does the counting for you and records what the market did — and what became of the fades. Trade it on paper or in a demo account first, until you can read the checklist and the scoreboard without this guide open beside you.

SECTION 21

# 21 Ten sentences that replace the rest

Once you have read the guide and later only want to look something up — this is the short version.

1. **The bias provides the levels, the climax is the event, the fade the consequence.**
   No levels, no entry — on a doji day there is only a mark.
2. **A climax is twice the width, a new day extreme, a close in the opposite half.**
   Read on the climax timeframe, exactly once, after its close.
3. **Four readings, one order of precedence.**
   25 % defended beats exhausted break beats projection beats day extreme — the day keeps the most telling one.
4. **Entry at the close, stop beyond the extreme, targets at the next quarters.**
   With the day as far as the projection, against it only as far as the 25 % — the stop twice as far as the extreme.
5. **Stop on close, target on touch, after TP1 only forwards.**
   A wick through the extreme is what a climax leaves behind — not a retraction.
6. **The checklist is a snapshot, Bias Now is the situation.**
   The rows are read at the entry, never changed afterwards — and they gate nothing.
7. **The scoreboard without controls is half the truth.**
   Defences must beat the ordinary touch, retraces the momentum candle.
8. **Twenty days are a tendency, not a statistic.**
   Read the edges, not the middle — and read them over weeks.
9. **Simple is the view for trading, Full the one for reviewing.**
   All three compute the same.
10. **The indicator counts, you decide.**
    climax measures what the market did. What follows from it is not on the chart.

R 3 M

# climax·

Climax · VWAP · Liquidity · Entries

**R3M** · climax· and clx·screener· for TradingView (Pine Script v6) · Edition October 2026

Concepts: daily bias from the Essence Model (rytrades), the climax bar from Linda Raschke's trading rules, the extension read from William O'Neil's climax-top rules. This guide explains a tool; it is not financial advice.