
R3M



08:00 FREEZE

GUIDE

lava·

Value Area · Acceptance · Liquidity Ladder

EDITION	PLATFORM	SCRIPTS
October 2026	TradingView · Pine Script v6	lava· · lava·screener·

LAVA· GUIDE

Contents

01 **What lava does** 3
Where business was done, and where it goes next

02 **Quick start** 5
Three checks, then let it run

03 **The map** 6
Value area, nodes, the ladder's rungs

04 **The LVA** 9
Break, acceptance, entry, stop

05 **The target ladder** 11
TP1 on a real level, TP2 one rung on

06 **Auction Failed** 14
When the acceptance does not hold, the other way

07 **Tags and checklist** 16
What the entry carried, fact by fact

08 **The scoreboard** 19
Every entry counted

09 **The status readout and the views** 20
Up to twelve lines, top centre

10 **The liquidity** 22
Runs, equal levels, the draw, the sessions

11 **Everything on the chart** 24
A legend from top to bottom

12 **The settings** 25
Ten groups, every input with its default

13 **Setting up alerts** 30
One message per bar, entries and results

14 **The screener · lava·screener·** 33
Ten symbols, one alert, one ranking

15 **The evidence** 38
What the replay showed, and what is switched off

16 **What the chart does not show** 40
Rules behind the display

IMPORTANT **This guide explains a tool, not a trading strategy**

lava (R3M) measures and names what the market has already done. It does not predict what it will do. Every number in this guide is a default, not a law. The defaults come from replays on twelve Pepperstone symbols over about ten weeks — a sample, not a proof, and not optimised for your market. None of it is investment advice. The scoreboard counts your history; the Saturday report and the live forward test decide what holds.

SECTION 1

01 What lava does

lava reads the morning's auction and trades the moment price leaves it for good. It freezes the day's value area at 08:00, waits for London to accept a break of it, and aims the trade at the next place where business was done or where orders rest. When that acceptance fails instead, it takes the trade the other way.

→ The one core idea 3
→ What sets lava apart 4
→ What you need 4

Question	The indicator's answer	When
1 · Where was business done?	The **map**: the day's volume profile frozen at 08:00 Berlin — POC, VAH, VAL, high and low volume nodes — plus the previous day's value area, PDH / PDL, the previous week's high / low, the PD 25 % / 50 %, the projections, the 8–9 range, the VWAP and the open liquidity.	From the freeze at 08:00
2 · Has price left it for good?	The **LVA** — London Value Acceptance: a close beyond the frozen VAH or VAL, and two more closes beyond it. The entry is the last of them, stop back inside.	09:00–11:00 on the London clock, once a day
3 · Where does it go?	The **liquidity ladder**: TP1 on the nearest real level at least 1R and at most 3R away, TP2 on the next one at least 1R beyond. Half comes out at TP1, the rest rides until the VWAP turns. Plus the **checklist** of plain facts and the **scoreboard**, which says how such trades have run on this market so far.	With the entry, then live until the exit or the end of the day
4 · And if it fails?	**Auction Failed**: the VWAP turns against the LVA before its TP1 — lava takes the trade the other way, on the same ladder.	Indices and oil, once a day

The indicator does not trade on its own and gives no buy or sell recommendation. It draws the map, names the trade, keeps a checklist and counts. The decision stays with you.

The one core idea

> **NOTE** **Value is where the market agreed. Acceptance is where it agrees next.**
>
> Auction market theory reads a session as a search for a fair price. The value area — the range in which about 70 % of the volume traded — is where buyers and sellers agreed. As long as price rotates inside it, nothing has been decided. When price closes outside it and *stays* there for a few bars, the market has accepted a new price: the old agreement is over, and price tends to travel to the next place where it will find business (a node, a POC, a prior value area) or resting orders (a run of highs or lows). lava trades exactly that journey — and only from the first, cleanest acceptance of the morning. When the new price is rejected after all, the auction has failed, and the journey runs the other way.

What sets lava apart

equinox reads the day from the previous candle's bias, climax fades the exhausted extreme. lava asks a third question that neither asks: did the market leave the morning's value and accept the new price? It is the third workhorse next to equinox and climax, with its own trigger, its own stop logic and its own targets. Its liquidity engine is the one climax and lrlr· run (low-resistance runs, equal highs and lows, turtle-soup HRLR), copied verbatim, and its rolling VWAP and its climax bar are climax's.

What you need

- A chart with volume. On CFDs this is tick volume — enough for the profile, since only the shape matters.
- A 3-minute chart for the defaults (the replay ran on 3m). Any minute chart up to 1 hour works; the 1st presented FVG is always read on 1-minute data.
- The London morning: the value area freezes at 08:00 Berlin, entries run 09:00–11:00 Berlin. New York can run the same model on its own hours (section 4).
- For a whole watchlist on one alert: lava·screener· (section 14).

SECTION 2

02 Quick start

→ Step 1 · Put it on a 3m chart 5
→ Step 2 · Check the freeze 5
→ Step 3 · Pick the view 5
→ What you see on the first morning 5

Step 1 · Put it on a 3m chart

Add lava· to a 3-minute chart of a market that trades in the London morning — an index, an FX pair, gold. Leave the defaults. They are lava v0.2 with what came after it: value area acceptance only, the London clock, the window 09:00–11:00, TP1 at most 3R, the Lean target ladder, half out at TP1 with the runner on the VWAP colour, and Auction Failed on indices and oil.

Step 2 · Check the freeze

At 08:00 Berlin the solid `VAH`, `VAL` and `POC` lines appear, with the nodes (`HVN` solid and thicker, `LVN` dashed). From now on they do not move. If no lines appear, the chart has no bars before 08:00 on that day (the freeze only arms after a bar before it) or `Draw Value Areas & Nodes` is off. Without volume every bar counts as one, so the profile becomes a time profile.

Step 3 · Pick the view

`View` in group 5d decides how much the status readout and the checklist show: Simple (the default: what you need to act), Standard (plus context) or Full (everything). Section 9 shows all three.

What you see on the first morning

Dotted lines from the day's start: the previous day's value area (`PD VAH`, `PD VAL`, `PD POC`) and, with the extra rungs on, `PWH` / `PWL`, `25%` / `50%` and the projections `PDH +25%` … `PDL -50%`. Dotted session lines with tags like `10/21 ASIA.H`, and the liquidity tags `+LRLR`, `EQL`, `-HRLR`. At 08:00 the frozen value area. At 09:00 the dashed `LON 8-9.H` / `.L`. Shortly after 09:00, if one prints, the 1st presented FVG with its tag `1st +FVG` or `1st -FVG`. Then, on an acceptance, the mark `▲ lava` below the bar (`▼ lava` above for a short), a dotted stop line and the two target lines with `TP1 1.8R` and `TP2 4.1R`. On an index, if the acceptance fails, later `▼ AF` or `▲ AF` with its own stop and targets.

SECTION 3

03 The map

lava draws the places where business was done before it trades anything. The frozen value area is the level the trigger reads; everything else on the map is a rung of the target ladder or context for the tags.

→ The frozen value area 6
→ Nodes 6
→ The previous day 6
→ The New York value area 6
→ The extra rungs 7
→ The 8–9 range 7
→ The VWAP 7
→ The 1st presented FVG 7

The frozen value area

lava builds the day's volume profile from every bar since the day began: each bar's volume is spread evenly over the price rows its range covers (`Rows` , 101). The **POC** is the row with the most volume. The **value area** grows from the POC towards the heavier neighbour row until it holds `Value Area (%)` of the day's volume (70). Its edges are **VAH** and **VAL**.

At `Freeze At` (08:00, Europe/Berlin) the profile stops counting. Only the bars before the freeze count, so nothing after it can move the levels the trigger reads. The lines run 16 hours from the freeze.

Nodes

A **high volume node** (`HVN`) is a row that is the highest within `Node Neighbour Rows` (3) on both sides, holds at least `HVN At Least (% Of POC)` (60 %) of the POC row, and stands out from its neighbours by `Node Prominence` (1.5×). It is where business was done — a magnet that slows price. A **low volume node** (`LVN`) is the mirror: a valley below 35 % of the POC that price passed through rather than traded. Price tends to run across it. At most `Nodes Per Kind` (3) of each are kept, the clearest first.

The previous day

At the day's start the previous day's whole profile is read the same way: `PD VAH` , `PD VAL` , `PD POC` and its nodes. They are rungs of the ladder, and the entry is tagged by where it fired — `inside PD VA` or `outside PD VA` .

The New York value area

When the New York clock trades (`Clocks` London + New York or New York, section 4), it gets a profile of its own, frozen at the same clock time on New York hours — 08:00 New York, 14:00 Berlin. `New York Value Area` decides which bars it holds: `From 01:00 New York` (the default: the seven hours be-

fore its freeze, as London's morning), `Since London Freeze` (the London session's value), `Whole Day` (every bar of the day so far) or `Off` (New York reads the value area frozen in the morning). It is drawn as `NY VAH`, `NY VAL`, `NY POC`, `NY HVN`, `NY LVN`, and its levels are rungs of the ladder for both clocks.

The extra rungs

With `Targets · PWH / PWL, 25% / 50%, Projections` on (default), the ladder gets more rungs so a target lands on a real level instead of far away in nowhere:

Rung	What it is
PDH / PDL	The previous day's high and low (always on).
PWH / PWL	The previous week's high and low.
25% / 50%	The PD quarter levels as in equinox and climax: from the previous day's close towards the extreme it left.
PDH +25% / +50%, PDL −25% / −50%	The projections of the previous day's range.

↳ `Draw` draws them as dotted lines (with `Draw Value Areas & Nodes` on); switched off, they still count as targets.

The 8–9 range

The high and low of 08:00–09:00 Berlin, drawn dashed from 09:00 as `LON 8-9.H` / `.L`. The New York clock's own range, 08:00–09:00 New York (14:00–15:00 Berlin), is drawn the same way as `NY 8-9.H` / `.L` and stays until the next New York 08:00 — so during the London morning it is yesterday's. Both are target rungs and context, not triggers (section 15). The LVA window opens at 09:00, once the 8–9 range of its clock is complete — or at 08:00 with the Early Window (section 4).

The VWAP

The rolling VWAP of climax: a window of constant length carried along with price (about sixty bars of the chart), never reset, with three band pairs at 0.5, 1 and 2 standard deviations. ↳ `Type` switches to `Day (Anchored)`: it starts fresh with every new day and grows through it.

The midline colours by the side price is on: a candle fully above it (its low above the line) shows the up colour, a candle fully below it the down colour, a candle touching it grey. That colour is more than decoration. The VWAP runner (section 5) closes on it, Auction Failed fires on it (section 6), and the gate option `With VWAP Colour` reads it. The entry is tagged `VWAP with` or `VWAP against`.

The 1st presented FVG

The first 1-minute fair value gap after the London open, its middle candle 09:01–11:30 Berlin, one per day — read on 1-minute data whatever the chart timeframe. It is drawn as long as the value area lines: distal and proximal dotted, the C.E. (its middle) fainter, a faint fill and the tag `1st +FVG` or `1st -FVG`. A close through

its far side turns it into an iFVG with the opposite direction (`1st +iFVG` / `1st -iFVG`). When the New York clock trades, New York gets its own: the first gap after 09:00 New York, its middle candle 09:01–11:30 New York, tagged `NY 1st +FVG` / `NY 1st -FVG` , and a New York entry is tagged by that one.

It is not a trigger. It tells the entry what the first displacement of the London open did: an LVA *against* the 1st FVG's birth direction — the first gap was the Judas move, the acceptance runs the other way — paid clearly more in the replay than one along it.

SECTION 4

04 The LVA

The LVA is one trade a day per clock: a break of the frozen value area that the market accepts. Everything about it — the break, the closes that make the acceptance, the stop behind the pullback — is read on closes, never on wicks.

→ The break 9
→ The acceptance 9
→ The stop 9
→ One a day, one at a time 10
→ The New York clock 10
→ What is switched off 10

The break

From `Window` (09:00) until `→` (11:00) on the London clock (Berlin hours), every close is checked against the frozen VAH and VAL. A close more than `Break Buffer (× ATR)` (0.1 ATR(14)) beyond an edge starts a **break**. From then on lava follows two numbers: the furthest price beyond the level, and the deepest pullback towards it.

With the window set to 08:00 (the Early Window), lava reads the value area from the freeze on; the 8–9 range joins as a level at 09:00. It catches an acceptance at its edge rather than a hundred points later, but at 08:00 an acceptance right at the edge often finds no TP1 within 3R and uses up its break. So 09:00 stays the default.

The acceptance

The break becomes an **acceptance** when `↳ Acceptance · Closes Beyond` (2) further closes print beyond the level. The entry is the close of the last of them. A close back inside the value area before that ends the break; the next close beyond starts a new one.

> **TIP** **Why closes, not touches**
>
> One close outside the value area is a probe. Further closes beyond it, without a close back inside, mean the market is doing business at the new price. A wick beyond the edge counts for nothing.

The stop

The stop sits behind the pullback since the break, at least on the far side of the level, plus `Stop Buffer (× ATR)` (0.25). For a long: the lower of the deepest pullback and the VAH, minus a quarter ATR. It is never closer than `↳ Min Risk (× ATR)` (0.5 ATR) — a tighter stop is pushed out to that.

One a day, one at a time

One LVA entry per day and clock. While that clock's trade is live — before TP1, or after TP1 while the runner rides — no new one starts. An acceptance that gives no entry — no target in range (section 5), a live trade, the VWAP Gate — uses up only that break: a later break the same morning can still enter. An LVA skipped for Auction Failed (section 6) uses up the day's acceptance, as a taken one would.

The New York clock

`Clocks` decides which clocks trade: `London` (the default), `London + New York` or `New York`. New York is the London LVA one to one, on New York hours: its own value area frozen at 08:00 New York (section 3), its own 8–9 range, its own window (`Window` on New York hours, 09:00–11:00 New York by default), its own 1st FVG, one acceptance a day and a trade slot of its own beside London's — the two can be live at the same time. The entry is named `NY LVA New York Value Acceptance`, its alerts carry the session `New York`, and it has its own Auction Failed. The previous day's value area, the order flow and the ladder are shared. With `New York` alone, the tooltip times and the session liquidity blocks run on the New York clock too.

What is switched off

The model can do more, and the switches stay for the next replay: `Failed Breakout` (a close beyond that comes back inside within N bars — the 80 % rule, back into value), `Levels` `8-9 Range` or `Both` (the 8–9 range as the broken level), the New York clock and the `VWAP Gate`. In the replay none of them paid (section 15). The New York clock in its current one-to-one form has not had an export of its own yet.

SECTION 5

05 The target ladder

The ladder decides whether an acceptance is a trade at all: TP1 must sit on a real level within reach. The exit then decides how much of the move the trade keeps.

→ How TP1 and TP2 are chosen 11
→ The rungs 11
→ Target Ladder: Lean or v0.2 12
→ The exit 12
→ The trade's life 12
→ What is drawn 13

How TP1 and TP2 are chosen

At the entry lava collects every rung ahead in the trade's direction: the frozen nodes, POC and VA edges, the previous day's and New York's, the 8–9 ranges, PDH / PDL, the open EQH / EQL on that side and — with `Target Ladder` on v0.2 — the open LRLR and an HRLR that became the draw, plus, with the extra rungs, PWH / PWL, the PD 25 % (and 50 % on v0.2) and the projections.

- **TP1** is the nearest rung at least `TP1 At Least (R)` (1R) away.
- **No entry** if that rung is further than `TP1 At Most (R)` (3R). A target far away in nowhere rarely gets hit.
- **TP2** is the nearest rung at least 1R beyond TP1.

The message names the rung TP1 sits on: `accept·VA→8-9`, `→PD`, `→25%`, …

The rungs

Name in the message	Rung
`HVN`	a high volume node (today's frozen, the previous day's, New York's)
`POC`	a point of control
`VA`	a value area edge (today's, the previous day's, New York's)
`LRLR`	an open LRLR (v0.2 only)
`EQ`	an open EQH or EQL
`8-9`	an 8–9 high or low (London's, or the New York clock's last one)
`PD`	PDH / PDL
`draw`	an HRLR that became the draw (section 10, v0.2 only)
`PW`	PWH / PWL
`25% · 50%`	the PD quarter levels (the 50 % on v0.2 only)
`proj`	PDH / PDL ± 25 %

Name in the message	Rung
`proj50`	PDH / PDL ± 50 % (v0.2 only)

Some rungs paid better as TP1 than others in the first replay — the 25 %, the 8–9, PDH / PDL, PWH / PWL, the draw and the HVN. That is the checklist's fourth fact, `TP1 Rung` (section 7).

Target Ladder: Lean or v0.2

A target study on a second export (517 London VA acceptances, August 10 to October 20 2026, every level kind tested as the only target, net) sharpened the picture: the 8–9 range (Ø +0.53R) and EQH / EQL (+0.28R) paid most, PD VA, PDH / PDL and the PD 25 % held in both halves, LRLR flipped from +12R to −13R between the halves and the ±50 % projections lost in both. Volume nodes rarely sit ahead of an acceptance and did not stand out as targets. `Target Ladder` `Lean` leaves out LRLR, the draw, the PD 50 % and the ±50 % projections; in the study it was better in both halves and every month (+58.7R against +49.0R). The ±25 % projection stays on both: it was neutral overall (weak at 1–2R, positive at 2–3R), and leaving it out cost trades like the GER40 short of October 19 (+1.6R). A second export with the freeze at 09:00 agreed: Lean was ahead at both freeze times (08:00: +67.1R against +54.4R for v0.2, both halves; 09:00 was weaker for both, so the freeze stays at 08:00). These study numbers book a stop at −1R, so their level is optimistic (section 15); the comparison is what counts. Since October 20 2026 `Lean` is the default; `v0.2` keeps every rung.

The exit

`Exit` decides what happens at TP1:

Exit	At TP1	The rest
½ TP1 + VWAP Runner (default)	half out, the stop moves to the entry	rides until the VWAP turns its colour against it (a candle fully on the other side), until a close back through the entry, or until the day ends; TP2 is counted when touched, but does not close it
½ TP1 + TP2	half out, the stop moves to the entry	runs to TP2, or closes on a close back through the entry or at the day end
TP1 Full	everything out	TP2 is only tracked

The runner's close is a result of its own: `🏁 … Runner Closed` with its price, its R and the reason — `VWAP turned`, `break-even` (booked at the entry) or `day end` (the day's last close). In the replay half at TP1 with the VWAP runner beat the full exit clearly, in both halves (section 15).

The trade's life

State	When	Glyph
Live	from the entry	●
TP1 Hit	the high (long) touched TP1 — by touch, not by close; with a runner the trade stays live	◆
TP2 Hit	TP2 touched (½ TP1 + TP2, or TP1 Full), also straight from Live	◈

State	When	Glyph
Runner Closed	the runner closed: VWAP turned, break-even or day end	◈
Stopped	a close through the stop before TP1 — a wick does not stop	○
Expired	the day ended before a target	○

Stop on close, target on touch — as in equinox and climax. Because the stop fires on a close, the real exit often lies a little beyond the stop line, and the stop result says so: `Stopped at` the close it fired on, with its R. Every result line carries its R: `TP1 Hit 25488.5 (+1.78R)`.

What is drawn

`Draw Entries, Stops & Targets` (on): the mark `▲ lava` / `▼ lava` at the entry bar — its tooltip is the full alert text, followed by the pro / contra line of section 7 — a dotted stop line, and TP1 / TP2 as thick lines with their R (`TP1 1.8R`), each twelve bars long. Long and short take their own colour (white and dark grey by default); the stop stays neutral.

SECTION 6

06 Auction Failed

Not every acceptance holds. When the morning's first value-area acceptance has not reached its TP1 and price turns back through the VWAP, the market has rejected the new price: the auction failed. lava then takes the trade the other way, on the same ladder, with the same exit. `Auction Failed` is on by default for index CFDs, index futures and crude oil; the original LVA stays exactly as it is.

→ How it arms 14
→ How it fires 14
→ Stop, targets and exit 14
→ Straight to AF · the skip options 15
→ What is drawn and sent 15

How it arms

A clock's first value-area acceptance of the day arms one Auction Failed trade the other way — whether lava took it, the VWAP Gate turned it down, or one of the skip options below sent it straight here. An acceptance that found no TP1 in range arms nothing; a later one the same morning still can. One Auction Failed per clock and day, in a slot of its own: it never blocks the LVA, and the LVA never blocks it.

`Auction Failed` and its asset list sit in group 2: `Indices & Oil` (the default: index CFDs and futures, crude and Brent) or `All` (every symbol). On FX and metals it stays off by default — they swing back across their VWAP, and in the replay the trade the other way lost there in both halves.

How it fires

While it is armed, lava watches two things on every closed bar:

- **The LVA's TP1.** If price trades it first, the acceptance held: Auction Failed is cancelled for the day. For an LVA that was not taken, its TP1 is the one it would have had.
- **The VWAP colour.** The first candle fully on the other side of the VWAP — fully below it after a long LVA, fully above it after a short — fires the trade at that candle's close. This also holds after the LVA was stopped.

Stop, targets and exit

The stop is the LVA's extreme since its signal — for a failed long, the highest high since the LVA fired — never closer than `Min Risk` . TP1 and TP2 come from lava's ladder the other way: TP1 the nearest rung at least `TP1 At Least (R)` away, TP2 the next at least 1R beyond. `TP1 At Most` does not apply here. ↳ `Target (R)` (0) replaces the ladder with a fixed TP1 in R and no TP2.

The exit is lava's `Exit`: half at TP1 with the stop to the entry and the runner on the VWAP colour (or to TP2, or all at TP1). Before TP1 there is one more way out: if the VWAP turns back — a candle fully on the LVA's side again — the trade closes at once (`VWAP turned back`). The day end closes whatever is left at the day's last close.

Straight to AF · the skip options

Three switches under `Auction Failed` decide when an LVA is not taken at all and arms the trade the other way at once. A skipped LVA sends no alert and draws nothing; its acceptance of the day is used up. On a symbol without Auction Failed (FX and metals by default) a skipped LVA is simply gone.

Switch	Default	The LVA is skipped when
↳ **LVA Against A Climax → Straight To AF**	on	it would fire against a fresh climax: the chart bar's own (at least `Climax Bar` × ATR, a new day extreme, a close back in its opposite half) or the day's latest climax within the last 10 bars — at the day high against a long, at the day low against a short
↳ **LVA Against The Flow → Straight To AF**	off	it would fire against the order flow (a short on a bull day, a long on a bear day)
↳ **AF Only · No LVA Trades**	off	always: every value-area acceptance only arms Auction Failed, lava takes no LVA (and no other trigger) at all

The climax check comes first, then the flow, then AF Only. The Auction Failed entry names the reason: `· LVA skipped, climax against`, `· LVA skipped, flow against` or `· AF only`. The skips only work with Auction Failed on and no live trade on that clock.

What is drawn and sent

As lava's own entries, in the trade's colour: `▲ AF` / `▼ AF` at the entry bar (tooltip = the alert text), a dotted stop line, TP1 / TP2 as thick lines with their R, twelve bars long. At the exit a small `■` marks the bar, its tooltip the result. The entry and every result go out in lava's alert (section 13). Auction Failed trades are not in the checklist, the status readout or the scoreboard; those follow lava's own entries.

> **IMPORTANT** **Under test**
>
> Auction Failed carried the replay on indices and oil, but it rests on few trades: its best five carry most of the result, and the second half was far weaker than the first. Its TP1 / TP2, its runner and the skip options came after that export and are not in its numbers (section 15). Treat it as a candidate under forward test.

SECTION 7

07 Tags and checklist

Every entry is tagged with what surrounded it. The tags travel in the alert, in the archive and in the replay export, so every one of them can be counted. The checklist shows them for the latest entry as plain facts, ✓ or × — there is no score.

→ The tags 16
→ The four facts 16
→ The checklist 17
→ Pro and contra · gaps, taps and the climax 17

The tags

Tag	Meaning
`VWAP with` · `VWAP against`	the entry was on the trade's side of the VWAP or not
`flow with` · `flow against`	the previous day's candle (bull: closed above its open) pointed the trade's way or not — absent on a doji day or with Order Flow off
`LVN in path`	a low volume node between entry and TP1
`HVN in path`	a high volume node or a POC between entry and TP1
`HRLR in path`	a protected HRLR between entry and TP1
`inside PD VA` · `outside PD VA`	where the entry fired relative to the previous day's value area
`1st FVG with` · `1st FVG against` · `no 1st FVG yet`	today's 1st presented FVG of the trade's clock, by its direction at birth
`1st iFVG`	it had inverted before the entry
`TP1 at 8–9`	the rung TP1 sits on

The four facts


Four of the tags paid in the first replay (August 3 to October 19 2026, 473 LVAs, net, stops at −1R). The checklist shows them in their own rows:

Fact	First replay, net, per trade
Order Flow With	Ø +0.15R with, +0.09R against (188 / 285)
Against 1st FVG	Ø +0.20R against, +0.03R with or none yet (160 / 313)
Inside PD VA	Ø +0.17R inside, +0.06R outside (223 / 250)
TP1 Rung (25 %, 8–9, PD, PW, draw, HVN)	Ø +0.24R, against Ø 0.00R for the other rungs (223 / 250)

> **IMPORTANT** **Information, not a gate**
>
> Every LVA fires, whatever its facts say. The paying rungs were picked on the whole replay, so the fourth fact is partly fitted to it. The Saturday rule check forward-tests candidate filters built from these tags (`LVA only with the PD flow`, `LVA without a 1st FVG pointing its way`, two or more of the four); one moves into the script only after four weeks of 🟢 on live alerts.

The checklist

Top right sits the checklist of the latest entry. An example in the Standard view:



The header names the clock (`NY` for New York), setup, direction, level family and entry; its tooltip gives the time, entry, stop, risk, TP1 with its R and rung, TP2 and the edge it accepted. Below it:

- **Status** with the state, the price that decided it (or the runner's R once it closed) and the glyph — live.
- **VA Now** — live: ✓ price still holds beyond the edge the entry accepted, × it is back inside the value area. The breakout is failing; the stop is not hit yet, but the acceptance is gone.
- The **four facts** (Standard and Full): the snapshot the entry fired with.
- The **pro / contra rows** (Standard and Full): Taps, Gap In Path, Entry At Gap, Climax — see below.
- In Full also the tag rows, muted: `VWAP With`, `LVN In Path`, `HVN In Path`, `HRLR In Path`, `1st iFVG`.

Simple shows the header, the status and VA Now. `LVA Checklist` sets the position (Top Left, Top Right, Middle Right, Bottom Left, Bottom Right). Every row explains itself on hover.

Pro and contra · gaps, taps and the climax

From climax, lava carries the gap engine — HTF fair value gaps and the NWOG / NDOG opening gaps — with its first taps, and the climax bar. They stay out of the alert (so the screener's messages stay word for word the same); they speak in the checklist, the readout and the entry tooltip, and they are exported for the replay.

Row	✓ pro	× contra
Taps · 2↓ 0↑	more first taps in the entry's 7h block back the trade (↓ from above backs a long, ↑ a short)	more stand against it
Gap In Path	no opposing gap between entry and TP1	an opposing HTF FVG or an opening gap on the way
Entry At Gap	the entry sits in (or within 0.5 ATR of) a gap pointing its way, or an opening gap	—
Climax	the day's latest climax printed at the extreme the trade leaves (the day low for a long: the sellers ran out)	at the extreme it runs into (buyers exhausted at the high, for a long)

The **climax** (ϟ) is climax's exhaustion bar: at least 2× ATR wide on the climax timeframe, a new day high or low, a close back in its opposite half. With `Climax Timeframe` on MTF (default) it is read on two timeframes at once — on a 3m chart 10m and 5m, each on its own completed bars; the lower one stands in when only it prints, and both on one bar are named together, `(10m + 5m)`. lava has no bias engine, so instead of climax's 25 % readings it names the lava level the bar poked through and closed back from — `at the PDH`, `at the VAH`, `at the 8-9 high` … The **taps** are counted per 7h block of the London clock (18:00 · 01:00 · 08:00 · 15:00 Berlin), ☐ marks each first tap on the chart. A climax against the trade can also stop the LVA before it fires (section 6).

SECTION 8

08 The scoreboard

Bottom right by default, the scoreboard counts every lava entry since the chart's first bar, on both clocks, in two lines:

Scoreboard (example)

```
                lava · 54 days · 41 entries
TP1 54% · TP2 29% · stopped 39% · Σ +9.6R
```

- **Line 1**: days loaded and entries.
- **Line 2**: TP1 / TP2 = share that touched the first / second target, stopped = closed through the stop before TP1; the rest expired or are live. Σ is **gross** and counts the full exit: TP1 hit = its R, stopped = −1R, expired = 0, without spread and commission and without the runner. The Saturday report and the Riff count net, with the real stop close and the runner.

The scoreboard looks the same in every view. Auction Failed trades are not in it.

The numbers above are an example. On a 3m chart TradingView loads a few weeks; the scoreboard is your market's own small sample.

SECTION 9

09 The status readout and the views

Top centre by default (or bottom centre, with the `Status Readout` position in group 5d), the readout says in a few lines where the day stands. An example from the Full view, mid-morning after a long:

```
lava · GER40 · 3m · London
VA 25402.0 – 25446.0 · POC 25428.0 · Above VA
LVA Window 09:00–11:00 · taken 09:24
Flow BULL · VWAP above · above PD VA
1st +iFVG 25431.5 – 25437.0 · 09:03
Gaps · ↑ 1H -FVG 25494.0–25502.5 · ↓ 10/20 +NDOG 25388.0–25396.5 · taps 2↓ 0↑
ϟ day low 25361.0 · at the PD VAL 25365.0 · 2.3× ATR (10m)
LON 8–9 25398.5 – 25488.5 · inside
PD VA 25365.0 – 25450.0 · PD POC 25410.0
Liquidity · ↑ +LRLR 25512.5 · ↓ EQL 25421.0
LVA LONG · VA 25456.8 · TP1 Hit
```

Line	Meaning
Context	Name, symbol, timeframe and the clocks that trade (`London` , `London + New York` , `New York`). Only in Full.
Value area	The frozen VAL – VAH and POC, and where the close sits: `Inside VA` , `Above VA` , `Below VA` . During a break `· ▲ accepting 1/2` counts the closes beyond. Before the freeze: `VA · builds until 08:00` .
New York VA	With the New York clock: `NY VA` with its range, POC and `Inside` / `Above` / `Below` , or `NY VA · builds until 08:00 New York` .
Window	`opens 09:00` , `waits for the 8–9` , `open` , `taken 09:24` , `closed` — with the New York clock a second part `· NY …` . Bright while a window is open.
Context line	Order flow (the previous day's candle), the side of the VWAP, the position against the PD value area. From Standard.
1st FVG	Today's 1st presented FVG with its zone, direction, `iFVG` once inverted, and the time — or `waiting (09:01–11:30)` , `none today` ; New York's appended. From Standard.
Gaps	The nearest live gap above (↑) and below (↓) and the taps of the running 7h block (`taps 2↓ 0↑`). From Standard.
Climax	Today's latest climax: `ϟ day low 25361.0 · at the PD VAL 25365.0 · 2.3× ATR (10m)` . From Standard, when there is one.
8–9	The London 8–9 range and where price sits. Only in Full.
PD VA	The previous day's value area and POC. Only in Full.

Line	Meaning
Liquidity	The nearest open LRLR / EQH / EQL above (↑) and below (↓), or an HRLR once it is the draw (◎). From Standard.
Entry	Setup, entry and status of the latest entry — or `No lava entry yet`. In Simple with stop and targets. Bright while the trade is live.

Every line explains itself on hover, with the numbers behind it.

The three views

View	Readout	Checklist
Simple (default)	value area · window · entry with its levels	header · Status · VA Now
Standard	+ context · 1st FVG · gaps & taps · climax · liquidity	+ the four facts · pro / contra
Full	+ header · 8–9 · PD VA	+ the tag rows

Everything keeps running in every view; the view only decides what is on the chart. The scoreboard shows its two lines in all three.

SECTION 10

10 The liquidity

lava carries the liquidity engine of climax and lrlr·, copied verbatim. In lava it serves two purposes: open levels are rungs of the target ladder, and a protected HRLR in the trade's way is tagged. The session highs and lows are drawn beside it as context.

→ Low-resistance runs · LRLR 22
→ HRLR and the draw 22
→ What you see 22
→ Session liquidity 23

Low-resistance runs · LRLR

A series of lower highs with no open bearish FVG between them: liquidity rests above them, and price meets little resistance running up into it (`+LRLR`). Mirrored: higher lows with no open bullish FVG (`-LRLR`). A swing needs `Swing Bars Left` / `↳ Right` (5 / 5) to be confirmed, a run `Min Swings In Run` (3). Chart FVGs smaller than `Breaking FVG Min Size (× ATR)` (0.3) do not break a run; with `Only Open FVGs Break It` (on) a gap price already filled again is no resistance either. **EQH / EQL**: two swings in a row within `Tolerance (Ticks)` (10).

HRLR and the draw

With `HRLR` on `Turtle Soup + Breakers` (default): a swing high is run by a wick and the bar closes back below it (turtle soup), then price leaves with displacement, closing through the last swing low within `↳ Displacement Within (Bars)` (10). The swept extreme is a **high-resistance** level (`+HRLR` , dashed and paler); a body close beyond the swept swing before the displacement cancels the soup. Like any level, the HRLR counts as run once price touches it. Once an LRLR on the other side is taken, the HRLR stops resisting and becomes the **draw** (◎, solid): the next target. `Behind An Open FVG` is the older gaps· mode, with group 4's HTF FVGs.

What you see

`Draw Levels & Tags` (on): a line at the outermost swing of each run, the swings joined by a dotted line, faded once run and extended `Extension After Run (Bars)` (5) past the bar that took it. The tag at the line's end names the level — `+LRLR` , `-LRLR` , `EQH` , `EQL` , `+HRLR` , `-HRLR ◎` — and its tooltip carries the detail: the swings, the price, a live gap it sits in, with or against the order flow, its remaining targets. Tags that sit within about eight bars and `Tag Row Merge (× ATR)` (0.5) of each other share one label (`EQL · -LRLR`), the tooltips stacked. `Keep Per Type · Live` (10) and `↳ History` (20) cap how many are kept. The nearest open levels sit in the readout's Liquidity line.

Session liquidity

`Session Liquidity (.H / .L)` (on) draws the high and low of every completed 7h block of the London clock as dotted lines with tags such as `10/21 ASIA.H`, `10/21 LON.L`, `10/20 NY.H` — Asia 01:00–08:00, London 08:00–15:00, New York 18:00–01:00 Berlin (with only the New York clock trading, the blocks follow New York hours). ↳ `Asia` · `London` · `New York` pick the sessions. A level runs to the right edge until price takes it; with ↳ `Preserve After Sweep` (on) it then stays, cut at the sweep bar, for a day, otherwise it is removed. Tags taken on the same bar close together share one label. Session liquidity is drawn only: it is not a rung of the target ladder. It needs a chart timeframe of 210 minutes or less that divides seven hours.

SECTION 11

11 Everything on the chart

What	Looks like	Section
`VAH` · `VAL`	solid, from 08:00 for up to 16 hours, growing with price	3
`POC`	solid, thick	3
`HVN` · `LVN`	solid thick · dashed	3
`NY VAH` · `NY VAL` · `NY POC` …	as today's, from 08:00 New York (New York clock only)	3
`PD VAH` · `PD VAL` · `PD POC`	dotted, from the day's start	3
`PWH` · `PWL` · `25%` · `50%` · `PDH +25%` …	dotted, paler	3
`LON 8–9.H` · `NY 8–9.L` …	dashed, from 08:00 to three hours after 09:00 of each clock	3
`1st +FVG` · `1st -iFVG` · `NY 1st +FVG`	dotted zone with C.E. and a faint fill	3
VWAP and bands	line coloured by side, three dotted band pairs	3
▲ `lava` · ▼ `lava`	the entry mark, tooltip = the alert	5
stop · `TP1 1.8R` · `TP2 4.1R`	dotted · thick lines, twelve bars	5
▲ `AF` · ▼ `AF` · ■	Auction Failed entry and exit, with its own stop and targets	6
ϟ	the climax mark at the bar's extreme	7
□	first tap into a gap, above (↓) or below (↑) the bar	7
gap boxes · `4H -FVG` · `10/5 +NDOG`	off by default	7
LRLR · EQH / EQL · HRLR with their tags	solid / dashed lines, swings joined dotted	10
`10/21 ASIA.H` · `LON.L` · `NY.H`	dotted session lines until taken	10
LVA checklist	top right	7
scoreboard	bottom right	8
status readout	top centre	9

SECTION 12

12 The settings

To begin with, leaving the defaults in place is enough: they are the setup the replay carried. Settings marked ↳ belong to the one above them and are greyed out while it is off.

→ 1 · Profile & Value Area 25
→ 2 · Triggers & Trades 26
→ 3 · Liquidity Runs 27
→ 4 · Gaps & Taps 27
→ 4b · Climax 28
→ 5 · Clock & Order Flow 28
→ 5b · Rolling VWAP 28
→ 5c · Visuals 29
→ 5d · View, Checklist & Status 29
→ 6 · Alerts 29

1 · Profile & Value Area

Setting	Default	What it does
Rows	101	20–300. How finely the day's range is cut into price rows.
Value Area (%)	70	30–95. Share of the volume the value area holds.
Freeze At	08:00 · Europe/ Berlin	07:00–10:00 · Berlin, London, New York, UTC. From then on the value area stays put.
HVN At Least (% Of POC)	60	Minimum height of a high volume node.
LVN At Most (% Of POC)	35	Maximum height of a low volume node.
Node Neighbour Rows	3	Rows a node must beat on both sides; also the minimum distance between two nodes.
Node Prominence	1.5	How clearly a node must stand out from its neighbours.
Nodes Per Kind	3	HVN and LVN kept each, the clearest first.
New York Value Area	From 01:00 New York	· Since London Freeze · Whole Day · Off. The New York clock's own value area, frozen at the freeze time on New York hours (section 3). Only when the New York clock trades.
Draw Value Areas & Nodes	on	The value area lines, nodes, the PD levels, the extra rungs and the 8–9 ranges.
Draw 1st Presented FVG	on	The 1st FVG zone and tag (London's, and New York's when that clock trades). The tags read it either way.

2 · Triggers & Trades

Setting	Default	What it does
Acceptance · Failed Breakout	on · off	The two triggers. The LVA runs on acceptance only.
Levels	Value Area	Both · Value Area · 8–9 Range. Which levels can be broken.
↳ **Acceptance · Closes Beyond**	2	0–10. Further closes beyond the level after the break.
↳ **Failed · Back Inside Within (Bars)**	6	1–40. How soon a failed breakout must come back inside.
Break Buffer (× ATR)	0.1	How far beyond the level a close must be to count as a break.
Stop Buffer (× ATR)	0.25	Beyond the pullback and the level.
↳ **Min Risk (× ATR)**	0.5	The stop is never closer than this.
TP1 At Least (R)	1.0	TP1 is the nearest rung at least this far.
TP1 At Most (R)	3.0	No entry when the nearest TP1 is further. 0 = no limit.
Targets · PWH / PWL, 25% / 50%, Projections · Draw	on · on	The extra rungs; Draw shows them.
Target Ladder	Lean	Lean · v0.2 (section 5).
Window · →	09:00 · 11:00	From 09:00 or 08:00 (Early Window) until 10:30 … 15:00, on each clock's own hours.
Clocks	London	London · London + New York · New York (section 4).
VWAP Gate	Off	Off · With VWAP (longs only on a close above, shorts only below) · With VWAP Colour (the signal candle fully on the trade's side; a grey candle does not fire).
Exit	½ TP1 + VWAP Runner	TP1 Full · ½ TP1 + TP2 · ½ TP1 + VWAP Runner (section 5).
Auction Failed	on · Indices & Oil	or All. The trade the other way when the acceptance fails (section 6).
↳ **Target (R)**	0	0 = TP1 / TP2 on the ladder. Above 0: a fixed TP1 in R, no TP2.
↳ **LVA Against A Climax → Straight To AF**	on	Section 6.
↳ **LVA Against The Flow → Straight To AF**	off	Section 6.
↳ **AF Only · No LVA Trades**	off	Section 6.
Draw Entries, Stops & Targets	on	With the long / short colours (white · dark grey).

3 · Liquidity Runs

Setting	Default	What it does
Draw Levels & Tags	on	The LRLR / EQH / EQL / HRLR lines and tags. The logic works without.
Swing Bars Left · ↳ Right	5 · 5	Bars that confirm a swing.
Min Swings In Run	3	2–10. Swings needed for a run.
Breaking FVG Min Size (× ATR)	0.3	Smaller chart FVGs do not break a run.
Only Open FVGs Break It	on	A gap already filled again does not break it.
HRLR	Turtle Soup + Breakers	· Behind An Open FVG · Off.
↳ Displacement Within (Bars)	10	Bars after the turtle soup for the displacement.
↳ Becomes The Draw Once The Opposite LRLR Is Taken	on	The HRLR turns into the next target.
↳ HTF FVG In Path Counts Too	on	Behind An Open FVG only.
EQH / EQL · Tolerance (Ticks)	on · 10	Equal highs and lows.
Keep Per Type · Live · ↳ History	10 · 20	Levels kept, live and already run.
Extension After Run (Bars)	5	How far a run level still extends.
Tag Row Merge (× ATR)	0.5	Tags this close share one label (liquidity, session and gap tags). 0 = off.
Session Liquidity (.H / .L)	on	The 7h block highs and lows (section 10).
↳ Asia · London · New York	on · on · on	Which sessions are drawn.
↳ Preserve After Sweep	on	Keep a taken level for a day, cut at the sweep bar.

4 · Gaps & Taps

From climax (section 7, Pro and contra).

Setting	Default	What it does
Gaps · HTF FVGs & Opening Gaps	on	The gaps as pro and contra for the LVA.
↳ Draw Boxes & Tags	off	The gaps as boxes with tags (4H -FVG · 10/5 +NDOG), merged into rows by `Tag Row Merge`.
↳ ☐ First Tap Marks	on · 7H	☐ at the first tap into a gap; 7H = re-armed each 7h block of the London clock, Never = once.
↳ Level Proximity (× ATR)	0.5	How close a gap must be to the entry for Entry At Gap.

Setting	Default	What it does
↳ **HTF FVGs**	on	`Timeframe Mode` Automatic (1m → 15m + 1H · 5m → 1H + 4H · 15m → 4H + 1D · 1H → 1D + 1W) or Manual (`Manual Count` 3, `TF 1 · 2` 1H · 4H, `TF 3` 1D) · `FVGs Per Side` (3) · `Min Size (Ticks)` (4) · `Bullish / Bearish Fill` . They also feed the HRLR path rule.
↳ **Opening Gaps**	on	`NWOG · NDOG` (on · on), `Keep · NWOG` 1, `Keep · NDOG` 5, `Remove On Close Through` (off). US index CFDs read the 16:14 → 18:00 New York gap.
↳ **Box Extension (Bars)**	15	How far the boxes run to the right.

4b · Climax

Setting	Default	What it does
Climax Marks · ϟ	on	The mark; the climax is read for the checklist and the skip either way.
↳ **Climax Bar (× ATR)**	2.0	1–6. Minimum range in ATR(14) of the climax timeframe.
↳ **Climax Timeframe**	MTF	Chart · Auto · MTF · 1m … 1W. Auto: 1m → 5m, 3m → 10m, 5m → 15m, 15m → 1H, 1H → 4H. MTF: Auto and the step below it (3m: 10m + 5m).

5 · Clock & Order Flow

Setting	Default	What it does
Order Flow · PD Bias	on	The `flow with / against` tag from the previous day's candle, and the flow skip of section 6.

5b · Rolling VWAP

Setting	Default	What it does
Rolling VWAP	on	With the midline colour.
↳ **Type**	Rolling	Rolling · Day (Anchored). The tags, the gate, the runner and Auction Failed read it.
↳ **Colored Midline**	on	Above · touching · below.
↳ **Source**	hlc3	
↳ **Band 1 · 2 · 3**	0.5 · 1.0 · 2.0	σ multiples, 0 hides a pair.

5c · Visuals

`Monospace Font` (on), `Font Size` (Default; −2 to +3), `Line Projection (Bars)` (25): how far the level lines and their tags reach ahead of the last bar — ten bars beyond the gap boxes (15), so the two sets of tags stand in separate columns. `↳ Volume Profile Lines +` (10) takes the profile lines — VAH, VAL, POC, HVN, LVN of today, the previous day and New York — ten bars further: a quiet staircase of tags, gaps 15 · levels 25 · profile 35. They grow with price, bar by bar, until their end (value area and 1st FVG 16 hours after the freeze, the 8–9 three hours after 09:00) and stay there; the liquidity lines run the same distance ahead until taken.

5d · View, Checklist & Status

Setting	Default	What it does
View	Simple	Simple · Standard · Full (section 9).
Status Readout	on · Top Center	or Bottom Center.
LVA Checklist	on · Top Right	Top Left · Top Right · Middle Right · Bottom Left · Bottom Right.
Scoreboard	on · Bottom Right	Bottom Left · Middle Right · Middle Left.

6 · Alerts

Setting	Default	What it does
Entries & Results	on	Every entry and its results, lava's and Auction Failed's.
Message Format	Telegram	Telegram · Plain Text.
↳ **Telegram Chat ID**	preset	Your chat or channel ID.

SECTION 13

13 Setting up alerts

→ What a message looks like 30
→ Auction Failed in the messages 31
→ Emojis in the messages 31
→ Message Format: Plain Text or Telegram 32

1. **Right-click the chart → Add alert.**
2. **Pick lava· as the condition, below it "Any alert() function call".**
3. **In the Notifications tab enter the webhook URL (Telegram) or set the format to Plain Text.**
4. **Save. After every change to the script: delete the alert and create it again.** A running alert computes with the state of the script from the moment it was created.

At most one message goes out per bar, at its close. If several things happen on one bar, they go out together: lava's results first, then a new entry, then Auction Failed's lines.

What a message looks like


The entry from the checklist above, at 09:24:

R3M Alerts
GER40 · 3m · London · lava
🧭 LVA London Value Acceptance ▲ VA · VWAP with · flow with · LVN in path · outside PD VA · 1st FVG against · 1st iFVG · TP1 at 8–9
🟢 · LONG 25456.8 · SL 25439.0 · TP1 25488.5 (1.8R) · TP2 25530.0 (4.1R) · accept·VA→8–9
09:27

The header names symbol, timeframe, the session of the trade's clock (`London` or `New York`) and the script. The 🧭 **line** names the setup — `LVA London Value Acceptance` , `NY LVA New York Value Acceptance` on the New York clock, `Acceptance` or `Failed breakout` for the switched-off triggers — the direction and the level family (`VA` , `8-9` , `VA+8-9`), then the tags (section 7). The second paragraph: direction, entry, stop, targets with their R to one decimal, and the short code `accept·VA→8-9` (trigger · family → TP1's rung).

The results follow, each with its R to two decimals:


R3M Alerts
GER40 · 3m · London · lava
✅ · LONG 25456.8 TP1 Hit 25488.5 (+1.78R).
10:06




The runner's R is that of the runner half, measured from the entry; the reason is `VWAP turned`, `break-even` or `day end`. The other results: `🏆 · LONG 25456.8 TP2 Hit 25530.0 (+4.11R).` (with ½ TP1 + TP2 or TP1 Full) · `🛑 · LONG 25456.8 Stopped at 25436.2 (-1.16R) · SL 25439.0.` — the close the stop fired on, then the stop line. An expiry at the day end sends nothing.

Auction Failed in the messages

The trade the other way goes out in the same alert, in its own lines. An example on an index whose short LVA was skipped against a climax:



On the New York clock the 🧭 line reads `Auction failed ▲ NY VA`. The TP1 line gives the R banked on the half, the closing line the R of the whole trade:



The two lines arrived on different bars; here they stand together for the page. The other endings: `🛑 · … AF Stopped at 25279.5 · SL 25281.0 (-1.04R) · auction failed` · `🏆 · … AF Target …` (TP2, or TP1 with TP1 Full) · `🏁 · … AF Closed … · VWAP turned back` before TP1 · `· break-even` · `· day end`.

Emojis in the messages

Emoji	Meaning	When
🧭	the setup and its tags	every entry, lava's and Auction Failed's
🟢 · 🔴	long · short	the entry line
✅	TP1 hit (`AF TP1 Hit` for Auction Failed)	result

Emoji	Meaning	When
🏆	TP2 hit · `AF Target`	result
🛑	stopped (`Stopped at` , `AF Stopped at`)	result
🏁	the runner closed · `AF Closed`	result

Message Format: Plain Text or Telegram

Telegram is the default: the message is a ready-made `sendMessage` request for the Bot API, TradingView posts it unchanged to the webhook URL `https://api.telegram.org/bot<TOKEN>/sendMessage` (webhooks need a paid TradingView plan). The header becomes bold, the ticker links to the chart. For an ordinary TradingView alert — app, e-mail, alert log — set Plain Text: the header `GER40 · 3m · London · lava` on the first line, the message below. Set up bot, chat ID and webhook as described in the equinox guide; the chat ID goes into ↳ `Telegram Chat ID`.

> **TIP** **The archive reads it**
>
> The format is the archive format of equinox and climax. Every message lands in the R3M archive, the Saturday signal report evaluates it net of costs — the stop at the close it fired on, the runner next to the full exit, Auction Failed as a script of its own — and the tags become columns that can be counted.

SECTION 14

14 The screener · lava·screener·

lava·screener· runs lava's LVA on up to ten symbols from one chart. Every symbol gets the same read as lava itself — the value area frozen at 08:00, the acceptance in the window, the stop behind the pullback, the targets on the same ladder, the same exit, the same tags and the same Auction Failed. One alert covers the whole watchlist, and a table ranks the markets by how their LVAs have run.

→ Setting it up 33
→ The table 33
→ The colours 35
→ The ranking 35
→ Settings 35
→ Reports and alerts 36

Setting it up

Put it on a chart that trades nearly around the clock — EURUSD 3m. A symbol's bar is only seen when the chart has a bar at that time. Each symbol is read on the chart's timeframe with its own volume, its own previous day and week, and its own 1-minute data for the 1st FVG: two requests per symbol, twenty for a full watchlist. Keep groups 2–4 equal to lava's settings.

The screener runs the London clock only, without lava's drawings, the failed breakout, the 8–9 trigger, the `Behind An Open FVG` mode, the gap engine and `Target (R)`. Its climax skip reads the symbol's own chart bar (at least 2× ATR, a new day extreme, a close back in its opposite half), not a higher timeframe.

> **IMPORTANT** **Screener or lava·, not both**
>
> The screener sends every entry and result of the watchlist, the same trades lava takes on each chart. If lava's own alert runs on a symbol of the watchlist too, every trade arrives twice. Use lava's alert for single charts, the screener for the watchlist.

The table

The table has up to twenty columns in one reading order — the record, the day, today's setup, the price — the same in all three screeners. Here it is split in three for the page; on the chart it is one row per symbol.

lava·screener· · the record

#	symbol	runs	TP1	TP2	stop	ΣR	with	against
1	EURUSD	17	71%	35%	29%	+14	44% · 9	100% · 8
2	GBPUSD	14	64%	50%	29%	+10	43% · 7	86% · 7
3	US500	15	60%	40%	33%	+9.7	50% · 8	71% · 7

lava·screener· · the day

symbol	VA 08:00	8–9	1st FVG	ADR	liquidity
EURUSD	↓ 2.6 ATR · 13%	▼ broke	-iFVG 09:03	64%	→ EQL 1.4 ATR
GBPUSD	↓ 1.8 ATR · 8%	▼ broke	-iFVG 09:03	71%	→ -LRLR 2.1 ATR
US500	9.7 ATR · 42%	inside	+FVG 09:06	48%	↑ +LRLR 3.2 ATR

lava·screener· · today's setup

symbol	setup · 3m	since	status	R	price
EURUSD	▼ accept·VA → proj	09:09	TP1 Hit	2.2	1.11903
GBPUSD	▼ accept·VA → 25%	09:12	Runner Closed	2	1.33010
US500	▲ auction failed → PD	10:12	Live	1.6	7697.1

Column	Meaning
runs · TP1 · TP2 · stop · ΣR	The record over the loaded history: LVAs, share at TP1 / TP2 / stopped, R gross (all out at TP1, a stop = −1R).
with · against	The record split by `With / Against`: TP1 rate and count of the LVAs whose 1st FVG pointed the trade's way, and of those against it (or by the VWAP side).
VA 08:00	The frozen value area's width in ATR(14) and as a share of the ADR — how wide today's value is against a normal bar and a normal day (the prices are in the row tooltip) · ↑ / ↓ when price is above or below it, `not frozen` before 08:00.
8–9	`inside`, `▲ broke`, `▼ broke`, `▲▼ both` — a close since 09:00 beyond the London 8–9 range.
1st FVG	Today's 1st presented FVG, its current direction, `iFVG` once inverted, its time.
ADR	How much of the average daily range the day has spent; ⊘ once it is used up.
ATR	Optional (off).
liquidity	The next open level with its distance in ATR: in the trade's direction (→) with an LVA today, otherwise on the side of the order flow (↑ / ↓).
setup · since · status · R	Today's trade: the LVA with the rung TP1 sits on (`▼ accept·VA → proj`), when it fired, where it stands, TP1's distance in R. Once an Auction Failed trade fired today, it takes these four cells (`▲ auction failed → PD`), and the LVA's fate moves to the row tooltip.
price	The last close.

The status reads `Live`, `TP1 Hit`, `TP2 Hit`, `Runner Closed`, `Stopped`, `Expired`, and for Auction Failed also `Closed` (the VWAP turned back before TP1). Hover a row for the symbol's report line with stop, TP1 and TP2, the with / against split, the Auction Failed line (`🔄 Auction failed ▲ LONG · 10:12 · Live · the LVA skipped`), the next liquidity and the value area's prices.

The colours

On `Dark Panel` (default) and `Light Panel` with ↳ `Heatmap` on, one colour ladder runs through the table, the same in all three screeners. TP1, TP2, stop, with and against are coloured by strength against their chance: TP1 against risk / (risk + distance to TP1) — the hit rate of a driftless walk — TP2 against 60 % of that, stop against 100 % minus it (fewer stops = green); paler with few runs. The symbol cell takes TP1 and stop together, `#` takes today's fate. `since` and `status`: Live orange, TP1 / TP2 / Runner Closed green, stopped red, fading over six hours. R is coloured against 1.5R, the liquidity cell orange within 1 ATR and grey beyond `Liquidity Grey Beyond (× ATR)` (5), ADR red once used up, VA and 8–9 green above and red below, the 1st FVG in its direction with a green background when it points with today's trade and red when against. `Chart Ink` drops the tints and shows long and short in the chart-ink colours.

The ranking

`LVA Performance` (default): TP1 rate minus stop rate over the record, TP2 rate as the tie-break; symbols with fewer than `Min Runs` (5) are `young` and sit at the bottom. `Today's Setup`: today's LVAs first, the newest on top.

Settings

Group	What is in it
1 · Watchlist	`Watchlist` Custom (ten slots: GER40, UK100, EUSTX50, US500, NAS100, EURUSD, USDCHF, USDJPY, GBPUSD, XAUUSD) or a preset, its first ten symbols: Forex · Pepperstone, Indices · Pepperstone, Commodities · Pepperstone, S&P 500 · Top 12, Nasdaq 100 · Next 12, DAX · Top 12, Futures · CME / Eurex, Crypto · Pepperstone, Crypto · Binance Perps. `History Bars` (10,000; 1,000–10,000): how many bars each symbol is read over.
2 · Profile & Value Area	As lava group 1, without the New York value area and the Draw switches.
3 · LVA Trades	As lava group 2 for acceptance: `Acceptance · Closes Beyond` (without ↳), the buffers, `Min Risk`, `TP1 At Least / At Most`, the extra rungs, `Target Ladder`, `Window · →`, `VWAP Gate`, `Exit`, `Auction Failed` with its three skip options (without `Target (R)`), plus `Order Flow · PD Bias (tag)` and `VWAP Type (tag · gate)`.
4 · Liquidity Runs	As lava group 3 for the logic: `HRLR · Turtle Soup + Breakers` as an on / off switch with the draw, no drawing inputs.
5 · Table	`Table`, `Sort By`, ↳ `Min Runs`, `With / Against` (1st FVG · VWAP), `Rows` (12), `Position` (Middle Center), `Width · % Of Panel (0 = Auto)` (0: full width on the panels), `Theme` (Dark Panel · Light Panel · Chart Ink), ↳ `Heatmap`, `Monospace Font`, `Font Size` (+1), the optional columns `with / against`, `8-9`, `ADR`, `ATR` (off), `liquidity` with ↳ `Liquidity Grey Beyond (× ATR)`, and the colours.
6 · Alerts & Report	`Entries & Results`, `Top N In The Report` (3), `Report 1` 11:00, `Report 2` 17:30, `Message Format`, ↳ `Telegram Chat ID`, `Send A Test Report On The Next Bar Close`, `Heartbeat Every Bar Close (Diagnostics)`.

> **TIP** **Memory limits in Bar Replay**
>
> The live chart runs fine on 10,000 bars. Bar Replay keeps far more in memory: if the screener shows “Memory limits exceeded” there, lower `History Bars` to 3,000–5,000 for the replay and set it back afterwards. The record gets shorter, nothing else changes.

Reports and alerts


One alert on the screener's chart, condition “Any alert() function call”. The bar's entries and results go out as one message in the screeners' compact format — the same for lava·screener·, clx·screener· and eqx·screener·: one line per event, in the order of the table's ranking. 🆕 for an entry with stop, targets, the setup code, the day's flow, the tags and the symbol's record; ✅ 🏆 🛑 🏁 for a result. Each event goes out once, when the symbol's bar and the chart's bar have both closed — at worst one bar late, never twice; history is never sent. The archive and the Saturday report read these lines as trades.

R3M Alerts
🌋 **lava screener · 3m · London 09:18**
🆕 · 🔴 GER40 · SHORT 25170.3 · SL 25203.9 · TP1 25122.7 (1.4R) · TP2 25088.4 (2.4R) · 🌋 accept·VA→PW · 🧭 flow BEAR · VWAP with · flow with · outside PD VA · 1st FVG with · TP1 at PW · 📈 18 runs · 🎯 TP1 44%
09:21

R3M Alerts
🌋 **lava screener · 3m · London 09:39**
✅ · GER40 · SHORT 25170.3 TP1 Hit 25122.7 (+1.42R) · TP2 25088.4 ahead.
09:42

The other results: `🏁 · GER40 · SHORT 25170.3 Runner Closed 25101.0 (+2.06R) · VWAP turned.` · `🏆 · … TP2 Hit … (+2.44R).` · `🛑 · … Stopped at … (-1.08R) · SL ….` Auction Failed uses the same lines as lava's alert, in the compact form:
`🆕 · 🟢 US500 · LONG … · out early when the VWAP turns back · auction·failed · 🧭 Auction failed ▲ VA · VWAP with · LVA skipped, climax against · 📈 15 runs · 🎯 TP1 60%`, then
`✅ · US500 · LONG … AF TP1 Hit … (+1.6R on half) · stop to the entry · auction failed.` and so on.

Twice a day (11:00 and 17:30 Berlin, on the first bar close within 30 minutes of the time) the Top N go out as one report:



Each line: the direction (🟢 / 🔴, ⚪ without an LVA today), the symbol, the record (`young` with fewer than Min Runs), the day (flow, the side of the value area, the 8–9, the ADR spent), today's LVA with its rung, entry, stop and targets, the status (`⏳ Live` , `✅ TP1 Hit` , `🏆 TP2 Hit` , `🏁 Runner Closed` , `🛑 Stopped` , `💤 Expired`), the time, the 1st FVG and the price. The footer gives the watchlist's record, its with / against split and today's count. `Send A Test Report On The Next Bar Close` sends one at once, marked `🧪 test` — switch it off again afterwards. `Heartbeat Every Bar Close` sends a one-line `♥ alive` on every bar, for diagnostics only.

SECTION 15

15 The evidence

The defaults are not opinions. They come from replays of lava on twelve Pepperstone symbols (GER40, UK100, EUSTX50, US500, NAS100, EURUSD, USDCHF, USDJPY, GBPUSD, XAUUSD, XAGUSD, SPOTCRUDE), 3m, every R net of spread and commission, every stop booked at the close it fired on, split into an in-sample and an out-of-sample half. The current numbers come from export 7: August 10 to October 20 2026, the value area frozen at 08:00.

→ The wide net caught nothing 38
→ The defaults 38
→ Weak spots 39
→ What did not pay 39

The wide net caught nothing

With the widest settings — every trigger, both level families, both clocks, the window until 15:00 — lava came out at +1.4R net once every stop was booked at its real close. Half out at TP1 with the rest to TP2 and the stop at break-even lifted that to +27.1R. The edge is in the narrow model and in the exit, not in the many switches.

The defaults

The London LVA with the Lean ladder, TP1 within 1–3R: 404 LVA days in export 7.

Exit	Replay, net
TP1 Full	+20.9R
½ TP1 + TP2	+35.5R
½ TP1 + VWAP Runner (default)	+42.7R, ahead in both halves
… plus Auction Failed on indices & oil	+86.8R · the halves +72.2R / +14.6R · 11 of 12 symbols up

Auction Failed by market: indices and oil +44.1R on 142 trades, 6 of 6 symbols up, both halves; FX and metals −28.2R on 104, both halves down. That is why `Indices & Oil` is the default.

> **IMPORTANT** **A replay sample, not a promise**
>
> Ten weeks of one market regime, replayed bar by bar, are a sample. The second half is much weaker than the first, and Auction Failed rests on its best five trades. Its TP1 / TP2 and runner, the skip options and the MTF climax came after export 7 and are not in these numbers. They say which settings to start with; the live forward test decides what holds.

Weak spots

- **A stop costs more than 1R.** Stops fire on a close, so the real exit lies beyond the stop line: the average lava stop closed at −1.22R. Numbers that book a stop at −1R — the +67.1R of the ladder study, for example — are optimistic.
- **Not every market pays.** SPOTCRUDE was the biggest loser in every variant of exports 7 and 8 (Lean at 08:00: −8.4R); a candidate rule in the Saturday check drops it. On FX and metals Auction Failed loses.
- **Costs bite on tight stops.** USDX is context only: its spread is about 1.4R on a 3m stop.
- **Not yet replayed.** The New York clock in its one-to-one form and the Early Window wait for an export of their own.
- **The fourth fact is partly fitted** (section 7).

What did not pay

Switched off	Why
Failed Breakout	The 80 % rule back into value did not carry on its own. In the first replay one combination held up in both halves — with the VWAP gate, on both clocks, 101 trades — too few to switch on.
8–9 Range as trigger	Did not pay. It stays a target rung.
New York Clock	The old test ran a weaker version (one slot shared with London, the London session's value, the 1st FVG at 09:30) and did not add. The one-to-one version waits for its own export.
VWAP Gate	In the first replay 446 of 473 LVAs were with the VWAP anyway; the gate filtered almost nothing and dropped the best of the rest.
Early Window (08:00)	Back to 09:00: on October 21 the GER40 acceptance at 08:06 found no TP1 within 3R and used up its break, so neither an LVA nor an Auction Failed followed. Export 10 decides.

SECTION 16

16 What the chart does not show

The chart shows lines and marks. These are the rules that decide what they mean, in one place.

→ 1 · The value area is frozen once 40
→ 2 · Stop on close, target on touch 40
→ 3 · One a day per clock, one at a time 40
→ 4 · No target in range, no trade 40
→ 5 · A skipped LVA is silent 40
→ 6 · The checklist is a snapshot 41
→ 7 · The 1st FVG is read on 1-minute data 41
→ 8 · The scoreboard is gross and short 41

1 · The value area is frozen once

At the freeze the profile of the bars before it is cut and kept. A bar after 08:00 never moves VAH, VAL or POC. New York's freezes the same way at 08:00 New York. The previous day's profile is the whole previous day.

2 · Stop on close, target on touch

A wick through the stop does not stop the trade, a close does — and the exit is that close, not the stop line. A wick to TP1 counts. After TP1 the stop moves to the entry; the runner closes on the VWAP colour, a close back through the entry or the day end (with `½ TP1 + TP2` : at TP2).

3 · One a day per clock, one at a time

One LVA entry per day on each clock. Once one has fired, a second break the same morning is not traded, even after the first trade has ended. Auction Failed has its own slot and its own once a day.

4 · No target in range, no trade

When the nearest rung is closer than 1R the next one is taken; when that is further than 3R, that break is used up without an entry — a later break the same morning can still give one. Such a break arms no Auction Failed. The readout shows `taken` only after an entry.

5 · A skipped LVA is silent

An LVA skipped against a climax, against the flow or by AF Only sends nothing and draws nothing. Only the Auction Failed entry that follows names the reason.

6 · The checklist is a snapshot

The tags and the four facts are read the moment the entry fires. Only `Status` and `VA Now` move afterwards.

7 · The 1st FVG is read on 1-minute data

Whatever the chart timeframe, the 1st presented FVG comes from the 1-minute candles. On a 3m chart its tag can appear a bar after its 1m middle candle printed.

8 · The scoreboard is gross and short

It counts what the chart has loaded — a few weeks on a 3m chart — without costs, with a stop at −1R and TP1 in full, and without Auction Failed. For the long record and net R: the replay, the Saturday report, the Riff.

R 3 M

lava·

Value Area · Acceptance · Liquidity Ladder

R3M · lava· and lava·screener· for TradingView (Pine Script v6) · Edition October 2026
Concepts: auction market theory and the value area (J. Peter Steidlmayer, James Dalton), liquidity runs in ICT terms, turtle soup and the climax bar (Linda Raschke), the 1st presented FVG from 1st·. This guide explains a tool; it is not financial advice.