
R3M



GUIDE

climax·

Climax · VWAP · Liquidity · Entries

EDITION
October 2026

PLATFORM
TradingView · Pine Script v6

SCRIPTS
climax· · clx·screener·

CLIMAX· GUIDE

Contents

01 **What climax does** 3
Three questions a day, and a record of the answers

02 **Quick start** 5
Four checks, then let it run

03 **The daily bias** 7
25 %, 50 %, two clocks, one handover

04 **The climax** 10
One oversized candle, four readings, one trap

05 **The entry** 12
Entry at the close, stop at the extreme, two targets

06 **Checklist and score** 15
Eleven components, one score

07 **The scoreboard** 18
Every climax counted, with two controls

08 **The VWAP** 21
A rolling or a day-anchored average, its bands and its divergences

09 **The gaps as passengers** 23
HTF FVGs and opening gaps at entry and targets

10 **The liquidity** 24
Runs, equal levels, session highs and lows

11 **The views** 27
Simple, Standard, Full

12 **Reading the status readout** 28
Up to eight lines, top centre

13 **Everything on the chart** 30
A legend from top to bottom

14 **The settings** 32
Nine groups, every input with its default

15 **Setting up alerts** 38
Drivers, passengers and the situation line

16 **The screener · clx·screener·** 42
Twelve symbols, one ranking, two reports a day

17 **Reading a day** 48
The gold day from 18:00 to 18:00

18 **What the chart does not show** 49
Ten rules behind the display

19 **Common mistakes** 51
And what is really going on

20 **Glossary** 53
The terms in one line each

21 **Ten sentences that replace the rest** 55
The short version

IMPORTANT **This guide explains a tool, not a trading strategy**

climax (R3M) measures and names what the market has already done. It does not predict what it will do. Every number in this guide is a default, not a law — the daily bias comes from the Essence Model (rytrades), the climax bar from Linda Raschke's trading rules, the extension reading from William O'Neil's climax-top rules. None of it is investment advice, and none of the settings is optimised for your market. The scoreboard counts your history — it is a sample, not a proof.

SECTION 1

01 What climax does

climax answers three questions every trading day — and on the side keeps a record of how often the answer was right.

→ The one core idea 3
→ What sets climax apart from equinox 4
→ What you need 4

Question	The indicator's answer	When
1 · Which direction?	The **bias** from the previous-day candle — the same engine as in equinox: 25 %, 50 %, projections, validation on 210m closes, two session clocks with a handover, and the 210m signature quarters.	At the start of the day, then on every 210m close of the night
2 · Has the market exhausted an extreme?	The **climax**: an oversized candle that prints a new day extreme and closes in its opposite half. climax reads it against the day's levels — at the 25 %, through the 25 %, at the projection or simply at the day extreme.	On every completed candle of the climax timeframe
3 · Is the fade worth it?	The **entry** against the climax: entry at the candle's close, stop at its extreme, TP1 and TP2 at the next two quarter levels. Plus the **checklist** with a **score** — how many of its switched-on components the setup meets, `5/10` say; it also asks whether the climax took liquidity — and the **scoreboard**, which says how such fades have run on this market so far.	With the climax, then live until TP, stop or end of day

The three layers build on each other. The bias provides the levels at which a climax means anything at all. The climax is the event. The entry is the consequence — and the scoreboard is the check on whether the consequence is worth anything on your instrument.

The indicator does not trade on its own and gives no buy or sell recommendation. It labels the chart, keeps a checklist and counts. The decision stays with you.

The one core idea

> **NOTE** **Exhaustion before reversal**
>
> Linda Raschke's observation, counted on ten markets: a candle at least twice as wide as usual, printing a new day extreme and still closing in its other half, is fully retraced the same day in nine cases out of ten. The market saw the extreme and rejected it in the same candle. climax trades exactly that return — and first asks the bias whether the return runs with the day or against it.

What sets climax apart from equinox

equinox reads the whole day: frameworks, profiles, CISD entries, SMT, session liquidity. climax takes the bias engine from it and concentrates everything else on a single pattern. What it carries besides serves that pattern: the liquidity — low-resistance runs and equal highs and lows from gaps·, the session highs and lows and the 8–9 range from bias· — scores the climax and rides along in the entry, the readout and the alerts. From bias· it also takes the 210m signature quarters, as context: while they are live, every message's situation line shows `💠 210m BULL` or `💠 210m BEAR`. It is not a read of the whole day.

If you run both on the same chart, you get the same levels twice and the same status readout twice — which is why the levels (`25% / 50% Levels`), the projections (`Projections (PDH / PDL ± 25% & 50%)`) and the open lines (`Day & 00:00 Open Lines`) can be switched off separately in climax (group 1), and why the session clock must be the same in both. The same goes for bias·: the 210m quarters (group 1), the session liquidity and the 8–9 range (group 7) are drawn there too and can be switched off here.

What you need

- A TradingView chart on a timeframe that divides 210 minutes evenly — 1m, 2m, 3m, 5m, 10m, 15m, 30m. That is what the bias's 210m validation runs on. The session highs and lows need a timeframe that divides the 7-hour grid — all of these do.
- Volume in the data. The Volume and VWAP Stretch components use it; on CFDs it is tick volume, which is fine, only the thresholds differ (section 6).
- History. The scoreboard counts over the loaded candles — 10,000 by default, about three weeks on the 3m chart. Less history means less to say.

SECTION 2

02 Quick start

Five minutes and everything runs. Four things need checking; the rest can stay on its defaults.

→ Step 1 · Pick the chart timeframe 5
→ Step 2 · Understand the climax timeframe 5
→ Step 3 · Match the session clocks with equinox 5
→ Step 4 · Pick the view 6
→ What you see on the first day 6

Step 1 · Pick the chart timeframe

climax reads the bias on 210-minute closes, and for that the timeframe must divide 210. 3m and 5m are the usual choices for trading, 15m for the overview. On 45m, 1H or above the validation falls back to chart closes — the status readout then says `Intact` instead of `210m Intact`.

Step 2 · Understand the climax timeframe

The climax is not read on the chart candle but, by default, on a higher timeframe that ↳ `Climax Timeframe` · `Auto` matches to the chart: 1m → 5m, 2m / 3m → 10m, 5m → 15m, 10m → 30m, 15m / 20m → 1H, 30m → 2H, 1H → 4H, 4H → 1D, 1D → 1W. On the 3m chart a climax is therefore a 10-minute candle at least twice as wide as the 10m ATR. The marks and the readout's tooltips carry the timeframe with them (`2.3× ATR (10m)`). `Chart` reads the chart candle itself — louder, more climaxes, smaller fades. The fixed choices in the list run from 1m to 1W; 2H is only reached through `Auto`.

Step 3 · Match the session clocks with equinox

In the Full view the first line of the status readout — top centre by default, bottom centre if you move it (`Status Readout`, group 4) — names the clocks:

```
clx · XAUUSD · 3m · London ⇄ New York
```

In the default Simple view that line is missing; the readout starts with the bias line, led by the clock on duty: `▸ London · BULL · A+ · 25% …`.

`First Session Clock` (London by default, counted in Berlin hours) is the clock whose overnight window 18:00–08:00 validates the bias and whose 08:00–15:00 is the decision session. The second clock is always the next in the cycle London → New York → Asia → London and takes over with the handover from its 08:00 until 18:00. If equinox sits on the same chart, the first clock must be the same in both — otherwise on some days the two read different overnight windows and therefore different states.

Step 4 · Pick the view

`View` is set to **Simple** by default: one bias line, the day's climax, the running entry, a four-line checklist, a two-line scoreboard. Everything else keeps computing and sits in the hover tooltips. **Standard** and **Full** reveal it piece by piece (section 11). Start with Simple.

> **TIP** **Watch first, trade later**
>
> Let the indicator just run for a few weeks and look at the scoreboard in the evening: how many climaxes were there, how often did the day confirm the reading, how often did the entries reach TP1? Those numbers tell you whether the pattern exists on your instrument at all — before you change a single setting.

What you see on the first day




Fig. 1 **XAUUSD · 3m · view Full:** the climax at the day low (ϟ below the candle at 14:50), the fade upwards with its stop line and the two targets TP1 2.2R and TP2 2.9R, the rolling VWAP with its bands, the checklist top right, the scoreboard bottom right, the status readout below the candles. In the Simple view a third of this remains. Screenshot from an earlier version — its tables still show letter grades and the readout sits at the bottom; the current tables are shown in sections 6, 7 and 12.

SECTION 3

03 The daily bias

The bias engine is the same as in equinox — line for line. Here the short version; the full derivation with all figures is in the equinox guide, section 3.

→ Where the bias comes from 7
→ The 25 % and 50 % levels 7
→ Invalidation, reversal, reclaim 8
→ Two clocks, one handover 8
→ The 210m signature quarters 9

Where the bias comes from

Previous-day candle	Bias	Status readout
Close above open	bullish	`PD BULLISH · Bias BULL`
Close below open	bearish	`PD BEARISH · Bias BEAR`
Close = open (doji)	none	`PD NEUTRAL · No Bias (Doji)`

The previous day (PD) comes from TradingView's daily series with the `settlement as close` option switched off, not from the chart candles — a 3-minute chart sees exactly the same previous day as a daily chart. On a doji day there are no levels and no entries: a climax is still marked, but without levels it has nothing to be read against.

The 25 % and 50 % levels

The levels are not laid over the whole previous-day range, only over the part between the previous-day close and the opposite extreme: with a bullish previous day from the close down to the low, with a bearish one from the close up to the high. The zero point is the previous-day close — that is where the new day opens. The 25 % is therefore a shallow lid or floor close to the open: a continuation day may run against it briefly, but not deeply.




Fig. 1 **On the daily chart:** left the bullish case — the new day opens at the previous close, the 25 % sits just underneath and holds. Right the bearish counterpart with its 210-minute resolution.

Invalidation, reversal, reclaim

- `Validate With 210m Closes` (on): only a fully completed 210-minute candle can invalidate through the 25 %. A single 3-minute outlier cannot tip the day.
- `Overnight Candles Only (18:00–08:00)` (on): only the overnight candles between 18:00 and 08:00 of the respective clock may invalidate. From 08:00 that clock's reading is locked in.
- `Reversal Framework On 25% Break` (on): a close through the 25 % flips the working direction; the projections jump to the other side of the previous-day range. If price later closes back — and the 50 % was never broken — it flips back again (`25% Reclaimed` , an A framework, no longer A+).

The projections `PDH +25% / +50%` and `PDL −25% / −50%` measure a quarter and half of the full previous-day range, added to the extreme in the working direction. In climax they are more than expansion areas: they are the targets of the fades that run with the day, and the place where the climax is read at the projection (section 4).

A break or a reclaim of the 25 % is not marked on the chart and sends no message of its own. The readout, the checklist's `Bias Now` line and the 🧭 situation line at the head of every message show the reading as it stands (section 15).

Two clocks, one handover

With `Second Session Clock (Next In Cycle)` (on), climax computes the bias a second time on the next clock in the cycle — same previous day, same levels, but its own overnight window. A 210m close that still falls into the night on the London clock may already be day on the New York clock, and vice versa; that is why the two readings can be `A+` and `Reversal` on the same day. ↳ `Session Handover` (on) gives the second clock the say from its 08:00 until 18:00: its reading steers the entries, the projections and the status readout (`▸ New York ·`), the other runs along dimmed.

Below the candle of the switch stands `◑ NY` , `◑ LON` or `◑ ASIA` — at 18:00 the mark of the first clock follows when the decision session returns to it. With `◑◑ Handover` (group 9, on by default) the switch rides along in the next message as `🔄 NY on duty` (section 15). The hover tooltip of the mark says what changed hands:

🔄 Handover · New York reading now owns the decision session (its 08:00) · London BULL → New York BEAR · entries and readout follow it

With the handover switched off, the ◑ is still drawn when the two readings disagree at the second clock's 08:00 or 18:00; its tooltip then ends `· the London reading keeps steering (handover off)`.

The 210m signature quarters

With `210m Signature Quarters` (on) climax carries a finer pair of levels over from bias·. On every completed 210m candle it compares that candle with the one before. A bull signature is a bullish 210m candle that either held above the previous low and closed above the previous candle's midpoint, or undercut the previous low and closed above both the previous open and the midpoint. It counts only if the first clock's working direction is BULL and the candle's low reached the daily 25 % while it closed above it. A bear signature is the mirror image: a poke over the 25 %, a close below it, working direction BEAR.

From such a candle climax measures its own quarters, from its close to its low (bull) or high (bear): `210m 25%` and `210m 50%`, dashed, in the `Levels` colour, marked `◇` on the next candle (below for bull, above for bear, in the first clock's `Mark Colors`). A later 210m close through the 210m 25 % removes them (grey ◇); the day open clears them anyway. The ◇ tooltip carries the text — `💠 · 210m Quarters Set · BULL signature dipped to the 25% at … · working direction BULL · longs only · targets PDH +25% / +50%.`, or `💠 · 210m Quarters Invalidated · …`. They are context — not scored, not a target, not in the readout — and need a chart timeframe that divides 210m. While they are live, every message's situation line ends with `💠 210m BULL` or `💠 210m BEAR`.

SECTION 4

04 The climax

A climax bar is a candle that does three things at once: it is at least `Climax Bar (× ATR)` wide (twice the ATR(14) of its timeframe by default), it prints a new day high or day low, and it closes in the opposite half of its own range.

→ Which candle it is read on 10
→ The four readings 10
→ The day keeps its most telling climax 11
→ The trap · ϟ× 11

Which candle it is read on

↳ `Climax Timeframe` decides. `Auto` (the default) picks a higher timeframe matched to the chart (section 2); `Chart` reads the chart candle; or you pick a fixed one from the list. A higher timeframe is read on its completed candles: width, day extreme, close position, ATR(14), volume and the SMA 50 then belong to that candle. It is judged exactly once — on the first chart candle after its close, against the day extreme as it stood at that close. The `ϟ` mark sits at the candle's extreme, at its middle in time, above it for a climax at the high, below it at the low.

The four readings

Every climax is read against the day's levels, in this order of precedence:

Reading	What the candle did	Hover text of the mark
25% defended	The candle attacked the 25 % of the daily bias and closed on the right side — with a bull bias its low at or below the level, its close above it; with a bear bias the mirror image. The level was tested and held.	`⚡ · Climax at the 25% 4149.24 · counter-move exhausted, bias defended`
exhausted break	The same candle, but the close sits beyond the level: wide, through the 25 %, and still closed weakly. The break stands, but the run that produced it is exhausted — a reclaim is likely.	`⚡ · Climax through the 25% 4149.24 · exhausted break, reclaim likely`
at the projection	The candle's extreme reached `PDH +25%` or `PDL −25%` in the working direction. The day's run is probably over there.	`⚡ · Climax at PDL −25% · the move is likely ending`
day extreme	Everything else: a climax at a new day high or low, at no level.	`⚡ · Climax at the day low`

On the chart the mark is the glyph `ϟ`; in its hover tooltip the glyph becomes ⚡. The text always ends with the width in ATR and the timeframe, the volume from 1.5× its average, and the distance from the VWAP: `· 2.3× ATR (10m), vol ×1.8 · 2.9σ from VWAP.` If the bar ran liquidity, the tooltip adds what it took: `✂️ took -LRLR 4070.2.` for a run or an equal high or low, `✂️ took 10/13 ASIA.L 4068.1.` for a session or 8–9 level (section 10).

In the messages the climax speaks more briefly. A climax that fires an entry opens the entry message (`⚡ exhausted break · 🏅 5/10 · …`); one without an entry rides along as `⚡ exhausted break 2.3× ATR` (section 15).

The day keeps its most telling climax

A day can have several climaxes. For the status readout and the scoreboard one counts: a reading at the 25 % or at the projection displaces one at the mere day extreme, and the first reading of that quality stays. Every climax still gets its mark — and every one can trigger an entry (section 5).

The trap · ϟ✕

A defence can fail: if a climax held the 25 % and later the same day a 210m candle closes through it after all, climax marks that as a **Failed Climax** — `ϟ✗` on the candle of that close, with the tooltip `⚡❌ · Failed Climax · the 25% that held the climax was closed through after all · the flip after a trap is usually the strong one.` The readout's climax line becomes `ϟ✗ failed climax`, and the scoreboard counts the traps within the defences. The trap is a mark and a count; it sends no message.

The reading behind it: a failed defence is a trap, and the run that springs the trap is usually the strong one.

> **NOTE** **A climax is an exhaustion, not a reversal signal**
>
> The mark says that the market saw an extreme and rejected it in the same candle. What comes of it is decided by the context: a climax at the 25 % that defends the level is the prototype of the model; a climax at the day extreme without a level is just a wide candle. The checklist in section 6 turns exactly that difference into the score.

SECTION 5

05 The entry

An entry is the fade of the climax bar: in the direction of its close, against the extreme it has just rejected.

→ The numbers 12
→ The entry gate 12
→ The status 13
→ What is drawn 13
→ The entry's tooltip 13

The numbers

What	Where
Entry	The close of the climax bar. A climax at the day low gives a long, one at the day high a short.
Stop	The extreme of the climax bar. A chart close through it ends the trade (`Stopped`).
Risk	The distance between the two — the R in which the targets are measured.
TP1 · TP2	The next two quarter levels ahead of the entry in the trade direction: the day's 25 % and 50 % marks and — only if the fade runs with the working direction — the projections PDH / PDL ± 25 % and ± 50 %. Only levels that actually lie ahead of the entry qualify; TP1 is the nearer one. If none lies ahead, there is no target, and `Clear Targets` reads ×.

A fade with the working direction — the long after a climax that defended the 25 % of a bull day — therefore has up to four candidates and often reaches the projection with TP2. A counter-trade, say the short back from the projection of a bull day, has only the two quarter levels.

The entry gate

Setting	Effect
Every Climax (default)	Every ϟ is traded, with or against the day. The direction is in the checklist.
Working Direction Only	Only fades that run with the reading on duty — a 25 % defence, an exhausted break back into the bias.
At A Level Only	Only a climax at the 25 % or at a projection. A climax at the mere day extreme triggers nothing.

In addition ↳ `One Entry Per Day` (on): the first qualifying climax of the day gets the entry; if it is stopped out, the day is armed again and the next climax may. And ↳ `Min Score To Enter` (3 by default, 0–11): a setup that meets fewer of the switched-on components is neither drawn nor reported — the climax itself stays marked. At 0 everything passes.

The status

From the candle after the entry on, climax checks on every chart close:


Status	Glyph	When
Live	●	Nothing decided yet.
TP1 Hit	◆	Price touched TP1 — by wick, no close needed. From here the trade is read as partially secured: the status can only advance, a later close through the stop no longer counts as Stopped.
TP2 Hit	◈	TP2 touched as well.
Stopped	○	A chart close beyond the climax extreme before TP1 was reached. The day is armed again.
Expired	○	The day ended without TP1 or the stop being reached.

What is drawn

At the climax bar a label `▲ CLX` (below the candle, long) or `▼ CLX` (above it, short), in the first clock's `Mark Colors`; from there to the right the dotted stop line at the extreme and the two target lines with their tags `TP1  2.2R` and `TP2  2.9R`. The tags sit above the line for longs and hang below it for shorts — so they never run into the 25 % and 50 % tags the targets usually coincide with.

The entry's tooltip

The label's hover tooltip is the entry's complete file. Here a short from a live chart — a climax at the day high on the London clock, scored 5 of 10:



It reads in four blocks:

1. **The trade.** Direction, the reading (`at the 25%` , `exhausted break` , `at the projection` or `at the day high / low`), the clock on duty and the chart timeframe; then entry, stop (`SL`), risk, TP1 and TP2 with their R — or `TP1 : none ahead` — and the score, `🏅 Signal Score: 5/10` .
2. **The checklist** as it stood at the entry: one ✅ or ❌ per switched-on component, with the measured value where there is one (volume, width, σ). A component you switched off is not listed (section 6).
3. **The passengers:** the live gaps at the entry and at the targets (`Entry in …` , `TP1 at …` , `TP2 at …`), the first taps that rode along (`✅ First Tap 1x 1H -FVG ↓`) and the VWAP divergences (`✅ VWAP Divergence · bullish 14:00 (3.1 ATR)`) — ✅ when the line backs the trade, ❌ when it speaks against it (sections 8 and 9). The block is missing when there is nothing to say.
4. **The liquidity:** what the climax took (`✂️ took -LRLR 4070.2` , `✂️ took 10/13 ASIA.L 4068.1`) and the open levels between entry and farthest target on the side the trade runs to (`💧 In Path · …` , section 10).

The alert for the entry is shorter: a block of two or three lines with the reading, the score, the levels and the next open liquidity in the way (section 15).

> **UNDER THE HOOD** **Stop on close, target on touch**
>
> The asymmetry is deliberate. A wick through the climax extreme is exactly what a climax leaves behind — liquidity that gets taken once more. Only a close beyond it refutes the exhaustion. A target, on the other hand, is a level the market has traded at; there a touch is enough.

SECTION 6


06 Checklist and score

Top right sits the checklist of the latest entry. Its rows are at the same time the components of the score: every switched-on one is checked on every entry, and the number met, out of the number switched on, is the score.

→ The score 16

→ The two live lines 16

→ The eleven components 16





The header names direction, reading and entry; below it `Setup Score` with its count, the status with its glyph, `Bias Now` with ✓ or × — and in Full the components. Simple shows no component rows; they sit in the tooltip of the `Setup Score` row. Standard adds only the components the setup is missing (×). The glyphs take the first clock's `Mark Colors` (group 8) — light for ✓, dark for × with the defaults. The table's position is chosen next to `Strategy Checklist` (Top Left, Top Right, Middle Right, Bottom Left, Bottom Right), and ↳ `Setup Score` switches its row off.

The score

The score is the number of switched-on components the setup met, out of how many are switched on: `5/10`. With the default ten (Extension is off) it runs from 0/10 to 10/10. ↳ `Min Score To Enter` (3) is the gate: below it there is no entry. The score is a snapshot from the moment of the entry — it does not change any more, even if the bias flips later. What changes live is shown by the two lines above the components.

> **NOTE** **The checklist filters — but only through the score**
>
> Unlike in equinox, the checklist has a say here: through `Min Score To Enter`. At 3 it filters practically nothing — every entry with three hits appears. At 7 most days stay quiet. That is a decision about your trading frequency — make it only once the scoreboard has told you which scores actually run better on your market.

The two live lines

Line	Meaning
Status · Live ●	The state of the trade (section 5): `Live ●`, `TP1 Hit 4134.44 ◆`, `TP2 Hit 4149.24 ◈`, `Stopped 4066.35 ○`, `Expired ○`. The tooltip names stop, targets and since when — or what was reached when.
Bias Now · BEAR · Reversal · New York ×	The working direction of the reading on duty, now — with its state (`A+`, `25% Reclaimed`, `Reversal`) and clock: ✓ runs with the trade, × against it, `·` no bias. A long that began as a 25 % defence of a bull day and now stands against a flipped day gets its × here — the score stays, the situation does not.

The eleven components

Component	✓ means	Default
Working Direction	The fade runs with the reading on duty — a 25 % defence, an exhausted break back into the bias. × is the counter-trade, say the fade from the projection; it gets only the quarter levels as targets.	on
A+ Bias	The 25 % had never been broken on a closing basis at the entry — an A+ day, not a reclaimed or flipped one.	on
At A Level	The climax printed at the 25 % (defended or exhausted break) or at a projection, not at the mere day extreme.	on
Strong Rejection	The climax bar closed in the outer quarter of its range, seen from the extreme — not just in the other half, but right at the back.	on
Volume ≥ 1.5×	The candle's volume against its 50-candle average, on the climax timeframe. On CFDs that is tick volume; 1.2–1.3 is often the realistic threshold there.	on · 1.5
Wide Bar ≥ 3× ATR	The candle's range at least this many ATR — stricter than the climax threshold itself (2×).	on · 3.0
Clear Targets	There is a TP1, and it lies at least 1.5 R away.	on

Component	✓ means	Default
Decision Session	The climax printed between 08:00 and 15:00 on the clock on duty.	on
VWAP Stretch ≥ 2σ	The climax extreme lay at least this many standard deviations from the VWAP (section 8). Needs the VWAP add-on and volume.	on · 2.0
Extension ≥ 3 ATR	O'Neil's reading: the distance of the climax extreme from the SMA 50 of the climax timeframe, in that timeframe's ATR. A climax far above its average is the one that returns to the mean. By default only measured and shown, not scored.	off · 3.0
Liquidity Swept	The climax bar ran an open LRLR / HRLR or EQH / EQL level on the side of its extreme — the move ended by taking the resting liquidity. With ↳ `Session & 8–9 Levels Count` (on) a session high or low (ASIA / LON / NY .H / .L) or an 8–9 high or low counts as well — all of them, drawn or not. Needs `LRLR · Low Resistance Liquidity` (group 7); with it off the component is not scored (section 10).	on

Every component can be switched off individually in group 3; it then counts neither in the score, nor in the checklist, nor in the entry tooltip, but still in the scoreboard's component statistics — so you can see whether it is worth anything before you take it into the score (section 7).


SECTION 7

07 The scoreboard

Bottom right, climax counts every climax since the first loaded candle: by reading, with the day's confirmation, with the outcome of the entries — and with two control groups without which the numbers mean nothing.

→ The rows 18

→ The optional blocks 19



21 days of history, four readings with count, confirmation and entry outcome, the traps, the sum of the entries, below that the two controls. Every row explains itself in its hover tooltip. In the Simple view only two rows remain — `ϟ 21 days · 11 entries` and `TP1 73% · TP2 55% · stopped 9%` — and the split by reading moves into their tooltip.

The rows

Row	What is counted	✓ means
25% defended · 3 · ✓ 67% · TP1 50% · TP2 50% (2)	Days with a climax that defended the 25 % — one climax per day, the most telling one.	No later 210m close through the 25 % for the rest of the day — read without the overnight lock, so a defence at 11:00 can still fail.
exhausted break	Days with a climax through the 25 % with a weak close.	The last 210m close of the day sits back on the bias side — the break was reclaimed.
at projection	Days with a climax at PDH +25 % / PDL −25 %.	A later close beyond the far end of the climax bar — the run actually retraced.
day extreme	Days with a climax at a day extreme without a level.	The same retrace check.


Row	What is counted	✓ means
ϟ× traps · 1 of 3 defences	Defences that were closed through later in the day after all (included in the defences).	—
entries · 11 · TP1 73% · TP2 55% · stopped 9%	All entries: the share that touched TP1, the share with TP2, the share closed through the stop. The rest expired at the end of the day.	—
control · 25% held, no ϟ · 7 · ✓ 14%	Control 1: days on which an ordinary candle tapped the 25 % and closed on the bias side, with no climax that day.	The same defence check. The thesis requires: the defence row must beat this one.
control · wide bar, no rejection · 15 · ✓ 93%	Control 2: the day's first equally wide candle at a new extreme that closes in its far half instead — a momentum candle, not a rejection.	The same retrace check as for the climax rows.

Behind the entry percentages, in brackets, is how many there were. Three entries at 100 % are three entries — not a hundred percent.

The optional blocks

In the Full view two more blocks can be switched on (group 4):

- ↳ `Entries By Score`: entries, TP1, TP2 and stops per score band — `score high` (at least 7/11 of the switched-on components met — 7 to 10 of 10 with the defaults), `score mid` (from 5/11 — 5 or 6 of 10) and `score low` (below). The claim behind the checklist is “more confluence → higher hit rate” — these rows show whether the data agrees.
- ↳ `Entries By Component`: for every component the TP1 rate of the entries on which it was ✓ against those on which it was × — with the counts. Counted for all eleven, whether they are in the score or not. A component earns its place in the score when ✓ beats the × group by a margin that survives the sample size.



Read the two blocks against each other. Here, for example, the score bands rise as they should (TP1 50 % → 75 % → 100 %), but it also stands out that `Strong Rejection` runs inversely on this market (✓ 40 % against × 100 %), that `Volume ≥ 1.5×` never hit on tick volume, and that `VWAP Stretch` was ✓ on eleven of eleven entries — a component that always hits separates nothing.

> **IMPORTANT** **Twenty days are a small sample**
>
> Eleven entries at 73 % TP1 are eight hits. Two trades fewer and it would be 55 %. Read the scoreboard as a tendency, not as a statistic: what holds over weeks — defences beat the control clearly, one reading never runs — is information. What lies between two percentages in the middle range is noise.

SECTION 8

08 The VWAP

A VWAP runs along as a visual support — rolling by default, anchored to the day if you prefer — and supplies the checklist with the VWAP Stretch component.

→ The bands 21
→ What else is drawn 21
→ The VWAP Stretch component 22

An ordinary VWAP starts from zero every day. The rolling VWAP (after TradingView's Rolling VWAP script) never resets: it carries a window of constant length along with price, so the line means the same thing everywhere — the volume-weighted average of the last four hours, say. The window is a time window, not a candle count. By default it scales with the chart (↳ `Fixed Time Window` off): about one hour on 1m, four hours on 2m to 5m, one day up to 1H. With a fixed window it stays at `Days / Hours / Minutes`, whatever the timeframe.

↳ `Type` chooses between the two: `Rolling` (the default) as just described, or `Day (Anchored)` — the ordinary VWAP that starts fresh at every new day of the chart's daily bar and grows through the day. Then the window settings do not apply, and ↳ `Minimum Bars In Window` counts from the day's start. Line, bands, fills, colours, Z-score tag and divergences stay the same; the tag reads `VWAP Day`.

The bands

Around the line lie three pairs of bands at `Band 1 · 2 · 3` standard deviations (0.5 · 1 · 2 by default), measured over the same window — on `Day (Anchored)` over the day so far —, so the bands breathe with the average. A band set to 0 is hidden. The fills can darken when the bands contract: on `Rolling` the bandwidth is ranked against its own last 150 candles, and below ↳ `Compression Level` the fills darken proportionally — 0.25 means the tightest quarter of the recent range. A day's deviation first grows and then drifts, so on `Day (Anchored)` it is compared instead with its normal at the same candle of the day (the average of about the last 20 days), halved so that normal reads 0.5 as on the rank — 0.25 then means half the usual width for that time of day. The default 0.0 leaves the fills undarkened.

What else is drawn

What you see	Meaning
The line, coloured	↳ `Colored Midline`: light above price, neutral on a touch, dark below it. A candle whose range spans the line counts as a touch.
VWAP 4H · -2.1 Z	The Z-score tag at the right edge: the window (`Day` on `Day (Anchored)`) and how many standard deviations price currently is from the average. From ±2 it is outside the outer band — a climax there is the stretched one.

What you see	Meaning
Dot below / above a candle	↳ `Divergence Dots` ◓ ◒ : the candle closes higher while the average turns down (bullish, dot below the candle) — or the reverse (bearish, dot above) —, after a move of at least `ATR ×` 3 over the `Lookback` of five candles, with no gap in it. A new dot needs more than 15 candles since the last one of its side, or more than 10 when the last 20 candles span over 2 ATR. Divergences ride along in the alerts as passengers (🔔 `1 bull · 2 bear` , section 15).

The VWAP Stretch component

At the climax, climax measures how many standard deviations the candle's extreme lay from the VWAP and writes it into the mark (`2.9σ from VWAP`), into the checklist and into the first line of the entry message. From ↳ `σ` (2.0) the component is ✓. On many markets a climax is practically always outside two sigma — then the component separates nothing, and the component statistics show it to you (✓ on every entry). A higher threshold, 2.5 or 3, turns it back into information. The screener always measures against the rolling VWAP — with `Day (Anchored)` on the chart its VWAP Stretch can differ.

> UNDER THE HOOD **Switching the VWAP off switches the measurement off**
>
> If you switch `Rolling VWAP` off, line, bands, tag and dots disappear — and the VWAP Stretch component is no longer measured: it reads × on every entry. If you only want a quieter picture, set the three bands to 0 and leave the switch on.

SECTION 9

09 The gaps as passengers

The gap engine from equinox runs along in climax — not as a drawing, but as context: which gap sits at the entry, which at TP1, which at TP2.

climax knows two kinds of gaps. **HTF FVGs**, fair value gaps of higher timeframes, in `Automatic` mode two levels matched to the chart (up to 1m → 15m + 1H · up to 5m → 1H + 4H · up to 15m → 4H + 1D · up to 1H → 1D + 1W), or up to three fixed ones. And the **opening gaps**: NWOG, the gap from the Friday close to the Sunday open, and NDOG, the one from the previous day's close to the next open — on US index CFDs and futures from the cash close 16:14 New York to the reopen at 18:00, otherwise the chart's day boundary. An FVG disappears when a chart close runs through its far edge; opening gaps stay until `Keep · NWOG / NDOG` (1 / 5) pushes them out, or with `Remove On Close Through` likewise on a close through.

Where the gaps show up

Place	What is written there
The entry's tooltip	`Entry in 1H +FVG 102.032–102.352` , `TP1 at 10/1 -NDOG 101.991–102.039` , `TP2 at 1H +FVG 101.977–102.017 · 4H +FVG 101.936–102.017` — every gap that a level lies in or that sits closer to it than ↳ `Level Proximity (× ATR)` (0.5). This is the only place where the gaps at entry and targets are named.
Status readout	A gaps line with the nearest gaps above and below price: `Gaps · ↑ 4H -FVG 4124.47–4128.67 · ↓ 1H +FVG 4075.0–4076.1` (from the Standard view).
☐ above or below a candle	The first tap into a live gap, per gap and direction: above the candle when price came in from above (↓, supports longs), below it when from below (↑, supports shorts). The hover tooltip names gap and edge. Re-armed every 7H (on the first clock's grid), every 210m or never. In the alerts they show as the gauge 👉 `2↓ 1↑` in the 🧭 line: the first taps since the running 7h block of the first clock began.
Boxes with tags	Only with ↳ `Draw Boxes & Tags` (**off** by default): the gaps as soft boxes with `4H -FVG` / `10/5 +NDOG` , tags closer together than `Tag Row Merge (× ATR)` (0.5) merged into one row — the same setting merges the liquidity tags (section 10). The levels work in tooltips and messages without the boxes, too.

A target in a gap is an argument: the market still has unfinished business there. An entry in a gap likewise — the fade starts from an area the market has already jumped over once. Both therefore stand where you read them at the entry, and nowhere else. A new opening gap rides along in the alerts as `🕳 1 new gap` .

The gaps also feed the liquidity (section 10): a live HTF FVG of the opposing side in a run's path makes it an HRLR, and the tag of a liquidity level names the live gap it sits in.

SECTION 10

10 The liquidity

Two liquidity engines run along in climax — like the gaps, as context for the fade. Neither moves entry, stop or targets. They answer one question: did the climax take the liquidity that was resting there?

→ Low-resistance runs · LRLR and HRLR 24
→ Session highs and lows · the 8–9 range 24
→ What you see 25
→ What it does for the trade 25

The first is the run engine from gaps·: **LRLR**, low-resistance liquidity runs, their defended variant **HRLR**, and the equal highs and lows **EQH / EQL**. The second comes from bias·: the **session highs and lows** of the 7-hour blocks and the **8–9 range**. Both sit in group 7.

Low-resistance runs · LRLR and HRLR

A swing is a pivot high or low, seen only once the candles to its right have closed. A series of lower highs with no open bearish FVG between consecutive swings is a `+LRLR` : liquidity rests above, and price meets little resistance on its way up into it. Higher lows with no open bullish FVG are a `-LRLR` , liquidity below. The level is the outermost swing; three swings make a run.

Only a chart-timeframe FVG of real size breaks a series, and only one still open when the next swing confirms. If such a gap of the opposing side later breaks the series below a kept run, or a live HTF FVG of the opposing side sits between its last swing and its level, the run becomes an `+HRLR` / `-HRLR` : still liquidity, but defended. With `HRLR · Runs Behind An Open FVG` off, a chart-timeframe break leaves it an LRLR, and a run behind an HTF FVG is not kept.

`EQH / EQL` are two swing highs or lows in a row within `Tolerance (Ticks)` ; the level sits at the outer one. A run or equal level is taken as soon as price touches it — it is then `Mitigated` , and the series behind it ends. Only live, untaken levels are open liquidity.

Session highs and lows · the 8–9 range


`Session Liquidity (.H / .L)` keeps the high and low of every completed 7-hour block on the first clock's grid — 18:00–01:00, 01:00–08:00, 08:00–15:00; the block 15:00–18:00 is not used. Each block carries the name of its session: on the London clock NY, ASIA, LON; on the New York clock ASIA, LON, NY; on the Asia clock LON, NY, ASIA. A session level is taken only when price trades beyond it; with `Preserve After Sweep` its line then ends at the candle that took it and drops a day later.

`8–9 Range (→ 10:30 Cutoff)` draws the 08:00–09:00 high and low of each clock — of the second only with the second clock on — at 09:00, as two lines from 08:00 to 10:30. They count as liquidity like the session levels, until taken or until the next 08:00 of their clock. The session levels need a chart timeframe that divides the 7-hour grid; at most 72 session and 8–9 levels are kept.

What you see

What you see	Meaning
Solid line with a tag +LRLR / -LRLR, swings joined by a dotted line	A low-resistance run: liquidity above (+) or below (−). Faded once run; the line stops `Extension After Run (Bars)` (5) after the candle that took it.
Dashed, paler line +HRLR / -HRLR	The same run behind an open FVG of the opposing side.
Line with a tag EQH / EQL	Equal highs / lows.
Dotted line with a tag 10/13 ASIA.H, LON.L, NY.H …	The high or low of a 7-hour block, run to the right edge until taken. Tags at the same height share one label: `10/13 ASIA.H · 10/13 NY.H`.
Line pair 8–9 LON.H / 8–9 LON.L from 08:00 to 10:30	The 8–9 range of each clock.

The run levels are drawn by default (↳ `Draw Levels & Tags`, on); the logic works without them. Their tags sit right of the gap tags, and tags within about eight candles of each other share a row (`EQL · -LRLR`, `Tag Row Merge` in group 6). Hover a tag for its file: kind and swings, price, a live gap it sits in and whether it lies with or against the order flow — in a bullish working direction the highs are the targets, in a bearish one the lows. Below that, where and when it formed and was run, and the swings still ahead:



Once run, the tag reads `· Mitigated` with the time, and a line `✂️ Run at the day low 4066.35 · 13.10 14:42` follows — with `· multi sweep ×2` when the same wick took several levels on that side. A run whose inner swings are partly taken shows it in its targets: `(1 of 3 swings taken)`.

What it does for the trade

Place	What it says
Score	`Liquidity Swept` (section 6): ✓ when the climax bar ran an open level on the side of its extreme — a climax at the high, levels above. With ↳ `Session & 8–9 Levels Count` (on) the session and 8–9 levels count too, drawn or not.
Climax mark	The tooltip names what the bar took: ✂️ `took -LRLR 4070.2`, ✂️ `took 10/13 ASIA.L 4068.1`.
Entry	The tooltip ends with ✂️ `took …` and 💧 `In Path · …` — the open levels between the entry and the farthest target, on the side the trade runs to. The entry message names what the climax took at the end of its first line (`· ✂️ took -LRLR · 10/13 ASIA.L`, without prices) and adds a third line 💧 `next +LRLR 4120.5` — the first open level in the trade's way, LRLR / EQ or session / 8–9, whichever is nearer the entry.
Status readout	The eighth line: the nearest open level above and below price, per side whichever is nearer — `Liquidity · ↑ +LRLR 4120.5 · ↓ 10/13 NY.L 4061.9` (section 12).

Place	What it says
Alerts	`≈ Liquidity Formed` and `≈ Liquidity Run` send on their own only for a clean LRLR at the day high or low, at the running session's high or low or on a named level (PDH / PDL, a session or 8–9 level) — a Formed waits up to 30 minutes and stays silent if the level is run meanwhile; EQH / EQL, HRLR and anything elsewhere ride along (🧲 / ✂️). Session and 8–9 levels taken (`◌ Session Liquidity Taken`) ride along under ✂️ by name, each name once; a level formed and run while the passengers wait shows once, under ✂️ (section 15).
Screener	The same Liquidity Swept, and a liquidity column (section 16).

> **NOTE** **Why liquidity scores the climax**
>
> A climax is a run that spends itself on an extreme. If that extreme is a level where liquidity was resting — the top of a run of lower highs, equal lows, a session low — the move had a reason to get there and nothing left once it had taken it. That is the classic exhaustion the fade wants. A climax in empty space is still a climax; it just lacks this one argument.

The settings of both engines are in section 14, group 7.

SECTION 11

11 The views

Too much data does as much harm as too little. `View` in group 4 decides how much of it is on the chart — everything is always computed.

	Simple (default)	Standard	Full
Status readout	bias line of the clock on duty · the day's climax · the running entry with status, stop and targets — no entry line before the first entry	the short bias line, the other clock, the climax, the entry line with reading and score, the gaps line and the liquidity line	all eight lines: header, bias, quality, other clock, climax, entry, gaps, liquidity
Checklist	header · Setup Score `n/N` · Status · Bias Now — the components sit in the Setup Score tooltip	as Simple, plus only the missing components (×)	all switched-on components with ✓ / ×
Scoreboard	two lines: `ϟ 21 days · 11 entries` and `TP1 73% · TP2 55% · stopped 9%` — the split by reading is in the tooltip	by reading, traps, entries, controls	plus, if switched on, the blocks by score and by component

The tooltips are the same in all three views. If you want to know in Simple which components hit, hover over the `Setup Score` row; if you want to see the readings, hover over the first row of the scoreboard.

> **NOTE** **Mental capital**
>
> The Simple view is not the stripped-down one — it is the one you trade with. It shows what you need in order to trade: where the day stands, whether there was a climax, what the trade is doing, what the setup lacks. Full is the view for the evening, when the scoreboard is read.

SECTION 12

12 Reading the status readout

Top centre by default — or bottom centre, with the `Status Readout` position in group 4 — up to eight lines. An example from the Full view, line by line:

```
clx · XAUUSD · 3m · London ⇄ New York
▸ New York · PD BULLISH · BULL → BEAR · 25% Broken
Reversal Framework · Expecting Lower
London · BULL → BEAR · 25% Broken · Reversal
ϟ exhausted break · low 4066.35
CLX LONG 4087.61 · exhausted break · Score 5/10 · Live
Gaps · ↑ 4H -FVG 4124.47–4128.67
Liquidity · ↑ +LRLR 4120.5 · ↓ 10/13 NY.L 4061.9
```

Line	Meaning
1 · Context	Name, symbol, timeframe, the first clock and — with ⇄ — the second. The tooltip explains the handover. Only in Full.
2 · Bias	The reading on duty (▸ with its name as soon as the handover is on): previous day, bias, state — `210m Intact`, `Intact`, `25% Closed Through`, `50% Closed Through`, `25% Reclaimed` or the flip `BULL → BEAR · 25% Broken`. In Simple and Standard shortened to `▸ New York · BEAR · Reversal · 25% 4149.24`.
3 · Quality	`✓ A+ Setup Valid`, `A Framework · 25% Reclaimed`, `A Framework · Lower Prob` or `Reversal Framework · Expecting Higher / Lower`. Only in Full — in Simple and Standard it is in the bias line's tooltip.
4 · The other clock	Dimmed: the same levels, but its own overnight window, therefore independently intact or broken — `London · Bias BULL · A+`, `… · 25% Reclaimed · A Framework` or `London · BULL → BEAR · 25% Broken · Reversal`. From Standard.
5 · Climax	The day's most telling climax with its extreme — or `ϟ✗ failed climax` if a defence failed. If the line is missing, there was none today.
6 · Entry	Direction, entry, reading, score, status — or `No Climax Entry Yet`. In Simple: direction, entry, status, stop and targets — no line before the first entry.
7 · Gaps	The nearest gap above (↑) and below (↓) price — or `Gaps · none live`. From Standard.
8 · Liquidity	The nearest open liquidity above (↑) and below (↓) price: LRLR, HRLR, EQH / EQL and the untaken session and 8–9 levels, per side whichever is nearer — or `Liquidity · none open`. From Standard (section 10).

The same moment in the Simple view — three lines:

```
▸ New York · BEAR · Reversal · 25% 4149.24
ϟ exhausted break · low 4066.35
CLX LONG 4087.61 · Live · stop 4066.35 · TP1 4134.44 · TP2 4149.24
```

Every line has a tooltip that says what it reads and which numbers stand behind it — the levels, the projections, the width of the climax, the entry's targets. The bias line takes the first clock's `Mark Colors` on a reversal day and the `Levels` colour on a broken or reclaimed one; the entry line takes the trade's colour while it is open.

SECTION 13

13 Everything on the chart

A legend from top to bottom. Everything here can be switched off individually.

What you see	Meaning
Solid lines 25 % and 50 %	The day's invalidation levels (`25% / 50% Levels` , group 1). Can be switched off on a chart with equinox, where they are already drawn.
Dotted PDH +25% / +50% or PDL -25% / -50%	The projections in the working direction (`Projections (PDH / PDL ± 25% & 50%)` , group 1) — the targets of the fades with the day and the place of the climax at the projection. They follow the reading on duty: a flip, a reclaim or a handover re-points them.
Dotted with a timestamp	The day open of the first clock and the midnight open 00:00 (`Day & 00:00 Open Lines`).
◑ NY / ◑ LON / ◑ ASIA below a candle	The handover: from here the decision session belongs to the other clock. Hover = what changed hands (section 3).
Dashed lines 210m 25% / 210m 50%	The 210m signature quarters (`210m Signature Quarters` , group 1 · section 3).
◇ below or above a candle	A 210m signature set its quarters — below for bull, above for bear, in the first clock's colours; grey when they are invalidated. Hover = the Set / Invalidated text.
ϟ above or below a candle	A climax bar — above the candle at the day high, below it at the day low, in the middle of the candle for a higher timeframe. Hover = reading, width in ATR, volume, σ from VWAP and the liquidity it took (✂️ `took …`).
ϟ× above or below a candle	A failed climax — the defended 25 % was closed through after all (the trap, section 4). Hover = ⚡❌ `· Failed Climax · …` .
▲ CLX / ▼ CLX	The entry: below the climax bar for a long, above it for a short, in the first clock's `Mark Colors` . Hover = the entry's file (section 5).
Dotted line from the entry to the right	The stop at the climax extreme.
Two lines with TP1 2.2R / TP2 2.9R	The targets with their R. Tags above the line for longs, below it for shorts.
One line with three pairs of bands	The VWAP, rolling or anchored to the day (section 8). Fills darken on compression once `Compression Level` is above 0.
VWAP 4H · -2.1 Z at the right edge	Window and Z-score of price.
Dot below / above a candle	Bullish / bearish VWAP divergence (`Divergence Dots` ◓ ◒).
☐ above or below a candle	The first tap into a live gap (section 9).

What you see	Meaning
Solid line with a tag +LRLR / -LRLR, swings joined by a dotted line	A low-resistance run, liquidity above or below; faded once run (section 10).
Dashed, paler line +HRLR / -HRLR	The same run behind an open FVG of the opposing side.
Line with a tag EQH / EQL	Equal highs / lows.
Dotted line with a tag 10/13 ASIA.H, LON.L, NY.H ...	The high or low of a 7-hour block of the first clock, until taken.
Line pair 8–9 LON.H / 8–9 LON.L from 08:00 to 10:30	The 8–9 range of each clock.
Soft boxes with 4H -FVG / 10/5 +NDOG	Only with `Draw Boxes & Tags` : the gaps themselves.
Table top right	The checklist of the latest entry (section 6), position selectable.
Table bottom right	The scoreboard (section 7).
Lines top centre (or bottom centre)	The status readout (section 12).

NOTE **Entries do not disappear at the end of the day**

An entry's label and lines stay on the chart. `Keep Previous Days' Drawings` (group 8) only decides whether the day's 25 % / 50 %, projections, open lines and 8–9 lines stay when the next day begins — entries, marks and liquidity levels are not affected; the oldest drop out only when TradingView's limit of 500 lines or labels is reached. The status runs until the end of the day (`Expired`) or until TP2. So the next morning you can still look up how yesterday's fade went.

SECTION 14

14 The settings

Nine groups, numbered in the order the model runs in. To begin with, leaving the defaults in place is enough — with three exceptions: set the first clock as in equinox; switch off in climax what equinox or bias· already draws (levels, projections, open lines, quarters, session liquidity); and on CFDs lower the volume threshold to 1.2–1.3. Settings marked ↳ belong to the one above them and are greyed out while it is off.

→ 1 · Daily Bias 32
→ 2 · Climax Read 33
→ 3 · Entries 33
→ 4 · View, Scoreboard & Status 34
→ 5 · VWAP Add-On 34
→ 6 · Gaps 35
→ 7 · Liquidity 35
→ 8 · Visuals 36
→ 9 · Alerts 36
→ Six settings with real effect 37

1 · Daily Bias

Setting	Default	What it does
First Session Clock	London	London · New York · Asia. Its 18:00–08:00 validates the bias, its 08:00–15:00 is the decision session. London runs on Berlin hours, Asia on Tokyo. Must match equinox on the same chart.
Second Session Clock (Next In Cycle)	on	A second reading on the next clock in the cycle London → New York → Asia → London, with its own overnight window.
↳ **Session Handover**	on	From the second clock's 08:00 to 18:00 its reading steers entries, projections and readout (▸). Off: the first clock steers throughout.
Validate With 210m Closes	on	Only a completed 210m close through the 25 % invalidates. Off: any chart close.
Overnight Candles Only (18:00–08:00)	on	Only closes inside each clock's overnight window can invalidate its reading.
Reversal Framework On 25% Break	on	A close through the 25 % flips direction and projections; a close back reclaims, if the 50 % held.
25% / 50% Levels	on	Draw the two levels.
Projections (PDH / PDL ± 25% & 50%)	on	Draw the projections in the working direction.
Day & 00:00 Open Lines	on	Dotted lines at the day open (tagged with its clock time) and at 00:00 of the first clock.
210m Signature Quarters	on	The 210m 25 % / 50 % with the ◇ mark (section 3).

2 · Climax Read

Setting	Default	What it does
Climax Bar (× ATR)	2.0	1–6. The minimum range of a climax bar in ATR(14) of the climax timeframe.
↳ **Climax Timeframe**	Auto	Chart · Auto · 1m · 2m · 3m · 5m · 10m · 15m · 20m · 30m · 1H · 4H · 1D · 1W. Auto matches the chart (section 2).

3 · Entries

Setting	Default	What it does
Enable Entries	on	The fade of every qualifying climax, with its lines, checklist, status and alerts.
↳ **Entry Gate**	Every Climax	Every Climax · Working Direction Only · At A Level Only (section 5).
↳ **One Entry Per Day**	on	One slot at a time; a stop-out re-arms it.
↳ **Min Score To Enter**	3	0–11. Setups that meet fewer switched-on components are neither drawn nor reported. 0 = everything passes.
Strategy Checklist	on · Top Right	The checklist table and its position: Top Left · Top Right · Middle Right · Bottom Left · Bottom Right.
↳ **Setup Score**	on	The `Setup Score` row in the checklist.
Working Direction · A+ Bias	on · on	Components (section 6).
At A Level · Strong Rejection	on · on	Components.
Volume ×	on · 1.5	Component with its threshold, 1.0–5.
Wide Bar × ATR	on · 3.0	Component with its threshold, 1.0–10.
Clear Targets · Decision Session	on · on	Components: TP1 at least 1.5 R away · climax 08:00–15:00 on the clock on duty.
VWAP Stretch · ↳ σ	on · 2.0	Component with its threshold, 0.5–5.
Extension (SMA 50) · ↳ × ATR	off · 3.0	Component with its threshold, 0.5–10. Measured and shown even when off.
Liquidity Swept (LRLR / EQH / EQL)	on	Component; scored only while `LRLR · Low Resistance Liquidity` (group 7) is on.
↳ **Session & 8–9 Levels Count**	on	Session and 8–9 highs and lows count for Liquidity Swept too, drawn or not. Set it the same in the screener.

4 · View, Scoreboard & Status

Setting	Default	What it does
View	Simple	Simple · Standard · Full (section 11).
Scoreboard (Bottom Right)	on	The scoreboard table (section 7).
↳ **Entries By Score**	off	Block by score band — Full view only.
↳ **Entries By Component**	off	Block by component — Full view only.
Status Readout	on · Top Center	The readout and its position: Top Center · Bottom Center.

5 · VWAP Add-On

Setting	Default	What it does
Rolling VWAP	on	Line, bands, Z-score tag and divergence dots — and the VWAP Stretch measurement.
↳ **Source**	hlc3	The price that is averaged.
↳ **Type**	Rolling	Rolling · Day (Anchored). Day: reset at every new day of the chart's daily bar, bands from the day's own deviation; the window settings below do not apply.
↳ **Fixed Time Window**	off	Rolling only. Off: the window scales with the chart. On: it stays at the length below.
↳ **Days · Hours · Minutes**	1 · 0 · 0	The fixed window.
↳ **Minimum Bars In Window**	10	Nothing is drawn before the window holds this many candles — on Day (Anchored), before the day does.
↳ **Band 1 · 2 · 3**	0.5 · 1.0 · 2.0	Standard deviations of the three band pairs, each with its colour (#9c9c9c, half transparent). 0 hides a pair.
↳ **Compression Level**	0.0	0–1. Below this rank of the bandwidth (Rolling: last 150 candles · Day: half its normal at that time of day) the fills darken proportionally. 0 = never.
↳ **Colored Midline**	on	Colours above · touch · below price: #ffffff · #9c9c9c · #363a45.
↳ **Z-Score Tag**	on	The tag at the right edge.
↳ **Divergence Dots** ◓ ◒	on	The divergence dots.
↳ **Lookback · ATR ×**	5 · 3.0	Candles and minimum move of a divergence.

6 · Gaps

Setting	Default	What it does
Gaps · HTF FVGs & Opening Gaps	on	The gap engine (section 9).
↳ Draw Boxes & Tags	off	The gaps as boxes with tags.
↳ ☐ First Tap Marks	on · 7H	The ☐ marks and their re-arm: 7H · 210m · Never.
↳ Level Proximity (× ATR)	0.5	How close a gap must be to entry, TP1 or TP2 to be named there. 0 = only gaps the level lies in.
↳ HTF FVGs	on	Fair value gaps of higher timeframes.
↳ Timeframe Mode · Manual Count	Automatic · 3	Automatic (two layers matched to the chart) · Manual with 1–3 layers.
↳ TF 1 · 2 · ↳ TF 3	1H · 4H · 1D	The manual layers.
↳ FVGs Per Side	3	1–10 per side and layer; the oldest drops first.
↳ Min Size (Ticks)	4	Smaller gaps are ignored.
↳ Bullish / Bearish Fill	#9c9c9c · 88 % transparent	The box colours.
↳ Opening Gaps · NWOG · NDOG	on · on · on	The opening gaps.
↳ Keep · NWOG · Keep · NDOG	1 · 5	1–50 kept; the oldest drops first.
↳ Remove On Close Through	off	On: an opening gap goes on a close through, like an FVG.
↳ Box Extension (Bars)	23	How far the boxes reach to the right.
↳ Tag Row Merge (× ATR)	0.5	Gap tags — and drawn liquidity tags — closer than this share one row. 0 = off.

7 · Liquidity

Setting	Default	What it does
LRLR · Low Resistance Liquidity	on	The run engine. Off: Liquidity Swept is not scored.
↳ Draw Levels & Tags	on	The lines and tags. The logic works without them.
↳ Swing Bars Left · ↳ Right	5 · 5	Candles that confirm a swing.
↳ Min Swings In Run	3	2–10 swings needed for a run.
↳ Breaking FVG Min Size (× ATR)	0.3	Smaller chart-timeframe FVGs do not break a series. 0 = any.

Setting	Default	What it does
↳ **Only Open FVGs Break It**	on	A gap already closed again is no resistance.
↳ **HRLR · Runs Behind An Open FVG**	on	Keep defended runs, tagged HRLR.
↳ **HTF FVG In Path Breaks It Too**	on	A live opposing HTF FVG counts too (needs the HTF FVGs of group 6).
↳ **EQH / EQL · Tolerance (Ticks)**	on · 10	Equal highs / lows.
↳ **Keep Per Type · Live · ↳ History**	10 · 20	Levels kept per type (LRLR, EQH / EQL), untaken (1–50) / taken (0–60).
↳ **Extension After Run (Bars)**	5	How far a taken level is still drawn.
Session Liquidity (.H / .L)	on	7-hour block highs and lows; ↳ Asia · London · New York, each on.
8–9 Range (→ 10:30 Cutoff)	on	The 08:00–09:00 high and low of each clock.
↳ **Preserve After Sweep**	on	A taken session or 8–9 level stays a day, its line ending at the sweep. Off: it goes at once.

8 · Visuals

Setting	Default	What it does
Keep Previous Days' Drawings	on	Off: at each day open the previous day's 25 % / 50 %, projections, open lines and 8–9 lines are removed.
Monospace Font	on	Fixed-width digits in labels, tables and readout.
Font Size	Default	-2 · -1 · Default · +1 · +2 · +3. +1 or +2 on 4K displays.
Levels · Projection	#4a4a4a · #636363	The level colours; `Levels` also colours the 210m quarters.
Mark Colors · 1st Session Clock	#ffffff · #363a45	Bullish / bearish: entry labels, TP lines and tags, ◇, divergence dots, the checklist's glyphs, the readout's reversal and entry lines.
Mark Colors · 2nd Session Clock	#b8b8b8 · #2e2e2e	A second pair; the marks drawn today all take the first one.

9 · Alerts

Setting	Default	What it does
Prefix Symbol & Timeframe	on	Plain Text only: the header in front of the first line.
◑◐ Handover · ↯ Climax	on · on	Passengers: 🔄 the handover, ⚡ a climax without an entry.

Setting	Default	What it does
▲ ▼ **Entry** · ◆ ◈ ○ **TP / Stop**	on · on	Drivers: the entry block, the TP and stop lines.
◓ ◒ **VWAP Divergence**	on	Passenger 〽️.
☐ **First Tap** · ▭ **New Opening Gap**	on · on	🕳️ new opening gaps as a passenger. The first taps show as the 👉 gauge in the 🧭 line while ↳ `☐ First Tap Marks` (group 6) is on.
≋ **Liquidity Formed** · ≋ **Liquidity Run**	on · on	Drivers for a clean LRLR at an extreme or on a named level (Formed after up to 30 minutes, section 15); EQH / EQL, HRLR and everything elsewhere are passengers 🧲 / ✂️.
◇ **210m Quarters**	on	The quarters' texts are in the ◇ tooltip; in the messages the live quarters stand in the 🧭 line (💠 `210m BULL`).
◌ **Session Liquidity Taken**	on	Passenger: session and 8–9 levels taken, by name under ✂️.
Passengers Ride Along	on	Passengers collect and ride in the 🧭 line of the next driver. Off: each candle's passengers go out on their own.
↳ **Ride With**	Entries	Entries · Every Driver (section 15). Entries (default since October 20 2026): only entries and their TP / stop speak, liquidity at an extreme rides along too.
↳ **Max Age (Bars)**	60	5–500. A passenger kind that got nothing new for this many candles is dropped unsent.
Message Format	Telegram	Plain Text · Telegram.
↳ **Telegram Chat ID**	preset	Your chat or channel ID.

Six settings with real effect

Setting	What happens when you change it
↳ **Climax Timeframe (Auto)**	On `Chart` there are many times more climaxes — every wide 3m candle counts —, the fades get smaller and the scoreboard louder. A higher fixed timeframe (30m on the 3m chart) finds only the big exhaustions.
↳ **Entry Gate (Every Climax)**	`Working Direction Only` removes the counter-trades — often the fades from the projection. Whether that is wise is told by the component statistics for `Working Direction` .
↳ **Min Score To Enter (3)**	Each extra point cuts the entries noticeably. A decision about trading frequency, not a fine adjustment — check with `Entries By Score` first whether higher scores actually run better.
Volume × (1.5)	With tick volume (CFDs) 1.5 almost never hits — the component is then always × and costs every setup a point. 1.2 to 1.3 is the honest threshold there.
Second Session Clock (on)	Off: one reading, no handover, no ⇄. The days on which the two clocks disagree vanish from the picture — and with them the information that the afternoon is reading a different day from the morning.
↳ **Session & 8–9 Levels Count (on)**	On, every session or 8–9 high or low the climax bar runs counts for `Liquidity Swept` — the component hits far more often. Off: only LRLR, HRLR and EQH / EQL. Set it the same in the screener.

SECTION 15

15 Setting up alerts

climax reports through a single alert — in the same format as equinox, straight to Telegram if you like. A few events speak on their own; everything else rides along in one short line.


→ What a message looks like 38
→ The drivers 39
→ The passengers 40
→ Emojis in the messages 41
→ Message Format: Plain Text or Telegram 41

1. **Right-click the chart → Add alert.**
2. **Pick climax· as the condition, below it "Any alert() function call".**
3. **In the Notifications tab enter the webhook URL (Telegram) or set the format to Plain Text.**
4. **Save. After every change to the script: delete the alert and create it again.** A running alert computes with the state of the script from the moment it was created.

At most one message goes out per candle, at its close. It is built in a fixed order: the header, the 🧭 situation line with the passengers joined to it, a blank line, then the drivers — the entry block, liquidity formed, liquidity run, TP / stop — each a paragraph of its own.

What a message looks like

The gold day from section 17, at 14:51 — one gap had been tapped from below since 08:00, the handover and two divergences had collected since the afternoon began, and the entry takes them along:



The header names symbol, timeframe and the clock on duty. The **situation line** 🧭 gives the working direction of the reading on duty, its state — `A+`, `25% Reclaimed` or `Reversal`; `None (Doji)` on a doji day — and the clock (with the second clock on); while 210m quarters are live it adds `· 💠 210m BEAR`, then the tap gauge `· 👉 2↓ 7↑` — the first taps into gaps since the running 7h block of the first clock began, ↓ from above (backs longs), ↑ from below (backs shorts), absent while there are none. It heads every message that carries an entry, a liquidity driver or passengers. The **passengers** follow on the same line after a `·`: everything that happened since the last message, in counts and short names.

The drivers

Switch	When it sends
▲ ▼ **Entry**	An entry, as a block of two or three lines (below).
◆ ◈ ○ **TP / Stop**	✅ `· CLIMAX LONG TP1 Hit 4134.44 · TP2 4149.24 ahead.` · 🏆 `· CLIMAX LONG TP2 Hit 4149.24.` · 🛑 `· CLIMAX SHORT Stopped · closed above 102.279.` The fate of a trade goes out alone — without the situation line and without passengers.
≋ **Liquidity Formed**	A new clean LRLR at the day high or low, at the running session's high or low (`at the LON high`) or on a named level (`at the PDH` , `at 10/13 ASIA.L` , `at 8–9 LON.L`). It waits up to 30 minutes: if price runs the level within that time, only the Run speaks; otherwise it goes out then, with `· since 11:06` .
≋ **Liquidity Run**	Price takes a clean LRLR at the day or session extreme or on a named level.

The entry block. Line 1: ⚡ with the reading (`25% defended` , `exhausted break` , `at the projection` , `day extreme`), 🏅 with the score, then `· against the bias` when the fade runs against the working direction, the σ distance from the VWAP, `· vol ×1.8` when the volume stands out (from 1.5×), and `· ✂️ took …` with what the climax took, without prices. Line 2: direction, entry, stop and targets with their R, to one decimal. Line 3, when there is one: `💧 next …` , the first open level in the trade's way. Risk, gaps and the checklist are in the entry tooltip, not in the message (section 5).

Liquidity at an extreme. The text says where the level sits, whether it lies with or against the order flow, ⚖️ for an equal high or low, and `· beyond the VWAP outer band` (formed) or `· at the VWAP outer band` (run) when it applies — the VWAP band alone does not make it send. Only a clean LRLR speaks: it is the one level the market runs for more often than its distance predicts (see the box below). EQH / EQL and HRLR ride along instead. When one wick takes several levels on one side, they are ranked by importance — LRLR before EQH / EQL before HRLR, the deepest first within a kind — one name per price, three by name, then `+n` . The message goes out when the leading level is an LRLR. Several at once become one heading with a `•` line each:

R3M Alerts
GER40 · 3m · London · climax
🧭 BEAR · A+ · London · 🧲 +LRLR 24210.5


✂️ · Liquidity Run · +LRLR 24186.5 at the day high 24191.3 · at 10/13 ASIA.H · against order flow (BEAR) · multi sweep ×2 (+ ⚖️ EQH 24188.0).

10:12

R3M Alerts
GER40 · 3m · London · climax
🧭 BEAR · A+ · London · 👉 1↓ 0↑

🧲 · Liquidity Formed
• -LRLR 24095.5 at the PDL · with order flow (BEAR) · since 11:06
• -LRLR 24102.0 at the LON low · with order flow (BEAR) · since 11:06.

11:39



NOTE **Why only LRLR**

Measured on NAS100 and GER40 across 15m, 1h and 4h, a clean LRLR is taken 11–24 percentage points more often than its distance and volatility predict — the only level kind with a consistent edge. HRLR is taken 9–17 points less often than predicted, and EQH / EQL swing either way on small samples. Session, 8–9, opening-gap and PDH / PDL levels are reached about as often as their distance says. So only the LRLR earns a message of its own; the rest still rides along.

The passengers

Everything else does not send on its own. It collects, one kind at a time, and rides along in the 🧭 line of the next driver, after the situation — in this order:

Switch	In the 🧭 line	What it carries
ϟ **Climax**	`⚡ exhausted break 2.3× ATR`	A climax that fired no entry: its reading (`day high` / `day low` for the plain one) and width.
◑◐ **Handover**	`🔄 NY on duty`	The clock that took over the decision session.
≋ **Liquidity Formed**	`🧲 ⚖️ EQH 4150.2 · -LRLR 4100.0`	New EQH / EQL and HRLR, and new LRLR away from an extreme.
≋ **Liquidity Run** · ◌ **Session Liquidity Taken**	`✂️ +LRLR 4150.2 ×2 · ASIA.L · 8–9 LON.H`	EQH / EQL and HRLR run, LRLR run away from an extreme (×n = taken together, the most important named), and the session and 8–9 levels taken, by name, each name once.
◓ ◒ **VWAP Divergence**	`〽️ 1 bull · 2 bear`	The divergences, counted.
▭ **New Opening Gap**	`🕳️ 1 new gap`	New NWOG / NDOG, counted.

Climaxes are named up to two, the other kinds up to three; more read as `+2` . A level that is formed and run within the same wait appears once, under ✂️ — not also under 🧲. The first taps are not passengers: they belong to the situation itself, as the 👉 gauge. The details stay on the chart: the gaps and taps in the entry tooltip, the levels in their tags.

↳ `Ride With` chooses which drivers take the passengers along: `Every Driver` (the default) — the entry and a clean LRLR at an extreme — or `Entries` , so that they wait for the next trade. The TP / stop line never takes passengers. A passenger kind that has received nothing new for ↳ `Max Age (Bars)` candles (60) is dropped unsent; the queue clears at the day open anyway. With `Passengers Ride Along` off, each candle's passengers go out on their own, in the same compact form in the 🧭 line.

Emojis in the messages

Emoji	Meaning	Where
🧭	The situation: working direction on duty, its state, the clock	First line of every message except a TP / stop alone
💠	210m quarters live, with their direction	In the 🧭 line
👉	First taps in the running 7h block, ↓ · ↑	In the 🧭 line, after 💠
⚡	A climax and its reading	Entry block line 1; passenger for a climax without an entry
🏅	The score, n/N	Entry block line 1
🟢🔴	Long · short entry with its levels	Entry block line 2
💧	The next open level in the trade's way	Entry block line 3
✂️	Liquidity taken	Entry line 1 (what the climax took), Liquidity Run, passenger
🧲	Liquidity formed	Liquidity Formed, passenger
⚖️	An equal high or low (EQH / EQL)	In 🧲 and ✂️ items
•	One of several levels	Liquidity Formed / Run with more than one level
✅🏆🛑	TP1 hit · TP2 hit · stopped	The fate of a trade, alone
🔄	Handover	Passenger
〽️🕳️	Divergences · new opening gaps	Passengers

The chart's tooltips use the same language — `🏅 Signal Score`, `✅ / ❌` per component, `✂️ took`, `💧 In Path`, `⚡❌ · Failed Climax`, `💠 · 210m Quarters …`, `🧲 Formed`, `✂️ Run` — while the chart's own text keeps its glyphs (ϟ, ◇, ☐).

Message Format: Plain Text or Telegram

Telegram is the default: the message is a ready-made `sendMessage` request for the Bot API, TradingView posts it unchanged to the webhook URL `https://api.telegram.org/bot<TOKEN>/sendMessage` (webhooks need a paid TradingView plan). The header becomes bold, the ticker links to the chart. If you use an ordinary TradingView alert — app, e-mail, alert log —, set Plain Text, otherwise the notification shows the raw JSON. In Plain Text, `Prefix Symbol & Timeframe` (on) puts the header in front of the first line — `XAUUSD · 3m · New York · climax · 🧭 BEAR · Reversal · New York`; off, there is no header. Set up bot, chat ID and webhook as described in the equinox guide, section 11; the chat ID goes into ↳ `Telegram Chat ID`.

SECTION 16

16 The screener · clx·screener·

climax reads one chart. The screener reads up to twelve symbols with the same pipeline and puts them in a ranking — by how their climaxes have run so far.

→ The columns 43
→ The heatmap 44
→ The ranking 44
→ Settings 45
→ Reports and alerts 45
→ Reading the 🧭 log lines 47

clx·screener· is an indicator of its own. It draws nothing on price, only a table, best placed in the bottom panel (right-click the table → `Move tables to bottom panel`). For every symbol the complete pipeline from climax runs: previous day from the daily series, bias on 210m closes with both clocks and handover, rolling VWAP, climax on the climax timeframe, entry with stop and targets, checklist and score — Liquidity Swept included, read by the same LRLR engine without drawings —, status on chart closes. What a row says, climax says just the same on that symbol's chart — the scoreboard numbers are the same.

clx·screener· · theme Dark Panel, heatmap on · 15:10, sorted by Climax Performance · left part

#	symbol	runs	TP1	TP2	stop	with	against	lvl	bias · LON → NY	setup · 3m → 10m
1	SPOTCRUDE	8	75%	50%	13%	67% · 3	80% · 5	50% · 2	BEAR → BEAR · A+ · NY	ϟ ▲ day extreme
2	XAUUSD	10	70%	60%	10%	50% · 4	83% · 6	67% · 3	BEAR → BEAR · rev · NY	ϟ ▲ exhausted break
3	USDX	9	56%	33%	11%	60% · 5	50% · 4	·	BULL → BULL · A+ · NY	ϟ ▼ day extreme
4	GER40	7	57%	43%	14%	75% · 4	33% · 3	100% · 1	BEAR → BEAR · A+ · NY	ϟ ▼ 25% defended
5	USDCHF	10	60%	40%	20%	67% · 6	50% · 4	50% · 2	BULL → BULL · rcl · NY	·
6	UK100	6	50%	33%	17%	67% · 3	33% · 3	·	BULL → BEAR · rev · NY	·
7	EURUSD	9	56%	22%	22%	60% · 5	50% · 4	0% · 1	BULL → BULL · A+ · NY	·
8	USDJPY	8	50%	25%	25%	33% · 3	60% · 5	50% · 2	BEAR → BEAR · rcl · NY	ϟ ▲ at the projection
9	NAS100	5	40%	20%	40%	67% · 3	0% · 2	·	BULL → BULL · A+ · NY	·
10	US500	6	33%	17%	33%	50% · 2	25% · 4	0% · 1	BULL → BULL · A+ · NY	ϟ ▼ day extreme
11	XAGUSD	3 ·	67%	33%	0%	100% · 2	0% · 1	·	BULL → BULL · A+ · NY	·
12	EUSTX50	2 ·	50%	0%	50%	·	50% · 2	·	doji	·

... and its right part (# and symbol repeated here for reading)

#	symbol	liquidity	ext	R	since	status	score	price
1	SPOTCRUDE	took -LRLR	0.7 ATR	0.2	03:12	TP2 Hit	4/10	92.316
2	XAUUSD	→ +LRLR 1.5 ATR	1.9 ATR	2.2	14:51	Live	5/10	4101.8
3	USDX	→ -LRLR 0.8 ATR	2.4 ATR	1.6	10:42	TP1 Hit	5/10	102.018
4	GER40	took EQH +1	3.4 ATR	1.8	11:24	Live	7/10	24162.4
5	USDCHF	↑ +LRLR 0.6 ATR	·	·	·	·	·	0.83353
6	UK100	↓ -LRLR 0.9 ATR · LOD	·	·	·	·	·	9871.6
7	EURUSD	↑ +LRLR 2.3 ATR	·	·	·	·	·	1.16418
8	USDJPY	→ +LRLR 3.1 ATR	1.2 ATR	1.4	09:36	Stopped	6/10	147.212
9	NAS100	↑ EQH 0.4 ATR	·	·	·	·	·	25418.7
10	US500	→ EQL 6.2 ATR	0.9 ATR	0.9	15:06	Live	3/10	6731.4
11	XAGUSD	none open	·	·	·	·	·	48.312
12	EUSTX50	↓ -LRLR 1.6 ATR	·	·	·	·	·	5512.5

Eighteen columns — on screen one table, here in two parts. From left to right: # and symbol; the record (runs · TP1 · TP2 · stop, split by the bias into with · against, and the fades at a projection, lvl); today's bias on both clocks and the day's setup; the context — liquidity, extension and the setup's R; the setup's progress — since, status, score; the price on the right. Sorted by Climax Performance — SPOTCRUDE and XAUUSD on top, the young XAGUSD and EUSTX50 at the bottom. The heatmap colours each cell by strength (section below).

The columns

Column	Meaning
# · symbol	Rank and symbol. The tooltip of the `#` header lists the twelve slots and whether data arrived for each.
runs · TP1 · TP2 · stop	The record: fades on the loaded candles (or inside the `Record Window`), the share that touched TP1, the one with TP2, the one closed through the stop. A dot behind the count (`3 ·`) marks a young symbol, with fewer than `Min Entries`. The row tooltip splits the record by reading and by bias; the `runs` header tooltip gives the whole watchlist with its chance (see the 🧭 log lines below).
with · against	The record split by the bias: the fades whose direction was the working direction on duty (`with`), and all others — against it, or on a doji day (`against`). Each cell gives the share that touched TP1 and the count: `67% · 6`. The header tooltips give the whole watchlist with chance and stop rate.
lvl	The fades whose climax took a PDH / PDL ±25 % or ±50 % projection and closed back on this side of it — in the research the most promising climax. Share that touched TP1 · count.
bias · LON → NY	The working direction on both clocks, first → second, then the state on the clock on duty — `A+`, `rcl` (reclaimed; tooltip and report write it out), `rev` (flipped; `broken` with the reversal framework off), `doji` — and the clock on duty: `BULL → BEAR · rev · NY`. Green for a bullish, red for a bearish working direction on duty; orange when the two clocks disagree. With the second clock off, one direction and no clock.
setup · 3m → 10m	The day's fade: `ϟ ▲ exhausted break` — direction and reading (`25% defended`, `exhausted break`, `at the projection`, `day extreme`). In the direction's colour while the trade is open (Live, TP1 Hit), grey once it is done; `·` when there was no climax today. A setup counts as today's within the symbol's own trading day — an FX day begins at 23:00, a metals day at 00:00. The header names chart and climax timeframe.
liquidity	With a setup today: what its climax took — `took EQH`, `took -LRLR +1` (+1 = one level more), `took Session` or `took 8–9` (only with ↳ `Session & 8–9 Levels Count`) —, otherwise the next open level in the trade's direction with its distance in ATR(14): `→ -LRLR 1.2 ATR`, or `none ahead`. Without a setup: the next open level on the side of the order flow — bullish bias above, bearish below — or the nearer side when that one has none: `↑ +LRLR 0.6 ATR`, `↓ EQL 0.3 ATR`, or `none open`. Open levels here are LRLR, HRLR, EQH and EQL only. `· HOD` / `· LOD` (orange) marks an LRLR or HRLR that is the day high or low itself. Green when taken, orange within 1 ATR, grey beyond ↳ `Grey Beyond (× ATR)` (5.0).
ext	The setup's extension from the SMA 50 of the climax timeframe, in ATR; marked from the `Extension` threshold (3.0).
R	Today's setup: the distance to TP1 in R (risk = entry to the climax extreme) — below 1 the target is nearer than the stop. Grey once the trade is done.
since	When the setup fired, on the session clock — the first chart candle after the climax bar closed (`14:51` for the 10m candle that closed at 14:50).
status	`Live`, `TP1 Hit`, `TP2 Hit`, `Stopped`, `Expired`.

Column	Meaning
score	Today's setup, `5/10`. Much speaks for it from 7 of 11 of the switched-on components, undecided from 5 of 11, little below — with ten switched on: 7–10, 5–6, 0–4.
price	The last price.

Every column except # and symbol can be switched off under `Table · Columns`; the liquidity column follows `LRLR · Liquidity Column` (group 3). A hidden column only leaves the table — the ranking, the record and the reports stay the same.

The heatmap

With `Heatmap` on (the default, panel themes only) a cell colours by strength instead of on / off: every rate against its own yardstick, the further off the deeper the colour, about even = no fill. Few runs make it paler — the colour grows with the count.

Cells	Yardstick and colour
TP1 · with · against · lvl	Their chance (see the 🧭 log lines below): above it green, below it red.
TP2 · stop	TP2 against 60 % of the chance; the stop against 100 % minus the chance — fewer stops = green.
symbol · #	The symbol cell carries the record's heat (TP1 and stop together), the `#` cell today's: score, status and R, fading with the hours.
score	Green when much speaks for it, orange undecided, grey little.
since · status	`Live` orange · TP hit green · `Stopped` red · `Expired` grey, the fill fading over about six hours.
ext · R	ext orange from the threshold on; R green above 1.5, red below.

With `Heatmap` off you get the classic tints: hit rates green, stop rates red, the more strongly the higher the rate; score and since in the direction's colour while the trade is open; `TP1 Hit` / `TP2 Hit` green, `Stopped` red, `Expired` grey; ext green from the threshold.

The ranking

`Sort By · Climax Performance` (the default) puts the symbols whose fades run best at the top: TP1 rate minus stop rate, TP2 rate as the tie-breaker. Symbols with fewer than `Min Entries` (5) count as young and sit at the bottom. A symbol without a setup today keeps its rank; its setup cells simply read `·`. `Today's Score` sorts by today's setup instead: by score, the newest climax breaking ties, symbols without a setup at the bottom.


Every row has a tooltip: the record with the split by reading (`25% defended · 2 of 3 reached TP1`), by bias and at a projection, each with its chance (🧭 `with the bias · 5 of 9 TP1 (chance 38%) · SL 22%` | `against · 2 of 6 TP1 (chance 45%) · SL 50%`), then today's setup with its stop and targets and one ✅ / ❌ per switched-on component, and last the liquidity on both sides — 💧 `Liquidity · ↑ +LRLR 4120.5 (1.5 ATR) · ↓ EQL 4058.2 (3.4 ATR) · order flow BEAR → the lows are the targets` — and, when the climax took something, ✂️ `The climax took EQH 24188 and 1 more`.

Settings

Group	What for
1 · Watchlist	Twelve slots with `EXCHANGE:TICKER`, preset with PEPPERSTONE GER40, UK100, EUSTX50, US500, NAS100, EURUSD, USDCHF, USDJPY, USDX, XAUUSD, XAGUSD, SPOTCRUDE. An empty slot is skipped. More is not possible — every symbol costs three data requests, TradingView allows forty.
2 · Bias & Climax	The switches of climax groups 1 to 3: `First Session Clock` (London), `Second Session Clock (Next In Cycle)` with ↳ `Session Handover`, `Validate With 210m Closes`, `Overnight Candles Only (18:00–08:00)`, `Reversal Framework On 25% Break`, `Climax Bar (× ATR)` (2.0) with ↳ `Climax Timeframe` (Auto), `Setup Gate` (Every Climax), `One Setup Per Day` (on), `Min Score To Take` (3). Set them the same and the screener reads the same. The climax timeframe stops at 4H here, and `Auto` tops out at 4H too.
3 · Scoring	The eleven components with their thresholds, as in climax group 3 — the eleventh `Liquidity Swept (LRLR / EQH / EQL)` with ↳ `Session & 8–9 Levels Count` —, then `LRLR · Liquidity Column` with ↳ `Grey Beyond (× ATR)` (5.0) and the LRLR engine: swing bars (5 / 5), `Min Swings In Run` (3), `Breaking FVG Min Size (× ATR)` (0.3), `Only Open FVGs Break It`, `HRLR · Runs Behind An Open FVG`, `EQH / EQL` with `Tolerance (Ticks)` (10), `Keep Per Type · Live` (10). Set them the same as climax group 7 and the score is the same. The screener has no HTF FVGs: a run that climax keeps as HRLR because of a live HTF FVG counts here as LRLR — same score.
4 · Table	`Record Window (Days · 0 = All)` (0), `Sort By` with ↳ `Min Entries` (5), `Rows` (12), `Position` (Middle Center), `Width · % Of Panel (0 = Auto)` (0 = the panel themes take 85 % of the panel width with fixed column shares, Chart Ink sizes every column to its text), `Theme` (Chart Ink · Dark Panel · Light Panel; Dark Panel by default) with ↳ `Heatmap` (on, panels only), `Monospace Font`, `Font Size` (+1), `Columns · runs · TP1 · TP2 · stop · with · against · bias · setup · since · status · score · ext · price · lvl · R` (all on), colours `Long / Short (Chart Ink)`, `Up / Down (Panels)` and ↳ `Middle Scores` (orange).
5 · Report & Alerts	`Entries & Results` (on): every fade and its result (✅ 🏆 🛑) of the watchlist, one message per bar in the screeners' compact format (as lava·screener·: `🆕 · 🟢 XAUUSD · LONG 4151.33 · SL 4143.15 · TP1 4172.67 (2.6R) · … · ⚡ day extreme · 🥇 5/10 · 🧭 BULL · rev · NY · …`), read by the archive as trades — one alert on the screener replaces climax's watchlist alert (switch climax's own alert off, or every fade arrives twice) · `Entries & Results` (on): every fade and its result (✅ 🏆 🛑) of every symbol as its own message in climax's format — `SYMBOL · 3m · clock · climax`, the 🧭 day read, the ⚡ climax line, the trade — so one alert on the screener replaces climax's watchlist alert (switch climax's own alert off, or every fade arrives twice; passengers stay in climax) · `Top N In The Report` (3), `Report 1` (09:00) and `Report 2` (15:00) on the first clock, `New Setup Of At Least` (off, 3) with ↳ `Send New Setups` (24h · 06:00–22:00), `Message Format` (Telegram) and chat ID, and two diagnostic switches, off by default.


Reports and alerts

One alert is enough: Add alert → condition `clx·screener·` → `Any alert() function call` → webhook. At the two report times the screener sends the top N of the ranking as one message — symbols with a setup in a full line, those without with record and bias, each a paragraph of its own:



The record comes right after the symbol — `· young` behind it while a symbol has fewer than `Min Entries`. A setup's line carries score, reading, entry, stop and targets, status, time and extension, and ends with what its climax took (`· ✂️ took …`) when it took anything; a line without a setup ends with the nearest open level (`· 💧 liquidity …`) when there is one. The targets lie on the symbol's tick grid, rounded away from the entry — up for a long, down for a short: `TP1 91.568` rather than 91.56725. In Telegram every symbol links to its chart. The report closes with the 🧭 log lines for the whole watchlist (next section).

`New Setup Of At Least` (off, 3) sends a new setup with at least that score at once, in the same full line — one message for all setups of the candle:



With ↳ `Send New Setups` at `06:00–22:00` the night stays quiet: a setup that prints outside the window is held and sent on the first candle close from 06:00, as `🌙 · Overnight setup · …` with its current status — if it is still the symbol's setup then. One that a newer setup or a new trading day has replaced is dropped. The report times are not affected.

Emoji	Meaning
📊 🆕 🌙	Report · new setup · overnight setup held until 06:00
🟢 🔴 ⚪	Long setup · short setup · no setup today
📈 🎯 🛑 SL	Runs · TP1 / TP2 rate · stop rate
🏅 ⚡ ⏰ 🚧	Score · reading · time of the setup · extension
🧭 🎯	Log lines: all fades, with / against the bias · at a PDH / PDL projection

Emoji	Meaning
⏳✅🏆🛑💤	Live · TP1 Hit · TP2 Hit · Stopped · Expired
✂️💧	What the climax took · the nearest open level
🧪❤	Test report · heartbeat

TIP **Three rules for the alert**

First: after every change to the script, delete the alert and create it again. Second: reports and new setups fire only on real-time candles, and a report goes out from its time for two hours — if TradingView restarts an alert or you create it after the report time, the day's report still goes out on the next bar close inside that window; after that, it is skipped. The day is the calendar day on the session clock. Third: to test the chain there are `Send A Test Report On The Next Bar Close` (one-off, 🧪 `test · …`) and `Heartbeat Every Bar Close (Diagnostics)` (one ❤ `alive · 12/12 symbols with data · bar 14:51` line per candle) — switch both off again after the test.

UNDER THE HOOD **Why calc_bars_count is in the script**

A data request otherwise computes over its symbol's entire history, not only over the candles the chart has loaded — the record would then count more days than climax's scoreboard. `calc_bars_count = 10000` keeps both on the same span. The parameter belongs in the first line and stays there.

Reading the 🧭 log lines

Do the climax fades work? The report answers in two parts. On top the best symbols by their fades — 📈 runs, 🎯 TP1 / TP2, 🛑 stops, 💧 the next liquidity; read them as a tendency, the numbers per symbol are small. At the bottom the 🧭 log lines count every fade of the whole watchlist — the larger sample, and since every report stays in the Telegram history, a log beyond the loaded candles too. The first line (🧭 `log · watchlist · …`) counts all fades, the second splits them by the bias — `with the bias` | `against` it (or with no bias) —, the third (🎯 `at PDH / PDL ±25 / 50%`) counts the fades of the `lvl` column.

Every TP1 rate stands next to its chance — in this guide 🎲, in the messages the word `chance`: how often TP1 would come before the stop on distance alone, risk ÷ (risk + distance to TP1), averaged over the fades counted. TP1 one risk away gives 🎲 50 %, TP1 at 2R gives 🎲 33 %. The rule of thumb:

- ✅ **TP1 rate clearly above 🎲:** the setup brings something.
- ➖ **TP1 rate about at 🎲:** no edge — the fade reaches its target only as often as its distance says.
- ⏳ **Fewer than 30 fades:** not decided yet, keep collecting.

In the example: with the bias 25 of 39 (64 %) against 🎲 36 % — an edge. Against the bias 54 % against 🎲 49 % — little more than the distance. At a projection 50 % against 🎲 38 %, but only 12 fades — undecided.

SECTION 17

17 Reading a day

This is what a complete run looks like — the gold day from the figures, on the London clock with the New York handover.

Time	What happens
18:00 (previous day)	The day begins. climax reads the completed previous-day candle — bullish —, sets the bias BULL and draws 25 %, 50 % and the projections PDH +25 % / +50 %. The status readout: `PD BULLISH · Bias BULL · 210m Intact`.
Night	A 210m candle closes below the 25 %. On both clocks the close falls into the overnight window. Working direction BEAR, the projections jump to PDL −25 % / −50 %, the readout flips to `BULL → BEAR · 25% Broken`. Nothing is drawn and no message goes out for it — the next message's situation line reads 🧭 `BEAR · Reversal · London`.
08:00 London	The London reading is locked in: `BULL → BEAR · 25% Broken · Reversal`. No climax so far, `No Climax Entry Yet`.
14:00 (= 08:00 New York)	The handover. `◑ NY` below the candle, the status readout switches to `▸ New York ·`. The New York reading reads the same break — both clocks agree. The handover rides along: the next message carries 🔄 `NY on duty`.
14:50	The 10m candle 14:40–14:50 falls to 4066.35, below PDL −25 %, and closes at 4087.61 in its upper half: 2.3× the 10m ATR, 2.9σ below the VWAP. On the first 3m candle of the next 10m period climax judges it: a climax through the 25 % of the flipped day — `exhausted break`. `ϟ` below the candle. No climax message of its own — the climax opens the entry message.
14:51	The entry: long at 4087.61, stop 4066.35, risk 21.26. Ahead of the entry lie the 50 % (4134.44) and the 25 % (4149.24) — the fade runs against the working direction, the projections are out. TP1 2.2 R, TP2 2.9 R. Score 5/10: Working Direction ×, A+ Bias ×, Volume ×, Wide Bar ×, Liquidity Swept ×. At the candle's close the alert goes out: ⚡ `exhausted break · 🏅 5/10 · against the bias · 2.9σ` / 🟢 `⚡CLIMAX LONG 4087.61 · SL 4066.35 · TP1 4134.44 (2.2R) · TP2 4149.24 (2.9R)` / 💧 `next +LRLR 4120.5` (section 15). The gaps at TP1 and TP2 are in the entry tooltip.
Afternoon	Price runs back to the VWAP and above it; the checklist shows `Status · Live ●` and `Bias Now · BEAR · Reversal · New York ✗` — the day still stands against the trade.
18:00	The day ends. If TP1 has not been touched by then, the entry becomes `Expired`; the scoreboard counts the exhausted break as confirmed if the last 210m close was back above the 25 %, and the entry as expired. The next day begins with the first line.

NOTE **The most honest observation first**

On many days there is no climax. A candle twice as wide as usual, at a new day extreme, with a close in the opposite half — on the 10m that is perhaps ten to fifteen days a month, and half of those without a level. No entry is the normal case, and the reason the scoreboard needs weeks before it says anything.

SECTION 18

18 What the chart does not show

The bookkeeping behind the display: deadlines, precedences and re-checks that climax handles in the background. Ten of them — they explain most of the moments when the display says something different from price.

→ 1 · An HTF candle is judged exactly once 49
→ 2 · The day keeps the most telling climax 49
→ 3 · Stop on close, target on touch — and after TP1 only forwards 49
→ 4 · One slot, not a day pass 49
→ 5 · The score is a snapshot 50
→ 6 · The scoreboard reads without the overnight lock 50
→ 7 · The controls are half the statement 50
→ 8 · Alerts fire on real-time candles, history counts 50
→ 9 · Liquidity Swept reads the whole climax bar 50
→ 10 · Touched or beyond 50

1 · An HTF candle is judged exactly once

On the 3m chart the climax is a 10m candle. It is not read while it is running, but on the first 3m candle after its close — and against the day extreme as it stood at that close, built from the 10m candles themselves. That is why the mark sits in the middle of the 10m candle, and why the entry's time says 14:51 when the candle closed at 14:50: the first 3m candle of the new 10m period is the one the decision is made on. History and real time read the same candle that way.

2 · The day keeps the most telling climax

For the status readout and the scoreboard one climax per day counts: a reading at the 25 % or at the projection displaces one at the mere day extreme; after that the first one stays. Mark and entry go to every climax. A day can therefore stand in the scoreboard as 25% defended and still have an entry from a later day extreme, if the first one was stopped out.

3 · Stop on close, target on touch — and after TP1 only forwards

The stop needs a chart close beyond the climax extreme; a wick is not enough. The targets need only the touch. And once TP1 is touched, the status cannot go back: a later close through the stop does not turn `TP1 Hit` into `Stopped`. The reading behind it is the partially secured trade — the scoreboard counts it as a TP1 hit, not as a loss.

4 · One slot, not a day pass

`One Entry Per Day` means: one slot at a time. If the entry is stopped out, the slot is free, and the next climax may. Two entries on one day are therefore possible — two at the same time are not. An entry that has reached TP1 occupies the slot until the end of the day.

5 · The score is a snapshot

Scoring happens at the moment of the entry: the bias as it stood then, the session, the σ distance, the volume. None of it is changed afterwards. If the day flips later, the `Bias Now` line shows it — the score stays what it was, otherwise the statistics by score would be worthless.

6 · The scoreboard reads without the overnight lock

The bias may break only at night. The scoreboard, however, checks its defences the whole day: ✓ means no 210m close through the 25 % for the rest of the day, whatever the hour. A defence at 11:00 that is closed through at 16:00 has failed in the scoreboard and is a trap — in the status readout the bias is still intact, because the close fell after 08:00. Both are right; they answer different questions.

7 · The controls are half the statement

75 % confirmed defences mean nothing if an ordinary touch of the 25 % holds just as often. The first control counts exactly that. And 90 % retrace after a climax means nothing if an equally wide momentum candle retraces just as often — the second control counts that. Only the gap between climax row and control is the information.

8 · Alerts fire on real-time candles, history counts

When an alert is created, TradingView computes through the history — without sending. Climaxes, entries and targets that already lie there never appear as a message; only what happens afterwards on a real-time candle does. The scoreboard, by contrast, counts both, and it counts from scratch on every reload of the chart — with `calc_bars_count = 10000` always over the same span.

9 · Liquidity Swept reads the whole climax bar

On a higher climax timeframe every level run anywhere inside that candle's span — from its open to the next candle's open — counts, on the side of its extreme, not only the chart candle that printed the extreme. And with ↳ `Session & 8–9 Levels Count` the session and 8–9 levels count even when they are not drawn, so the score does not depend on the display switches.

10 · Touched or beyond

An LRLR or equal level is run on the touch. A session or 8–9 level is taken only when price trades beyond it — as in bias·. An untaken 8–9 level expires at the next 08:00 of its clock; a taken session or 8–9 level drops a day after the sweep; at most 72 of them are kept.

SECTION 19

19 Common mistakes

The complaints that come in most often — and what is really going on in each case.

Mistake	What is really going on
“There is never a climax.”	Usually the timeframe: on `Auto` the climax is read on a higher timeframe, and there twice the ATR width at a day extreme is rare — that is the idea. If you want to see more, set `Climax Timeframe` to `Chart` or lower `Climax Bar (× ATR)` — and watch the scoreboard.
“The climax is there, but no entry.”	One of four: a doji day (no levels), `Entry Gate` excludes it, the score is below `Min Score To Enter`, or the slot is taken (`One Entry Per Day` ; an entry with TP1 Hit holds it until the end of the day). Neither the mark nor the readout names the reason — check the four in this order.
“The climax is there, but no message.”	A climax without an entry is a passenger: it rides along as ⚡ `exhausted break 2.3× ATR` in the next message with an entry or liquidity at an extreme.
“The mark does not sit on the candle.”	With a higher climax timeframe it sits at the middle in time of the HTF candle, which consists of several chart candles. The entry time is the first chart candle after its close.
“Volume is always ×.”	Tick volume on CFDs. 1.5× almost never hits there; 1.2–1.3 is the honest threshold. The component statistics show whether it separates anything at all.
“VWAP Stretch is always ✓.”	Two sigma is the normal case for a climax on many markets. Threshold to 2.5 or 3, or switch the component off — it keeps running in the statistics.
“The score is no longer right.”	It is a snapshot from the entry (section 18). What has changed is in `Bias Now`.
“Stopped, although the wick was only briefly below.”	Then it was not a wick but a chart close. On the 3m chart the 3m candle decides — on the screener's chart likewise.
“The status readout says intact, the scoreboard counts a trap.”	Both are right: the bias breaks only at night, the scoreboard checks defences the whole day (section 18).
“equinox and climax disagree on the bias.”	Almost always a different `First Session Clock` in one of the two — or a tooltip read at a different time. Align the clock.
“The screener shows different numbers from climax.”	Different settings (clock, Climax Timeframe, Min Score, components, the LRLR settings of screener group 3 against climax group 7, `Session & 8–9 Levels Count`) or a different chart timeframe. Put both on the same chart timeframe and the same switches, and the scoreboard numbers are identical.
“My alert arrives as JSON text.”	`Message Format` is set to Telegram by default. For TradingView's own notifications switch to Plain Text.

Mistake	What is really going on
"The tap messages never come."	The first taps have no message of their own: they are counted in the 🧭 line, `👉 2↓ 1↑`. Passengers ride along and only go out in the 🧭 line of the next driver (`Ride With`); if you want them on their own, switch `Passengers Ride Along` off — climaxes without an entry, the handover, liquidity away from an extreme, divergences and new gaps.
"Liquidity Swept is never ✓."	`LRLR · Low Resistance Liquidity` (group 7) is off — then the component is not scored at all — or no level was open on the side of the climax extreme. Session levels need a chart timeframe that divides the 7-hour grid.
"I get no bias alerts any more."	climax sends no message for a 25 % break or reclaim. Every message's 🧭 line shows the reading on duty, and the readout and `Bias Now` show it on the chart. The handover rides along (`👀 Handover` , on).
"There are no session levels."	The chart timeframe does not divide the 7-hour grid. (The 8–9 range does not need it.)
"Nothing comes any more after saving the script."	The alert computes with the old version. Delete and create it again.

20

SECTION 20

Glossary

The terms the guide uses without explaining them again — one line each.

Term	Meaning
A+ setup	A day whose 25 % level has never been broken on a closing basis.
ATR	Average True Range over 14 candles — the unit in which width, extension and gap proximity are measured, each on the timeframe it is read on.
Bias	The underlying direction of the day, taken from the previous-day candle.
Bias Now	The checklist line that holds the working direction now against the trade — as opposed to the score, which is a snapshot.
Climax · ϟ	Raschke's P3 bar: a candle of at least twice the ATR width at a new day extreme that closes in its opposite half.
Climax timeframe	The candle size the climax is read on — by default a higher timeframe matched to the chart.
Decision session	08:00–15:00 on the clock on duty.
Driver	An alert line that sends on its own: the entry, TP / stop (alone, without passengers), and a clean LRLR formed or run at an extreme or on a named level. The entry and a liquidity driver take all passengers along.
EQH / EQL	Equal highs / lows: two swings in a row within `Tolerance (Ticks)` (10).
Exhausted break	A climax through the 25 % with a weak close: the break stands, the run is exhausted.
Extension	O'Neil's reading: the distance of the climax extreme from the SMA 50 of the climax timeframe, in ATR.
Fade	The trade against the extreme of the climax bar, in the direction of its close.
First tap · ☐	The first touch of a live gap, per gap and direction (👉 gauge in the 🧭 line).
FVG · HTF FVG	Fair value gap, a three-candle gap; HTF = on a higher timeframe.
Handover	The second clock takes over the decision session from its 08:00 until 18:00; the ▸ in the status readout and the ◑ NY below the candle show it.
HRLR	High-resistance liquidity run: an LRLR whose liquidity sits behind an open FVG of the opposing side — still liquidity, but defended.
In path	Open liquidity between the entry and the farthest target, on the side the trade runs to.
Liquidity Swept	The eleventh checklist component: the climax bar ran an open liquidity level on the side of its extreme.
LRLR	Low-resistance liquidity run: lower highs with no open bearish FVG between them (+LRLR, liquidity above) or higher lows with no open bullish FVG (-LRLR, below).
NDOG / NWOG	New day / new week opening gap — the gap between a close and the next open.

Term	Meaning
Order flow	In a bullish working direction the highs are the targets, in a bearish one the lows; the liquidity tooltips and the liquidity messages say with or against order flow.
Passengers	⚡ climax without an entry, 🔄 handover, 🧲 / ✂️ EQH / EQL, HRLR and liquidity away from an extreme, ✂️ session levels taken, 〽️ divergences, 🕳️ new gaps — joined to the 🧭 situation line of the next driver.
PD · PDH · PDL	Previous day — the day before, its high and its low.
Projection	PDH +25 % / +50 % or PDL −25 % / −50 % — a quarter and half of the previous-day range beyond the extreme in the working direction.
R	The entry–stop distance as a unit; TP1 2.2R lies 2.2 risks away.
Reading (kind)	Where a climax was read: 25% defended, exhausted break, at the projection, day extreme.
Record	A symbol's tally in the screener: runs, TP1, TP2, stops.
Rolling VWAP	The volume-weighted average over a moving time window that is never reset; `Day (Anchored)` resets it every day instead.
Score	The number of switched-on components a setup met, n/N — `5/10`. Bands: high from 7/11 of the switched-on components, mid from 5/11, low below.
Session clock	London (Berlin hours), New York or Asia (Tokyo) — the clock whose 18:00–08:00 validates the bias. The second is the next in the cycle.
Session liquidity · .H / .L	The high / low of a completed 7-hour block of the first clock, tagged M/D ASIA / LON / NY .H / .L.
Situation line · 🧭	The first line of a message: working direction on duty, its state and clock, 💠 210m while the quarters are live, the 👉 tap gauge, then the passengers.
Trap · ϟ×	A defence of the 25 % that was closed through later in the day after all.
Z-score · σ	The distance from the VWAP in standard deviations of its window (or of the day).
8–9 range	The 08:00–09:00 high / low of each clock, drawn to the 10:30 cutoff; liquidity until taken or the next 08:00.
210m	The bias's confirmation resolution. One third of the 7h block.
210m signature quarters · ◇	The 25 % / 50 % of a 210m reversal signature that rejected the daily 25 %.

IMPORTANT **One last thing**

No indicator creates an edge. climax does the counting for you and records what the market did — and what became of the fades. Trade it on paper or in a demo account first, until you can read the checklist and the scoreboard without this guide open beside you.

SECTION 21

21 Ten sentences that replace the rest

Once you have read the guide and later only want to look something up — this is the short version.

1. **The bias provides the levels, the climax is the event, the fade the consequence.**
   No levels, no entry — on a doji day there is only a mark.
2. **A climax is twice the width, a new day extreme, a close in the opposite half.**
   Read on the climax timeframe, exactly once, after its close.
3. **Four readings, one order of precedence.**
   25 % defended beats exhausted break beats projection beats day extreme — the day keeps the most telling one.
4. **Entry at the close, stop at the extreme, targets at the next quarters.**
   With the day as far as the projection, against it only as far as the 25 %.
5. **Stop on close, target on touch, after TP1 only forwards.**
   A wick through the extreme is what a climax leaves behind — not a retraction.
6. **The score is a snapshot, Bias Now is the situation.**
   The components are scored at the entry and never changed afterwards.
7. **The scoreboard without controls is half the truth.**
   Defences must beat the ordinary touch, retraces the momentum candle.
8. **Twenty days are a tendency, not a statistic.**
   Read the edges, not the middle — and read them over weeks.
9. **Simple is the view for trading, Full the one for reviewing.**
   All three compute the same.
10. **The indicator counts, you decide.**
    climax measures what the market did. What follows from it is not on the chart.

R 3 M

climax·

Climax · VWAP · Liquidity · Entries

R3M · climax· and clx·screener· for TradingView (Pine Script v6) · Edition October 2026

Concepts: daily bias from the Essence Model (rytrades), the climax bar from Linda Raschke's trading rules, the extension read from William O'Neil's climax-top rules. This guide explains a tool; it is not financial advice.