
R3M



GUIDE

r3m·

One Body · Four Engines · One Session

EDITION	PLATFORM	SCRIPTS
October 2026	TradingView · Pine Script v6	r3m· · r3m·screener·

R3M· GUIDE

Contents

01 **What r3m does** 3
One body, four engines, one window

02 **Quick start** 4
Engine, session, done

03 **The session** 5
One window, only its bars

04 **The map** 7
Levels, VWAP, liquidity and context

05 🌓 **The equinox engine** 9
The trigger in the day bias' direction

06 ⚡ **The climax engine** 11
The exhaustion, faded

07 🌋 **The lava engine** 12
The first acceptance of the new price

08 📈 **The dvi engine** 13
The session VWAP trend

09 **The trade** 14
One entry path for all four

10 **Auction Failed** 16
Where the others fail is the chance

11 **Reading a signal** 18
Every fact as a picture you can hold

12 **On the chart** 22
Marks, stubs and the readout

13 **The settings** 23
Ten groups, every input with its default

14 **Setting up alerts** 27
One message per bar, the archive format

15 **The screener · r3m·screener·** 30
Ten symbols, one engine, one alert

16 **The evidence** 33
What the replays showed, and what is still open

17 **Bonus · Four characters** 34
Where each engine is strong, and where it struggles

IMPORTANT **This guide explains a tool, not a trading strategy**

r3m (R3M) measures and names what the market has already done. It does not predict what it will do. Every number in this guide is a default, not a law. The defaults come from replays of the four engines and of the standalone equinox, climax, lava and dvi scripts on Pepperstone CFDs and cash markets — samples, not proofs, and not optimised for your market. r3m itself, version v10.26d, has no replay of its own yet: its live alerts are the forward test. None of it is investment advice.

SECTION 1

01 What r3m does

r3m puts four R3M engines into one script. It reads one session window — the symbol's own cash market, a killzone or a window you set — and inside that window one of four engines looks for the trade. Everything else is the same body for all four: the levels, the ladder, the exit, the Auction Failed, the gates, the tags, the readout and the alerts.

→ The one core idea 3

→ What you need 3

Engine	What it waits for	Its character
🌓 **equinox**	A CISD, RC or EC with an FVG tap or a liquidity sweep before it, in the direction of the day bias	Trend with the day · stop at the protected swing · a second shot after a winner
⚡ **climax**	The exhaustion bar at a new session high or low, closing back in its opposite half	The fade · stop with room behind the wick · targets on the quarter levels
🌋 **lava**	The first acceptance beyond the value area of the hours before the open	The new price · stop behind the edge · targets on the nodes · one a session
📈 **dvi**	A close beyond the session VWAP ± k·σ	The trend's way · stop one ATR away · in the first two hours, until the session chops

You pick the engine in `Engine`, the first input, or let `🤖 Autopilot` pick one for each session (section 9). To see two engines at once, put r3m on the chart twice.

The one core idea

> **NOTE** **Same body, different head. Every trade is comparable.**
>
> The four engines share one feature set: the same session window, the same trade frame, the same failure trade, the same tags. Only the trigger and its natural stop differ. r3m is built that way: four heads produce a signal — direction, entry, stop, the level that marks its own failure, a short read and its own tags — and one entry path turns it into a trade. So a lava acceptance and an equinox CISD are booked, targeted, closed, tagged and counted the same way. That is what lets them race against each other later, by market and by backdrop: the right engine for the right kind of fortnight.

What you need

- An intraday chart; 3 minutes is the home of the defaults. Any minute chart works; the 210m quarters need a timeframe that divides 210 minutes, and the 1st presented FVG is always read on 1-minute data.
- Volume helps the VWAP and lava's profile. Without it switch `Weight By Volume` off.
- For a whole watchlist on one alert: r3m·screener· (section 15).

SECTION 2

02 Quick start

→ Step 1 · Pick the engine 4
→ Step 2 · Check the session 4
→ Step 3 · Let it run 4
→ What you see 4

Step 1 · Pick the engine

Add r3m· to a 5-minute chart (3m works too, section 16 compares them) and choose the `Engine`. The default is 🌋 lava. Each engine reads only its own section (2 equinox, 3 climax, 4 lava, 5 dvi); the others are greyed out.

Step 2 · Check the session

`Session` is `Auto` by default: the symbol's home market, decided by its structure, not by a backtest. GER40 trades London, NAS100 New York, JPN225 Asia, gold and FX London. `Hours` is `Cash` by default — the cash market. The readout names what was picked: `r3m· lava · London cash 08:00–16:30 London · …`. Everything outside the window is skipped as if the chart had no bars there.

Step 3 · Let it run

The defaults are each engine's own: its window, its Min Risk, its TP1 rule, half out at TP1 and half to TP2, Auction Failed on. Set up one alert (section 14) and the entries, results and failure trades arrive in the archive format.

What you see

At the window's open the previous window's levels start — `PDH` / `PDL` (in a killzone `PSH` / `PSL`), the solid `25%` and `50%`, the dotted projections `PDH +25%` / `+50%` (or `PDL -25%` / `-50%`, the side of the previous candle). The session VWAP with its three band pairs, only inside the window. The liquidity tags `+LRLR`, `EQH`, `-HRLR`. The 1st presented FVG of the open, dotted, tagged `1st +FVG` or `1st -FVG`. With lava the frozen `VAH`, `VAL`, `POC` and the nodes. ϟ at every climax. Then the trade: `▲` over `EQX` / `CLX` / `LVA` / `DVI` below the bar for a long (the tag over `▼` above it for a short; lava's glyph is `△` / `▽`), the short dotted stop line, the TP stubs with their R and the dotted std dev steps. A failure trade: `◇` with `AF`. Bottom right, the readout.

SECTION 3

03 The session

r3m reads one window a day. Inside it every number is built from the window's own bars: the VWAP, the ATR, the previous window's high and low, the ADR, the backdrop. Outside it the script waits.

→ Auto 5

→ Hours · Cash, Killzone, Custom 5

→ What is built from the window 6

Auto

`Session` · `Auto` picks the symbol's home market by its structure:

Symbol	Session
Stocks, cash indices, funds, futures	By their exchange's time zone: Europe → London · Asia / Australia → Asia · America → New York
DAX / EU index CFDs, UK100	London
JPN225, HK50, AUS200, CN50	Asia
Gold, silver	London (the LBMA fix)
FX	London
US index CFDs, oil, stock CFDs, crypto	New York

`Asia`, `London` or `New York` set it by hand. The alert header carries the session that was picked.

Hours · Cash, Killzone, Custom

Hours	Asia	London	New York
Cash (default)	TSE 09:00–15:30 Tokyo	08:00–16:30 London (Xetra 09:00–17:30 Berlin)	09:30–16:00 New York
Killzone (ICT, New York clock)	20:00–00:00	02:00–05:00	07:00–10:00

`Custom` takes the session in ↳ `Custom` and its ↳ `Timezone`; it may run over midnight. In a killzone the previous window is called `PS` (`PSH`, `PSL`) instead of `PD`.

What is built from the window

- **VWAP and σ**: anchored at the window's open, weighted by volume (`Weight By Volume`).
- **ATR 14**: an own running average of the window bars' true range, so a quiet night does not shrink it.
- **The previous window**: its high and low, its candle (the **flow**: BULL when it closed above its open), its 25 % and 50 % (measured from the close back towards the high in a bear candle, towards the low in a bull candle) and the projections ±25 % / ±50 % of its range beyond its high or low.
- **ADR 14**: the average range of the last 14 windows, and today's share of it.
- **The previous week**: its high and low, a rung until taken.
- **The backdrop**: the net move of the last 10 windows (Σ close − open) in their average range — `balanced` under 1.5, `drifting` 1.5–2.5, `trending` from 2.5, with `up` or `down` .
- **The minutes since the open**: every engine's window is counted from here.

`Keep Previous Sessions' Levels` keeps yesterday's lines on the chart; off, only today's are drawn.

SECTION 4

04 The map

→ The levels 7
→ VWAP and bands 7
→ Liquidity runs 7
→ The 1st presented FVG 7
→ ◇ 210m quarters and ◑ the handover 7
→ ϟ climax marks 8

The levels

At the open r3m draws the previous window's levels and carries them to the last bar until the next open: `PDH` / `PDL` solid, `25%` / `50%` solid, the projections dotted (`PDH +25%` , `PDH +50%` after a bull candle, `PDL -25%` , `PDL -50%` after a bear candle). With lava the frozen value area joins them: `VAH` , `VAL` , a thicker `POC` , `HVN` solid, `LVN` dashed.

VWAP and bands

The session VWAP, dotted, with three band pairs at ↳ `Band 1` 0.5σ, ↳ `Band 2` 1σ and ↳ `Band 3` 2σ (0 hides a pair), drawn only inside the window. With dvi the two change lines ±k·σ join them (↳ `dvi Change Lines ± k·σ`).

Liquidity runs

The lrlr· engine as in lava, on every bar of the chart: a run of three swings (high, lower high, lower high — `Min Swings In Run`) not broken by an open FVG is a low-resistance run, `+LRLR` above or `-LRLR` below. Equal highs and lows within `Tolerance (Ticks)` are `EQH` / `EQL` . `HRLR` · `Turtle Soup + Breakers` (default) marks the swept extreme of a turtle soup that displaced through the last opposite swing within ↳ `Displacement Within (Bars)` , ◎ once the opposite LRLR is taken (`Becomes The Draw`). Tags merge into rows (`Tag Row Merge`), hover them for the swings, 🧲 `Formed …` and ✂️ `Run …` . EQH / EQL can be TP rungs (section 9); LRLR and HRLR are drawn only.

The 1st presented FVG

The first 1-minute fair value gap after the window's open, its middle candle within 150 minutes: dotted with its C.E., a faint fill, tag `1st +FVG` or `1st -FVG` . A close through its far side inverts it. Its tooltip opens with 🔔 `·` . In the tags it reads `1st FVG with` / `against` (or `1st iFVG …` once inverted).

◇ 210m quarters and ◑ the handover

Drawn for context, as in lava: a 210m reversal signature rejecting the daily 25 % draws its own `210m 25%` / `210m 50%` (dashed) and a ◇; a later 210m close through its 25 % removes them. ◑ `NY` marks where the New York clock's reading takes over (its 08:00), ◑ `LON` where it hands back (its 18:00), both clocks' day bias in the tooltip. The trades do not read them — except that the day bias behind them is equinox's direction and every engine's `day bias with / against` tag.

ϟ climax marks

Every climax of the session gets a ϟ at its extreme: at least `Climax Bar (× ATR)` 2× ATR wide, a new session high or low, a close back in its opposite half — on the chart bar or, with `Climax Timeframe` MTF (default), on the higher timeframe matched to the chart and the step below it (3m and 5m chart: 10m and 5m, 10m chart: 15m and 10m; on the 5m and 10m chart the lower one is the chart bar itself). A higher-timeframe bar counts once it has closed and only if it opened inside the session. The tooltip names the level it printed at (`at the PDH`, `at the VAL`, …), its size, volume and VWAP distance. climax trades it; equinox reads it as `climax behind it`; for the others it is context.

SECTION 5

05 The equinox engine

equinox takes one side a day — the day bias — and waits for a trigger that turns price that way after an event in the reversed leg.

→ The day bias 9
→ The trigger 9
→ The event 9
→ Stop, window, second shot 9
→ Its ladder 10

The day bias

`Day Bias` · `Equinox Day Bias` (default) is equinox's engine on the session's clock (New York → the New York clock, else the London clock on Berlin hours): the previous day's candle gives the direction, an overnight 210m close through its 25 % flips it (`reversal`), a 210m close back while its 50 % held reclaims it. Untouched it reads `A+` . `Previous Session Candle` takes the previous window's candle instead. A doji: no entries.

The trigger

- **CISD** — a close back through the open of the run in progress (a doji continues the run); its extreme is the protected swing. Drawn as a short thick line at the CISD level.
- **RC** — sweeps the last swing and closes back.
- **EC** — takes the prior candle's extreme and closes beyond its open.

Every signature needs a 50 % close. `Strong Close` (on) asks the trigger to close in the outer 25 % of its range.

The event

Before the trigger, inside the reversed leg and at most ↳ `Event Max Age (Bars)` 40 bars back: **FVG** — a tap of an open chart-timeframe fair value gap of the trade's side — or **LQ** — a sweep of a chart-timeframe swing (1 bar left and right). The most recent names the setup: `FVG→CISD` , `LQ→RC` , `FVG+LQ→CISD+EC` . ↳ `Signatures Need The Event Too` (on) applies the event rule to RC and EC as well.

Stop, window, second shot

The stop sits at the protected swing (`Stop` · `Protected Swing` ; `Trigger Candle (Tight)` uses the trigger's own extreme), at least `Min Risk (× ATR)` 0.25 away. Entries count in `Window` · `From` 0 → 90 minutes after the open — equinox's 09:00–10:30 Berlin on the London cash open. `Second Shot` · `After A Winner` (default) allows a second trade only after the first reached TP1; `Always` allows it anyway, `Off` keeps one a session. Never a third.

Its ladder

The previous window's high or low in the trade's direction while untaken, the previous week's while untaken, the ±25 % and ±50 % projections in the trade's direction, and EQH / EQL (section 9).

SECTION 6

06 ⚡ The climax engine

climax fades the bar that ran out of steam at a new session extreme.

→ The trigger 11

→ Stop and window 11

→ Its ladder 11

The trigger

A climax (section 4, ϟ) at a new session high is faded short at its close, one at a new session low long. Its kind is read on the previous window: `25% defended` (it poked the previous window's 25 % and closed back), `exhausted break` (it poked the 25 % and closed beyond it), `at the projection` (it reached the ±25 % projection in the flow's direction), otherwise `plain` — the session extreme alone. `Climaxes` picks which trade: `Every Climax` (default), `Session Extreme Only` (the plain one), `At A Level Only` (the three others).

Stop and window

Stop = the climax close + `Stop Room (× The Wick)` 2.0 × the distance to its extreme, at least `Min Risk (× ATR)` 0.5 away. `Window · From` 0 → 0 = the whole session; a climax needs a session extreme, so the first bars seldom print one. A newer climax while a trade is live is a dim mark.

Its ladder

The previous window's high and low, its 25 % and 50 %, the ±25 % projection in the trade's direction, the previous week's high and low while untaken. `TP1 At Least (R)` 0.5 — climax takes the nearest quarter level ahead — and TP2 the next rung at least 0.5R beyond it. EQH / EQL are off by default.

SECTION 7

07 🌋 The lava engine

lava freezes the value area of the hours before the open and trades the first time price accepts a price outside it.

→ The value area 12
→ The acceptance 12
→ Stop 12
→ Its ladder 12

The value area

The bars of `Built From (Hours Before The Open)` 7 hours before the window opens, counted in bars, so a cash chart without night bars reads the last hours of the session before. `Rows` 101, each bar's volume spread evenly over the rows its range covers, `Value Area (%)` 70. Frozen at the open: `POC`, `VAH`, `VAL`, up to `Nodes Per Kind` 3 high volume nodes (at least 60 % of the POC) and low volume nodes (at most 35 %), prominent over `Node Neighbour Rows` 3 by `Node Prominence` 1.5.

The acceptance

A close beyond VAH or VAL plus `Break Buffer (× ATR)` 0.1 starts a break; `Acceptance · Closes Beyond` 2 more closes beyond it make the acceptance, and the entry is the last of them. A close back inside ends the break. Inside `Window · From` 0 → 120 minutes after the open; one acceptance a session — taken, turned down by a gate or sent to AF Only. The readout counts it live: `waiting · ▲ accepting 1/2`.

Stop

Behind the edge or the deepest pullback since the break, whichever is further, plus `Stop Buffer (× ATR)` 0.25, at least `Min Risk (× ATR)` 0.5.

Its ladder

The HVNs, the POC, the VA edges, the previous window's high and low, its 25 %, the ±25 % projection in the trade's direction, the previous week's high and low while untaken, EQH / EQL. The tags read the path: `LVN in path`, `HVN in path`.

SECTION 8

08 📈 The dvi engine

dvi follows the session: a close beyond the VWAP ± k·σ turns the trend, in between it holds.

→ The change 13
→ Window, chop and the re-arm 13
→ Stop 13
→ Its ladder 13

The change

After `Wait After The Open (Minutes)` 30 (the VWAP only builds), a close above VWAP + `Change Beyond VWAP ± σ` 0.5σ turns it long, one below VWAP − 0.5σ short. Each change is an entry at its close. `Trade` · `Long Only` / `Short Only` restricts it.

Window, chop and the re-arm

No new trade later than `Entries Until (Min After The Open)` 120, and none once the closes crossed the VWAP more often than `Max VWAP Crosses` 5 (the chop). ↳ `Re-Arm After A Stop` (on): once a dvi trade was stopped this session, the crosses limit no longer applies. The trend resets at the session end.

Stop

`Stop` · `1 ATR` (default) from the entry; `Other Change Line`, `VWAP` or `Signal Candle` instead, always at least `Min Risk (× ATR)` 0.5.

Its ladder

`Target Ladder` · `Lean` (default): the previous window's high and low, its 25 %, high and low ±25 % on both sides, the previous week's high and low while untaken. `Lean + σ` adds the VWAP ± 1 · 1.5 · 2 · 2.5 · 3σ at the entry, `VWAP σ` uses those alone, `Std Dev` the entry leg from its middle × 1 · 2 · 2.5 · 3 · 4 · 4.5.

> **NOTE** **Why dvi splits by the day bias**
>
> A dvi entry always sits on the VWAP's side: that is its trigger. So its `VWAP with` tag is always the same, and the screener splits dvi's record by the day bias instead (section 15).

SECTION 9

09 The trade

→ TP1 and TP2 14
→ The exit 14
→ One trade at a time 14
→ The gates 15
→ 🤖 The Autopilot 15

TP1 and TP2

TP1 is the nearest rung of the engine's ladder at least `TP1 At Least (R)` away (1R; climax 0.5R) and at most `TP1 At Most (R)` 3R. TP2 is the next rung at least 1R beyond TP1 (climax 0.5R). When no rung lies in reach — none at all, or the nearest beyond 3R — ↳ `Else TP1 At (R)` 2 sets TP1 at 2R and TP2 on the next rung beyond it, so the runner still has a destination; 0 = not traded. A TP2 further than `TP2 At Most (R)` 5R is brought in (since v10.26b): to the near edge of the first gap on the way beyond TP1 — an opposing HTF FVG or an opening gap, the speed bump the ⚖️ line calls `gap in path` — or, with none there, to a plain 5R; the tags say `TP2 at gap` / `TP2 at cap`. Picture a long whose next rung is an EQH 17R away while a 4H - FVG sits 4R up: the second half now leaves at the gap's floor instead of riding to the session end. The screener has no gap engine and caps at 5R. 0 = the ladder's rung however far. The rung kinds are named in the tags and the setup code: `HVN`, `POC`, `VA`, `PD` (`PS` in a killzone), `PW`, `25%`, `50%`, `proj` (±25 %), `proj50` (±50 %), `EQ`, `σ`, `SD`, `R`.

`EQH / EQL As TP Rungs` · `By Engine` (default) puts the untaken EQH above a long and EQL below a short on the ladder for lava and equinox (they aim at liquidity), not for climax (the quarters) and dvi (its tested Lean ladder). `On` / `Off` for all.

The exit

`Exit` · `½ TP1 + TP2` (default for every engine): half at TP1, the stop moves to the entry, the other half rides to TP2 — or closes on a close back through the entry, or at the session end. `TP1 Full`: all out at TP1. `½ TP1 + VWAP Runner`: the other half rides until a candle lies fully across the VWAP (lava's).

Every stop fires on a **close** beyond it; the trade is booked at that close. A session that ends before TP1 closes the trade at its last close — `🏁 · LONG … Closed … · session end, before TP1.` — and counts that R.

One trade at a time

While a trade is live no new one is taken; the new signal is a dim mark (↳ `Untraded Signals (Dim)`), its reason in the tooltip: `a trade is still live`, `outside the window`, `no rung at least 1R ahead`, `TP1 at PD lies 3.4R away (TP1 At Most 3R)`, `the backdrop is trending 2.7 up (Backdrop Gate Balanced Only)`, `turned down by the VWAP Gate`, `two trades this session already` …

The gates

`VWAP Gate` · `Off` (default) · `With VWAP` (the close on the trade's side of the session VWAP) · `With VWAP Colour` (the candle fully on it). A trade the gate turns down arms the Auction Failed: the side it would have taken is the trapped one.

`Backdrop Gate` · `Off` (default, shown only) · `Balanced Only` · `Skip Trending` · `Trending Only` · `With The Drift` · `Against The Drift` · `Trending · With The Drift` · `Trending · Against The Drift`. The drift is the sign of the 10-window move. A backdrop not known yet (the first 10 windows) passes; a gated trade arms no Auction Failed.

Drift compatible. Every entry and Auction Failed also says whether its engine fits the backdrop it trades in: `drift compatible` or `drift incompatible`. Picture two pilots who have to be in step with their machine: lava fits a **balanced** fortnight (a range to trade back into), equinox a **drift** it trades with, climax a **trending** fortnight it fades, equinox in a trend too when it goes with it. dvi has no place on that map yet. The map came from each engine's replays on its own and was written down before the joint test. That joint replay (October 2026) did not confirm it after July, so the tag stays information, not a gate, and the live weeks keep counting it. The readout names what fits the backdrop of the moment (`balanced 1.2 · fits lava`).

🤖 The Autopilot

A fifth choice in `Engine`, for the curious: 🤖 `Autopilot` lets the backdrop pick the engine at every open, and the session is drawn as that engine draws it. Picture a switchboard: at the bell the last ten sessions are read, one engine is plugged in, the other three wait until the next open.

`Autopilot Map` · `Against The Drift` (default) · `Prior Map`:

Backdrop at the open	Against The Drift	Prior Map
balanced	🌋 lava, either side	🌋 lava, either side
drifting	⚡ climax, against the drift	🌓 equinox, with the drift
trending	📈 dvi, against the drift	⚡ climax, against the drift
not known yet (the first 10 sessions)	standby	standby

The Autopilot's trades carry ✦ on the outside of their mark: ▲ over `CLX` over ✦ below the bar for a long, ✦ over `CLX` over ▼ above it for a short. A signal on the other side stays a dim mark: `the autopilot trades shorts only this session (drifting 1.8 up)`. The readout says `r3m· A climax · …`; the alerts keep the engine's own name and add the tag `autopilot`. Each engine keeps the settings of its own section.

> **IMPORTANT** **A toy, not a proven edge**
>
> In the replay (December 2025 – October 2026 on the broker's bars, January 2025 – October 2026 on a second data feed) Against The Drift beat every single engine on the broker's bars, but on the second feed all four engines side by side did better, and the Prior Map broke down after July on both. Watch it, compare it, and don't lean on it until the live weeks say more.

SECTION 10

10 Auction Failed

Every model gets the question: what happens when its trade fails? A failed setup traps its traders, and their stops fuel the move the other way. r3m takes that trade with every engine.

→ How it arms 16
→ How it fires 16
→ Stop, targets, exit 16

How it arms

Every trade taken, every trade the VWAP Gate turns down and every signal under ↳ `AF Only · No Engine Trades` arms the Auction Failed the other way. The trade's TP1 or the session end cancels it. One AF at a time; lava one a session.

How it fires

↳ `Fires On` · `By Engine` (default):

Engine	Own Failure	By Engine
🌓 equinox	a close through the protected swing	Own Failure
⚡ climax	a close beyond the climax bar's high or low	Own Failure
🌋 lava	a close back inside the value area	VWAP Flip
📈 dvi	— (none of its own)	VWAP Flip

`VWAP Flip` = lava's: a candle fully across the session VWAP before the trade's TP1; the VWAP turning back closes it before its TP1, unless ↳ `Out Early On A VWAP Flip` says otherwise: `Auto` (default) does it everywhere except on the European indices (GER40, UK100, FRA40, EUSTX50 and their kin), where only its stop closes it before TP1 (there the trapped side often snaps back across the VWAP before the move goes, the long replay says so, the broker's shorter one not yet) · `On` = everywhere · `Off` = nowhere. `Stop-Out Close` = the close that stops the trade.

Stop, targets, exit

The stop sits at the trapped move's far end since the signal bar, at least the engine's Min Risk. TP1 and TP2 come from the same ladder and rules the other way, with Else TP1 At. ↳ `Target (R)` · `−1` = By Engine (default): the dvi AF takes a fixed TP1 at 1R, half out there and the rest to break-even or the session end, the other three keep the ladder. Picture a trapped crowd that runs a short way before it thins out: in the replay a third to a half of all AFs reached +1R, but only a fifth to a third reached a ladder TP1 at 1.5–2R. `0` = the

ladder for all four · above 0 = that fixed TP1 for all four (no TP2). The same Exit. Drawn as `◇` with `AF`, its own stop and stubs. Its trades are a script of their own in the statistics: `equinox af`, `climax af`, `af` (lava, as the big lava's), `dvi af`.

SECTION 11

11 Reading a signal

A signal is a stack of facts. Numbers alone are hard to picture, so every fact r3m writes is a share, a distance or a side: something you can see in your head before you look at the chart. This chapter takes one alert apart, line by line.

→ One alert, taken apart 18
→ The trade line · R is the unit 18
→ The 🧭 tags · the wind 19
→ The ⚖️ facts · the day in shares 19
→ Gaps and taps · floors, ceilings, speed bumps 20
→ The Auction Failed line 20
→ The readout 20
→ Every tag at a glance 21

One alert, taken apart

R3M Alerts

GER40 · 5m · London · lava v10.26d

🧭 Acceptance ▲ VA · LVN in path · VWAP with · VWAP Z 1–2 · day bias with · flow with · backdrop balanced · 1st FVG against · TP1 at PD

🟢 · LONG 25456.8 · SL 25439.0 · TP1 25488.5 (1.8R) · TP2 25530.0 (4.1R) · accept·VA→PD

⚖️ Pro / Contra · VAH 25446.0 accepted after 3 closes · at 10/14 +NDOG · no climax behind it · taps 2↓ 0↑ (with) · took ASIA.L ↓ (with) · gap in path 1H -FVG 0.8R · ADR 63%

09:27

Read it as a story: price left the value area upward and stayed out for three closes (**the trigger**). It sits above the VWAP, not yet stretched (**where**). The day, the last candle and the fortnight lean the same way (**the wind**). Buyers defended twice today, the entry sits on the overnight gap and the Asia low was run before it (**the floor**). An untouched 1H gap the other way waits 0.8R up (**the speed bump**). The target is yesterday's high, 1.8 times what is risked (**the payoff**).

The trade line · R is the unit

In the alert	Picture it as
`SL 25439.0`	where the idea is wrong: a close beyond it ends the trade
`TP1 25488.5 (1.8R)`	for every 1 you risk, TP1 pays 1.8. 1R = the distance entry → stop
`TP2 … (4.1R)`	the far target; with the default exit the second half rides there, the stop on the entry
`accept·VA→PD`	the setup in short: what triggered → where TP1 sits
`(-1.16R)` on a stop	the stop fires on a close, so the loss can be a little more than 1R: here the close was 0.16R beyond the stop

The 🧭 tags · the wind

Tag	Picture it as
`VWAP with` · `against`	is the close on the trade's side of the day's average price? With = swimming with the crowd's average, against = buying below it
`VWAP Z under 1` · `1–2` · `2+`	a rubber band: under 1 σ slack, 1–2 stretched, 2+ pulled far, a snap back gets likelier
`day bias with` · `against`	equinox's verdict for the day: tailwind or headwind
`flow with` · `against`	the colour of the previous window's candle: did yesterday close the trade's way
`backdrop balanced` · `drifting with` · `trending against`	the last 10 sessions: a range, a slow slope or a staircase, and whether the trade walks up or down it
`drift compatible` · `drift incompatible`	whether this engine is the right pilot for that backdrop: lava in a range, equinox with a slope, climax against a staircase
`autopilot`	the 🤖 Autopilot picked this engine for the session
`1st FVG with` · `against` · `1st iFVG …`	the open's first gap: who showed their hand first, and whether it was broken (`iFVG`)
`TP1 at PD` · `at EQ` · `at R`	what TP1 aims at: a real level, a pool of equal highs, or a plain 2R when no level was in reach
`TP2 at gap` · `TP2 at cap`	the ladder's TP2 lay beyond 5R: it now waits at the first gap's near edge on the way, or at a plain 5R
`LVN in path` · `HVN in path`	thin volume ahead (price slips through) or thick volume ahead (price gets stuck)

The ⚖️ facts · the day in shares

In the alert	Picture it as
`ADR 63%`	the day has used 63 % of a normal day's range: about a third left. ⛔ from 100 %: the tank is empty
`accepted after 3 closes`	lava: three closes outside the value area, not one poke
`bar 2.1× ATR` · `vol 5.2×` · `2.7σ from the VWAP`	climax: the bar was twice a normal bar, on five times the volume, far from the average: an exhaustion, not a drift
`strong close` · `weak close (against)` · `protected swing 25392.0`	equinox: the trigger candle closed near its end, or left a long tail against the trade · the swing that has to hold, the stop behind it
`closed above VWAP + 1σ` · `VWAP crossed 3×`	dvi: the close broke out of the VWAP's band · the VWAP was crossed three times today; many crosses = chop

In the alert	Picture it as
`climax behind it (with) · no climax behind it`	an exhaustion bar the other way printed in the last 10 bars: the opposite side just ran out of breath (every engine but climax, which is the climax)
`took ASIA.L ↓ (with) · took LON.L, ASIA.L ↓ (with) · NY.H ↑ (against)`	in the last 7 hours price ran the low of the Asia block (the 7h blocks of the London clock on Berlin hours: NY 18–01, ASIA 01–08, LON 08–15). Stops under a low were taken before a long: the fuel is spent on the other side, with. A high taken before a long is against. Named once, in the next entry or AF: the newest three, the lows taken (↓) and the highs taken (↑) each in one group

Gaps and taps · floors, ceilings, speed bumps

In the alert	Picture it as
`taps 2↓ 0↑ (with)`	twice today price came down into a gap and was caught (↓ backs longs), never up into one from below. With = the defending is on the trade's side, `(draw)` = as many each way, `(against)` = more on the other side
`at 10/14 +NDOG · at 1H +FVG (with)`	the entry stands on a gap: the overnight gap of Oct 14, or a 1H gap of the trade's side (with): a floor under a long, a ceiling over a short
`gap in path 1H +FVG 0.8R`	an untouched gap the other way lies 0.8R ahead: a speed bump. At 0.4R it brakes early, at 2.5R just before TP1
`no gap in path`	the road to TP1 is clear

TIP **One glance**

A strong long reads: `VWAP with` · `VWAP Z under 1` · `day bias with` · `flow with` · `at … (with)` · `climax behind it (with)` · `taps … (with)` · `took … (with)` · `no gap in path`. A weak one shows `against` twice or more, `VWAP Z 2+`, `ADR` past 90 % or a `gap in path … 0.3R`. None of these is a gate: they are what the statistics count, and the lab review tells which of them really separate the good trades from the bad.

The Auction Failed line

In the alert	Picture it as
`trapped acceptance ▼ 21296.0 live (−0.6R)`	the traders who sold the acceptance are 0.6R under water and still in: their stops are the fuel
`failed after 9 bars`	how long the first idea held before it broke: quick failures trap the most
`accepted edge 21302.5`	the level the trapped side bet on

The readout

`ADR 63%` · `balanced 1.2` · `ATR 18.4` read the same as in the alerts: the day's range used, the fortnight's shape, and a normal bar's size in points (a 20-point stop is then about one bar).

Every tag at a glance

Every entry and every Auction Failed carries its facts in the 🧭 line. They are plain facts, not a score: the statistics count each one, and the lab review asks which of them separate the good trades from the bad.

Tag	Meaning
`VWAP with` · `VWAP against`	the close on the trade's side of the session VWAP, or not
`VWAP Z under 1` · `1–2` · `2+`	how far the close sits from the VWAP, in σ
`day bias with` · `against`	equinox's day bias on the session's clock
`flow with` · `against`	the previous window's candle
`backdrop balanced` · `drifting with / against` · `trending with / against`	the last 10 windows
`drift compatible` · `drift incompatible`	the engine fits the backdrop, or not
`autopilot`	the 🤖 Autopilot picked the engine
`1st FVG with` · `against` · `1st iFVG …`	the open's 1st presented FVG, once inverted `iFVG`
`TP1 at …`	the rung TP1 sits on
`TP2 at gap` · `at cap`	TP2 brought in from a rung too far away
`taps with` · `against` · `even`	the session's first taps of a gap, from the trade's side or the other
`entry at gap` · `gap in path` · `no gap in path`	a gap under / over the entry, one between it and TP1, or a clear road
`climax behind it`	an exhaustion bar the other way in the last 10 bars
`took with` · `took against`	session liquidity (ASIA / LON / NY .H / .L) taken in the last 7 hours, on the side that backs the trade or not

Plus each engine's own: equinox `bias A+` / `bias reversal`, `weak close`, `second shot` · climax its kind (`plain`, `25% defended`, …), `vol 1.5×+` · lava `LVN in path`, `HVN in path` · dvi `after a stop`.

SECTION 12

12 On the chart

→ The entry mark 22

→ The readout 22

The entry mark

One mark at the entry, the glyph nearest the candle: `▲` over `EQX` / `CLX` / `LVA` / `DVI` below the bar for a long, the tag over `▼` above it for a short (lava `△` / `▽`). While the trade lives: the stop dotted from the bar to + 8, TP stubs from + 13 to + 15 with `TP1 1.8R` / `TP2 3.4R`, and the dotted std dev steps (↳ `Std Dev Ladder`: 1 · 2 · 2.5 · 3 · 4 · 4.5 × the entry leg from its middle). Once the trade ends, the mark, the stop and the stubs stay; only the steps go. Its tooltip is the alert, with how it ended on top: `✅ TP1 Hit (+1.8R) · 24.10 10:12`, `🛑 Stopped (−1.1R)`, `🏁 The session ended before TP1 (+0.4R at its last close)`.

The readout

Bottom right by default (`Readout` with its position), two lines in `Simple`:

```
r3m· lava · London cash 08:00–16:30 London · LONG 25456.8 · since 24.10 09:24
VA 25402.0 – 25446.0 · POC 25428.0 · PD BULL · ADR 63% · balanced 1.2 · ATR 18.4
```

The first line: the engine, the session and its hours, and the trade — or what the engine waits for: `waiting · ▲ accepting 1/2`, `waiting for a climax`, `waiting for a long trigger (second shot)`, `no bias, no entries`, `done for the session`, `flat`, `AF armed ▲`. The second: the day — lava's value area, equinox's bias, the previous window's candle, the ADR used, the backdrop, dvi's VWAP crosses, the ATR, climax's latest ϟ. `Full` adds stop and TP1 to the first line and the scoreboard: trades, TP1 / TP2 / stopped, Σ R gross as the Exit books it, this session's R, and the Auction Failed count with its Σ.

SECTION 13

13 The settings

Labels as in the settings dialog. Each engine's own group is greyed out when another engine is chosen.

→ 0 · Engine 23
→ 1 · Session 23
→ 2 · 🌓 equinox · Bias & Trigger 23
→ 3 · ⚡ climax · The Fade 24
→ 4 · 🌋 lava · Value Area 24
→ 5 · 📈 dvi · Day VWAP Trend 25
→ 6 · Trades · Every Engine 25
→ 7 · Liquidity Runs (lava) 25
→ 8 · Visuals 26
→ 9 · Alerts 26

0 · Engine

Setting	Default	What it does
`Engine`	🌋 lava	🌓 equinox · ⚡ climax · 🌋 lava · 📈 dvi · 🤖 Autopilot
↳ `Autopilot Map`	Against The Drift	Against The Drift · Prior Map · the 🤖 Autopilot's map (section 9)

1 · Session

Setting	Default	What it does
`Session`	Auto	Auto · Asia · London · New York (section 3)
↳ `Hours`	Cash	Cash · Killzone · Custom
↳ `Custom` · ↳ `Timezone`	09:30–16:00 · America/New_York	the custom window and its time zone
`Weight By Volume`	on	the VWAP and lava's profile weigh each bar by its volume

2 · 🌓 equinox · Bias & Trigger

Setting	Default	What it does
`Day Bias`	Equinox Day Bias	or Previous Session Candle
`CISD` · `RC` · `EC`	on · on · on	the triggers
`Event` · `FVG` · `LQ`	on · on	the qualifying events
↳ `Signatures Need The Event Too`	on	RC / EC need the event as well

Setting	Default	What it does
↳ Event Max Age (Bars)	40	how far back the event may lie
Strong Close	on	close in the outer 25 % of the range
Stop	Protected Swing	or Trigger Candle (Tight)
Min Risk (× ATR)	0.25	the smallest stop distance
Window · From (Min After The Open) · →	0 → 90	entries only in these minutes
Second Shot	After A Winner	Always · Off
TP1 At Least (R)	1.0	

3 · ⚡ climax · The Fade

Setting	Default	What it does
Climax Bar (× ATR)	2.0	the climax size (read for every engine)
Climax Timeframe	MTF	Chart · Auto · MTF · a fixed timeframe
Climaxes	Every Climax	Session Extreme Only · At A Level Only
Stop Room (× The Wick)	2.0	stop = close + this × (extreme − close)
Min Risk (× ATR)	0.5	
Window · From · →	0 → 0	the whole session
TP1 At Least (R)	0.5	TP2 the next rung ≥ 0.5R beyond

4 · 🌋 lava · Value Area

Setting	Default	What it does
Built From (Hours Before The Open)	7	the profile's bars, counted in bars
Rows · Value Area (%)	101 · 70	
HVN At Least · LVN At Most (% Of POC)	60 · 35	the node thresholds
Node Neighbour Rows · Node Prominence · Nodes Per Kind	3 · 1.5 · 3	
Acceptance · Closes Beyond	2	further closes after the break
Break Buffer (× ATR) · Stop Buffer (× ATR)	0.1 · 0.25	
Min Risk (× ATR)	0.5	
Window · From · →	0 → 120	
TP1 At Least (R)	1.0	

5 · 📈 dvi · Day VWAP Trend

Setting	Default	What it does
`Change Beyond VWAP ± σ`	0.5	the change lines
`Wait After The Open (Minutes)`	30	no change before
`Trade`	Long & Short	Long Only · Short Only
`Stop`	1 ATR	Other Change Line · VWAP · Signal Candle
`Min Risk (× ATR)`	0.5	
`Entries Until (Min After The Open)`	120	
`Max VWAP Crosses` `↳ Re-Arm After A Stop`	5 · on	
`Target Ladder`	Lean	Lean + σ · VWAP σ · Std Dev
`TP1 At Least (R)`	1.0	

6 · Trades · Every Engine

Setting	Default	What it does
`Trades`	on	off = the map only
`TP1 At Most (R)` `↳ Else TP1 At (R)`	3.0 · 2.0	section 9
`TP2 At Most (R)`	5.0	section 9
`EQH / EQL As TP Rungs`	By Engine	On · Off
`Exit`	½ TP1 + TP2	TP1 Full · ½ TP1 + VWAP Runner
`VWAP Gate` · `Backdrop Gate`	Off · Off	section 9
`Auction Failed`	on	section 10
`↳ Fires On` `↳ Target (R)` `↳ Out Early On A VWAP Flip` `↳ AF Only` · `No Engine Trades`	By Engine · −1 (By Engine: dvi 1R) · Auto · off	

7 · Liquidity Runs (lava)

`Draw Levels & Tags` (on) · `Swing Bars Left` / `↳ Right` (5 / 5) · `Min Swings In Run` (3) · `Breaking FVG Min Size (× ATR)` (0.3) · `Only Open FVGs Break It` (on) · `HRLR` (Turtle Soup + Breakers · Behind An Open FVG · Off) with `↳ Displacement Within (Bars)` (10) and `↳ Becomes The Draw Once The Opposite LRLR Is Taken` (on) · `EQH / EQL` with `Tolerance (Ticks)` (on, 10) · `Keep Per Type` · `Live` / `↳ History` (10 / 20) · `Extension After Run (Bars)` (5) · `Tag Row Merge (× ATR)` (0.5).

8 · Visuals

`VWAP & Bands` (on) with ↳ `dvi Change Lines ± k·σ` and ↳ `Band 1` / `Band 2` / `Band 3` (0.5 / 1 / 2) · `lava · VAH / VAL / POC` with ↳ `HVN / LVN` · `Previous Session · High / Low · 25% / 50%` with ↳ `Projections ± 25% / 50%` · `1st Presented FVG (1m) · The Open` · `◇ 210m Signature Quarters` · `◑ Session Handover` · `Climax Marks · ϟ` · `Gaps & Taps · Pro / Contra` (on, a test since Oct 26: lava's HTF FVGs (1H + 4H on 3m), the opening gaps NDOG / NWOG from the last session close to this session's open and the ☐ first taps of the session, read on every bar and written into the ⚖️ line of every entry and AF as `at 10/14 +NDOG` · `taps 2↓ 0↑ (with)` · `gap in path 1H -FVG 0.8R` / `no gap in path`; information, not a gate) with ↳ `Draw Boxes & Tags` (off) and ↳ `□ First Tap Marks` (on) · `Entries, Stops & Targets` with ↳ `Std Dev Ladder` and ↳ `Untraded Signals (Dim)` · `Mini Panels · 1H` / `210m` / `7H` (equinox / kit's mini candles right of price, built from the chart's bars: 1H the last 8, 210m / 7H the whole day, sweep lines, A / L / N on the 7H) with ↳ `SMT Lines` (against the auto pairing or ↳ `SMT Asset 1` / `2`, ↳ `SMT Symbol Source`, ↳ `Fallback: S&P 500`; one request per asset), ↳ `Climax ϟ` (the chart's ϟ climaxes in the panel candle they printed in: above its wick at the high, below at the low), ↳ `25% Quarters`, ↳ `Distance (Bars)` (35) and ↳ `Panel Candles` (white / black, the outline white on a dark chart) · `Readout` (Bottom Right · Simple) · `Keep Previous Sessions' Levels` (on) · `Colors` (Theme · Custom with its four colour fields) · `Display Time Zone` (Europe/Berlin: the zone of every time the script writes; the session keeps its own clock) · `Monospace Font` (on) · `Font Size` (Default). All on by default.

9 · Alerts

`Entries & Results` (on) · `Message Format` (Telegram · Plain Text) · ↳ `Telegram Chat ID`.

SECTION 14

14 Setting up alerts


→ What a message looks like 27
→ Auction Failed in the messages 28
→ Emojis in the messages 29
→ Message Format 29

1. **Right-click the chart → Add alert.**
2. **Pick r3m· as the condition, below it "Any alert() function call".**
3. **In the Notifications tab enter the webhook URL (Telegram) or set the format to Plain Text.**
4. **Save. After every change to the script or its settings: delete the alert and create it again.**

At most one message goes out per bar, at its close: results first, then a new entry, then the Auction Failed's lines.

What a message looks like

A lava acceptance:



The header names symbol, timeframe, the session and the **statistics name with the version**: each engine sends under the name of its standalone script — `equinox`, `climax`, `lava`, `dvi` — so its trades count in the same family, and `v10.26d` marks the ones built in r3m. The 🧭 **line** is the engine's read and the tags (section 11). The second paragraph: direction, entry, stop, targets with their R, and the setup code (`ac-cept·VA→PD`, `climax·25%→50%`, `FVG→CISD`, `trend·VWAP→PD`). ⚖️ **Pro / Contra** carries the engine's own facts, the gap it stands on, a climax behind it, the taps, the session liquidity it took, the gap in its path and the ADR used (section 11 reads each one as a picture). The session and the backdrop are in the header and the 🧭 tags.

The other engines read:

R3M Alerts
GER40 · 5m · London · equinox v10.26d
🧭 Equinox ▲ FVG→CISD · bias A+ · VWAP with · VWAP Z under 1 · day bias with · flow with · backdrop drifting with · TP1 at PD

🟢 · LONG 25410.5 · SL 25392.0 · TP1 25446.0 (1.9R) · TP2 25488.0 (4.2R) · FVG→CISD

⚖️ Pro / Contra · strong close · protected swing 25392.0 · at 1H +FVG (with) · climax behind it (with) · took LON.L, ASIA.L ↓ (with) · NY.H ↑ (against) · no gap in path · ADR 41%

09:41

R3M Alerts
NAS100 · 5m · New York · climax v10.26d
🧭 Climax ▼ session high (10m) · 25% defended · vol 1.5×+ · VWAP with · VWAP Z 2+ · day bias against · flow against · TP1 at 50%

🔴 · SHORT 21480.0 · SL 21522.0 · TP1 21452.0 (0.7R) · TP2 21410.0 (1.7R) · climax·25%→50%

15:12

The results, each with its R:

R3M Alerts
GER40 · 5m · London · lava v10.26d
✅ · LONG 25456.8 TP1 Hit 25488.5 (+1.78R).

10:06

`🏆 · LONG 25456.8 TP2 Hit 25530.0 (+4.11R).` · `🛑 · LONG 25456.8 Stopped at 25436.2 (-1.16R) · SL 25439.0.` — the close the stop fired on, then the stop line · `🏁 · LONG 25456.8 Runner Closed 25456.8 (+0R) · break-even.` (also `session end`, `VWAP flipped`) · `🏁 · LONG 25456.8 Closed 25461.0 (+0.24R) · session end, before TP1.`

Auction Failed in the messages

R3M Alerts
NAS100 · 5m · New York · lava v10.26d
🧭 Auction failed ▲ lava · VWAP flip · VWAP with · VWAP Z under 1 · day bias with · flow with · TP1 at PD

🟢 · LONG 21318.4 · SL 21281.0 · TP1 21372.0 (1.4R) · TP2 21434.0 (3.1R) · out early when the VWAP flips back · auction·failed

⚖️ Pro / Contra · trapped acceptance ▼ 21296.0 live (−0.6R) · accepted edge 21302.5 · failed after 9 bars · no climax behind it · taps 0↓ 1↑ (against) · no gap in path · ADR 48%

10:15

The trigger after the engine's name: `VWAP flip`, `stop-out close`, or the engine's own failure (`protected swing closed through`, `extreme closed through`, `back inside the value area`), plus `· AF only` or `· turned down by the VWAP Gate` when no trade was taken. The ⚖️ line names the trapped trade, its level

and how long it held. The endings: ✅ `· LONG 21318.4 AF TP1 Hit 21372.0 (+1.43R on half) · stop to the entry · auction failed` · 🏆 `· … AF Target …` · 🛑 `· … AF Stopped at … · SL …` · 🏁 `· … AF Closed … · ½ at TP1 · VWAP flipped back` / `· break-even` / `· session end`.

Emojis in the messages

Emoji	Meaning	When
🧭	the engine's read and its tags	every entry, the engine's and Auction Failed's
🟢 · 🔴	long · short	the trade line
⚖️	pro / contra: the engine's facts, the session, the day	every entry, its last line
✅	TP1 hit (`AF TP1 Hit`)	result
🏆	TP2 hit · `AF Target`	result
🛑	stopped (`Stopped at` , `AF Stopped at`)	result
🏁	runner closed · session end · `AF Closed`	result

Message Format

Telegram (default): a ready-made Bot API `sendMessage` request for the webhook `https://api.telegram.org/bot<TOKEN>/sendMessage` (paid TradingView plan); the header is bold, the ticker links to the chart. Plain Text: the header on the first line, the message below. The chat ID goes into ↳ `Telegram Chat ID`.

> **TIP** **The archive reads it**
>
> Every message lands in the R3M archive. The parser books the stop at the close it fired on, the session end at its last close, the runner next to the full exit, and the tags become countable columns. The Saturday report and the Sunday lab review read the engines side by side — gross R first.

SECTION 15

15 The screener · r3m·screener·

r3m·screener· runs r3m's body and the chosen engine on up to ten symbols from one chart. Each symbol gets the same read as r3m itself — in its own home session — and one alert covers the watchlist.

→ Setting it up 30
→ The table 30
→ Ranking, reports, alerts 31

Setting it up

Put it on a chart that trades nearly around the clock — EURUSD 5m: a symbol's bar is only seen when the chart has a bar at that time. Choose the `Engine` first (group 0; the 🤖 Autopilot is r3m· only), then the `Watchlist`: Custom (ten slots) or a preset (Forex · Pepperstone, Indices · Pepperstone, Commodities · Pepperstone, S&P 500 · Top 10, Nasdaq 100 · Next 10, DAX · Top 10, Futures · CME / Eurex, Crypto · Pepperstone, Crypto · Binance Perps). Keep groups 1–7 equal to r3m's. For two engines, put it on the chart twice.

Every symbol is one request on the chart's timeframe: `Session` · `Auto` is decided per symbol, so GER40 runs London and NAS100 New York in the same table. The climax's higher timeframe is built from the symbol's own chart bars, the day bias from its own daily bars. Ten symbols are the ceiling: twelve ran out of memory. In Bar Replay lower `History Bars` (10,000) to 3,000–5,000.


Not in the screener: r3m's drawings, the LRLR engine (a compact EQH / EQL tracker stands in for the TP rungs), the 1st presented FVG (no 1-minute reads) and the ◇ / ◑ drawings.

> **IMPORTANT** **Screener or r3m·, not both**
>
> The screener sends every trade of the watchlist, the same trades r3m takes on each chart. With r3m's own alert on a symbol of the watchlist too, every trade arrives twice.

The table


r3m·screener· · lava · the record

#	symbol	runs	TP1	TP2	stop	ΣR	with	against
1	EUSTX50	28	57%	29%	43%	+16.1	67% · 15	42% · 12
2	US500	17	53%	6%	47%	+5.3	71% · 7	29% · 7
3	GER40	60	45%	17%	55%	+7.5	58% · 31	35% · 26



r3m·screener· · the day

symbol	bias	the day	ADR
EUSTX50	BULL	London · balanced 0.9 · VA 5421.0 — 5433.5	119% ⊘
US500	BULL · rev	New York · drifting 1.9 up	52%
USDCHF	BULL · rev	London · trending 2.6 down	55%



r3m·screener· · today's setup

symbol	setup · 5m	since	status	R	price
EUSTX50	▼ accept·VA→PD	10:00	TP1 Hit	2	5398.4
US500	▼ accept·VA→proj	16:00	Runner Closed	2	6788.2
USDCHF	▼ auction failed → 25%	10:40	Closed	1.8	0.79410


Column	Meaning
runs · TP1 · TP2 · stop · ΣR	The record over the loaded history: trades, share at TP1 / TP2 / stopped, R gross (all out at TP1, a stop = its close, a session end before TP1 = its last close).
with · against	The record split by the session VWAP at the entry — for dvi by the day bias, because a dvi entry always sits on the VWAP's side. TP1 rate and count.
bias	The day bias (equinox's engine on the session's clock), `rev` = reversed overnight.
the day	The session the symbol reads, the backdrop, lava's frozen value area, dvi's VWAP crosses.
ADR · ATR	Today's share of the average range (⊘ once used up) · ATR(14), optional.
setup · since · status · R	Today's trade: direction and setup code with TP1's rung, when it fired, where it stands, TP1's distance in R. An Auction Failed of today takes these cells (`▼ auction failed → 25%`).
price	The last close.

The status reads `Live`, `TP1 Hit`, `TP2 Hit`, `Runner Closed`, `Stopped`, `Session End` (the session ended before TP1), and for Auction Failed `Closed`. Hover a row for its report line. The colours are the screeners' one ladder: TP1, TP2, stop, with and against coloured by their strength against their chance (risk / (risk + distance to TP1)), paler with few runs; Live orange, targets green, stopped red, fading over six hours.

Ranking, reports, alerts

`Sort By` · `Engine Performance` (TP1 rate minus stop rate, TP2 as the tie-break, under `Min Runs` 5 = young, at the bottom) or `Today's Setup`. `Report 1` / `Report 2` (11:00 / 17:30 on the Display Time Zone) send the Top N (3) with their record and today's trade, and a footer for the watchlist.

The entries and results go out as one message per bar, each entry laid out as r3m's alert:



The header carries the engine's icon and name (🌓 `r3m equinox` , ⚡ `r3m climax` , 🌋 `r3m lava` , 📈 `r3m dvi`) and the `Session` setting. Each entry reads as an r3m alert with the symbol up front: 🆕 · 🟢 **GER40** · the 🧭 read and its tags · the trade · ⚖️ **Pro / Contra** with the session that symbol read (its hours), the previous session's candle, the ADR used and the backdrop, then the symbol's record on this engine (📈 runs · 🎯 TP1 rate). An Auction Failed the same way: 🧭 `Auction failed ▲ lava · VWAP flip · …` · the trade · ⚖️ `Pro / Contra · trapped acceptance · London cash …` . The screener has no gap engine and no 1st FVG, so those facts are r3m's alone. Results stay one line each; an entry stands apart from its neighbours by a wider gap. The archive counts the trades in the same families as r3m's — `lava` , `af` — with the entry's own session.

SECTION 16

16 The evidence

r3m v10.26d has no replay of its own yet. Its defaults come from the replays of its four engines, each tested on its own in the same session window — with the caveat that those numbers predate the Auction Failed's Else TP1 At and the session-end booking.

Engine	What the replays said
🌓 equinox	The next trade the same day and side after a winner: +28.7R / 93 on the replay, +23.1R / 15 live; after a loser −19.0R, the third and later −40R → `Second Shot After A Winner`, never a third. With the backdrop's drift +75R, against +0.5R. Its own trades were −30.6R gross on the replay, which makes its failure the candidate — untested.
⚡ climax	Session extreme only +23.4R / 128 against every climax +10.2R · half at TP1 and half to TP2 +11.4R against the full exit +0.1R · Stop Room 2× · the failure on the VWAP flip −57.5R (worse than random), at the stop-out close −10.3R → climax's own failure is the default, untested.
🌋 lava	lava on the session, 22 symbols, ½ TP1 + TP2: +180.1R before 10 August, +137.7R after it, six of seven families positive in both — the VWAP runner had given the two-way months back. Balanced backdrop Ø +0.15R / +0.17R in both phases, trending −0.05R / −0.04R.
📈 dvi	Export 11, 17 cash indices and stocks, July 2025 – October 2026: +626R / 7,845 gross with 1 ATR stops, the first two hours, max 5 crosses and the re-arm after a stop — above all 20 random draws. On the session, the Lean ladder +680R. After rough costs only US stocks kept it on 3m.

Which chart · 5m

Watch and alert on the **5-minute chart**. The replays on 21 symbols from January 2025 to October 2026, each engine on its own, gross R with half at TP1 and the rest to TP2, both halves of the period checked:

Engine	3m chart	5m chart
🌋 lava	+489R	**+600R** · after costs +231R against +22R: the wider stop pays the spread at about half the R
🌓 equinox	+385R	**+396R** · after costs much less negative
⚡ climax	+103R	**+140R** with the climax on 10m + 5m, the pair the 5m chart now reads
📈 dvi	**+592R**	+267R · dvi earned more on 3m

3m still works for every engine. The alerts carry the timeframe in their header, so the statistics keep 3m and 5m apart.

> UNDER THE HOOD **What decides from here**
>
> The live alerts. Each engine sends under its own name with v10.26d, so the Saturday report and the Sunday lab review can read the four side by side — by symbol, session, backdrop and tag — and say which engine earns its keep where. The race by backdrop (balanced, drifting, trending) is the next study, on the free Dukascopy bars that now arrive every night.

SECTION 17

17 Bonus · Four characters

lava for balance, equinox for direction, climax for exhaustion, dvi for the first push of the cash open.

→ 🌓 equinox · the trend with the day · 5m 34
→ ⚡ climax · the fade of the exhaustion · 5m 34
→ 🌋 lava · the first acceptance of the new price · 5m 34
→ 📈 dvi · the session VWAP trend · 3m 34

🌓 equinox · the trend with the day · 5m

- **Waits for:** a CISD, RC or EC after an FVG tap or a sweep, with the day bias · stop at the protected swing.
- **Strong when:** the day has a direction and holds it. Its best trade: the second shot after a winner.
- **Weak when:** the day chops. Tight stops pay a lot of spread, a third trade a day rarely pays.

⚡ climax · the fade of the exhaustion · 5m

- **Waits for:** a climax bar at a new session extreme that closes back in its opposite half.
- **Strong when:** a move runs out of breath at the extreme, above all on indices and against a fortnight that drifted too far.
- **Weak when:** a real trend day runs over the fades. Its targets sit close (often under 1R).

🌋 lava · the first acceptance of the new price · 5m

- **Waits for:** the first acceptance beyond the value area before the open · one a session.
- **Strong when:** the backdrop is balanced, where it beat chance in both halves. It keeps the most after costs.
- **Weak when:** the fortnight is trending. If the first acceptance fails, the Auction Failed takes over.

📈 dvi · the session VWAP trend · 3m

- **Waits for:** a close beyond the session VWAP ± k·σ in the first two hours.
- **Strong when:** the cash open sets a trend and keeps it, on cash indices and US stocks. The highest gross R of the four.
- **Weak when:** the session chops around the VWAP. On CFDs and FX the costs eat most of it.

R 3 M

r3m·

One Body · Four Engines · One Session

R3M · r3m· and r3m·screener· for TradingView (Pine Script v6) · Edition October 2026 · v10.26d

The four engines come from the R3M scripts: equinox (the essence model, CISD and the day bias), climax (the exhaustion bar after Linda Raschke), lava (auction market theory and the value area after J. Peter Steidlmayer and James Dalton) and dvi (the session VWAP trend). Liquidity runs in ICT terms, the turtle soup HRLR after Hudson. This guide explains a tool; it is not financial advice.