AngularJS Form Validation

Mark Zamoyta www.curiousinventions.com mark@curiousinventions.com





Introduction

- required and ngRequired
- CSS classes for styling
- \$invalid and \$dirty
- ngTouched and ngUntouched in Angular 1.3
- Custom directive for field validation
- More validation directives and input types
- Submit button validation
- Resetting a form

CSS Classes for Styling Error

AngularJS CSS Classes

- ng-pristine
- ng-dirty
- ng-valid
- ng-invalid

Bootstrap CSS Classes

- has-success
- has-warning
- has-error

Input with success		
Input with warning		
Input with error		

Input Directives for Validation

Attributes

- ng-required
- ng-minlength
- ng-maxlength
- ng-pattern

Input Type

- email
- □ url
- number

Summary

- required and ngRequired
 - ngRequired allows for expressions
- CSS classes for styling
 - Angular classes: ng-pristine, ng-dirty, ng-valid, ng-invalid
 - Bootstrap classes: has-success, has-warning, has-error
- \$invalid and \$dirty
- ngTouched and ngUntouched in Angular 1.3
 - Set on blur event for a field
- Custom directive for field validation
- More validation directives and input types
 - ng-minlength, ng-maxlength, ng-pattern
 - Input types: email, url and number
- Submit button validation
- Resetting a form