The OpenAl API

Getting Started with the OpenAl API




Esteban Herrera

Author

@eh3rrera | eherrera.net





Getting started with the OpenAl API
Exploring the OpenAl API
Using the Chat Completions API
Optimizing API usage

Audience



Beginner and intermediate developers Ideally, familiar with REST APIs



Download Files











Schedule Reminder


Description Table of contents Transcript **Related Courses** Exercise files Discussion

These exercise files are intended to provide you with the assets you need to create a video-based hands-on experience. With the exercise files, you can follow along with the author and re-create the same solution on your computer.

Download exercise files

Ask Questions

• Share



Oldest

Best Newest

AI, GPT, and OpenAI



Al, Machine Learning, Deep Learning




Artificial Intelligence



Machine Learning



Deep Learning



Artificial Neural Networks





Al, Machine Learning, Deep Learning




Artificial Intelligence



Machine Learning




Deep Learning



A machine learning model becomes better by learning from more and more data.



Machine Learning Model




Machine learning algorithm


Training data



Training Data




FruitUsually sweet



VegetableUsually not sweet



Generative Pretrained Transformers (GPT)



A type of deep learning model

Transformers are used for tasks involving human language

They use artificial neural networks to process and understand data

The "pretrained" part means these models have already been trained on a large amount of text

They don't understand language in the same way humans do



Predicting Text

l am feeling... happy sad like ****



Dec 2015

OpenAl founded

AGI must benefit humanity

Jun 2018

GPT-1

First GPT model

Jun 2020

GPT-3

Better understanding

Mar 2023

GPT-4

Best model

Jun 2017

Attention is All You Need Introduced transformers

Feb 2019

GPT-2

Improvement over GPT-1

Mar 2022

GPT-3.5

Dec 2015

OpenAl founded

AGI must benefit humanity

Jun 2018

GPT-1

First GPT model

Jun 2020

GPT-3

Better understanding

Mar 2023

GPT-4

Best model

Jun 2017

Attention is All You Need Introduced transformers

Feb 2019

GPT-2

Improvement over GPT-1

Mar 2022

GPT-3.5

Dec 2015

OpenAl founded

AGI must benefit humanity

Jun 2018

GPT-1

First GPT model

Jun 2020

GPT-3

Better understanding

Mar 2023

GPT-4

Best model

Jun 2017

Attention is All You Need Introduced transformers

Feb 2019

GPT-2

Improvement over GPT-1

Mar 2022

GPT-3.5

Dec 2015

OpenAl founded

AGI must benefit humanity

Jun 2018

GPT-1

First GPT model

Jun 2020

GPT-3

Better understanding

Mar 2023

GPT-4

Best model

Jun 2017

Attention is All You Need Introduced transformers

Feb 2019

GPT-2

Improvement over GPT-1

Mar 2022

GPT-3.5

Dec 2015

OpenAl founded

AGI must benefit humanity

Jun 2018

GPT-1

First GPT model

Jun 2020

GPT-3

Better understanding

Mar 2023

GPT-4

Best model

Jun 2017

Attention is All You Need Introduced transformers

Feb 2019

GPT-2

Improvement over GPT-1

Mar 2022

GPT-3.5

Dec 2015

OpenAl founded

AGI must benefit humanity

Jun 2018

GPT-1

First GPT model

Jun 2020

GPT-3

Better understanding

Mar 2023

GPT-4

Best model

Jun 2017

Attention is All You Need Introduced transformers

Feb 2019

GPT-2

Improvement over GPT-1

Mar 2022

GPT-3.5

Dec 2015

OpenAl founded

AGI must benefit humanity

Jun 2018

GPT-1

First GPT model

Jun 2020

GPT-3

Better understanding

Mar 2023

GPT-4

Best model

Jun 2017

Attention is All You Need Introduced transformers

Feb 2019

GPT-2

Improvement over GPT-1


Mar 2022

GPT-3.5


REST APIs and JSON



API (Application Programming Interface) Analogy



Data Exchange Flow



REST (Representational State Transfer) API


Style of API that uses HTTP (Hypertext Transfer Protocol) as the communication protocol, allowing different applications to talk to each other using HTTP requests.



REST API

HTTP Method Functionality VS Retrieve **GET POST** Create **PUT/PATCH Update DELETE Delete**

API Request and Response



```
"prompt": "Translate to French: artificial intelligence",
"max_tokens": 50
                  POST Request
                    Response
     "object": "text.completion",
     "model": "text-davinci-003",
     "choices": [
         "message": {
           "role": "system",
           "content": "intelligence artificielle"
         "finish_reason": "stop",
          "index": 0
```



JSON (JavaScript Object Notation)

```
{ ······ Begins with a left curly brace
 "age": 30,
 "isMarried": true,
 "children": ["Anna", "Bob"]; Arrays use square brackets
 "partner": {

Strings, enclosed in double quotes
   "name": "Sarah",
   "age": 28 ...... Numbers are not enclosed in double quotes
 "pets": null
 ..... Ends with a right curly brace
```



Getting an OpenAl API Key



API Key

Z59whbXmkEZ8E9pNMpq1T3BlbkFLeLA8QjU40Fr0TP6V8AB1

Unique string

Letters & numbers



Autorization Header


Authorization: Bearer Z59whbXmkEZ8E9pNMpq1T...



If someone gets your API key, they can pretend to be you and use the API.



Demo



Calling the API using curl, JS, and Python

Summary



Artificial intelligence

- Machine learning
 - Deep learning

Generative pretrained transformers (GPT)

- A type of deep learning model
- Transformers are used to understand and generate human language

Summary



OpenAl

- Creates advanced versions of the GPT model (like GPT-3.5 and GPT-4)
- Access to these models through an API
 - HTTP (for communication)
 - JSON (for data exchange)
 - API key (for authentication)

An API can be used in different contexts

- Command-line script
- JavaScript function
- Python script

Up Next:

Exploring the OpenAl API

