

# Software Requirements Specification for Software Engineering: subtitle describing software

Team 13, Speech Buddies

Mazen Youssef

Rawan Mahdi

Luna Aljammal

Kelvin Yu

October 10, 2025

# Contents

<b>1</b>	<b>Purpose of the Project</b>	<b>vi</b>
1.1	User Business . . . . .	vi
1.2	Goals of the Project . . . . .	vii
<b>2</b>	<b>Stakeholders</b>	<b>vii</b>
2.1	Client . . . . .	vii
2.2	Customer & Hands-On Users of the Project . . . . .	viii
2.3	Other Stakeholders . . . . .	viii
2.4	Personas . . . . .	viii
2.5	Priorities Assigned to Users . . . . .	ix
2.6	User Participation . . . . .	ix
2.7	Maintenance Users and Service Technicians . . . . .	ix
<b>3</b>	<b>Mandated Constraints</b>	<b>x</b>
3.1	Solution Constraints . . . . .	x
3.2	Implementation Environment of the Current System . . . . .	xi
3.3	Partner or Collaborative Applications . . . . .	xi
3.4	Off-the-Shelf Software . . . . .	xii
3.5	Anticipated Workplace Environment . . . . .	xii
3.6	Schedule Constraints . . . . .	xiii
3.7	Budget Constraints . . . . .	xiii
3.8	Enterprise Constraints . . . . .	xiii
<b>4</b>	<b>Naming Conventions and Terminology</b>	<b>xiv</b>
4.1	Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project . . . . .	xiv
4.2	Technical Terminology . . . . .	xiv
4.3	Medical Terminology . . . . .	xiv
<b>5</b>	<b>Relevant Facts And Assumptions</b>	<b>xvi</b>
5.1	Relevant Facts . . . . .	xvi
5.2	User-Centered Facts . . . . .	xvi
5.3	Business Rules . . . . .	xvii
5.4	Assumptions . . . . .	xviii

<b>6</b>	<b>The Scope of the Work</b>	<b>xix</b>
6.1	The Current Situation . . . . .	xix
6.2	The Context of the Work . . . . .	xix
6.3	Work Partitioning . . . . .	xx
6.4	Specifying a Business Use Case (BUC) . . . . .	xx
<b>7</b>	<b>Business Data Model and Data Dictionary</b>	<b>xx</b>
7.1	Business Data Model . . . . .	xx
7.2	Data Dictionary . . . . .	xx
<b>8</b>	<b>The Scope of the Product</b>	<b>xx</b>
8.1	Product Boundary . . . . .	xx
8.2	Product Use Case Table . . . . .	xx
8.3	Individual Product Use Cases (PUC's) . . . . .	xx
<b>9</b>	<b>Functional Requirements</b>	<b>xx</b>
9.1	Functional Requirements . . . . .	xx
<b>10</b>	<b>Look and Feel Requirements</b>	<b>xxi</b>
10.1	Appearance Requirements . . . . .	xxi
10.2	Style Requirements . . . . .	xxi
<b>11</b>	<b>Usability and Humanity Requirements</b>	<b>xxi</b>
11.1	Ease of Use Requirements . . . . .	xxi
11.2	Personalization and Internationalization Requirements . . . . .	xxi
11.3	Learning Requirements . . . . .	xxii
11.4	Understandability and Politeness Requirements . . . . .	xxii
11.5	Accessibility Requirements . . . . .	xxii
<b>12</b>	<b>Performance Requirements</b>	<b>xxii</b>
12.1	Speed and Latency Requirements . . . . .	xxii
12.2	Safety-Critical Requirements . . . . .	xxii
12.3	Precision or Accuracy Requirements . . . . .	xxii
12.4	Robustness or Fault-Tolerance Requirements . . . . .	xxiii
12.5	Capacity Requirements . . . . .	xxiii
12.6	Scalability or Extensibility Requirements . . . . .	xxiii
12.7	Longevity Requirements . . . . .	xxiii

<b>13 Operational and Environmental Requirements</b>	<b>xxiii</b>
13.1 Expected Physical Environment . . . . .	xxiii
13.2 Wider Environment Requirements . . . . .	xxiv
13.3 Requirements for Interfacing with Adjacent Systems . . . . .	xxiv
13.4 Productization Requirements . . . . .	xxiv
13.5 Release Requirements . . . . .	xxiv
<b>14 Maintainability and Support Requirements</b>	<b>xxv</b>
14.1 Maintenance Requirements . . . . .	xxv
14.2 Supportability Requirements . . . . .	xxv
14.3 Adaptability Requirements . . . . .	xxv
<b>15 Security Requirements</b>	<b>xxv</b>
15.1 Access Requirements . . . . .	xxv
15.2 Integrity Requirements . . . . .	xxvi
15.3 Privacy Requirements . . . . .	xxvi
15.4 Audit Requirements . . . . .	xxvi
15.5 Immunity Requirements . . . . .	xxvi
<b>16 Cultural Requirements</b>	<b>xxvi</b>
16.1 Cultural Requirements . . . . .	xxvi
<b>17 Compliance Requirements</b>	<b>xxvii</b>
17.1 Legal Requirements . . . . .	xxvii
17.2 Standards Compliance Requirements . . . . .	xxvii
<b>18 Requirements Likely and Unlikely to Change</b>	<b>xxvii</b>
18.1 Likely to Change . . . . .	xxvii
18.2 Unlikely to Change . . . . .	xxviii
<b>19 Open Issues</b>	<b>xxix</b>
<b>20 Off-the-Shelf Solutions</b>	<b>xxix</b>
20.1 Ready-Made Products . . . . .	xxix
20.2 Reusable Components . . . . .	xxix
20.3 Products That Can Be Copied . . . . .	xxix

<b>21 New Problems</b>	<b>xxix</b>
21.1 Effects on the Current Environment . . . . .	xxix
21.2 Effects on the Installed Systems . . . . .	xxx
21.3 Potential User Problems . . . . .	xxx
21.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product . . . . .	xxx
21.5 Follow-Up Problems . . . . .	xxx
<b>22 Tasks</b>	<b>xxx</b>
22.1 Project Planning . . . . .	xxx
22.2 Planning of the Development Phases . . . . .	xxxi
<b>23 Migration to the New Product</b>	<b>xxxi</b>
23.1 Requirements for Migration to the New Product . . . . .	xxxi
23.2 Data That Has to be Modified or Translated for the New System	xxxi
<b>24 Costs</b>	<b>xxxi</b>
<b>25 User Documentation and Training</b>	<b>xxxii</b>
25.1 User Documentation Requirements . . . . .	xxxii
25.2 Training Requirements . . . . .	xxxii
<b>26 Waiting Room</b>	<b>xxxii</b>
<b>27 Ideas for Solution</b>	<b>xxxii</b>
27.1 Browser-Based Extensions . . . . .	xxxii
27.2 Personalized ASR Fine-Tuning . . . . .	xxxii
27.3 LLM Command Mapping . . . . .	xxxii
27.4 Noise Filtering . . . . .	xxxiii
27.5 Open-Source Integrations . . . . .	xxxiii
27.6 Accessibility Enhancements . . . . .	xxxiii
27.7 Data Encryption . . . . .	xxxiii
<b>28 Requirements Phase-In Plan</b>	<b>xxxiii</b>
28.1 Phase Definitions . . . . .	xxxiii
28.2 Requirements Phase-In . . . . .	xxxiv

## Revision History

Date	Version	Notes
October 2, 2025	Rawan and Luna	Filled-In Initial Draft of SRS Document
October 10, 2025	Rawan and Luna	Completed SRS Document

# **1 Purpose of the Project**

## **1.1 User Business**

Individuals with speech impairments face significant barriers when interacting with digital devices. VoiceBridge addresses this gap by providing an accurate, inclusive, and accessible speech-to-control system that enables users to communicate with their devices using their speech, regardless of clarity of articulation. Building on familiar technology, such as personal computers and mobile devices, may be one of the most cost-effective and easily adoptable approaches for improving an individual with disability's autonomy and access to the world around them. The rise of ASR technology and Artificial Intelligence (AI) integrations in the industry provides a novel landscape of opportunities to improve accessibility interfaces. VoiceBridge exploits bleeding-edge technology for a practical and impactful application.

## 1.2 Goals of the Project

ID	Goal	Description
G1	<b>Accurate Speech Transcription</b>	Reliably convert impaired or slurred speech into text.
G2	<b>Command Mapping</b>	Translate recognized speech into actionable browser commands.
G3	<b>User Independence</b>	Enable users with speech impairments to browse autonomously.
G4	<b>Lightweight &amp; Accessible Design</b>	Keep the system simple, fast, and cost-effective.
G5	<b>Cross-Browser Compatibility</b>	Support major browsers (e.g., Chrome, Edge, Firefox).
G6	<b>Robust Error Handling</b>	Detect and recover gracefully from common failures.
G7	<b>Data Privacy &amp; Security</b>	Protect user data and ensure secure local processing.
G8	<b>Customizable Interface</b>	Allow users to adjust sensitivity, shortcuts, and feedback modes.
G9	<b>Scalable Architecture</b>	Design the system for future integration beyond browsers.

Table 1: Project Goals for VoiceBridge

## 2 Stakeholders

### 2.1 Client

The primary client for the VoiceBridge project is the organization or individual funding or commissioning the system. The client is primarily concerned with achieving the following goals: **G1**, **G5**, and **G9**, ensuring accurate speech transcription, cross-browser compatibility, and scalable architecture.



## 2.2 Customer & Hands-On Users of the Project

The primary customers are also the users of the project, them being individuals with speech impairments, who seek independence and autonomy through technology. Their needs directly relate to: **G1**, **G2**, **G3**, and **G8**.

## 2.3 Other Stakeholders

Secondary stakeholders include experts in linguistics, speech processing, and healthcare domains:

- Speech researchers and linguistics specialists, including the project supervisor, Dr. Christian Brodbeck, who provide insight toward **G1** and **G6**.
- Healthcare professionals and speech therapists who advise on usability and accessibility, contributing to **G3** and **G8**.
- Accessibility advocates and organizations interested in promoting the application, aligned with **G4** and **G5**.
- Software developers who implement and maintain the system, supporting **G9** and **G6**.

Tertiary stakeholders include caregivers and professionals who interact with end users, supporting **G3** and **G7**.

## 2.4 Personas

Potential end users of VoiceBridge include:

- **Amira**, a 45-year-old with Parkinson's disease, uses the system to log into Gmail and send emails.
- **David**, a stroke survivor, uses the system to browse the web and make purchases.

## 2.5 Priorities Assigned to Users

The highest priorities are assigned to end users with speech impairments, as their experience with the system defines its success. Secondary priorities include caregivers and technical experts who support the end users in using and maintaining the system.

## 2.6 User Participation

Individuals matching the target user profiles will be recruited for prototype testing and personalization development. Their participation directly supports refining goals **G1**, **G2**, **G3**, and **G8**.

## 2.7 Maintenance Users and Service Technicians

### Maintenance Users:

---

- **Role:** End-users or caregivers performing basic troubleshooting and initiating support requests.
- **Responsibilities:**
  - Reporting errors or unexpected system behavior (**G6**).
  - Installing application updates (**G9**).
  - Managing user-specific configurations (**G8**).

### Service Technicians:

---

- **Role:** Trained technical staff with deeper access to system logs and back-end services.
- **Responsibilities:**
  - Investigating reported issues (**G6**).
  - Ensuring transcription accuracy (**G1**).
  - Deploying updates and patches (**G9**).

- Ensuring compatibility with operating systems and accessibility frameworks (**G5**).
- Performing preventive maintenance, including performance monitoring and optimization (**G1**, **G6**).

## 3 Mandated Constraints

### 3.1 Solution Constraints

ID	Constraint	Rationale	Fit Criterion
C1	The product shall run on consumer-grade hardware using a personal computer microphone and support macOS, Windows, and Linux distributions.	Requiring only consumer-grade hardware ensures broad accessibility for end users and avoids dependency on specialized equipment.	The system must successfully be integrated onto browsers and run on laptops or desktops across the supported operating systems, using either built-in or external microphones.
C2	The product shall accept non-deterministic user input in the form of natural language speech.	Individuals with speech impairments may produce varied speech patterns that cannot be handled by rigid or deterministic command structures.	The system must be capable of processing and responding to variable natural language inputs without requiring a fixed set of commands.
C3	The product shall integrate with a browser control application to execute voice-based commands.	Browser interaction is a primary accessibility point for most digital services, and browser control is essential for practical use of the system.	The system must successfully perform browser actions (e.g., opening tabs, navigating to URLs, scrolling) through the integrated control application.

### 3.2 Implementation Environment of the Current System

ID	Constraint	Rationale	Fit Criterion
C4	The product will operate within a consumer computing environment consisting of personal computers equipped with microphones.	This setup reflects the most common user hardware configuration, ensuring the solution is accessible without additional devices.	All core functionalities must operate correctly on standard personal computers with a functioning audio input device.

### 3.3 Partner or Collaborative Applications

ID	Constraint	Rationale	Fit Criterion
C5	The initial integration target is Browser Use, an open-source browser control and automation application.	Leveraging existing open-source browser automation tools accelerates development and reduces implementation complexity.	The system must demonstrate the ability to execute at least three browser actions through the integrated partner application during testing.
C6	Future integrations may include API servers, mobile device agents, and home assistants to extend accessibility and functionality.	Ensuring extensibility allows the system to grow and adapt to new platforms or user needs.	The system architecture must allow seamless integration with additional partner applications without major redesign.

### 3.4 Off-the-Shelf Software

ID	Constraint	Rationale	Fit Criterion
C7	The product will rely on off-the-shelf software components, specifically Browser Use for automation and Project Euphonia for voice recording.	Using established open-source components allows focus on core functionality, improves maintainability, and supports experimentation with real-world data.	These components must be successfully integrated into the development workflow, and collected recordings must be stored and processed for model training without licensing conflicts.

### 3.5 Anticipated Workplace Environment

ID	Constraint	Rationale	Fit Criterion
C8	The product may be used at home, in public spaces, or in clinical settings, each with varying background noise conditions.	The product must function effectively across diverse real-world environments to meet accessibility goals.	The speech recognition system must maintain acceptable accuracy and responsiveness across all three identified environments during testing.

### 3.6 Schedule Constraints

ID	Constraint	Rationale	Fit Criterion
C9	Proof of concept must be completed by November 17, 2025. MVP must be ready within eight months, by May 2026.	Deadlines align with capstone project milestones and funding timelines, ensuring timely testing and delivery.	All proof of concept requirements must be met by the November deadline, and MVP functionality must be fully operational by May 2026.

### 3.7 Budget Constraints

ID	Constraint	Rationale	Fit Criterion
C10	The project must operate within the capstone budget allocated for compute infrastructure and development resources.	Budget limitations require prioritizing open-source solutions and efficient resource allocation.	Total cost of infrastructure, hosting, and third-party services must not exceed the allocated capstone budget.

### 3.8 Enterprise Constraints

ID	Constraint	Rationale	Fit Criterion
C11	The product must comply with all relevant accessibility and privacy regulations, including data usage and user privacy agreements.	Compliance protects user rights, upholds institutional standards, and avoids legal or ethical issues.	All data collection and processing workflows must undergo compliance review, and accessibility features must align with recognized standards (e.g., WCAG).

## 4 Naming Conventions and Terminology

### 4.1 Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project

*Insert your content here.*

### 4.2 Technical Terminology

**ASR** - Automatic Speech Recognition

**TTS** - Text To Speech

**STT** - Speech To Text

### 4.3 Medical Terminology

**Aphasia** - A condition that robs you of the ability to communicate. It can affect your ability to speak, write and understand language, both verbal and written. Aphasia usually occurs suddenly after a stroke or a head injury. But it can also come on gradually, as in the case of a brain tumor or a progressive neurological disease.

**ALS** - Amyotrophic Lateral Sclerosis

**Dysarthria** - A motor speech disorder that makes it hard to speak. It is caused by damage to the nervous system, which can affect the muscles used for speaking. People with dysarthria may have slurred or slow speech, and they may have difficulty controlling the pitch, volume, and rhythm of their speech.





## 5 Relevant Facts And Assumptions

### 5.1 Relevant Facts

### 5.2 User-Centered Facts

<b>Fact ID</b>	<b>Fact</b>	<b>Explanation / Relevance</b>
F1	<b>Users experience speech impairments of varying severity.</b>	VoiceBridge must handle varying speech clarity, from slurred to partially formed words (related to (G1), (G2)).
F2	<b>Users want to communicate and navigate independently.</b>	Motivates autonomy in using the system without reliance on caretakers (supports (G3)).
F3	<b>Users may have limited mobility.</b>	Hands-free operation improves accessibility and inclusion (supports (G3), (G4)).
F4	<b>Users value simplicity and low cognitive load.</b>	Commands should remain intuitive and easy to use (supports (G4)).
F5	<b>Users may have emotional sensitivity around speech difficulty.</b>	Interface should be respectful and encouraging without repeating goals (complements (G6)).
F6	<b>Users expect privacy and dignity.</b>	Data handling should preserve privacy and transparency (supports (G7)).
F7	<b>Users may use different languages or accents.</b>	System must accommodate linguistic diversity without bias (relates to (G1), (G8)).
F8	<b>Users may use assistive tools concurrently.</b>	VoiceBridge should integrate seamlessly with other accessibility tools (supports (G4), (G8)).
F9	<b>Users will vary in technical comfort.</b>	Onboarding should be minimal and low-friction (supports (G4), (G8)).
F10	<b>Users appreciate visual feedback and control.</b>	Feedback builds trust and reduces frustration (complements (G1), (G8)).

Table 2: User-Centered Facts for VoiceBridge with references to project goals

### 5.3 Business Rules

ID	Business Rule	Rationale
BR1	Users must be able to cancel or stop a command at any time.	Empowers users and prevents frustration. (G3, G4)
BR2	Transcribed text must be displayed for user verification before executing critical commands.	Ensures accuracy, avoids misinterpretation, and maintains user confidence, inline with (G1)
BR3	Browser commands must not execute without user consent for actions with potential data impact (e.g., sending messages, closing tabs).	Protects user privacy and prevents accidental operations. (G2, G7)
BR4	The system should provide immediate visual feedback within 5 seconds of speech input.	Builds trust, transparency, and usability for impaired users. (G6, G1)
BR5	System must handle moderate background noise without significant degradation of performance.	Maintains reliability in real-world environments.(G1, G6)
BR6	Users should be able to configure simple command mappings for personalized tasks.	Supports individual preferences and improves user autonomy. (G2, G3, G8)

Table 3: Business Rules for VoiceBridge

## 5.4 Assumptions

ID	Assumption	Implication for Design
A1	Users have access to a working microphone and modern browser.	The system assumes functional input hardware and browser APIs for speech capture (see G1, G5).
A2	Users will tolerate minor transcription errors if quickly correctable.	Fast feedback and correction options are more important than perfect accuracy (see G1, G6).
A3	Users are willing to train or calibrate the model briefly.	A short setup phase (e.g., sample phrases) can improve recognition quality (see G1, G8).
A4	Users prefer transparent, explainable behavior.	VoiceBridge should indicate what command is being executed to prevent confusion or mistrust (see G8).
A5	Users may be in noisy or uncontrolled environments.	Noise-robust models and confirmation prompts are required to maintain reliability (see G1, G6).
A6	Users want emotional ease of use.	Tone and interface language must feel supportive — e.g., “Let’s try again” instead of “Error” (see G6).
A7	Users will likely use the tool for daily web tasks.	The feature set should prioritize essential browser actions (navigation, scrolling, typing, tab control) (see G2, G3, G8).

Table 4: Design Assumptions for VoiceBridge with references to related project goals (Goals Table 1).

## 6 The Scope of the Work

### 6.1 The Current Situation

Individuals with speech impairments currently rely on standard speech-to-text or manual input to use browsers and devices. Existing systems struggle with slurred or atypical speech, often requiring caregiver assistance.

Typical workarounds include typing commands, using alternative inputs, or correcting errors, leading to frustration and limited autonomy.

Current workflow: User speaks → Standard recognition → Frequent errors → Manual/caregiver correction → Action executed

VoiceBridge aims to replace this with accurate transcription, command mapping, and immediate feedback, enabling independent browser control.

### 6.2 The Context of the Work




Figure 1: Context Diagram of VoiceBridge

## **6.3 Work Partitioning**

*Insert your content here.*

## **6.4 Specifying a Business Use Case (BUC)**

*Insert your content here.*

# **7 Business Data Model and Data Dictionary**

## **7.1 Business Data Model**

*Insert your content here.*

## **7.2 Data Dictionary**

*Insert your content here.*

# **8 The Scope of the Product**

## **8.1 Product Boundary**

*Insert your content here.*

## **8.2 Product Use Case Table**

*Insert your content here.*

## **8.3 Individual Product Use Cases (PUC's)**

*Insert your content here.*

# **9 Functional Requirements**

## **9.1 Functional Requirements**

*Insert your content here.*

## **10 Look and Feel Requirements**

### **10.1 Appearance Requirements**

The interface shall have a clean and minimal design to reduce cognitive load. Key elements should be visually distinct, with consistent spacing, and color usage to support quick recognition of actions.

Since it's a browser integration, the user interface should minimally interfere with the visibility of the content on the page. The interface should only capture the user's attention as functionally needed (i.e., listening to user prompts, confirming user intent), but should otherwise blend in with the browser interface.

### **10.2 Style Requirements**

The system shall maintain a professional and neutral visual style suitable for general workplace use. Colors, icons, and fonts should prioritize clarity over branding at this stage. Future iterations may incorporate custom styling or theming.

## **11 Usability and Humanity Requirements**

### **11.1 Ease of Use Requirements**

The system should minimize user effort by providing a simple, intuitive interface. Key actions should be accessible within 3-4 interactions, with clear feedback after each action.

### **11.2 Personalization and Internationalization Requirements**

The system should support basic personalization (e.g., remembering user preferences) and allow easy adaptation for different languages or regions at a later stage. For the PoC, English support is sufficient.

### **11.3 Learning Requirements**

The system should be learnable within 10 minutes without prior training or documentation. Users should be able to complete core tasks on their first attempt through the interfaces navigation tutorial upon first time launch. Additional documentation should be supplemental but not necessary.

### **11.4 Understandability and Politeness Requirements**

The system should use clear, direct, and neutral language in responses. Error messages or clarifications should remain polite and informative.

### **11.5 Accessibility Requirements**

The interface should be navigable using standard assistive tools and offer clear text contrast and legible font sizes. Full accessibility compliance is not required at the PoC stage but should be feasible for future iterations.

## **12 Performance Requirements**

### **12.1 Speed and Latency Requirements**

Under normal operating conditions, latency requirements can be broken down into:

- Speech interpretation: 5 s after end of utterance

- Command generation & execution: 10-15 seconds after end of speech interpretation

### **12.2 Safety-Critical Requirements**

The system shall enforce guardrails to prevent unsafe or unintended actions, requiring validation and user confirmation for potentially disruptive operations, and provide warnings or fail-safes for errors.

### **12.3 Precision or Accuracy Requirements**

ASR accuracy shall be at least 70% in stationary noise conditions. The system shall achieve at least 80% command recognition precision under sta-

tionary noise conditions for the PoC.

## **12.4 Robustness or Fault-Tolerance Requirements**

The system shall remain stable under fluctuating network conditions and noisy input. Fallback mechanisms (e.g., retry logic, error messaging) shall ensure graceful issue handling.

## **12.5 Capacity Requirements**

The system shall support at least 20 concurrent users without service degradation if the product is commercialized.

## **12.6 Scalability or Extensibility Requirements**

The system architecture shall allow horizontal scaling to handle increased traffic and modular extensions for new interaction capabilities.

## **12.7 Longevity Requirements**

The system shall be designed to operate reliably over a minimum of 5 years, with maintainable and updatable components to support long-term product evolution.

# **13 Operational and Environmental Requirements**

## **13.1 Expected Physical Environment**

The product shall be operable in a variety of typical office, home, or institutional environments where users perform their daily tasks. The system shall be robust to stationary background noise such as air conditioning, computer fans, and ambient hum. It is not required to reliably handle non-stationary noise, including multiple people speaking or sudden loud interruptions. No modifications to the host operating system, browser, or network configuration shall be required.



## **13.2 Wider Environment Requirements**

The primary interface shall be web-based, accessible via standard web browsers, to maximize user accessibility and support flexible use cases.

## **13.3 Requirements for Interfacing with Adjacent Systems**

1. The system shall integrate with existing browser-based platforms and may interface with external language interpreter modules.
2. Open-source components (e.g., browser interaction agents and libraries) may be incorporated, ensuring compatibility and maintainability.

## **13.4 Productization Requirements**

1. The product shall be deployable for multiple users within an organization, supporting secure user accounts and personalized ASR profiles.
2. The design shall allow packaging and distribution without requiring technical setup by end users. The product shall have straightforward installation or access via pre-configured web access and automatic model initialization.
3. Productization shall include logging suitable for monitoring performance and usage in a hosted environment.
4. The system shall include mechanisms for updates to features with minimal disruption to users.

## **13.5 Release Requirements**

The product shall follow a defined release cycle, providing minor updates quarterly and major updates semi-annually. Each release must maintain backward compatibility with user data, personalization settings, and existing features. Release planning will account for maintenance effort, compute resources, and compliance obligations.

## 14 Maintainability and Support Requirements

### 14.1 Maintenance Requirements

Code must be modular, documented, and testable to support scalability, debugging, and future updates. Maintenance must be possible by developers who were not the original authors.

### 14.2 Supportability Requirements

The product shall provide an accessible Help Page and a Frequently Asked Questions (FAQ) section with clear instructions. It shall be displayed with high-contrast visuals, simple language, and auditory and visual aids.

### 14.3 Adaptability Requirements

The system must run on common workplace platforms via a web browser, including Windows 10 or later, macOS 12 Monterey or later, and Linux distributions such as Ubuntu 20.04 LTS or later, supporting modern web browsers.

## 15 Security Requirements

### 15.1 Access Requirements

Only authorized end users shall be able to access personalized ASR features, voice command execution, and saved transcripts. Access shall be role-based:

- **Primary users (end users):** can access their own data.
- **Secondary users (supervisors/SMEs):** may have read-only access to assist with support or troubleshooting.
- **Tertiary users (caregivers):** may have limited access to assist the end user, can view basic usage history and transcripts but cannot modify settings.

Access to external services (e.g., LLM APIs) shall be rate-limited to ensure system stability, control costs, and prevent abuse.

## **15.2 Integrity Requirements**

The system must provide real-time confirmation and validation of commands before execution to ensure they match user intent.

## **15.3 Privacy Requirements**

The system must gather explicit user consent for storing voice and personal data. All user data used for model improvement must be anonymized. Database and personalized ASR models must maintain integrity through secure, versioned backups. Unauthorized changes or corruption of user data must be prevented.

## **15.4 Audit Requirements**

The system shall maintain secure logs of major actions and commands, including logging events, access to profile and personal data, and command execution failures. Logs shall be protected and retained in a secure database.

## **15.5 Immunity Requirements**

The system must be resilient to accidental misuse. It shall handle noisy input robustly, avoid executing unintended commands, and operate safely within rate limits to prevent resource overload.

# **16 Cultural Requirements**

## **16.1 Cultural Requirements**

The system shall maintain a culturally neutral and respectful tone when prompting users, avoiding slang, bias, and discriminatory language. It must include ethical guardrails to prevent the generation of harmful content or execution of potentially dangerous commands.

It shall support inclusive and accessible design to serve users across diverse cultural backgrounds.

## 17 Compliance Requirements

### 17.1 Legal Requirements

The project shall comply with the Personal Information Protection and Electronic Documents Act (PIPEDA) regarding the collection, storage, and handling of personal information.

### 17.2 Standards Compliance Requirements

The application must comply with the Web Content Accessibility Guidelines (WCAG) 2.0, Level AA guidelines to ensure usability by individuals with disabilities.

## 18 Requirements Likely and Unlikely to Change

### 18.1 Likely to Change

- **12.1 Speed & Latency:** The system shall process speech input and return text in near real-time.  
*Rationale:* Performance targets may improve as speech recognition and browser processing capabilities evolve.
- **14.3 Adaptability:** The system shall allow updates for new languages, user preferences, or accessibility features.  
*Rationale:* Future user needs or new assistive technologies may require system modifications.
- **11.2 Personalization & Internationalization:** The system shall support preferred voice, accent handling, and language selection.  
*Rationale:* User preferences and supported languages are likely to expand over time.
- **12.6 Scalability & Extensibility:** The system shall support an increasing number of concurrent users and new modules.  
*Rationale:* User growth or additional features may require changes in infrastructure.

- **13.5 Release Requirements:** Updates shall be deployable on web browsers without downtime.  
*Rationale:* Deployment strategies may change as development tools or environments evolve.
- **26.2 Personalized ASR Fine-Tuning:** The system shall allow individualized model tuning to improve transcription accuracy.  
*Rationale:* Model improvements and user feedback may necessitate adjustments.
- **17.2 Standards Compliance Requirements:** System shall follow relevant industry standards.  
*Rationale:* Standard adherence ensures safety, reliability, and credibility. As the product evolves, new features may require compliance with additional standards.

## 18.2 Unlikely to Change

- **9.1 Functional Requirements:** The system shall accurately transcribe speech to text for users with speech impairments.  
*Rationale:* Core transcription functionality is foundational and will not change.
- **10.1 Appearance:** Interface shall be clean, minimal, and visually organized to reduce cognitive load.  
*Rationale:* Minimal and clear design is essential for accessibility and usability.
- **10.2 Style:** Interface shall use consistent fonts, spacing, and colors to support clarity.  
*Rationale:* Visual consistency is fundamental for usability.
- **11.1 Ease of Use:** Users shall complete tasks with minimal steps or cognitive effort.  
*Rationale:* Streamlined interaction is a core accessibility requirement.
- **15.3 Privacy Requirements:** User data shall be encrypted in the database and logs.  
*Rationale:* Privacy protection is legally required and critical for trust, this requirement will not change.

- **17.1 Legal Requirements:** System shall comply with relevant regulations (e.g., PIPEDA).

*Rationale:* Compliance is mandatory for this project, must be complied with at all times.

## 19 Open Issues

The primary open issue is maintaining high ASR accuracy across the diverse and severe spectrum of dysarthric speech. This requires extensive training and validation data, as well as careful model tuning.

## 20 Off-the-Shelf Solutions

### 20.1 Ready-Made Products

The project will evaluate existing, specialized speech recognition models and applications (e.g., Whisper model and Project Euphonia) as performance baselines.

### 20.2 Reusable Components

Potential reused components could include existing Text-to-Speech (TTS) modules for feedback and LLMs to map user commands into structured actions.

### 20.3 Products That Can Be Copied

Open-source browser automation agents (e.g., The AI browser agent) may be integrated for command execution via voice input.

## 21 New Problems

### 21.1 Effects on the Current Environment

The product shall operate without modifying the user's OS, browser, or network configuration. This separation prevents unintended impact from incorrect commands.

## **21.2 Effects on the Installed Systems**

The product shall not bypass firewalls, alter security settings, access banned sites, install untrusted content, or perform any malware execution.

## **21.3 Potential User Problems**

Due to the non-deterministic nature of dysarthric speech patterns, a user's exact speech type may not be fully captured by the model, leading to higher training overhead for personalization before the system becomes reliably usable for them. Users may experience misinterpretations requiring retries, which can cause frustration.

## **21.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product**

Variability in dysarthric speech may necessitate frequent retraining of ASR models.

Real-time performance varies between devices, depending on processing power and low-latency operation.

## **21.5 Follow-Up Problems**

The local operation limits the ability to perform remote problem diagnosis if any issues arise.

# **22 Tasks**

## **22.1 Project Planning**

Breakdown of major tasks:

Our main tasks are centered on preparing the system by training and tuning the dysarthric ASR model, integrating the core command interpreter, designing the accessible interface, and conducting rigorous testing.

## **22.2 Planning of the Development Phases**

A detailed schedule of development phases, milestones, and dependencies is outlined in the PoC and Development Plan.

## **23 Migration to the New Product**

### **23.1 Requirements for Migration to the New Product**

The system shall support new users with no prior ASR and interpreter experience through an onboarding process.

The system shall support transitioning users migrating from an existing system by allowing for easy uploading of recordings of their speech training data.

### **23.2 Data That Has to be Modified or Translated for the New System**

All previous transcripts, audio files, and personalization data shall be tied to secure user accounts.

Users shall be able to access their data from any supported device after logging in and authentication.

## **24 Costs**

The primary costs for this product are related to machine learning computation and hosting. Development and training will initially leverage Compute Canada credits provided by the supervising research team, along with Colab Pro (CAD 13.99/month).

No external hosting costs are anticipated for the initial release; however, optional hosting may be required for commercial distribution and deployments. If hosting is included, approximate costs for cloud-based deployment on Google Cloud Platform (GCP) include: training and inference on GPUs ( \$50 CAD/month for pilot use), storage ( \$3 CAD/month), and minimal networking ( \$2–5 CAD/month). Costs scale with the number of users and training frequency. All estimates are approximate and intended for planning purposes.



## **25 User Documentation and Training**

### **25.1 User Documentation Requirements**

The system shall provide clear, accessible documentation, including an instructional guide and FAQ. (As noted in Section 14b, supporting requirements already cover this in detail.)

### **25.2 Training Requirements**

Training shall not require formal instruction; the documentation and interface shall support self-directed onboarding.

## **26 Waiting Room**

The system shall display launch, loading, or processing pages during transitions to provide users with clear feedback and reduce confusion during waiting periods.

## **27 Ideas for Solution**

### **27.1 Browser-Based Extensions**

The product is primarily web-based. Future considerations could include desktop or mobile apps to broaden the scope and accessibility (see Section 13 for environment and interface requirements).

### **27.2 Personalized ASR Fine-Tuning**

Consider incremental model tuning paired with real-time streaming of speech input. This could be an approach to adapt to individual speech patterns while minimizing the training time overhead, related to the adaptability requirements discussed in earlier sections.

### **27.3 LLM Command Mapping**

User intent parsing via context-aware LLMs could improve natural language command interpretation, as mentioned in Section 13.

## 27.4 Noise Filtering

Beyond stationary noise, adaptive filtering techniques could be adapted to enhance recognition in busier environments. Section 13 already specifies stationary noise handling.

## 27.5 Open-Source Integrations

Potential use of browser automation or voice control frameworks can be investigated, as mentioned in Section 16 for off-the-shelf solutions.

## 27.6 Accessibility Enhancements

Additional visual, auditory, or haptic cues for feedback and help features could enhance usability. Section 14 highlights basic supportability requirements that these enhancements would build on.

## 27.7 Data Encryption

Anonymized logging and privacy approaches can balance model improvement with privacy in mind. Section 15 discusses privacy requirements in detail.

# 28 Requirements Phase-In Plan

The following plan outlines the order in which the system requirements (9.1–17.2) will be addressed, aligned with project phases. Prioritization ensures that core functional requirements and critical non-functional requirements are validated first, with refinements and extensions added in later phases. Timelines for each phase are detailed in the Development Plan.

## 28.1 Phase Definitions

- **Proof of Concept (PoC):** Validate feasibility of core functionality and critical performance metrics.
- **Revision 0:** Expand functionality, address usability, accessibility, and integrate initial security/privacy mechanisms.

- **Revision 1:** Final refinement, full productization, compliance, cultural, and maintainability requirements.

## 28.2 Requirements Phase-In

1. **9.1 Functional Requirements:** Core system behaviors including input processing and basic transcription.  
*Phase: PoC*  
*Rationale:* Core functionality must be demonstrated to validate feasibility.
2. **10.1 Appearance Requirements:** Initial UI layout and interface elements.  
*Phase: Revision 0*  
*Rationale:* Visual interface can be refined after core functions are stable.
3. **10.2 Style Requirements:** Consistent fonts, colors, and spacing.  
*Phase: Revision 0*  
*Rationale:* Enhances readability and user experience once functionality is proven.
4. **11.1 Ease of Use Requirements:** Interface must be intuitive and straightforward.  
*Phase: Revision 0*  
*Rationale:* Important for usability testing, applied after functional PoC is complete.
5. **11.2 Personalization and Internationalization Requirements:** Language/voice adaptations.  
*Phase: Revision 1*  
*Rationale:* Applied later when system is functionally stable.
6. **11.3 Learning Requirements:** System should adapt to repeated user patterns.  
*Phase: Revision 1*  
*Rationale:* Machine learning or adaptation features require validated data pipelines.

7. **11.4 Understandability and Politeness Requirements:** Feedback should be clear and respectful.  
*Phase: Revision 0*  
*Rationale:* Improves user experience during early testing.
8. **11.5 Accessibility Requirements:** Interface supports assistive technologies.  
*Phase: Revision 0*  
*Rationale:* Early implementation ensures PoC testing is inclusive.
9. **12.1 Speed and Latency Requirements:** System responds within acceptable time frames.  
*Phase: PoC*  
*Rationale:* Performance validation is crucial for feasibility.
10. **12.2 Safety-Critical Requirements:** Ensure no harmful outputs or behaviors.  
*Phase: PoC*  
*Rationale:* Early validation prevents critical errors in PoC.
11. **12.3 Precision or Accuracy Requirements:** Transcription must meet minimum WER/CER.  
*Phase: PoC*  
*Rationale:* Accuracy is the central PoC metric.
12. **12.4 Robustness or Fault-Tolerance Requirements:** Handle errors gracefully.  
*Phase: Revision 0*  
*Rationale:* Necessary for reliable system use beyond PoC.
13. **12.5 Capacity Requirements:** Support a small set of concurrent users/data.  
*Phase: Revision 0*  
*Rationale:* Ensure system can handle expected early usage.
14. **12.6 Scalability or Extensibility Requirements:** System should allow future growth.  
*Phase: Revision 1*  
*Rationale:* Added after functional validation for longer-term planning.

15. **12.7 Longevity Requirements:** Components maintainable over time.  
*Phase: Revision 1*  
*Rationale:* Stability and maintainability are late-stage concerns.
16. **13.1 Expected Physical Environment:** System works on typical office/lab computers.  
*Phase: PoC*  
*Rationale:* Early testing on target devices is essential.
17. **13.2 Wider Environment Requirements:** Browser compatibility.  
*Phase: Revision 0*  
*Rationale:* Once core functionality works, broaden environment testing.
18. **13.3 Requirements for Interfacing with Adjacent Systems:** Integration points identified.  
*Phase: Revision 1*  
*Rationale:* External integration is late-phase after internal systems are stable.
19. **13.4 Productization Requirements:** Ready for deployment.  
*Phase: Revision 1*  
*Rationale:* Combines all prior validations for release.
20. **13.5 Release Requirements:** Packaging, distribution readiness.  
*Phase: Revision 1*  
*Rationale:* Ensures final delivery meets standards.
21. **14.1 Maintenance Requirements:** System maintainable.  
*Phase: Revision 1*  
*Rationale:* Implemented once core system is functional.
22. **14.2 Supportability Requirements:** Technical support procedures.  
*Phase: Revision 1*  
*Rationale:* Late-stage requirement after main functionality.
23. **14.3 Adaptability Requirements:** System can be upgraded.  
*Phase: Revision 1*  
*Rationale:* Flexibility comes after base system is validated.

- 24. **15.1 Access Requirements:** User roles and permissions.  
*Phase: Revision 0*  
*Rationale:* Early implementation secures initial PoC data.
- 25. **15.2 Integrity Requirements:** Prevent tampering or corruption.  
*Phase: Revision 0*  
*Rationale:* Ensures reliable data handling.
- 26. **15.3 Privacy Requirements:** Encrypt data in transit and at rest.  
*Phase: Revision 0*  
*Rationale:* Essential for user trust and legal compliance.
- 27. **15.4 Audit Requirements:** Track critical system events.  
*Phase: Revision 1*  
*Rationale:* Auditing implemented after basic functionality and privacy are validated.
- 28. **15.5 Immunity Requirements:** Protection from external attacks.  
*Phase: Revision 1*  
*Rationale:* Security hardening is a late-stage activity.
- 29. **16.1 Cultural Requirements:** Respect cultural norms and sensitivities.  
*Phase: Revision 1*  
*Rationale:* Applied after all functional, UI, and content elements are stable.
- 30. **17.1 Legal Requirements:** Comply with laws and regulations.  
*Phase: Revision 1*  
*Rationale:* Legal compliance verified after security, privacy, and functionality are validated.
- 31. **17.2 Standards Compliance Requirements:** Follow industry standards.  
*Phase: Revision 1*  
*Rationale:* Ensures credibility and certification readiness at final stage.

## Appendix — Reflection

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

**1. What went well while writing this deliverable?**

Organizing the SRS using the Volere template went surprisingly smoothly. Breaking down each requirement and writing clear rationales helped us think through the project in a structured way. Separating likely-to-change requirements from unlikely ones also made the document more readable and easier to navigate.

**2. What pain points did you experience during this deliverable, and how did you resolve them?**

Deciding which requirements might evolve over time versus those that would remain stable was a bit challenging. We resolved this by discussing potential future scenarios for the product and weighing Dr. Brodbeck's expert guidance, which made our decisions much more confident.

**3. How many of your requirements were inspired by speaking to your client(s) or their proxies?**

Our requirements mostly came from our supervisor, Dr. Brodbeck, who is a linguistics expert and acts as our secondary stakeholder. We didn't consult end-users directly, so the requirements reflect expert advice on accessibility, usability, and system functionality.

**4. Which of the courses you have taken, or are currently taking,**

will help your team succeed with this project?

- **SFWRENG 3RA3 – Software Requirements and Security:** Helped with writing clear Functional and Non-Functional Requirements and thinking about security, privacy, and reliability.
- **SFWRENG 4HC3 – Human-Computer Interfaces:** Provided a foundation for usability, stakeholder engagement, and accessibility considerations.
- Other courses in AI and Machine Learning are also valuable for speech recognition and natural language understanding.

5. **What knowledge and skills will the team need to successfully complete this project?**

We need to improve on:

- Speech and linguistics for accessibility.
- Web development, particularly browser extensions.
- Machine learning for speech recognition.
- Accessibility standards and usability testing.
- Clear documentation and team coordination.

6. **How will each team member acquire these skills or knowledge?**

- **Speech and linguistics:** Weekly guidance from Dr. Brodbeck and reading related literature.
- **Web development/browser extensions:** Hands-on prototyping, online tutorials, and sharing coding tasks among team members.
- **Machine learning:** Experimenting with pre-trained speech models and following online courses.
- **Accessibility standards:** Reviewing WCAG guidelines and testing our prototype with assistive technologies.