

Inline: Pythagoras $a^2 + b^2 = c^2$, derivative $f'(x) = 2x$, sum $\sum_{k=1}^n k$
 $= \frac{n(n+1)}{2}$, relations $a \leq b \neq c \in M, x \circ y \cup z$ in running text.

$$\sum_{k=1}^n k^2 = \frac{n(n+1)(2n+1)}{6}$$

$$\int_0^1 x^2 dx = \frac{1}{3}, \int_a^b f$$

$$\lim_{x \rightarrow 0} \frac{\sin x}{x} = 1, a \stackrel{\text{def}}{=} b$$

$$\vec{v} + \hat{x} + \bar{y} + \tilde{z} + \underline{w}, f_1''$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$\sqrt[3]{x+1}, \binom{n}{k} = \frac{n!}{k!(n-k)!}, \alpha + \beta = \Gamma, \frac{\partial f}{\partial x} \quad \mathrm{d}x, \mathrm{e}^{\mathrm{i}\pi}$$

$$\sqrt{\frac{a}{b}} + \sqrt{\frac{\frac{a}{b}}{\frac{c}{d}}} + \overrightarrow{abc} + \overrightarrow{a+b+c+d} + \widehat{xyz}$$

$$\left[\frac{a}{b}\right] + \left(a+\frac{b}{c}\right)^2 + \left\{x\left|\frac{x}{2}>0\right.\right\} + \left(\frac{a}{b}\right)$$

Inline with mstyle: $\frac{1}{2} + \frac{1}{2} + x = 1$ and a tall fraction $\frac{a}{c}$ in a paragraph
 with normal leading, followed by more text so that the line breaks
 and the next line is visible.

Second font family is ignored: x