

References

- W M P van der Aalst, A H M ter Hofstede, Workflow Patterns: On the Expressive Power of (Petri-Net based) Workflow Language, Proceedings of the 4th workshop on the practical use of colored Petri nets and CPN Tools, Vol 560, 2002, pp. 1–20
- W M P van der Aalst, A H M ter Hofstede, YAWL: yet another workflow language, Information Systems, 30(4), 2005, 245–275
- M Abadi, L Lamport, An old fashioned recipe for real time, ACM Transactions on Programming Languages and Systems (TOPLAS), 16(5), 1994, 1543–1571
- M Alanen, I Porres, Subset and Union Properties in Modeling Languages, TUCS Technical Report 731, Turku, Finland, 2005
- R Alur et al., The algorithmic analysis of hybrid systems, Theoretical Computer Science, 138, 1995, 3–34
- R Alur, G J Holzmann, D Peled, An Analyzer for Message Sequence Charts, Proceedings of the Tools and Algorithms for the Construction and Analysis of Systems Conference, Passau, Germany, 1996, pp. 35–48
- L F Andrade, J L Fiadeiro, The Unified Modeling Language: Beyond the Standard, Proceedings of the UML 99, Fort Collins, Colorado, 1999, pp. 566–583
- F Armour, G Miller, Advanced Use Case Modeling, Object Technologies Series, Addison-Wesley, Reading, MA, 2001
- C Atkinson, T Kühne, Re-architecting the UML infrastructure, ACM Transactions on Modeling and Computer Simulation, 12(4), 2002, 290–321
- C Aurrecochea, A T Campbell, L Hauw, A survey of QoS architectures, Multimedia Systems, 6, 1998, 138–151
- R Axelrod, Advancing the art of simulation in the social sciences, Complexity 3(2), 1997, 16–22
- C W Bachman, M Daya, The Role Concept in Data Models, Proceedings of the 3rd International Conference on Very Large Databases, 1977, pp. 464–476

- B Berelson, Content Analysis in Communications Research, Handbook of Social Psychology: Theory and Method, 2nd edn., Addison-Wesley, Cambridge, MA, pp. 488–522
- B Berthomieu, M Diaz, Modeling and verification of time dependent systems using time Petri nets, Third Transactions on Software Engineering, 17, 1991, 259–273
- T J Biggerstaff, An assessment and analysis of software reuse, Advances in Computer, 34, 1992, 1–57
- G Booch, Object Oriented Analysis and Design with Applications, Benjamin-Cummings, Redwood City, CA, 1993
- P Bradley, B Fox, L Schrage, A Guide to Simulation, 2nd edn., Springer-Verlag, New York, 1987
- F M T Brazier, C M Jonker, J Treur, Principles of Compositional Multi-Agent System Development, Proceedings of the 15th IFIP World Computer Congress, 1998
- P Bresciani, A Perini, P Giorgini, F Giunchiglia, J Mylopoulos, Tropos: an agent-oriented software development methodology, Journal of Autonomous Agents and Multi-agent Systems, 8(3), 2004, pp. 203–236
- Bui Minh Duc, Conception et Modélisation Objet des Systèmes Temps Réel, Eyrolles, Paris, 1999, ISBN 2-212-09027-7
- P A Buhr, M Fortier, Monitor classification, ACM Computing Surveys, 27(1), 1995, 63–107
- L Cardelli, P Wegner, On understanding types, data abstraction, and polymorphism, ACM Computer Surveys, 17(4), 1985, 471–523
- L Cardelli, A semantics of multiple inheritance, Information and Computation, 76, 1988, 138–164
- P P S Chen, The Entity-Relationship model: towards a unified view of data, ACM Transactions on Database Systems, 1(1), 1976, 9–36
- E F Codd, A relational model of data for large shared data banks, Communications of the ACM, 8(2), 1983
- E F Codd, The Relational Model for Database Management, Version 2, Addison-Wesley, New York, 1990
- A Cockburn, Writing Effective Use Cases, Addison-Wesley, Reading, MA, 2000
- B Curtis, M I Kellner, J Over, Process modeling, Communications of the ACM, 35(9), 1992, 75–90
- A Dardenne, A van Lamsweerde, S Fickas, Goal-Directed Requirements Acquisition, Selected Papers of the Sixth International Workshop on Software Specification and Design, 1993, pp. 3–50
- R David, H Alla, Petri Nets and Grafcet: Tools for Modeling Discrete Event Systems, Prentice-Hall, New York, 1992, pp. 339, ISBN 0-133-27537-X

- R David, Grafcet: A powerful tool for specification of logic controllers, *Control Systems Technology*, IEEE Transactions, 3,(3), 1995, 253–268, ISSN 1063-6536
- P Davidsson, *Multiagent Based Simulation: Beyond Social Simulation*, Multi-Agent Based Simulation, Springer-Verlag, New York, 2001
- T DeMarco, *Structured Analysis and System Specification*, Prentice-Hall, Englewood Cliffs, New Jersey, 1979
- E W Dijkstra, Notes on Structured Programming, in: *Structured Programming*, Academic Press, New York, 1972
- C A Ellis, G J Nutt, Office information systems and computer science, *ACM Computing Surveys*, 12(1), 1980, 27–60
- J M Epstein, J D Steinbruner, M T Parker, *Modeling Civil Violence: An Agent-Based Computational Approach*, Working Paper 20, Center on Social and Economic Dynamics, Washington, DC, 2001
- F Flores, M Graves, B Hartfield, T Winograd, Computer systems and the design of organizational interactions, *ACM Transactions on Office Information System*, 6(2), 1988, 153–172
- W B Frakes, C J Fox, Sixteen questions about software reuse, *Communications of the ACM*, 38(6), 1995
- E Gamma, R Helm, R Johnson, J Vlissides, *Design Patterns: Elements of Reusable Object-Oriented Software*, Addison-Wesley, Reading, MA, 1995
- C Gane, T Sarson, *Structured Systems Analysis: Tools and Techniques*, Prentice-Hall, Englewood Cliffs, NJ, 1978
- G Génova, J Llorens, V Palacios, Sending messages in UML, *Journal of Object Technology*, 2(1), 2003, 99–115
- D Georgakopoulos, M Hornick, A Sheth, An overview of workflow management: From process modeling to workflow automation infrastructure, *Distributed and Parallel Databases*, 3(2), 1995, 119–153
- N Gilbert, K G Troitzsch, *Simulation for the Social Scientist*, Open University Press, Milton Keynes, UK, 1999
- C Ghezzi, D Mandrioli, S Morasca, M Pezze, A unified high level Petri nets formalism for time critical systems, *IEEE Transactions on Software Engineering*, 17(2), 1991, 160–172
- S Gnesi, D Latella, M Massink, Model Checking UML Statechart Diagrams Using JACK, *Proceedings of the 4th International Symposium on High Assurance Systems Engineering*, Washington, DC, 1999, pp. 46–55
- M Gogolla, M Richters, *Transformation Rules for UML Class Diagrams*, Lecture Notes in Computer Science, Springer-Verlag, New York, 2004, pp. 92–106, ISBN: 3-540-66252-9
- E J Golin, S P Reiss, The Specification of Visual Language Syntax, *Proceedings of the IEEE Workshop on Visual Languages*, Rome, Italy, 1989, pp. 105–110

- T R Gruber, A Translation Approach to Portable Ontologies, *Knowledge Acquisition* 5, 1993, 199–220
- M Hammer, D McLeod, Database description with SDM: a semantic database model, *ACM Transactions on Database Systems*, 6(3), 1981, 351–386
- D Harel, A Pnueli, *On the Development of Reactive Systems*, Logics and Models of Concurrent Systems, Springer-Verlag, New York, 1985, pp. 477–498
- D Harel, Statecharts: A visual formalism for complex systems, *Sciences of Computer Programming* 8(3), 1987, 231–274
- D Harel, On Visual Formalisms, *Communications of the ACM*, 31(5), 1988, 514–530
- D Harel, E Gery, Executable Object Modeling with Statecharts, *Proceedings of the 18th International Conference on Software Engineering*, Berlin, 1996, pp. 246–257
- D Harel, E Gery, Executable object modeling with statecharts, *Computer*, 30(7), 1997, 31–42
- D Harel, H Kugler, A Pnueli, *Synthesis Revisited: Generating Statechart Models from Scenario-based Requirements*, Springer-Verlag, New York, 2005, pp. 309–324, ISBN 978-3-540-24936-8
- G T Heineman, W T Councill, *Component Based Software Engineering: Putting the Pieces Together*, Addison-Wesley, Boston, MA, 2001, ISBN: 0201704854
- B Henderson-Sellers, F Barbier, What is This Thing Called Aggregation, *Proceedings of the Technology of Object-oriented Languages and Systems*, Nancy, France, 1999, pp. 236–250
- W Herroelen, B D Reyck, E Demeulemeester, Resource-constrained project scheduling: a survey of recent developments, *Computers and Operations Research*, 25(4), 1998, 279–302
- L E Holloway, B H Krog, A Giua, A survey of Petri net method for controlled discrete event systems, *Discrete Event Dynamic Systems*, 7(2), 1997, 151–190
- R Hull, R King, Semantic database modeling: survey, applications and research issues, *ACM Computing Surveys*, 19(3), 1987, 201–260
- U Isaksen, J P Bowen, N Nissanke, *System and Software Safety in Critical Systems*, University of Reading, Computer Science Department, Whiteknights, UK, 1996
- I Jacobson, M Chriserson, P Jonsson, G Overgaard, *Object Oriented Software Engineering: A Use Case Driven Approach*, Addison-Wesley, Reading MA, 1992
- I Jacobson, G Booch, J Rumbaugh, *The Unified Software Development Process*, Addison-Wesley/Longman, Reading, MA/London, 1999
- N R Jennings, On agent based software engineering, *Artificial Intelligence*, 117, 2000, 277–296

- N Jennings, K Sycara M. Wooldridge, A roadmap of agent research and development, *Autonomous Agents and Multi-Agent Systems*, 1(1), 1998, 7–38
- Y Jin, R E Levitt, The virtual design team: a computational model of project organizations, *Journal of Computational and Mathematical Organization Theory*, 2(3), 1996, 171–195
- D H Jonassen, Instructional design model for well-structured and ill-structured problem-solving learning outcomes, *Educational Technology: Research and Development*, 45(1), 1997, 65–95
- H H Kassarijian, Content analysis in consumer research, *Journal of Consumer Research*, 4, 1977, 8–18
- G Kiczales, Aspect-oriented programming, *ACM Computing Surveys*, 28(4), 1996
- S N Khoshafian, G P Copeland, Object Identity, *Proceedings of the Conference on Object Oriented Programming Systems, Languages and Applications*, ACM Press, Portland, OR, pp. 406–416
- C Kobryn, UML 3.0 and the future of modeling, *Software and System Modeling*, 3(1), 2004, 4–8
- B B Kristensen, K Osterbye, Roles: conceptual abstraction theory and practical languages issues, *Theory and Practice of Object Systems*, 2(3), 1996, 143–160
- D Kulak, E Guiney, *Use Cases: Requirements in Context*, ACM Press/Addison-Wesley, New York/Boston, MA, 2000
- C W Krueger, Software reuse, *Computing Surveys*, 24(2), 1992, 131–184
- A V Lamsweerde, Goal-Oriented Requirement Engineering: A Guided Tour, *Proceedings of the 5th International Symposium on Requirements Engineering*, Toronto, Canada, 2001, pp. 249–262
- P J Leach, B L Stumpf, J A Hamilton, P H Levine, UIDs as Internal Names in a Distributed File Systems, *Proceedings of the 1st Symposium on Principles of Distributed Computing*, ACM Press, Ottawa, 1982
- E A Lee, What's ahead for embedded software? *IEEE Computer*, 33(9), 2000, 18–26
- D Leffingwell, D Widrig, *Managing Software Requirements: A Unified Approach*, Object Technology Series, Addison-Wesley, Reading, MA, 2000
- N G Leveson, J L Stolzy, Software safety: Why, what, and how, *Computing Surveys*, 18(2), 1986, 125–163
- A H Lewis, *Human Organizations as Distributed Intelligence Systems*, *Proceedings of the IFAC Symposium on Distributed Intelligence Systems*, Pergamon Press, Oxford, 1988
- M Luck, P McBurney, C Preist, *Agent Technology: Enabling Next Generation Computing – A Roadmap for Agent Based Computing*, Agent link Community, Southampton, UK, 2003, ISBN-0854-327886

- R R Lutz, Software Engineering for Safety: A Roadmap, Proceedings of the Conference on the future of Software Engineering, Limerick, Ireland, 2000, pp. 213–226
- G A Miller, The magical number seven, plus or minus two: Some limits on our capacity for processing information, *Psychological Review*, 63, 1956, 81–97
- M Morisio, M Ezran, C Tully, Success and failure factors in software reuse, *IEEE Transactions on Software Engineering*, 28(4), 2002, 340–357
- O Nierstrasz, Regular types for active objects, *ACM SIGPLAN Notices*, 28(10), 1995, 1–15
- J D Novak, Concept maps and Vee diagrams: two meta cognitive tools to facilitate meaningful learning, *Instructional Science*, 19(1), 1990, 29–52
- J Odell, H V D Parunak, B Bauer, Extending UML for agents, Proceedings of AOIS 2000, Austin, TX, 2000, pp. 3–17
- P S Pande, L Holpp, What is Six Sigma? McGraw-Hill, New York, 2002
- D L Parnas, On the Criteria Used in Decomposing Systems into Modules, *CACM* 15, Vol 12, 1972, pp. 1053–1058
- W H Pierce, Failure Tolerant Computer Design, Academic Press, New York, 1965
- J L Peterson, Petri nets, *ACM Computing Surveys*, 9(3), 1977, 223–252
- J L Peterson, Petri Net Theory and the Modeling of Systems, Prentice-Hall, New Jersey, 1981, ISBN 0-13-661983-5
- C Petri, Kommunikation mit Automaten, Ph.D. thesis, University of Bonn, Germany, 1962
- R A Pottinger, P A Bernstein, Merging Models Based on Given Correspondences, Proceedings of the 29th Very Large Data Base Conference, Berlin, Germany, 2003
- C Potts, K Takahashi, A Anton, Inquiry-based requirement analysis, *IEEE Software*, 11(2), 1994, 21–32
- M R Quillian, Semantic memory, in: M Minsky (ed.), *Semantic Information Processing*, MIT Press, Cambridge, MA, 1968, pp. 216–270
- B Randell, System Structure for software fault tolerance, *IEEE Transactions on Software Engineering*, 1(2), 1975, 220–232
- W R Reitman, *Cognition and Thought: An Information Processing Approach*, Wiley, New York, 1965
- C Rolland, C Souveyet, C B Achour, Guiding goal modeling using scenarios, *IEEE Transactions on Software Engineering* 24 (12), 1998, 1055–1071
- S Robertson J Robertson, *Mastering the Requirement Process*, Addison-Wesley, Reading, MA, 2000
- E A Rundensteiner, L Bic, Set Operations in Object-based Data Models. *IEEE Transactions on Knowledge and Data Engineering*, 4, 1992, 382–398.
- J Rumbaugh, M Blaha, W Premerlani, F Eddy, W Lorensen, *Object Oriented Modeling and Design*, Prentice-Hall, Eaglewood Cliffs, NJ, 1995

- J Sametinger, *Software Engineering with Reusable Components*, Springer-Verlag, New York, 1997, ISBN 3-540-62695-6
- R S Sandhu, E J Coyne, H L Feinstein, C E Youman, Role-based access control models, *Computer*, 29(2), 1996, 38–47
- N Scharli, S Ducasse, O Nierstrasz, A P Black, Traits: Composable Units of Behaviour, *ECOOP 2003*, Springer-Verlag, New York, 2003, pp. 248–274
- S Shlaer, S J Mellor, *Object Lifecycles: Modeling the World in States*, Yourdon Press Computing Series Archive, New York, 1992, pp. 251, ISBN 0-13-629940-7
- E A Silver, D F Pyke, R Petersion, *Inventory Management and Production Planning and Scheduling*, Wiley, New York, 1998
- H A Simon, Applying Information Technology to Organization Design, *Public Administration Review*, 33, 1973, 268–278
- J M Smith, D C P Smith, Databases abstractions: aggregation and generalization, *ACM Transactions on Database Systems*, 2(2), 1977, 105–133
- A Snyder, Encapsulation and inheritance in object-oriented programming languages, in: N Meyrowitz (ed.), *Proceedings of the Object-oriented Programming Systems, Languages and Applications*, ACM Press, New York, 1986, pp. 38–45
- J Sobieszczanski-Sobieski, R T Haftka, Multidisciplinary aerospace design optimization: survey of recent developments, *Structural Optimization*, 14(1), 1997, 1–23
- I Sommerville, P Sawyer, Viewpoints: principles, problems and a practical approach to requirements engineering, *Annals of Software Engineering*, 3, 1997, 101–130
- R M Sonnemann, *Exploratory Study of Software Reuse Success Factors*, Ph.D. dissertation, George Mason University, Fairfax, VI, 1996
- J F Sowa, *Structures: Information Processing in Mind and Machine*, Addison-Wesley, Reading MA, 1984, pp. 481, ISBN 0-201-14472-7
- M G Speranza, C Vercelis, Hierarchical Models for multi-project planning and scheduling, *European Journal of Operational Research*, 64, 1993, 312–325
- F Steimann, On the representation of roles in object-oriented and conceptual modeling, *Data and Knowledge Engineering*, 35, 2000, 83–106
- W Stevens, G Myers, L Constantine, Structure design, *IBM Systems Journal*, 13(2), 1974, 115–139
- J Swartz, Simulating the Denver airport automated baggage system, *Dr. Dobb's Journal*, 22(1), 1997, 56–62
- Z Tari, J Stokes, S Spaccapietra, Object normal forms and dependency constraints for object-oriented schemata, *ACM Transactions on Database Systems*, 22(4), 1997, 513–569

- J J P Tsai, S J Yang, Y H Chang, Timing Constraint Petri nets and their application to schedulability analysis of real time system specifications, *IEEE Transactions on Software Engineering*, 21(1), 1995, 32–49
- S Uchitel, J Kramer, J Magee, Synthesis of behavioral models from scenarios, *IEEE Transactions on Software Engineering*, 29(2), 2003, 99–115
- J Ullman, Database Theory: Past and Future, *Proceedings of ACM SIGACT News – SIGMOD – SIGART Principles of Database Systems*, San Diego, 1987
- A Villemeur, Reliability, Availability, Maintainability and Safety Assessment, Wiley, New York, 1991
- E Yourdon, L Constantine, Structured Design: Fundamentals of a Discipline of Computer Program and Systems Design, Prentice-Hall, Eaglewood Cliffs, NJ, 1979
- M R Waldmann, Y Hagmayer, Seeing versus doing: two modes of accessing causal knowledge, *Journal of Experimental Psychology: Learning Memory and Cognition*, 31, 2005, 216–227
- P Ward, S Mellor, Structured Development of Real-Time Systems, Vol 1–3, Yourdon Press, New York, 1986
- P Wegner, Dimensions of Object-Based Language Design, *Proceedings of the Conference on Object-Oriented Programming Systems, Languages and Applications*, Orlando, FL, 1987
- P Wegner, Concepts and paradigms of object oriented programming, *ACM OOPS Messenger*, 1(1), 1990, 7–87
- P Wohed, W M P van der Aalst, M Dumas, Pattern-based Analysis of the Control Flow Perspective of UML Activity Diagram, *Lectures Notes in Computer Sciences*, Springer-Verlag, New York, 2005, pp. 63–78, ISBN-978-3-540-29389-7
- W Wolf, Hardware–Software co-design of embedded systems, *Proceedings of the IEEE*, 82(7), 1994, 967–989
- P Zave, M Jackson, Four darks corners of requirement engineering, *ACM Transactions on Software Engineering and Methodology*, 6(1), 1997, 1–30
- A Zeller, Isolating Cause–Effect Chains from Computer Programs, *Proceedings of the ACM SigSoft (FSE-10)*, South Carolina, 2002
- M C Zhou, F Dicesare, Petri Nets Synthesis for Discrete Event Control of Manufacturing Systems, Kluwer Academic, Dordrecht, 1993
- R Zurawski, M Zhou, Petri nets and industrial applications: a tutorial, *IEEE Transactions on Industrial Electronics*, 41(6), 1994, 567–583

Index

- Abstract class, 58, 67, 98, 105, 110, 195, 219, 265, 266, 280
- Abstraction, 19, 20, 43, 48, 52–58
- AcceptSignalAction, 164
- ACM, 195, 368, 369, 372, 374, 458, 459, 462–464
- Action, 6, 24, 25, 28, 144, 145, 148, 150, 151
- Active object, 29, 290, 296, 297
- Activity, 305, 308, 310, 316, 317, 325, 331, 336, 340
- ActivityEdge, 153, 155, 158
- ActivityNode, 152, 153, 160, 162, 163, 164, 165
- ActivityParameterNode, 160, 166
- ActivityPartition, 163, 164, 168, 214
- Actor, 32, 182, 183, 184, 206, 308, 310, 313
- ActivityGroup, 155, 163, 164, 168
- Adornment, 21, 53
- Agent, 13, 15, 16, 26, 27, 29, 31, 224, 238, 240, 245, 261, 291, 308, 351, 362, 363, 389, 415, 416
- AggegationKind
- Aggregation, 22, 23, 31, 32, 39, 47, 53–55, 84, 99, 100, 106, 111, 114, 115, 118, 128, 133, 224, 255, 268, 269, 276–279, 326, 337, 354, 355, 364, 369, 373, 375, 426, 427, 438
- Alarm System, 240, 246, 292, 293, 303, 342, 343, 344, 349, 353–356, 358–361
- Algorithm, 144, 159, 205, 236, 289, 291, 341, 343, 347, 349, 359, 360, 381, 385, 408, 410, 450
- AND-states, 148, 232, 238
- Argument, 64, 179, 273
- Artifact, 97, 128, 130–134, 202
- Assembly, 7, 10, 11, 118, 131, 159, 205, 298, 334, 343, 355, 374, 382, 388, 436
- Assessments, 212, 219
- Association, 244, 249, 270–277, 287, 288, 365, 369, 370, 373, 410, 438, 459
- Association class, 69, 98, 104, 105, 107, 123, 134, 272, 273
- Association end, 53, 54, 66, 69, 94, 95, 98, 99, 127, 287
- AssociationClass, 90, 104, 136
- Asynchronous message, 178
- Attribute, 16, 54, 55, 58, 60, 66, 69, 94, 95–97
- Author, 15, 16, 207, 216, 363
- Automatic Registering System, 182, 183
- Bag, 96, 97, 111
- Baggage handling, 376, 450
- BasicBehaviors, 124, 136–138, 141, 151, 152, 162, 176, 183
- Behavior, 5, 11, 12, 14, 15, 25, 29, 30, 33–35
- Behavioral diagrams, 82, 83, 194, 195
- BehavioralFeature, 63, 64, 69, 70, 90, 91, 138
- BehavioredClassifier, 123, 124, 137, 138, 145, 183
- BehaviorStateMachines, 136, 141, 152
- BMM, 212, 217–219, 224, 225
- Book, 3, 9, 15–17, 40, 47, 48, 50
- Bottom-up, 22, 334, 335
- BPM, 78, 213, 216, 217, 313, 322, 335
- BPMI, 78, 212, 213
- Break, 174, 175, 245, 335, 337, 353, 361, 374
- Bubble, 24–25, 207–208, 325
- Business modeling, 78, 201, 213, 315
- Business process, 25, 28, 36, 78, 79, 201–205, 211–224, 231, 237, 288, 307, 309, 315, 326–327, 329, 336, 382
- Busy wait, 346
- C#, 5, 97, 100, 201, 247, 269, 282, 350, 374, 381
- C++, 5, 97, 100, 201, 247, 269, 350, 352, 374, 381
- Call graph, 341
- Cap putting machine, 10
- Car, 2, 6, 10, 22–23, 29, 30, 40
- CASE, 4–5, 24, 42, 49, 78, 84, 85, 149, 163, 173, 312, 381, 385, 391, 392
- Categorization, 194, 365
- Cause–effect chain, 248, 352, 252, 303–304, 326, 388, 428, 430

- CentralBufferNode, 155, 161, 209, 211, 229
- Class, 5, 10, 14, 27, 30, 31
- Class diagram, 80, 81, 93–109
- Class factorization, 31–32
- Classification, 32, 49, 61, 80, 165, 189, 193, 259, 260, 262, 264–266, 271, 282, 353, 365, 453
- Classifier, 57–64
- Client-server, 27, 205, 257, 293
- Closed-loop, 34, 289, 409
- COCOMO, 327–328
- Collaboration, 4, 22–23, 29, 60, 81, 104, 118
- CollaborationUse, 119, 123–125, 127, 221
- Collaborative task, 2, 23, 27, 118, 220, 234, 303, 341, 359, 362, 375, 384
- Color, 21–22, 178, 189, 233, 315, 317, 365, 424
- CombinedFragment, 173–177, 180
- Comment, 42, 47, 54, 66, 68, 78, 81–83, 86
- Communicate, 20, 22, 28, 30, 31, 34, 129, 139, 191, 193, 199, 206, 229, 231, 249, 250, 269, 296, 297, 303, 313, 316, 317, 320, 322, 334, 358, 384, 409, 410
- Communication diagram, 82, 169, 171–173, 177, 179, 181, 222, 233, 243, 249, 252, 253, 384, 397
- CommunicationPath, 133, 135–136
- Complex system, 1, 4, 5, 29, 40, 83, 116, 128, 159, 181, 200, 241, 289, 290, 335, 337, 343, 412
- Complexity, 5, 7, 16, 19
- Complexity reduction, 22, 28, 31, 33, 39, 40, 184, 191, 245, 255, 256, 289, 302, 303, 389
- Compliance levels, 86–88
- Component, 5–8, 10–14
- Component diagram, 77, 81, 106, 128–134, 194, 198, 226
- Composite state, 139, 146–150, 220, 231–233, 236238, 254, 361
- Composite structure diagram, 81, 113, 114, 118, 120, 121, 124–126, 131, 194, 195, 221, 226, 271
- Composition, 22, 23, 31, 32, 49, 40, 47
- Concept, 2, 13, 14, 20, 28, 30, 33, 42, 43, 48
- Concurrency, 5, 11, 24, 33, 139, 151, 159, 301
- Condition, 11, 15, 37, 52, 57, 70
- ConnectableElement, 119, 120, 123, 124, 176
- Connector, 21, 112–114, 120, 123, 126, 131, 202, 270, 271
- ConnectorEnd, 122, 123, 271
- Constraint, 4, 6, 8–13, 16, 20, 34, 39, 47, 50, 52
- Content analysis, 307, 310, 312, 319, 403
- ControlFlow, 153, 158, 188, 201, 207, 210
- ControlNode, 155, 160, 162
- Cordless phone, 334
- Core concepts
- Core
 - abstractions
 - behavioralfeatures, 63
 - changeabilities, 62
 - classifiers, 59
 - comments, 55
 - constraints, 72
 - expressions, 72
 - generalizations, 61
 - instances, 62, 88
 - literals, 58, 88
 - multiplicities, 63, 65
 - multiplicityexpressions, 63, 65
 - namespaces, 56
 - ownerships, 54, 72
 - redefinitions, 53, 61
 - relationships, 60
 - structuralfeatures, 62
 - super, 59
 - typeelements, 59
 - visibilities, 56
 - basic
 - classes, 64, 66, 68, 69
 - datatypes, 65, 67, 70
 - packages, 65, 67
 - types, 64
 - constructs
 - classes, 68, 69
 - classifiers, 67
 - constraints, 72, 73
 - datatypes, 70
 - expressions, 72, 73
 - namespaces, 71, 72
 - operations, 69, 70
 - packages, 71
 - root, 60
 - profiles, 72–75
- COTS, 7, 335, 351, 352, 357
- CRT parameters, 305, 310, 315–317, 320–322, 325, 420, 426, 430
- Data abstraction, 191–193
- Data modeling, 36, 39, 285
- Data structures, 27, 262, 270, 350, 352, 381
- Data type, 67, 70, 71, 381
- Database, 13, 28, 36–39, 41, 78, 80, 98
- DataFlow, 24, 201, 207, 209
- Datastore, 24, 25, 158–162, 206, 207–211
- DatastoreNode, 206, 209, 211, 225
- DataType, 67, 70, 71, 381
- DBMS, 4, 36, 38, 39, 377, 378
- Decentralization, 39
- Decision, 1–6, 9, 15, 17, 99, 151
- Decision making, 3, 5, 8, 9, 36, 415, 450
- DecisionNode, 215
- Deduction, 15
- deepHistory, 150

- Dependencies, 26, 48, 108, 109, 119, 124, 128, 183, 193, 270, 310, 362
- Dependency, 52, 107–109, 114, 270, 271, 275, 340, 341, 397, 411
- Deployment, 9, 80, 87, 128, 132–135, 212, 300, 351
- Deployment diagram, 132–135, 378
- DeploymentSpecification, 134
- Design model, 78, 330, 347
- Device, 4, 5, 8, 9, 28, 36, 78, 132–134
- DFD, 24, 156, 204, 207, 208, 227–230, 307, 326, 327
- Diagram, 16, 21, 24, 28, 50, 52
- Diagram interchange, 50, 87
- DirectedRelationship, 60, 68, 71, 73, 92
- Disaster control, 10–13
- Do Action, 144, 237, 394
- Do Activity, 144
- Domain, 1, 2, 6, 9–14, 26
- Dynamic studies, 241, 335, 349, 357, 359, 360
- Early requirements, 311, 313, 318, 417–420
- Edge, 20, 24, 141, 151, 154, 158–163, 228, 389, 390
- Effect, 7, 141, 248, 297, 303, 304, 312, 322, 405, 418, 441
- Element, 33, 52, 53–58, 60
- ElementImport, 71
- Elicitation, 308, 311
- Embarked, 11, 383, 405
- Embedded, 8–12, 36, 128, 139, 246, 257, 306, 350, 351, 383, 405, 420, 439
- Emergency service, 448–450
- Encapsulation, 30, 256, 294
- Entry point, 146, 148, 234
- Enumeration, 55, 67, 70, 189, 236, 260, 261, 311, 326
- ER
- Event, 6, 103, 143–145, 155
- Exception, 70, 102, 103, 152, 163, 164, 231, 281, 397–400, 417
- ExceptionHandler, 163, 164, 168
- ExecutableNode, 163, 164
- ExecutionEnvironment, 132–134, 137
- ExecutionSpecification, 145
- Exit Point, 146, 148, 150, 234, 445
- Expansion region, 167, 168
- ExpansionNode, 166
- Expression, 5, 50, 53, 56–58, 62, 63, 65, 72, 73
- Extend relationship, 184, 185, 187, 245, 317, 322, 425, 452
- Extension mechanism, 51, 75, 112, 186, 211
- ExtensionPoint, 183–185
- Extreme programming, 328
- Feature, 11, 33, 53, 57, 59, 60–64, 67
- Final, 7, 16, 141, 148, 154, 156, 157, 159, 161, 162, 169
- FinalNode, 155, 160, 162, 214
- FinalState, 141
- FlowFinalNode, 155, 162, 214
- ForkNode, 155, 162
- Fragment, 173–180, 222, 233, 245, 340, 348, 349
- Frame, 2, 5, 16, 176, 343, 354–356, 373, 381, 423, 425
- Free diagram, 19, 20
- Functional decomposition, 22, 23, 25, 26
- Gate, 175, 176, 179, 294, 315
- GCM, 368–370, 372, 374, 458, 459, 464
- Generalization, 53, 57, 60, 61, 73, 88, 90–92, 94, 107
- Generic architectures, 352, 354, 355–358, 434–436, 439, 440
- Generic classes, 353, 356, 358, 368–370, 374, 430–432, 434, 435, 439, 440, 459
- Genericity, 351, 352, 354, 433
- Global system state, 234
- Global warming, 12
- Goal, 4, 7–9, 23, 25, 27, 28, 43, 50
- Guard, 141, 144, 148, 149, 160–163, 173, 174
- GUID, 266, 267
- Hair dryer, 139, 140, 235, 236
- Hazard, 407, 412, 414
- Hospital, 268, 313, 319, 321–323, 407, 448, 450–454
- ICM, 368, 369, 372, 374, 458–462, 464
- ID, 40, 266, 267
- Ill structured, 8, 9
- Image attributes, 409–415
- Implementation diagram, 77
- Import, 51, 71, 85, 88, 115–117, 128, 152, 164, 203, 330, 352, 375, 430
- Inclined elevator, 417, 419, 420, 424, 425, 427, 430, 434, 439, 441, 444
- Include relationship, 184, 316, 317, 430
- Induced energy, 290, 296–298, 361
- Induction, 15, 290
- Influencers, 212, 219
- Information class, 372, 374, 377–379, 439, 458
- Information hiding, 25, 30, 147, 191–193
- Inheritance relationship, 86, 186, 258, 313, 314, 326, 354, 365
- InitialState, 154
- InputPin, 154
- InstanceOf, 114, 115, 271
- InstanceSpecification, 60–62, 90, 109, 110
- Instantiation, 77, 105, 108, 283
- Interaction, 11, 12, 15, 23, 32, 36, 79, 80, 82, 83, 87
- Interaction diagram, 82, 83, 169, 182, 186, 241, 294, 296, 384

- Interaction overview diagram, 79, 82, 169, 173, 180, 244, 245, 340, 347, 348, 384
- Interaction suite, 79, 165, 169, 175, 176, 181, 213, 384, 397
- InteractionFragment, 173, 175–177, 180
- InteractionUse, 82, 169, 173, 175–177, 348
- Interface, 7, 14, 15, 25, 30, 31, 44, 80, 81, 89, 90
- InterfaceRealization,
- Interrupt handler, 346, 399
- InterruptibleActivityRegion, 163, 164, 168, 229
- Interval, 65, 202, 233, 248, 251, 264, 274, 319, 409, 410, 446
- isAbstract, 59, 138
- isActive,
- isComposite, 141, 188, 232, 234, 260, 277
- isIndirectlyInstantiated, 130
- isOrdered, 63, 69, 96, 410
- isReentrant, 138
- isUnique, 63, 69, 96

- Job, 8, 39, 41, 105, 157, 204, 205, 229, 272, 286–287, 399
- JoinNode, 155, 162
- Junction, 141, 149, 234, 339

- Kernel, 88, 89, 93–96, 104, 109, 110, 114, 116

- L0, 87
- L1, 87
- L2, 87
- L3, 87
- Lifeline, 169, 170, 174, 176–180, 202, 241, 243, 250
- Link, 60, 64, 98, 99, 107–109, 111, 113, 114, 123, 135, 186, 188, 249, 255, 257, 270, 271, 294, 330, 339, 365, 410, 425, 441
- Literal, 58
- LiteralBoolean, 58, 91
- LiteralInteger, 58, 91
- LiteralNull, 58, 91
- LiteralSpecification, 58, 91
- LiteralString, 58, 91
- LiteralUnlimitedNatural, 58
- Logical model, 12, 19, 20, 255, 301, 344–347, 350, 351, 361, 362, 364, 372, 379, 403, 405, 410, 411, 434, 439
- LoopNode, 155

- M0, 48, 200, 386
- M1, 48, 49, 95, 386
- M2, 48, 49, 51, 68
- M3, 48–51, 68
- MABS, 13
- Manifest relationship, 133
- Manifestation, 108, 109, 133
- Manipulator arm, 35

- MDA, 9, 12–14, 26, 42–45, 78, 191–193, 198, 200, 256, 282, 283, 306, 329, 331, 332, 335, 336, 344, 351, 357, 434
- MDO, 6
- MergeNode, 155, 162
- Message, 19, 20, 30–32, 35, 81, 82, 84, 103, 130, 132, 133, 134
- Message interaction model, 293, 296
- MessageEnd, 175, 176, 179
- MessageEvent, 146
- MessageKind,
- MessageOccurrence,
- Method, 5, 14, 22, 26, 28, 31–33, 49, 52, 75, 94, 100, 108, 142, 143, 151, 186, 201, 202, 204, 205, 246, 256, 258, 260, 269, 334, 346–350, 356, 359, 362, 369, 377, 381–383, 410–412, 414, 415, 435, 458
- Methodology, 3, 15, 22, 24, 26, 28, 32, 39, 40, 77
- Middleware, 44, 45, 257, 333
- Mission, 8, 201, 212, 213, 218, 219, 261, 291, 292, 301, 302, 351
- Model, 3–6, 12–15, 21, 23, 26–29, 35–38, 40
- Model Element, 5, 21, 50, 54, 60, 65, 67, 80, 81, 84, 85, 87, 89, 90, 92, 93, 104, 117, 132, 136, 137, 139, 142, 144, 157, 163, 171, 181, 183, 187, 188, 192–194, 199, 241, 244, 254, 270, 271, 370
- Model transformation, 13, 43, 49, 198, 336
- Modular programming, 25, 27, 41
- Modularization, 22, 25, 26
- MOF, 48, 49, 51, 65, 74
- Monitor, 5, 16, 224, 252, 297, 299–303, 313, 318, 319, 323, 324, 325, 335, 357, 405, 406, 439, 456
- Multidisciplinary, 1, 4–8, 36, 78, 196, 284, 286, 289, 290, 297, 300, 301, 335, 351, 354, 356, 407, 436
- Multiple inheritance, 66, 73, 74, 86, 281–286
- Multiplicity, 52, 54, 55, 65–68, 88, 91, 97–99, 105, 107, 110, 126, 127, 151, 202, 273, 274, 355, 385, 386, 392, 393, 421, 422, 437, 438
- MultiplicityElement, 63–65, 67, 69, 96, 123, 154

- NamedElement, 55, 56, 58, 61, 64, 65–67, 70, 72, 90–92, 94, 124, 141, 145, 151–154, 160, 163, 164, 170, 175–178, 183
- Namespace, 55–57, 59, 62–64, 67–74, 81, 85, 89–94, 102, 114–116, 128, 130, 132, 141, 202, 261
- N-ary association, 98, 107, 272–274
- Navigability, 98, 99, 107, 269, 317

- Node, 26, 56, 80, 82–84, 132, 133–137, 143, 144, 150–152, 154, 155, 156, 158
- Normalization, 37, 275
- Object database, 37, 38, 197, 226, 267, 270, 274
- Object diagram, 77, 79, 81, 109, 111, 112, 113, 115, 121, 194, 249, 293, 299, 325, 332, 348–350, 360, 397, 405, 410, 420, 425, 441, 444, 464
- ObjectFlow, 153, 158, 207
- Objective, 8, 26, 118, 201, 205, 212, 218, 288, 306–308, 324, 331, 339, 344, 357, 415
- ObjectNode, 155, 157, 160, 161, 165, 166, 168, 209
- Objects with volume, 20, 21
- Objects without volume, 20, 21
- OCL, 50, 52, 53, 84
- Odd shape, 19, 20
- OEM, 7, 41, 335, 351, 357
- OID, 255, 266, 268, 275
- OMG, 5, 41, 42, 47, 49, 50, 53, 77, 78, 204, 212, 213, 217, 219, 267, 310
- On Entry, 144, 147, 148, 232, 237, 243, 245, 250, 251, 254, 350, 361, 394, 395, 400
- On Exit, 144, 147, 232, 237, 243–245, 250, 251, 254, 394, 395, 400, 447
- Ontology, 14, 37, 48, 75, 193, 194, 196–198
- OpaqueExpression, 57, 73, 91
- Operation, 14, 23, 30, 34, 35, 37, 48, 64, 66, 67
- Optimization, 3, 6, 12, 107, 301, 340, 364
- OQL, 38
- Ordered set, 82, 96, 386, 410
- OR-states, 148, 238
- ownedElement, 53, 57, 58, 61–63, 66, 71–73, 94, 110, 116, 123, 124, 129, 146, 152–154, 183
- Package diagram, 80, 81, 83, 106, 114, 115, 117, 196, 198, 324, 337
- Package import, 71, 85, 115, 117
- Package merge, 71, 85, 115, 117
- PackageableElement, 71–73, 90–92, 110, 116, 129, 130, 145, 271
- PackageImport, 71–74, 90, 92, 189
- PackageMerge, 71, 85, 90, 92, 115, 116
- Parameter, 14, 63, 64, 67, 69, 70, 90, 91, 100–102, 124, 138, 158–160, 162, 166, 175, 202, 209, 239, 252, 260, 403
- Parameter list, 100–102
- ParameterSet, 155
- Part, 7, 24, 29, 31, 35, 40, 48, 58, 75, 80
- Passive object, 296, 358
- Petri, 83, 155, 156, 159, 168, 227, 229, 230, 244, 382, 384–388, 391, 394, 399, 414
- Pill Management Software, 318, 320, 322, 323, 326, 327
- PIM, 42–45, 255, 256, 285, 329–331
- Pin, 151, 154, 158–160, 165, 167
- Port, 122, 126, 127, 130, 131, 202, 209, 439
- PrimitivesTypes, 51, 52, 54, 65, 67, 70, 84, 90, 136, 262
- PrimitiveType, 52, 54, 65, 67, 70, 90
- Printed Circuit Board, 158, 159
- problem solving, 1–5, 8, 15
- Procedure, 14, 24, 27, 29, 30, 99, 125, 152, 202, 204, 205, 348, 448, 451
- Process, 4, 5, 9, 10, 11, 13, 14–17, 22
- Process modeling, 24, 201, 206, 207, 212, 215, 220
- Profiles, 48, 51, 72–74, 77, 78, 85, 87, 88, 187–190, 211, 212
- Property, 11, 14, 32, 55, 64, 66, 68–70, 74, 90
- Provided interface, 106, 127
- PseudoState, 139, 141, 144, 148–150, 188, 234
- PseudoStateKind, 141
- PSM, 43–45, 82, 226, 255–257, 285, 329, 330
- Public, 15, 16, 30, 50, 55, 56, 81, 97, 103, 118
- Publisher, 15–17
- QoS, 12, 13, 305
- Qualifier, 2, 98, 99
- Reactive system, 11, 33–36
- Real time, 8, 10–13, 15, 16, 34–36, 40
- Realization, 107, 109, 129, 224, 347
- Realize relation, ship, 330, 339
- RedefinableElement, 60, 61, 67, 90, 92, 94, 153, 160, 183
- ref, 173, 175, 177, 348
- ref_attr, 370, 372
- Region, 83, 139, 141, 143–150, 158, 163, 167, 168, 229, 232, 234, 238, 291, 371
- Relational database, 37, 39, 77, 98, 189, 267–270, 274, 364, 375, 377, 379, 458
- Relationship, 1, 2, 14, 16, 20, 23, 31, 33, 36, 37
- REM, 330, 333, 336
- Required interface, 103, 106, 127, 130, 439
- Requirement analysis, 41, 78, 80, 83, 114, 199, 221, 305–307, 309, 310, 312, 318, 382
- Requirement engineering, 28, 309, 332
- Re-Spec phase, 337–340, 430, 432
- Reusable components, 350, 352, 353, 356–358
- Reuse, 26, 40–42, 50–52, 65, 85, 88, 89, 128
- Risk, 15, 26, 33, 42, 159, 211, 219, 238, 313, 319, 321, 327, 407
- RMSHC, 313, 318, 319, 321, 324, 326, 328, 329, 335, 339, 402
- Robot, 7, 15, 29, 35, 196, 289, 290, 335, 345, 351
- Role, 15, 17, 32, 36, 35, 54, 77, 95, 98
- Safety critical, 252, 383, 405–416
- Security, 4, 6, 12, 19, 39, 338, 351, 367, 376–378, 405, 407

- SEN, 382, 383–394, 397–406, 410–412, 444
- SendSignalAction, 164, 165
- Sequence diagram, 16, 79, 82, 115, 169–171
- Service, 7, 10, 12–14, 16, 27, 30, 37, 122, 131, 158
- Set of objects, 99, 110, 258, 259, 264, 265, 288
- shallowHistory, 150
- Simulation, 13–16, 195, 269, 289, 297, 301, 407
- Slot, 61, 64, 95, 99, 104, 109, 113, 233, 262, 294, 295
- Spreadsheet, 37, 38, 310, 328, 364, 375, 376, 378, 420
- SRS, 337, 339, 347, 383, 420, 425, 430, 432, 433, 443, 448
- State, 2, 4, 6, 9, 26, 28, 29
- State list, 147
- State machine diagram, 83, 139, 140, 143–147, 158, 168, 182, 222, 231, 232, 233, 237, 242–244, 250, 253, 254, 347–350, 358, 361, 384, 394–395
- State transition, 83, 139, 140, 143–145, 148, 160, 241, 254, 400
- StateInvariant, 180
- Strategy, 3, 9, 41, 200, 201, 204, 211, 212, 218, 219, 239, 266
- StringExpression, 50, 57
- StructuralFeature, 60–62, 67, 68, 91, 93–96, 170
- structured design, 25
- StructuredActivityNode, 152, 153, 160, 162–165
- StructuredClassifier, 119–120, 122–124
- Subclassing, 264, 281
- Submachine state, 145, 146, 148
- Substate, 139, 145
- Substitution, 109
- Subtyping, 264, 281
- Synchronization, 34, 151, 159, 341, 377, 379, 384, 393, 397
- Tamagotchi, 402–407, 408–414
- Task, 2, 6, 22–28, 29–32, 35
- Terminator, 206–210
- Thread, 24, 32, 201, 205, 206, 241
- Tightly coupled interaction, 301–303
- TimeEvent, 146
- Timing constraint, 10, 144, 345, 354, 362, 399, 400
- Timing diagram, 169, 174, 175, 241
- Token, 24, 151, 156, 157, 159, 160
- Top-down, 200, 334, 335, 359
- Trace, 34, 156, 430
- Tracklift tram, 417, 420
- Tradeoff, 309
- Transformation, 13, 43, 45, 49, 85, 151, 155, 168, 198, 201, 206, 224, 273
- Transition, 83, 84, 139–144, 146–149, 160, 227, 232
- Trigger, 37, 139, 142–143, 145, 155, 202, 240–242, 254, 289, 291, 362, 363, 394, 417, 448
- Tsunami, 2, 12
- Type, 3, 8, 9, 14, 25, 26, 36, 37
- TypedElement, 58–64, 66–69, 72, 73, 91, 92, 154, 160, 170
- UML 2, 78, 81, 82, 118, 136, 174, 260, 389, 412, 435
- UML infrastructure, 47–75
- UML superstructure, 77–189
- Uniform, 3
- Uniform concept, 290
- Uniform methodology, 28, 39, 40, 78, 83, 128, 251, 369, 417, 465
- Unifying, 39, 289, 374, 376, 382, 394
- Unpredictability, 383
- Usage, 12, 26, 55, 81, 93, 107, 108, 114, 128, 139, 174, 197, 311
- Use case diagram, 83, 181, 182, 184–186, 199, 200, 206, 221, 222, 226, 245, 314, 315, 317, 323, 325
- UseCase, 137, 183, 184, 186, 221
- UUID, 266, 267
- Validation, 311, 312, 329, 330, 332, 336
- ValueSpecification, 57, 58, 61–64, 73, 91, 95, 110, 146, 154
- Variable speed electric fan, 299
- Vending_Machine, 351
- Views, 29, 40, 79, 104, 200, 201, 220, 257, 308, 318, 321, 324, 349, 368, 382, 450, 458
- Visibility, 55, 56, 72, 96, 97, 99, 100, 105, 261
- VisibilityKind, 55, 56, 72
- Visual surcharge, 20, 21, 134, 384, 387, 391
- Web database, 134, 135
- Well structured, 9, 269
- Work flow, 158, 205, 207, 212, 213, 216, 217, 237, 340, 382, 384