

ALX-T Cloud DevOps Engi xS3 Management Console x

s3.console.aws.amazon.com/s3/buckets?region=us-east-1

Appswww.anime-pl...python - user...MongoDB - Th...auth0.comManaging Dja...ExperimentsInstalling Post...

awsServicesSearch for services, features, blogs, docs, and more [Alt+S]Globalvoclabs/user1971754=b583ae50-1a94-11ea-a725-0366c4bdd2d5 @ 01...

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

Access analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

Successfully created bucket "my-test-12345-bucket"

To upload files and folders, or to configure additional bucket settings choose [View details](#).

How to optimize your costs on S3.

Learn more

Amazon S3 > Buckets

Account snapshot

Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

View Storage Lens dashboard

Buckets (1) Info

Buckets are containers for data stored in S3. [Learn more](#)

Copy ARN

Empty

Delete

Create bucket

Find buckets by name

< 1 >

Name	AWS Region	Access	Creation date
<input type="radio"/> my-test-12345-bucket	US East (N. Virginia) us-east-1	Objects can be public	May 17, 2022, 21:36:38 (UTC+01:00)

Feedback

Looking for language selection? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

my-test-12345-bucket [Info](#)

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (4)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)



Copy S3 URI

Copy URL

Download

Open

Delete

Actions ▼

Create folder

Upload

Find objects by prefix

< 1 > ⚙

<input type="checkbox"/>	Name ▲	Type ▼	Last modified ▼	Size ▼	Storage class ▼
<input type="checkbox"/>	css/	Folder	-	-	-
<input type="checkbox"/>	img/	Folder	-	-	-
<input type="checkbox"/>	index.html	html	May 17, 2022, 21:52:57 (UTC+01:00)	6.1 KB	Standard
<input type="checkbox"/>	vendor/	Folder	-	-	-

Amazon S3 > Buckets > my-test-12345-bucket > Edit metadata

Edit metadata [Info](#)

- ⚠ This action creates a copy of the object with updated settings and a new last-modified date.
- Objects encrypted with customer-provided encryption keys (SSE-C) will fail to be copied using the S3 console. To edit metadata for objects encrypted with SSE-C, use the AWS CLI, AWS SDK, or the Amazon S3 REST API.
- If this bucket uses the bucket owner enforced setting for S3 Object Ownership, object ACLs will not be copied.

[Learn more](#)

Metadata

Metadata is optional information provided as a name-value (key-value) pair. [Learn more](#)

Type

System defined

Key

Content-Type

Value

html

Remove

Add metadata

Amazon S3 > Buckets > my-test-12345-bucket > Edit metadata

Edit metadata [Info](#)

- ⚠ This action creates a copy of the object with updated settings and a new last-modified date.
- Objects encrypted with customer-provided encryption keys (SSE-C) will fail to be copied using the S3 console. To edit metadata for objects encrypted with SSE-C, use the AWS CLI, AWS SDK, or the Amazon S3 REST API.
- If this bucket uses the bucket owner enforced setting for S3 Object Ownership, object ACLs will not be copied.

[Learn more](#)

Metadata

Metadata is optional information provided as a name-value (key-value) pair. [Learn more](#)

Type

System defined

Key

Content-Type

Value

html

Remove

Add metadata

Feature spotlight 3

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "AddPerm",
6       "Effect": "Allow",
7       "Principal": "*",
8       "Action": ["s3:GetObject"],
9       "Resource": ["arn:aws:s3:::my-013032628189-bucket/*"]
10    }
11  ]
12 }
```

Save changes

ALX-T Cloud DevOps xUdacity Reviews xProjectDeliverable-Bu xmy-test-12345-bucket xJapan pictures - Googl x

s3.console.aws.amazon.com/s3/buckets/my-test-12345-bucket?region=us-east-1&tab=permissions

Appswww.anime-pl...python - user...MongoDB - Th...auth0.comManaging Dja...ExperimentsInstalling Post...

awsServicesSearch for services, features, blogs, docs, and more [Alt+S]Globalvoclabs/user1971754=b583ae50-1a94-11ea-a725-0366c4bdd2d5 @ 01...

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

Access analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 3

Successfully edited bucket policy.

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts.[Learn more](#)

EditDelete

```
{  "Version": "2012-10-17",  "Statement": [    {      "Sid": "AddPerm",      "Effect": "Allow",      "Principal": "*",      "Action": "s3:GetObject",      "Resource": "arn:aws:s3:::my-test-12345-bucket/*"    }  ]}
```

Copy

Feedback

Looking for language selection? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



CloudFront > Distributions

Distributions (1) [Info](#)

[Enable](#)[Disable](#)[Delete](#)[Create distribution](#)

< 1 >

<input type="checkbox"/>	ID	Description	Domain name	Alternate do...	Origins	Status	Last modified
<input type="checkbox"/>	E2K5CLU1V5BZFD	-	dzw7x2p64icbl...	-	my-test-12345-bucke	✔ Enabled	May 17, 2022 a...