

Freightwire ? Proposal ? Rates Connection

Integration spec for connecting the proposal tool to the Freightwire admin Rates tab · API v1

Goal: when a proposal is finished and ?Send? is pressed, it POSTs the rate card ? a discount or markup on each service and fee ? straight into the Freightwire admin Rates tab. No manual copying. Sending again for the same customer simply updates them. You only need to call one endpoint.

1. Endpoint

```
POST https://<FREIGHTWIRE-DOMAIN>/api/v1/admin/customers
```

(A live domain and a separate test domain to build against first will be provided.)

2. Authentication

Send the admin API key (issued to you) as a header ? either form works:

```
Authorization: Bearer sck_admin_XXXXXXXXXXXXX
X-API-Key: sck_admin_XXXXXXXXXXXXX
```

The key starts with sck_admin_. Keep it server-side; do not ship it in browser code. All calls over HTTPS.

3. Request Body (JSON)

```
{
  "customer": {
    "external_id": "YOUR-CUSTOMER-ID-123",
    "name": "Acme Corp",
    "email": "billing@acme.com",
    "contact": "Jane Doe",
    "phone": "555-123-4567",
    "origin": "84101"
  },
  "pricing": {
    "services": {
      "ground": { "mode": "discount_off_list", "value": 25 },
      "home": { "mode": "discount_off_list", "value": 25 },
      "priority_overnight": { "mode": "markup_over_cost", "value": 10 },
      "2day": { "mode": "flat", "value": 18.50 },
      "first_overnight": { "mode": "none" }
    },
    "fees": {
      "FUEL": { "mode": "discount_off_list", "value": 15 },
      "RES": { "mode": "dollars_over", "value": 1.25 },
      "SIG-D": { "mode": "none" }
    },
    "account_markup": 0
  },
  "replace": true
}
```

Field notes

- customer.name is the only required field. external_id is strongly recommended ? it's how the same customer is matched on repeat sends (otherwise it falls back to email).
- pricing.services and pricing.fees are objects keyed by the service/fee keys listed in the appendices.
- Omit any service/fee you're not setting, or send { "mode": "none" } to leave it at the default (no discount).
- replace: true (default) = this proposal replaces the customer's whole rate card. replace: false = merge (only overwrite what you send, leave the rest).
- account_markup (optional) = a flat % markup applied across the account.

4. Discount ?mode? Values

For services (pricing.services)

mode	meaning	value is?
discount_off_list	% off the FedEx list rate	a percent, e.g. 25 = 25% off list
markup_over_cost	% markup over our cost	a percent, e.g. 10 = cost + 10%
dollars_over_cost	flat dollars over our cost	dollars, e.g. 3 = cost + \$3.00
flat	a fixed price for that service	dollars, e.g. 18.50
none	no discount (account default / raw)	? (omit value)

For fees (pricing.fees)

mode	meaning	value is?
discount_off_list	% off the fee's list amount	a percent, e.g. 15 = 15% off
markup_percent	% markup on the fee	a percent
dollars_over	flat dollars for the fee	dollars, e.g. 1.25
flat	fixed fee amount	dollars
none	leave fee at default	? (omit value)

5. Response

```
{
  "customer_id": "c1720000000123",
  "external_id": "YOUR-CUSTOMER-ID-123",
  "profile_id": "p1720000000456",
  "created": true,
  "services_set": 5,
  "fees_set": 3,
  "note": "Live in the Rates tab. Press nothing ? it's saved."
}
```

- 201 = new customer created. 200 = existing customer updated. created: true/false tells you which.
- Errors return { "error": { "code": "...", "message": "..." } } with a 4xx/5xx status (e.g. 401 invalid_key, 422 invalid_request if customer.name is missing).
- Rate limit: 120 requests/minute per admin key.

6. Test curl

```
curl -X POST https://<FREIGHTWIRE-DOMAIN>/api/v1/admin/customers \
-H "Authorization: Bearer sck_admin_XXXXXXXXXXXX" \
-H "Content-Type: application/json" \
-d '{
  "customer": { "external_id": "TEST-1", "name": "Test Customer", "email": "test@x.com" },
  "pricing": {
    "services": { "ground": { "mode": "discount_off_list", "value": 20 } },
    "fees": { "FUEL": { "mode": "discount_off_list", "value": 10 } }
  },
  "replace": true
}'
```

Appendix A ? Service Keys

Send only the ones a proposal covers. The everyday ones:

key	service
ground	FedEx Ground
home	FedEx Home Delivery
ground_economy	FedEx Ground Economy
express_saver	FedEx Express Saver
2day	FedEx 2Day
2day_am	FedEx 2Day A.M.
standard_overnight	FedEx Standard Overnight
priority_overnight	FedEx Priority Overnight
first_overnight	FedEx First Overnight

International: intl_ground_ca, intl_connect_plus, intl_economy, intl_priority, intl_priority_express, intl_first.

Freight: first_overnight_freight, 1day_freight, 2day_freight, 3day_freight, intl_priority_freight, intl_economy_freight.

One Rate (flat-rate packaging) keys follow the pattern or_<service>_<packaging>, e.g. or_2day_small_box, or_priority_overnight_envelope, or_standard_overnight_medium_box. (All 69 keys available on request ? most proposals only need the everyday 9 above.)

Appendix B ? Common Fee Keys

key	fee
FUEL	Fuel Surcharge (Express)
FUEL-G	Fuel Surcharge (Ground)
RES	Residential Delivery
RES-HD	Home Delivery Charge
DAS	Delivery Area Surcharge ? Commercial
DAS-G	Delivery Area Surcharge ? Ground
AH-D	Additional Handling ? Dimensions
SIG-D	Direct Signature Required
INS	Declared Value (per \$100 over \$100)
ADDR	Address Correction

(79 fee keys total ? full list on request. Most proposals only touch fuel + residential.)

What I Need From You

1. Can your ?Send? button POST the JSON in section 3 to our endpoint?
2. Will you store OUR customer_id from the response so repeat sends update instead of duplicate? (Or just always send the same external_id and we handle matching.)
3. Send me one sample of your proposal output (raw discounts/fees for one customer) so I can confirm every field maps to our service and fee names before you build.
4. Any services/fees in your proposals that DON'T map to the keys above? Send me the list.
5. What should happen if a call fails ? will you retry or queue it so a proposal never silently drops?
6. Confirm you can keep the sck_admin_ key server-side (not exposed in a browser).