APRIL 23, 2026

Charging bottlenecks aren't about fleet size — they're about system design



Airports and ground handlers are accelerating the shift to electric GSE. But as fleets grow, a familiar challenge emerges: Charging doesn't scale the same way.

Without coordination, charging quickly becomes a bottleneck — leading to congestion, increased downtime, and unnecessary operational pressure.

Traditionally, charging infrastructure has been treated as something separate from the gate — often centralized, static, and disconnected from real-time demand. That approach no longer holds.

With **EcoGate**, charging becomes part of the gate ecosystem — coordinated with GPUs, PCAs, and overall power availability. Instead of adding more infrastructure, the focus shifts to using existing power smarter.

Charging where operations happen

A key shift is moving charging closer to the point of operation.

By integrating charging directly at the gate, airports can:

- Reduce congestion at central charging stations
- Minimize towing and repositioning of equipment
- Enable opportunity charging during natural operational gaps
- Keep equipment where it is needed — ready for the next turnaround

This is where solutions like **Power Share** and the **DC Charger** come into play.

Unlock unused capacity with Power Share

At most gates, installed power capacity is designed for peak demand — but rarely fully utilized.

ITW GSE Power Share enables airports to make use of this untapped potential by redistributing surplus power to other equipment.

It connects directly to existing gate equipment such as GPUs and PCAs and ensures that:

- Aircraft always get priority access to power
- Excess capacity can be used to charge eGSE
- Connected equipment is automatically managed based on availability

infrastructure.



High-speed, opportunity charging with the DC Charger

Designed specifically for aviation environments, the **ITW GSE DC Charger** enables high-speed, scalable charging directly at the gate or remote stand.

Key capabilities include:

- Integration with existing power infrastructure — no need for major upgrades
- Prioritization of aircraft power demand, with remaining capacity used for charging
- Support for opportunity charging, keeping fleets operational without disrupting turnaround schedules

As illustrated in the installation examples, the DC Charger works alongside existing systems to distribute power efficiently — transforming surplus capacity into a reliable charging source.



Electrification — without slowing down operations

The combination of coordinated power sharing and integrated DC charging changes how airports approach electrification:

- No need for large-scale infrastructure upgrades
- No compromise on aircraft turnaround performance
- No growing queues at charging stations

Instead, charging becomes a natural part of gate operations — aligned with real-time demand and available capacity.



A system approach to scalable electrification

Charging bottlenecks don't come from too many electric units.


They come from disconnected systems.

By integrating charging into the gate — and coordinating it with existing equipment — airports can scale electrification in a smarter, more operationally efficient way.

More news



Oct 09, 2026, posted in News



Sep 30, 2026, posted in News



Sep 24, 2026, posted in News



Sep 17, 2026, posted in News

office space takes shape at ITW GSE

Our team has been growing – and now our facilities are growing with us. Over the summer, there has been plenty to follow just...

Read more

knowledge?

Ground support operations are changing. Electrification, charging infrastructure, aircraft power and cooling, and sustainability are just some of the topics shaping the decisions airports,...

Read more

Service Engineer

We are looking for an additional team member for our US Support team – are you the one? Your daily tasks will include a...

Read more

available gate power to work

As airports and ground handlers electrify more Ground Support Equipment, charging capacity can quickly become a challenge. ITW GSE Power Share is designed to...

Read more

Get in touch

Contact ITW GSE

Facilities and offices

Our team – Contact

SERVICE AND SUPPORT

ITW GSE ApS

Smedebakken 31-33

DK-5270 Odense N

Denmark

CVR / VAT number: DK7421 8814

DUNS: 305 939 290

ITW GSE Inc.

11001 US Highway 41 North

Palmetto, FL 34221

USA

DUNS: 05-127-1278

Social media

© Copyright 2026 ITW GSE