Powering Industrial Mobility
132 subscribers
Subscribe



How Lithium-Ion Battery Systems Improve AGV Robotic Performance

Maggie Zhang
Battery Solutions for AMR, AGV, UGV & Mobile Robotics | Custom Li-ion Battery Packs | OEM/ODM | BMS & CAN...

August 30, 2026

AGVs are no longer limited to simple point-to-point transportation. In modern warehouses and factories, they may operate for 16–24 hours a day, carry heavy loads, accelerate and stop repeatedly, and recharge automatically during short periods of downtime.

Under these conditions, the battery is not simply an energy source.

It becomes part of the AGV's performance system.

A properly designed lithium-ion battery can influence operating time, power stability, charging efficiency, vehicle availability, and even fleet scheduling.

So, what actually makes the difference?

1. Higher Energy Density Can Free Up Space and Payload

AGV battery compartments are usually designed around strict dimensional limits. Increasing capacity is therefore not always as simple as adding more cells.

Lithium-ion technology allows manufacturers to put more usable energy into a relatively compact package compared with traditional lead-acid systems.

For example:

48 V × 100 Ah = 4.8 kWh nominal energy

But nominal energy is only the starting point.

The actual energy available to an AGV depends on usable depth of discharge, temperature, discharge rate, BMS limits and system efficiency.

This is why battery selection should focus on **usable energy over the complete operating cycle**, rather than simply comparing Ah numbers.

For compact AGVs, reducing battery weight can also create another benefit: more available payload or lower total vehicle mass.



2. Power Stability Matters During Acceleration and Heavy Loads

An AGV does not consume the same amount of power throughout its entire mission.

Power demand can increase sharply during:

· Acceleration

· Turning

· Ramp climbing

· Heavy-load transportation

· Lifting operations

For example, a 48 V AGV drawing 150 A requires approximately:

48 × 150 = 7.2 kW

At these current levels, internal resistance becomes important.

Higher resistance creates more voltage drop and heat, which can affect motor performance and system efficiency.

This is why an AGV battery should be evaluated according to **continuous current, peak current, voltage sag and thermal performance**—not simply battery capacity.

Research on AGV energy consumption also shows that the vehicle's motors, embedded computer, sensors and control electronics all contribute to the total electrical load, making battery-system design closely connected to overall vehicle performance.

3. Opportunity Charging Can Increase Vehicle Availability

For many modern AGVs, the question is no longer:

How long can the battery run before it needs to be charged?

A better question is:

How much energy can the AGV recover while it is naturally waiting?

This is the principle behind **opportunity charging**.

An AGV can automatically recharge during short periods such as:

Waiting → Charging → Mission → Waiting → Charging

AGVE lists opportunity charging as one of the main AGV charging strategies, particularly when short charging periods can be used without interrupting normal operation.

A real industrial case study from Green Cubes involved AGVs operating continuously **24 hours a day, 7 days a week**, with only short periods available for charging. The company selected an LFP battery system with reported charge efficiency of **98–99%** for this operating pattern.

The important point is that opportunity charging is not simply about using a faster charger.

The battery, BMS, charger and AGV operating cycle must be designed together.

4. A Smart BMS Makes the Battery Part of the AGV

A modern AGV battery should not operate as a "black box."

Through communication interfaces such as **CAN, RS485 or UART**, the BMS can provide information including:

Battey Daty	Why the AGV needs it

SOC	Determines when charging is required
Current	Monitors real-time power demand
Cell voltage	Identifies abnormal cell conditions
Temperature	Adjusts charging/discharging limits
SOH	Helps monitor long-term battery degradation
Fault status	Allows the AGV to respond to battery problems

This allows the battery to become part of the vehicle's energy-management logic.

For example:

Low SOC → Complete current mission → Go to charging station → BMS confirms charging conditions → Automatic charging

For larger AGV fleets, this information can also be incorporated into fleet scheduling.

Recent research on energy-aware AGV operations specifically highlights battery status, charging strategies and energy-aware scheduling as important factors in optimizing AGV operations.

5. Thermal Management Becomes Critical at High Current

High-power operation creates another engineering challenge: **heat**.

The resistive heat generated inside a battery system can be approximated by:

$$P = I^2R$$

This means that if current doubles, resistive heating can theoretically increase by approximately four times, assuming resistance remains unchanged.

For an AGV that repeatedly accelerates, carries heavy loads or uses high-power opportunity charging, thermal management therefore becomes critical.

And it is not only about the cells.

Engineers also need to consider:

· Busbars

· Welding points

· Connectors

· Fuses

· Cables

· BMS current limits

· Enclosure design

· Heat dissipation

A high-performance cell does not automatically create a high-performance battery pack.

The complete electrical path must be designed for the AGV's actual current profile.

6. The Right Battery Depends on the AGVs Duty Cycle

There is no universal "best" lithium battery for every AGV.

A warehouse AGV operating one shift has very different requirements from a heavy-load AGV running continuously in a three-shift production environment.

AGV operating condition	Key battery consideration
Long-distance operation	Usable energy and energy density
Heavy payload	Peak/continuous discharge capability
16–24 h operation	Cycle life and thermal management
Frequent short stops	Opportunity charging capability
Compact vehicle	Customized dimensions and energy density
Automated fleet	BMS communication and SOC accuracy

This is why battery design should start with the **duty cycle**, not with a standard battery model.

The important parameters include:

Motor power → Average current → Peak current → Operating time → Payload → Charging opportunities → Temperature → Available battery space

Once these are known, the battery chemistry, cell configuration, BMS, charger and communication protocol can be selected accordingly.

The Battery Should Be Designed Around the AGV

A high-performance AGV does not necessarily need the battery with the highest Ah rating.

It needs a battery system that matches how the vehicle actually operates.

Cell selection + pack design + BMS + thermal management + charger + communication

all contribute to the final result.

The real objective is:

More usable energy → Stable power → Shorter charging interruptions → Better uptime → Smarter fleet operation

For AGV manufacturers, the better question is therefore not:

"Which lithium battery should we use?"

but:

"What battery system is best matched to our AGV's actual operating cycle?"

That is where lithium-ion technology becomes more than a replacement for lead-acid—it becomes a **performance component of the AGV itself.**

Frequently Asked Questions

1. How do I choose the right battery capacity for an AGV?

Start with the AGV's actual energy consumption rather than choosing a battery based only on Ah. Motor power, average current, operating hours, payload, usable DoD, temperature and charging opportunities should all be considered.

2. Does an AGV battery need CAN communication?

Not every AGV requires CAN, but communication becomes highly valuable when the vehicle needs accurate SOC information, automatic charging, fault monitoring or integration with fleet-management software. The appropriate protocol should be selected according to the AGV controller and system architecture.

Comments

 Like Comment Share

Add a comment...

No comments, yet.

Be the first to comment.

Start the conversation

Enjoyed this article?

Subscribe to never miss an issue.



Powering Industrial Mobility

Energy solutions for Mobile Robotics, UGV, AGV, AMR, E-Forklifts . Real cases, Trends insights

137 subscribers

Subscribe