



Showing sequences for students split by split post t2, using the categories Family.  
Removed sequences used by less than 35% of students.  
Found sequences of length 2 to 6.  
Using 4 time bins


TbC: infogain 0.33 by time




CTsPTsP: infogain 0.36 by time




TbP: infogain 0.386 by time




PCTsP: infogain 0.429 by time




TbPC: infogain 0.488 by time



CTbP: infogain 0.669 by time




CTbCTb: infogain 0.735 by time







CTbPC: infogain 0.788 by time




TbCTb: infogain 0.941 by time




TbCP: infogain 0.986 by time




TbCPC: infogain 1.014 by time




CTbCP: infogain 1.043 by time




PTb: infogain 1.089 by time



TbCTbP: infogain 1.226 by time




CPTb: infogain 1.742 by time






Showing sequences for students split by split post t2, using the categories Family.  
Removed sequences used by less than 35% of students.  
Found sequences of length 2 to 6.  
Using 1 time bins


TcPCTcC: infogain 0.051 by group



CPCTcC: infogain 0.052 by group



TsPCP: infogain 0.054 by group



TcCTcCTc: infogain 0.057 by group


**high**

0.36


**low**

0.64


1.00




TcCPC: infogain 0.068 by group



TsPTsP: infogain 0.082 by group




CPTsP: infogain 0.082 by group







TsCTsC: infogain 0.082 by group




CPTs: infogain 0.098 by group




PTsP: infogain 0.143 by group




CTsPTsP: infogain 0.148 by group




TsPTsPC: infogain 0.148 by group



PCTcCTcC: infogain 0.148 by group



PCPCTcC: infogain 0.148 by group



PTsPC: infogain 0.174 by group


**high**

0.74

**low**

0.26


1.00






Showing sequences for students split by split post t2, using the categories Family.  
Removed sequences used by less than 35% of students.  
Found sequences of length 2 to 6.  
Using 4 time bins


PTcPCTc: infogain 0.51 by time and group




PCTsP: infogain 0.529 by time and group




TbPC: infogain 0.572 by time and group




TsCTsC: infogain 0.577 by time and group




CTsPTsP: infogain 0.646 by time and group



CTbP: infogain 0.732 by time and group




CTbCTb: infogain 0.78 by time and group







CTbPC: infogain 0.891 by time and group




TbCTb: infogain 0.973 by time and group




TbCP: infogain 1.046 by time and group




TbCPC: infogain 1.064 by time and group




CTbCP: infogain 1.164 by time and group



PTb: infogain 1.227 by time and group



TbCTbP: infogain 1.288 by time and group



CPTb: infogain 1.808 by time and group

