# Using woke for Conscious Language Scans

Sergei Petrosian

#### **Presentation Outline**

- 1. Why it is Inclusive Language Initiative important?
- 2. woke tool
- 3. woke-action GitHub Action
- 4. woke caveats
- 5. How linux-system-roles works arounds the caveats
- 6. Q&A

## Why it is important?

- 1. To be inclusive
- 2. Improve understanding for people who are reading in a second language, where those idioms may be confusing

#### woke

A tool that detects non-inclusive language in your source code.

#### Features:

- 1. Searches for non-inclusive terms and their variations
- 2. Suggests alternatives
- 3. Different terms might have different serverity levels
- 4. Customizable configuration file

#### woke-action

woke-action - GitHub action that allows you to execute woke command within GitHub Actions

```
name: woke
on:
  - pull_request
jobs:
  woke:
    name: woke
    runs-on: ubuntu-latest
    steps:
      - name: Checkout
        uses: actions/checkout@v2
      - name: woke
        uses: get-woke/woke-action@v0
        with:
          # Cause the check to fail on any broke rules
          fail-on-error: true
```

# woke-action in Action

#### woke Caveats

• woke fails on errors of all severety levels

A PR that we opened for woke:

Add an option "--count-only-error-for-failure" #252

Lack of activity from the developer

#### Workaround

We created a "clone" at <a href="mailto:sgithub/actions/custom-woke-action">.github/actions/custom-woke-action</a>

```
name: Check for non-inclusive language
on: # yamllint disable-line rule:truthy
  pull_request
jobs:
  woke:
    name: woke
    runs-on: ubuntu-latest
    steps:
      - name: Checkout
        uses: actions/checkout@v3
      - name: custom woke
        # Originally, uses: get-woke/woke-action@v0
        uses: ./.github/actions/custom-woke-action
        with:
          woke-args: "-c https://raw.githubusercontent.com/linux-system-roles/tox-lsr/main/src/tox_lsr/config_files/woke.yml --count-only-error-for-failure"
          # Cause the check to fail on any broke rules
          fail-on-error: true
```





### References

Linux System Roles GitHub
Inclusive Naming Initiative FAQ
woke
woke-action
.github/actions/custom-woke-action