

From Data to Intent: Executable Semantics over Solid Pods

A demonstration of user-owned, executable intent over Solid Pods.

1. The Missing Layer of the Web

The Web enabled document sharing. The Semantic Web introduced structured data relationships. However, runtime execution and intent flow remain implicit.

2. Intention Space

Intention Space introduces Intentions and Pulses. A Pulse is a minimal unit of perceived relevance carrying self-describing data.

3. Demonstration

Login and Identity

Solid + Intention Space Demo

Issuer: <https://pods.solidcommunity.au>

Redirect URL: <http://localhost:5174/callback>

Status: Logged in as https://pods.solidcommunity.au/Solid_IS/profile/card#me

[Logout](#)

[Seed + Run CPUX + Write to Pod](#)

[Read Field from Pod](#)

Todo text:

Priority:

Logged in: true

WebID: https://pods.solidcommunity.au/Solid_IS/profile/card#me

Pod Base: https://pods.solidcommunity.au/Solid_IS/

Pulse Flow

No field loaded yet.

Pulse Summary

Pod Storage

Solid + Intention Space Demo

Issuer: <https://pods.solidcommunity.au>

Redirect URL: <http://localhost:5174/callback>

Status: Done. Written under https://pods.solidcommunity.au/Solid_IS/intention-space/

[Logout](#) [Seed + Run CPUX + Write to Pod](#) [Read Field from Pod](#)

Todo text:

Priority:

Logged in: true

WebID: https://pods.solidcommunity.au/Solid_IS/profile/card#me

Pod Base: https://pods.solidcommunity.au/Solid_IS/

Pulse Flow

p_todo_text (Y) → p_todo_valid (Y) → p_todo_created (Y)

Pulse Summary

Execution Flow

```
    "high"
  ]
},
{
  "name": "p_todo_valid",
  "tv": "Y",
  "responses": [
    "validated"
  ]
},
{
  "name": "p_todo_created",
  "tv": "Y",
  "responses": [
    [
      "META",
      "text",
      "priority",
      "status"
    ],
    [
      "Buy milk",
      "high",
      "created"
    ]
  ]
},
{
  "lastRunAt": "2026-04-21T21:37:49.323Z"
}
```

Pulse Summary

Solid + Intention Space Demo

Issuer: <https://pods.solidcommunity.au>

Redirect URL: <http://localhost:5174/callback>

Status: Field loaded from Pod.

[Logout](#)

[Seed + Run CPUX + Write to Pod](#)

[Read Field from Pod](#)

Todo text:

Priority: high ▼

Logged in: true

WebID: https://pods.solidcommunity.au/Solid_IS/profile/card#me

Pod Base: https://pods.solidcommunity.au/Solid_IS/

Pulse Flow

p_todo_text (Y) → p_todo_valid (Y) → p_todo_created (Y)

4. Key Observation

The system captures progression of intent, not just data.

5. Closing

If RDF made data explicit, Intention Space explores making intent explicit.