Introduction to GIT

jan.schulz@devugees.org

1. Agenda

- 1. What is GIT?
- 2. History
- 3. Collaboration
- 4. Feature Branches
- 5. Vocabulary
- 6. GitHub
- 7. Remote Repository Commands
- 8. Lets GIT our hands dirty ...
- 9. Closer look at Commits
- 10. Merging

1. What is GIT?

- Version Control System (VCS)
- GIT helps us manage our project's files

1. What is GIT?

- Version Control System (VCS)
- GIT helps us manage our project's files

index 💿	15.10.2017 15:38	Chrome HTML Docu	1 KB
🐉 jquery-3.2.1.min	15.10.2017 15:35	JScript-Skriptdatei	85 KB
8 main	15.10.2017 17:43	JScript-Skriptdatei	1 KB
style	15.10.2017 15:35	Kaskadierendes Styl	0 KB

1. What is GIT?

 What does GIT do, that makes managing our files easier?

- 1. History
- 2. Collaboration
- 3. Feature branches

 GIT keeps track on every change that we make on our files

```
Oct. 2017: We have a file banners.css
Dec.2017: We do some changes in banners.css
Jan.2018: Our page breaks for some reason!
We take a look at banners.css from Oct. 2017
   and see, that we removed the lines
" float: left;
 padding: 2rem;
 margin: 2rem; "
```

- GIT provides seeing the <u>history</u> of a file
- GIT provides <u>reverting</u> changes

- GIT provides seeing the <u>history</u> of a file
- GIT provides <u>reverting</u> changes

- -> Nothing is ever lost
- -> Nothing is ever final

- Creating something alone:
 - You
 - Your Files

- Creating something alone:
 - You
 - Your Files
- Creating something in a team:
 - You
 - Your Team members
 - Your Files
 - Your Team members' files

- Creating something alone:
 - **—EASY**
- Creating something in a team:
 - **–NOT SO EASY**

You want to write a book "mybook.docx" about your home country with your friend.

You want to write a book "mybook.docx" about your home country with your friend.

You: "Can you please check Chapter 4 and write something?"

Your buddy: "Okay, I need two days for that."

Right after sending the Email to your friend ...

- Now you see a few typos in your copy of the book and you fix them.
- 2. You have an idea of what images you would use for Chapter 1 and you insert them.


Now your friend does not work with the most updated version of your book anymore.

After two days your friend sends you back his copy.

Mybook.docx With your changes

Mybook.docx
With your friends'
changes

Mybook.docx With **your changes** GIT MERGE



Mybook.docx
With your friends'
changes

Mybook.docx

Task #1
-> Redesign Header



Task #1

-> Redesign Header

Some Website

Task #2

-> Redesign Footer

Day 1

Task #1

-> Redesign Header

UNDER CONSTRUCTION

Task #2

-> Redesign Footer

UNDER CONSTRUCTION

Day 2

Task #1

-> Redesign Header

UNDER CONSTRUCTION

Task #2

-> Redesign Footer

UNDER CONSTRUCTION

End of Day 2

Task #1

-> Redesign Header

UNDER CONSTRUCTION


Task #2


-> Redesign Footer


AMAZING FOOTER


End of Day 2


Task #1 **UNDER CONSTRUCTION** -> Redesign Header **PROBLEM:** UPLOADING WEBSITE WITH LUMPY HEADER CODE Task #2 **AMAZING FOOTER** -> Redesign Footer







































3. Feature Branches

AMAZING HEADER AMAZING FOOTER




HEADER IS DONE.
MERGE IT INTO
THE TREE
(=MASTER BRANCH)

3. Feature Branches



3. Feature Branches



Review

What are the three core functions of GIT?

Review

- What are the three core functions of GIT?
 - History
 - Collaboration
 - Feature Branches

Repository?

Repository

- Working directory, your project files folder
- GIT's job is to keep track of any changes here

Repository

- Working directory, your project files folder
- GIT's job is to keep track of any changes here

Commit?

Repository

- Working directory, your project files folder
- GIT's job is to keep track of any changes here

Commit

- GIT does not save changes in its history,
 until we actively commit those changes
 - = "GIT's way of saving"
- In a text-editor, we hit "Save" or CTRL+S and then save it.
- In GIT, nothing gets saved into history until we hit COMMIT


- Before we commit ... we STAGE!
- STAGING = we prepare something,
 - like if you want to sell a house,
 - first you have to prepare it,
 - make it nice and clean then you sell it.


Index.html – before staging



Index.html – staged and ready to commit







Working Directory	M	odified Files		Staged Files
	→			
	→		→	
	\longrightarrow		>	


Working Directory	Modified Files	Staged Files	Commited Files
	→ = -	→ <u> </u>	
	—→ <u> </u>	→	
	─	→ <u> </u>	



Working Directory	Modified Files	Staged Files	Commited Files	Remote Reposito
	→ <u> </u>	→ <u> </u>		
	→ = -	→ = -	→ = -	
		→	→ <u> </u>	\rightarrow

REMOTE

LOCAL



5. GitHub

- = Your Remote Repository on the web
- Free: Public Repositories
- Premium: Public + Private Repositories

- Public: Everybody can see your code
- Private: You decide who can see your code

• BitBucket.com: Free Private Repositories

6. Remote Repository Commands

- Clone
 - Download an entire remote repository as a local repository
- Fork
 - Download an entire remote repository as another remote repository
- Push
 - Uploading/Pushing our local repository to the remote server
- Pull
 - Downloading/Pulling the remote repository's latest changes into our local repository

- A commit contains:
 - A state of a directory
 - A pointer to its antecedent commit
- A commit is:
 - Identified by a <u>ref</u>
- **HEAD** is a pointer that is always pointing at the commit you are currently working on.

Ok ...

8. Lets **GIT** our hands dirty

Preparations

http://blogs.pdmlab.com/alexander.zeitler/ articles/installing-and-configuring-p4merge-forgit-on-ubuntu

Let us install P4Merge together ...

Main.js Navbar.js Index.html

HEAD

d8cfdjd




Main.js Navbar.js Index.html


HEAD


d8cfdjd


C1


Main.js Navbar.js Index.html Main.js*
Navbar.js*
Index.html














git add

	New Files	Modified Files	Deleted Files
git add –u		X	X
git add .	X	X	
git add -A	X	X	X

Working Directory Staged Files

Commited Files



git diff

Working Directory

Staged Files

Commited Files

Remote Repository





git diff HEAD~1

Working Directory

Staged Files



Commited Files





git diff --staged

Working Directory

Staged Files

Commited Files

Remote Repository






git diff master origin/master

Working **Staged Committed Directory Files Files**

Remote Repository




Our branches so far ...




Our branches so far ...




We need a new branch



We need a new branch




Fast Forward Merges



FAST FORWARD :

- Git sees two branches as one branch
- Only makes sense of no commits have been done on the master's branch meanwhile


Disabled Fast Forward Merges



Disabled FAST FORWARD:


- C3 will be merged into C2

Disable Fast Forward Merges / Automatic Merges



Disabled FAST FORWARD:


- C3 will be merged into C4




Master C1 -> File index.html has been created




Master C2 -> We added <h1>Hallo </h1> to index.html on line 1




HalloMars C1 -> We changed line to <h1>Hallo Mars</h1>



Master C3 -> We changed line to <h1>Hallo World</h1>




Master C4 -> Merge HalloMars C1 into Master C3




Master C4 -> Decided for Master C3 version.

Our goal: we want to get back to C3




Option 1: Hard Reset

We just move our head back to C3 and ignore the following commits




Option 1: Hard Reset

We just move our head back to C3 and ignore the following commits




Problem: If the commits C4 and C5 are already in the remote repository, pushing does not work anymore! **Only solution here would be re-create remote repo!**

- Option 2: Branching with Checkout
 - We checkout




- Option 2: Branching with Checkout
 - We checkout




We go back to C3 and start all over from here again.


- Option 2: Branching with Checkout
 - We checkout




- Option 2: Branching with Checkout
 - We checkout



Option 3: Reverting



Option 3: Reverting



Merges C3 into C5 as a new commit C6 C6 = C3

Git Reset, Revert, Checkout

Command	Scope	Common use cases
git reset	Commit-level	Discard commits in a private branch or throw away uncommited changes
git reset	File-level	Unstage a file
git checkout	Commit-level	Switch between branches or inspect old snapshots
git checkout	File-level	Discard changes in the working directory
git revert	Commit-level	Undo commits in a public branch
git revert	File-level	(N/A)

- Unstage files
 - git reset <filename>
 - git reset .
- Undo Changes in the working directory
 - git checkout -- <filename>
 - git checkout -- .

7. Remote and Local Repository Commands

LOCAL

COMMIT
RESET
CHECKOUT
ADD
RM
STATUS
DIFF
MERGE

REMOTE

CLONE FORK PUSH PULL