

Cannabis use & sedation

INFORMED CONSENT · SUPPLEMENTAL TO SEDATION CONSENT

Please read fully
before signing

This form addresses the specific risks of using cannabis (marijuana, THC products, or related substances) before, during, or after IV sedation or general anesthesia. **Because cannabis use can meaningfully affect how your body responds to sedation medications, we are required to review these risks with you and to document your understanding.** Please read each section carefully and ask any questions before signing.

1 Scope & disclosure

This consent applies to cannabis in all forms, including:

- Smoked or vaped cannabis (flower, concentrates, oils)
- Oral products (edibles, capsules, tinctures, sublingual drops)
- Topical products that are absorbed systemically
- THC, CBD, and combined-cannabinoid products
- Medical and recreational use

Honest disclosure is essential. The information you share about cannabis use is kept confidential within your medical record and is used only to plan your care safely. It does not affect your eligibility for treatment, and you will not be reported to any authority for disclosure.

2 Risks of cannabis use around sedation

By choosing to undergo sedation while using or having recently used cannabis, you acknowledge and accept the following increased risks:

1 Increased sedation medication requirements.

Chronic cannabis users typically require higher doses of sedatives, pain medications, and anesthetic agents to achieve and maintain adequate sedation. This can increase cardiovascular and respiratory side effects.

2 Increased airway reactivity and risk of laryngospasm.

Smoked or vaped cannabis — particularly within 24–72 hours of sedation — can irritate the airway and increase the risk of bronchospasm or laryngospasm (temporary closure of the vocal cords) during sedation. Laryngospasm can require urgent intervention and, in rare cases, emergency airway management.

3 Cardiovascular effects.

Cannabis can cause rapid heart rate, elevated or unstable blood pressure, and — rarely — cardiac rhythm disturbances. These effects can compound with sedation medications and complicate intraoperative management.

4 Delayed or unpredictable drug clearance.

Edibles and concentrated products produce metabolites that remain in the body significantly longer than smoked cannabis. Use within 24–48 hours — even of an edible from the previous evening — can affect your response to sedation.

5 Increased post-operative nausea, vomiting, and prolonged recovery.

Patients who use cannabis around the time of sedation have a higher incidence of nausea, vomiting, and delayed recovery from sedation.

6 Risk of cannabinoid hyperemesis.

Regular heavy cannabis users may experience severe, repeated vomiting after anesthesia that does not respond well to standard anti-nausea medications.

7 Postoperative healing.

Smoking or vaping cannabis after oral surgery increases the risk of dry socket, delayed soft-tissue healing, and — for implants and bone grafts — increased failure rates. These risks are present for nicotine and cannabis equally when smoked or vaped.

8 Possible procedure cancellation on the day of surgery.

If you arrive for a sedation appointment having recently used cannabis in a way that, in our clinical judgment, makes proceeding unsafe, we may reschedule your procedure. This is for your protection.

Acknowledgment & disclosure

CANNABIS & SEDATION CONSENT · CONTINUED

3 Your responsibilities

By signing this form, you agree to the following:

1 Accurate disclosure.

I will disclose truthfully the forms, frequency, amount, and timing of my cannabis use to my dental team before my procedure.

2 Abstinence requirement (office policy).

For elective IV sedation in our office, I will not use cannabis in any form — and will not smoke or vape anything — for at least 72 hours before my appointment, and I will not use cannabis for at least 72 hours afterward. I understand this 72-hour window is the office's elective-sedation policy, chosen for airway and heart safety. Longer abstinence before the procedure may be recommended for heavy or daily users.

3 Day-of notification.

If I used cannabis in any form within 72 hours of my appointment — including edibles from the previous evening — I will notify the dental team before sedation is started.

4 Post-operative abstinence.

I understand that smoking or vaping cannabis after my procedure significantly increases the risk of dry socket and other healing complications, and that this is a modifiable risk I accept responsibility for.

Cannabis use disclosure

Do you use cannabis in any form? ☐ No ☐ Yes ☐ Previously, but not now

Forms used: ☐ Smoked ☐ Vaped ☐ Edibles ☐ Tinctures/oils ☐ Topical ☐ Other

Frequency: ☐ Daily ☐ Several times/week ☐ Weekly ☐ Occasionally

Primarily: ☐ THC products ☐ CBD only ☐ Both ☐ Unsure

Date/time of most recent use: _____

Medical cannabis patient? ☐ No ☐ Yes

Additional notes: _____

Patient acknowledgment & signature

I have read and understood the information provided above regarding the risks of cannabis use around sedation. I have had the opportunity to ask questions, and my questions have been answered to my satisfaction. I have disclosed my cannabis use honestly in the section above. I understand that failure to disclose accurate information may result in an unsafe procedure and could be grounds for rescheduling or declining treatment. **I voluntarily consent to proceed with sedation with this understanding.**

PATIENT SIGNATURE

DATE

PATIENT PRINTED NAME

DATE OF BIRTH

PARENT / LEGAL GUARDIAN SIGNATURE (IF PATIENT IS A MINOR OR HAS A GUARDIAN)

DATE

PRINTED NAME

RELATIONSHIP TO PATIENT