



				SMOC	Page No.
				Date	as No
			1	•	
	EXAMPLES:	7.1	1 (		1
	AND STREET	8 8.0.8	3 3	1.4	-
0	B-TABC BaB				
	A + aA   Bac   aaa				
	B-+ 6B6/a/D C-+ CA/AE D-2	9 9 9 2	1	MA	
	C-Y RALAE D-7	€			
(D)	BY DAO   IBJ BB				
	Atc				
	B -> 5   A				
	C-43/E		•		
	sale of the section o	. 1 2		11	
(3)	5-YAAA B		A. C. L. Conner	1 931	
	A-raA B				
	B-ce	413/000/0			
			10 8		
(G)	5+ ABLAC		. d r-		
	A-r aA   bAa  a		talar	1.	
	B-7 66A LaB AB				
	C-> a(a/aD		390.0	mar	13.7.
	D-> alajav				
	D-> aD/6C	(0)			
	The second secon				
	(8,		TA		
	10)		(A)		
	10)	700	7A)		
			TA		
			(A)		A ,
			7A)		À :
	of marks A marks for		(A)	March March	à
			7.A)	March bay's	A
	of marks A marks for		· Al	March March	à :
	of marks A marks for		A A A A A A A A A A A A A A A A A A A	March March	

11						
19		20M5				
		Date	5			
		,,00(1				
	NORMAL FORMS OF CFG:	, M. P.	~h 100			
		das				
	A GRETBACK NORMAL FORM - CNI	E/	6			
	A GRETBACK NORMAL FORM - GMF					
	3		1416			
	A MARK WAS					
	CHOMSKY NORMAL FORM - (NF					
	context-free					
	- A grammax & is said to b.	(90 )	CNIF" al all			
	the productions of the form A-BC or A-ra where A.B.C. E.V. and a E.T.					
	where A.B. ( E V and a ET					
الم	5-7 A5 a 5-7 A5 AA5	10	Sten			
	A+5alaa					
	CNF Not 9					
	n 4 13					
	A Method to convert (Fly Porto (NE	form	•			
	A STATE OF THE STA	V —	1			
	1) Arrange that all bodies of lenge	gth 1	ox more ca	051		
	-5t5 only of variable	,				
	J 0					
	@ Break bodies of length 3 or	mere	ento a			
	cascade of prodos each with a t					
	2 variables	1 141	7.1			
		(0)	- 1			
			august .			
				-		

13

MI





· F-Y TOO

7-41

(E) - (F)

E=>T T=>F

E-YETT TOF (E) 1'd 7-47+F (E) [id

Step 1:

ETEB, T TB, F | B, EB, I rd

T+TBF BEEB, I'd

F-Y BCEBy I'd B - + \*

B, 4 (

B, rc

Step D;

E+ ED, /TD, /B, D, I'd

D-Y BT

D, + B&F

Dy - Y EB,

B - 4 +

T-> TO2 | B D3 18d

B, - 4 C

B, +)

Fr BeD3 led