

START WITH A LAWFUL, COLD FISH



Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?

Legal floor	May 2–Dec 31, 2026 open water; 40-in minimum; daily bag 1 on both lake pages. Check connected-water rules.
Preferred table fish	Only a lawfully harvested fish meeting the controlling minimum; release is normally preferable.
Why	Every legal musky is a large apex predator and breeder; statewide mercury advice is highly restrictive.

Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care




STUN AND SPIKE

BLEED ONLY AFTER INSENSIBILITY

BAG, ICE, AND DRAIN

1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.

Clean without contaminating the flesh



OPEN SHALLOWLY FROM VENT

LIFT BELLY WALL CLEAR

SCRAPE KIDNEY LINE

Pause at the plate · what must be true?

Before the opening	Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.
After the opening	Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.
If not	Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.


1. **Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
2. **Scale or skin.** Do not scale. Rinse slime with cold potable water, stabilize the fish, fillet, then skin each slab. Keep the board and knife handle dry enough for control.
3. **Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
4. **Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish

Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.

Species-specific first cuts

Because the fish is large, divide it: remove backstraps above ribs, tail slabs behind the Y-bone field, and side meat outside ribs. Keep the blade away from the gut; chill pieces as they come off.



COLLAR AND DORSAL CUTS


LIFT LOIN OVER RIBS

SKIN AND DIVIDE SLABS

Cut checkpoint

Before turning the blade, ask: *Can I feel the backbone under the edge, and is the edge pointing away from my off hand?* After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



FORKED BONES IN FRONT LOIN

CROSS-SECTION

REMOVE NARROW BONY CHANNEL

1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Y-bones fork through the upper front loin and do not pull cleanly. Trace their tips, cut a long channel above and below, and discard or stock the bony strip. Inspect each large chunk independently.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.

Diagnose before coating

Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map

Remove all skin, rib membrane, belly fat, and dark lateral meat. Separate the boneless tail from front loins before portioning; label and freeze excess promptly.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Cut thick loin into uniform medallions. Dry brine briefly to firm, then pat dry. Do not pickle as a substitute for cooking or validated parasite control.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



ROAST ON A RACK

POACH GENTLY IN FINISHED CHOWDER

Roasted musky loin

Roast uniform loin portions on a rack with mustard and herbs; verify 145 °F in the geometric center and rest briefly.

Firm-fish chowder
Poach boneless cubes gently in finished chowder until every cube reaches 145 °F; avoid a hard boil that tightens the flesh.


Measure, correct, prove

1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.
2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof
Serve only when four answers are yes: lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F? Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Statewide inland musky baseline: women under 50 and children under 15, do not eat; women 50+ and men, up to one serving/month. Check the exact lake query before any harvest meal.



THE QUERY BEATS THE PRINTED SHEET
Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR’s Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F Which piece finished first, and what evidence triggered its removal? _____ Final bone check and split-center result: _____ Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Muskellunge. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.