
North Lake

Waukesha County · WBIC 850800 · 440 acres · 78.4 ft

This lake-specific assembled library uses the same black-and-white loose PDFs published on the project page. Individually confirmed species, candidate members of the DNR’s broad “panfish” record, and historical material occupy separate modules. A candidate sheet helps identify and prepare a catch; it does not claim that the named panfish is present.

Rules are dated 2026–27. Before every trip, check Wisconsin DNR’s live rules and consumption query for this exact water, species, length, and date. Printed text never overrides the current rule.

What is bound

I. Lake	Independent bathymetric line map, access context, evidence limits, and dated rules for North Lake.
II. Fish + kitchen	Confirmed fish first, then a clearly divided candidate panfish module; each field sheet is followed by its cooking instruction. Write-on batch sheets are collected in Part V.
III. Rigs	Eleven retained rig sheets, each useful for at least one supported fish group or seasonal presentation on this water.
IV. Reference	Reading water, lures and bait, calendar, knots, handling and release, and first-trip workflow.

Evidence boundary
The current DNR record individually names largemouth bass, smallmouth bass, northern pike, and walleye, and broadly names panfish. Five named panfish appear only in a separate candidate module because the group record cannot establish individual presence. Cisco and muskellunge are not bound: a regulation is not presence evidence, and no authoritative current North Lake record supporting either was found.

I The lake

Read this first. The map is an independently reconstructed fishing aid, not a navigation chart; verify access, weather, water level, hazards, and posted ordinances at departure.


North Lake

WBIC 850800 — independent field sheet

Waukesha County, Wisconsin

North is a deep drainage lake with two strongly defined basins joined through a narrow structural corridor. The historical survey shows abrupt edges, small humps and a south neck toward Mud Lake. Use those shapes as hypotheses; confirm today's depth, vegetation, access and hazards yourself.

Identity	WBIC 850800; 440 acres
Depth	78.4 ft maximum
Bottom	50% sand; 30% gravel; 20% muck
Type	Drainage lake; DNR classifies it eutrophic
Current DNR fish record	Panfish, largemouth bass, smallmouth bass, northern pike and walleye
Access	DNR does not list a numbered landing on the facts page. Confirm legal public access before arrival; a historical road is not permission



Generalized depth contours: solid 10 ft; widely dashed 20 ft; long dash 40 ft; short dash 60 ft; labeled historical soundings. **Not for navigation.** Independently drafted from the Wisconsin Conservation Department sheet compiled in 1898 and revised in 1941; current shoreline/access context checked against 2024 USDA/FSA NAIP aerial orthophotography. No imagery is reproduced. A question mark means access must be independently verified.

Nine places to test, not promises

#	Area	Why test it	First pass
1	North flat	Broad shallow water meets the main basin.	Search for the current weed edge and bait; cover it without crossing beds.
2	Northeast break	Contours crowd the eastern shore.	Keep the boat outside, cast uphill, and identify contact depth.
3	Central channel edge	A structural corridor joins north and south water.	Scan both lips for bait or fish before committing.
4	West-lobe rim	A sharp outside curve enters the western basin.	Work from the shallow crown down through 20–40 ft.
5	West-lobe basin	A compact 77.6-ft bowl offers nearby deep water.	Scan for suspended life; do not fish empty depth.
6	Central saddle	The pinch between lobes concentrates routes, not necessarily fish.	Make controlled passes on each side and compare.
7	Southeast hump	Small isolated structure breaks the main basin wall.	Circle it to find the steep and windward faces.
8	South basin edge	A 65-ft pocket meets the lower taper.	Check low light and seasonal transitions; follow bait, not the printed number.
9	South neck	Shallow constriction toward Mud Lake.	Verify navigation, access and regulations before fishing moving-water edges.


North Lake sequence

1. Confirm legal public access before towing or carrying a craft to the water. Read every posted ordinance and high-water notice.
2. Sample one lobe, the saddle and one eastern break. A lake-wide pattern needs repeated depth/bottom evidence, not one bite.
3. Because DNR classifies North as eutrophic, let current vegetation, oxygen, clarity and bait observations override the antique contour sheet.
4. DNR records Eurasian water-milfoil and zebra mussel. Inspect, remove and drain before transport; never move live fish away from the water.

ACCESS AND CONTOURS REQUIRE VERIFICATION

The source map began in 1898 and was revised in 1941. Its north road label does not establish a present public landing. Neither this redrawing nor an aerial image grants access. Confirm ownership, legal access, depth and hazards through current official information and direct observation.

Read two basins as a connected system



- 1. On the lake map, draw a route that samples location 5, then 6, then 3 without crossing the same contour more than necessary.
- 2. At location 6, mark one station on each lip of the saddle. Predict which lip receives today’s wind and which offers the quieter measurement station.
- 3. Compare locations 2 and 4. Circle the one with tighter contour spacing; write how much boat-position error you can tolerate before a cast misses the break.
- 4. Trace the shallowest apparent route between locations 8 and 9. List two reasons the historical route may not be safe or navigable now.

Prediction before launch
If the two lobes differ, I expect _____ to have clearer / warmer water because _____. I will test that claim with _____, not with the first bite alone.

Questions the antique contours cannot settle

Question	Direct check
Does the central corridor carry bait today?	Scan both lips on reciprocal headings; require repeatable marks before fishing.
Where does living vegetation end?	Measure the outside edge in each lobe; do not transfer one basin’s depth to the other.
Is the south neck lawful and passable?	Verify access, signs, depth, current and obstructions from a safe position; turn back if uncertain.

Measure both lobes the same way

- 1. **Choose four stations.** Use one protected shelf, the west-lobe rim, one saddle lip and an eastern main-basin break. Identify each by map number or lawful waypoint.
- 2. **Depth.** Stop safely outside traffic. Let sonar stabilize and repeat the pass on the reciprocal heading. With a marked sounding line, stop propulsion, wear a PFD and keep line away from hands, feet and propeller.
- 3. **Temperature.** Shade the thermometer. Measure surface, 5, 10 and 20 ft where possible, pausing for a stable reading. Use the same depths and wait time in each lobe; write “not measured” instead of estimating.
- 4. **Clarity.** From the shaded side, lower a standard black-and-white Secchi disk to disappearance, then raise it to reappearance. Average the two depths and repeat. Do not lean overboard in waves.
- 5. **Context.** Record wind, sky, recent rain, surface film, vegetation height, boat traffic and any current through the corridor.

Compare stations, not impressions

North’s basins may differ on the same day. Use the same tool, units and method at every station. Temperature and clarity do not by themselves prove adequate oxygen; measure oxygen with suitable calibrated equipment or leave it unknown.


North Lake comparison log

Date/time	Station/lobe	Depth ft	Temp face/5/10/20 ft	sur- Secchi down/up/avg ft	Wind, growth, bait, confidence

Verification questions

- 1. Which measurement differed most between lobes? _____. Was the difference larger than repeated-measurement variation?
- 2. Did reciprocal depth passes agree within _____ ft? If not, name the likely source: slope, weeds, waves, heading or instrument setting.
- 3. Were repeatable bait marks above, within or below the fastest temperature change? _____. What evidence would change that answer?

Choose the next test from evidence



Access and weather gate

Verify on trip day	Evidence seen/heard	Go?
Legal public access and permission route		Yes / No
Exact-water rules; posted local restrictions		Yes / No
Forecast, current radar, wind direction/gusts		Yes / No
Lightning, fog, high-water or hazard notice		Yes / No
Craft, PFDs, lights, communication and return route		Yes / No

UNVERIFIED ACCESS MEANS NO TRIP

A road, worn path, map label or online pin is not permission. Confirm the launch and route through a current authoritative source and the signs on site. Recheck weather at the water. If access, visibility, waves or restrictions are uncertain, do not launch or return immediately.

Evidence-to-decision log

Time / map #	Claim tested	Evidence for and against	Next pass and why

2026–27 rules printed for departure planning

Bass	Harvest May 2, 2026–Mar. 7, 2027; 14 in minimum; 5 daily. Catch-and-release is open year-round unless otherwise noted.
Northern pike	May 2, 2026–Mar. 7, 2027; 26 in minimum; 2 daily.
Walleye group	May 2, 2026–Mar. 7, 2027; 18 in minimum; 3 daily.
Panfish	Open all year; no minimum; 25 daily.
Rock/yellow/white bass	Open all year; no minimum; unlimited.
Cisco/whitefish	Open all year; no minimum; 10 daily. Category does not prove presence.
Muskellunge	May 2–Dec. 31, 2026, open water only; 40 in minimum; 1 daily. Category does not prove presence.
Motor trolling	Allowed with up to 3 hooks, baits or lures per angler.

RECHECK BEFORE EVERY TRIP

These are the Wisconsin DNR lookup results for WBIC 850800 checked 26 July 2026. Verify the exact water, species and date in the live DNR rules. The DNR says listed regulation categories may not reflect fish actually present. Posted signs are the definitive practical check for slow-no-wake areas/hours, high-water restrictions and other local ordinances because the database may lag.

Evidence boundary

The current DNR lake record supports panfish, largemouth bass, smallmouth bass, northern pike and walleye. It does not resolve “panfish” into individual species. Do not treat regulation-only categories as an inventory. The provider-neutral evidence record is `research/lake-country-fishing/lakes-north.md`.

Primary sources

Wisconsin DNR Lake Page and historical contour sheet (WBIC 850800); Wisconsin DNR exact-water fishing-regulation lookup (checked 2026-07-26); Wisconsin DNR 2026–27 regulation changes; USDA/FSA 2024 NAIP via the Wisconsin statewide imagery service. Full URLs and limitations are in the research file.

Telos. Lake Country Fishing — North Lake. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See `LICENSE` and `CREDITS.md` in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

II Confirmed fish and kitchen

Field identification and tactics are paired with complete harvest preparation. Named panfish are excluded because a broad group record does not establish individual presence. A legal fish is not automatically the preferred fish to keep.

Recognize it


Green bass with dark lateral band; closed jaw extends beyond rear of eye.

Body	Deep-bodied; first and second dorsal sections separated by a deep notch.
Mouth/fins	Very large mouth; tongue lacks a tooth patch.
Confusion	Smallmouth jaw ends near mid-eye and usually shows vertical bars.

Lake role


Where it belongs
Vegetation, wood, docks, shade, and nearby depth.
Food and season
Fish, crayfish, and large invertebrates; shallow around warming cover, deeper or shaded in heat.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- 1. **Silhouette first.** Close the mouth and compare the jaw tip with the rear edge of the eye.
- 2. **Hard structure second.** Confirm a deep notch between the spiny and soft dorsal sections.
- 3. **Markings last.** Use the horizontal side band only after jaw reach and dorsal notch agree.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Largemouth Bass
Nearest alternative	Smallmouth jaw ends near mid-eye and usually shows vertical bars.
Required gate	Name largemouth only when the closed jaw reaches beyond the eye and the dorsal notch is deep.
Independent check	A true lateral photograph must show both closed jaw alignment and the dorsal connection.



Find it on these waters

Pine	Test protected vegetation and shade, then the deep edge in clear midday conditions.
North	Test weed flats, wood, narrows, and current-adjacent ambush edges.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result
-----------	-----------------	------------	---------------------	-----------------------

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Log cover type and strike location; repeated fish from shade or vegetation test the habitat claim.

Presentations

1. **Weightless plastic.** Skip or pitch to holes and shade; let it fall on slack line and watch for movement.
2. **Texas rig.** Probe dense cover with enough weight for bottom contact, not more.
3. **Stop rule.** After several accurate casts without evidence, change cover type or depth before changing lure details.

On-water verification

After the first response, ask: *Did the fish, depth, cover, and bite match the prediction?* Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME

Land promptly, wet hands, support larger fish horizontally, and never hang a heavy fish by the jaw.

Harvest decision · 2026–27

Water-specific rule	May 2, 2026–Mar 7, 2027; 14-in minimum; bass daily bag 5 combined on both lakes.
Kitchen choice	If harvested, favor a legal mid-size fish over a scarce trophy; larger adults are valuable spawners.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use

Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin's Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Largemouth Bass. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Cooking Largemouth Bass

From legal fish to boneless meal

Micropterus salmoides · kitchen guide

START WITH A LAWFUL, COLD FISH


Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?

Legal floor	May 2, 2026–Mar 7, 2027; 14-in minimum; bass daily bag 5 combined on both lakes.
Preferred table fish	A legal lower- to mid-size fish; release large adults.
Why	Smaller legal bass portions are milder and large fish contribute disproportionately to spawning and can carry more mercury.


Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.

Clean without contaminating the flesh



Pause at the plate · what must be true?	
Before the opening	Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.
After the opening	Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.
If not	Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.

1. **Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
2. **Scale or skin.** For skinless fillets, do not scale. Fillet first, lay skin down, and slide the blade between skin and flesh. Trim the dark lateral strip and belly fat.
3. **Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
4. **Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish
Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.


Species-specific first cuts

Cut behind the gill plate around the shoulder, turn at backbone, and run to tail. Lift the fillet and sweep over broad ribs; avoid opening the gut cavity with the knife tip.

Cut checkpoint

Before turning the blade, ask: *Can I feel the backbone under the edge, and is the edge pointing away from my off hand?* After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



Left: ribs and short forward pin-bone row. Right: keep the blade nearly flat while fingertips locate the remaining pins.

1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Locate pins by brushing head-to-tail and back. Pull firm bones or V-cut the centerline ahead of the point where pins disappear.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.

Diagnose before coating

Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map

Remove skin, rib membrane, belly fat, and dark lateral tissue. These trims reduce stronger flavor and some fat-associated contaminants, but do not remove mercury.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Cut thick shoulder and thin tail into separate portions. A brief milk soak changes flavor but does not make unsafe fish safe.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods

Black-pepper skillet bass

Sear dry, lightly oiled portions; lower heat after browning and finish to 145 °F without repeatedly turning.



Tomato-herb baked bass

Bake equal-thickness portions under a thin tomato-herb layer; verify 145 °F in the shoulder.

Measure, correct, prove


- 1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.
- 2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
- 3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof

Serve only when four answers are yes: **lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F?** Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Statewide inland baseline for bass: women under 50 and children under 15, up to one serving/month; women 50+ and men, up to one/week. Lake-specific advice and length can be stricter.



THE QUERY BEATS THE PRINTED SHEET

Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR’s Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Recognize it


Bronze bass with vertical side bars; closed jaw does not extend beyond rear of eye.

Body	Elongate; dorsal sections connected with a shallow notch.
Mouth/fins	Large mouth smaller than largemouth's; tongue may have tooth patch.
Confusion	Largemouth is greener, has a strong horizontal band, and jaw extends past eye.

Lake role


Where it belongs
Rock, gravel, points, breaks, and crayfish-rich transitions.
Food and season
Crayfish and fish; shifts from warming shallows to deeper hard edges and fall prey routes.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




1. **Silhouette first.** Close the mouth and verify that the jaw ends near the eye rather than beyond it.
2. **Hard structure second.** Confirm the shallow connection between spiny and soft dorsal sections.
3. **Markings last.** Use vertical bars and bronze tone only after jaw and dorsal checks.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Smallmouth Bass
Nearest alternative	Largemouth is greener, has a strong horizontal band, and jaw extends past eye.
Required gate	Name smallmouth only when jaw reach stops near the eye and the dorsal notch remains shallow.
Independent check	A lateral photograph must show closed jaw, eye, and both dorsal sections in one plane.



Find it on these waters

Pine	Test gravel points and steep hard breaks; in clear water use long casts and natural depth control.
North	Test rocky narrows, points, and firm patches beside vegetation or current.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result
-----------	-----------------	------------	---------------------	-----------------------

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Log bottom contact and substrate; repeated fish without hard-bottom evidence should reopen the habitat hypothesis.

Presentations

1. **Tube or Ned rig.** Drag or short-hop across rock while maintaining bottom contact.
2. **Drop shot.** Hold a small bait above bottom when fish are marked but inactive.
3. **Stop rule.** Change casting angle before lure; if no hard bottom or prey evidence appears, relocate.

On-water verification

After the first response, ask: *Did the fish, depth, cover, and bite match the prediction?* Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME

Land promptly, wet hands, support large fish level, and reduce air exposure in warm water.

Harvest decision · 2026–27

Water-specific rule	May 2, 2026–Mar 7, 2027; 14-in minimum; bass daily bag 5 combined on both lakes.
Kitchen choice	If keeping one, choose a legal mid-size fish and release large adults; bass fall in predator meal advice.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use

Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin's Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Smallmouth Bass. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Cooking Smallmouth Bass

Micropterus dolomieu · kitchen guide

From legal fish to boneless meal

START WITH A LAWFUL, COLD FISH


Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?


Legal floor	May 2, 2026–Mar 7, 2027; 14-in minimum; bass daily bag 5 combined on both lakes.
Preferred table fish	A legal lower- to mid-size fish; release large adults.
Why	Mid-size portions are even and large bass are valuable spawners; predators accumulate mercury.

Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.




Pause at the plate · what must be true?	
Before the opening	Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.
After the opening	Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.
If not	Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.

1. **Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
2. **Scale or skin.** For skinless fillets, leave scales on during cutting, then slide a shallow blade between skin and meat. Trim dark lateral tissue and belly fat.
3. **Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
4. **Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish
Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.

Species-specific first cuts

Follow the collar around the shoulder, turn at the backbone, and run to tail. Lift and sweep over ribs rather than cutting through them; separate thick shoulder from tail.



Cut checkpoint

Before turning the blade, ask: *Can I feel the backbone under the edge, and is the edge pointing away from my off hand?* After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Brush the centerline both directions. Pull pins in the angle they enter or V-cut the front center; leave as much clean shoulder as possible.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.

Diagnose before coating		
Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map
Remove rib membrane, belly fat, skin, and dark lateral meat. Trimming does not remove mercury from muscle.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Portion the shoulder and tail separately. Pat dry and season simply; do not soak at room temperature.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



Herb skillet smallmouth
Sear dry portions, turn once, and baste briefly with herb butter; finish to 145 °F.

Foil-steamed bass
Seal portions with sliced vegetables and lemon, bake, then open carefully away from steam; verify 145 °F.

Measure, correct, prove

1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.
2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof
Serve only when four answers are yes: lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F? Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Statewide inland bass baseline: women under 50 and children under 15, up to one serving/month; women 50+ and men, up to one/week. Check lake and length.

1 serving

adult: about the palm of the hand
child: about the child's palm

count all fish meals from all sources

THE QUERY BEATS THE PRINTED SHEET
Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR's Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Walleye

Sander vitreus

Low light, bottom transitions, and controlled depth

Recognize it


Olive-gold fish with cloudy reflective eye, canine teeth, and white tip on lower tail lobe.

Body	Elongate; separate spiny and soft dorsal fins; dark saddle markings.
Mouth/fins	Large toothed mouth; sharp rear edge on gill cover.
Confusion	Sauger has spots on dorsal fin and no strong white lower-tail tip.

Lake role


Where it belongs
Hard/soft transitions, points, weed edges, basin prey, and low-light shallows.
Food and season
Fish predator; moves with light, temperature, current, and forage.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- 1. **Silhouette first.** Confirm the elongate body, two separate dorsal fins, and large canine-toothed mouth.
- 2. **Hard structure second.** Inspect the lower tail lobe for a strong white tip and the first dorsal for unspotted membrane.
- 3. **Markings last.** Use the reflective eye and saddles as support, not as the sole decision.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Walleye
Nearest alternative	Sauger has spots on dorsal fin and no strong white lower-tail tip.
Required gate	Walleye requires the white lower-tail tip plus an unspotted first dorsal; otherwise reopen sauger.
Independent check	Photograph tail and erected first dorsal in the same grayscale frame without extending air exposure.



Find it on these waters

Pine	Search deep hard breaks and outside weedline by day; test shallower windward edges in low light.
North	Test narrows/current, weed-to-hard-bottom edges, and evening flats beside depth.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result
-----------	-----------------	------------	---------------------	-----------------------

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Record light, depth, and bottom transition; one low-light catch does not establish a route.

Presentations

1. **Jig and minnow/plastic.** Use the lightest head that keeps bottom contact without plowing.
2. **Slip rig or float.** Slow live bait along a marked contour or suspend it just above fish.
3. **Stop rule.** No bottom transition, prey, or marks after a controlled pass means move; do not troll memories.

On-water verification
After the first response, ask: <i>Did the fish, depth, cover, and bite match the prediction?</i> Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME
Wet hands, avoid gill cover and dorsal spines, use pliers, and support the fish level.

Harvest decision · 2026–27

Water-specific rule	May 2, 2026–Mar 7, 2027; 18-in minimum; daily bag 3 on both lakes.
Kitchen choice	Choose a legal lower-end fish rather than a large adult; check length-based consumption advice.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use
Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin’s Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Walleye. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

START WITH A LAWFUL, COLD FISH


Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?


Legal floor	May 2, 2026–Mar 7, 2027; 18-in minimum; daily bag 3 on both lakes.
Preferred table fish	A legal fish near the lower end; release large females.
Why	Lower-end legal fish portion cleanly; larger older predators are important spawners and tend to carry more mercury.

Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.



Pause at the plate · what must be true?

Before the opening

Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.

After the opening

Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.

If not

Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.

1. **Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
2. **Scale or skin.** For skin-on portions, scale tail-to-head while controlling the spiny dorsal. For classic skinless fillets, leave scales and remove the skin after filleting.
3. **Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
4. **Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.


Parasites and raw fish

Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.

Species-specific first cuts

Cut tight behind gill plate to backbone, turn toward tail, and follow the frame. Lift and sweep over ribs. Remove cheeks only from a lawfully retained fish with a shallow cut behind the eye.


Walleye fillet sequence



Cut checkpoint

Before turning the blade, ask: *Can I feel the backbone under the edge, and is the edge pointing away from my off hand?* After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Pull the firm pin bones in their forward angle or V-cut the front-center line. Inspect the shoulder and any cheek pieces independently.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.


Diagnose before coating		
Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map
Remove rib membrane, belly fat, and dark lateral tissue. Trimmed fat can reduce some fat-soluble contaminants but not mercury.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Separate thick shoulder from tail; pat dry. Reserve equal portions for the same pan so none overcook.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



Classic shallow-fried walleye
Apply a thin dry coating; fry in clean oil, turn once, and verify 145 °F in the thickest shoulder.

Mustard-roasted walleye
Brush with mustard and fine crumbs, roast on a preheated sheet, and remove when the center reaches 145 °F.


Measure, correct, prove

- 1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.
- 2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
- 3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof
Serve only when four answers are yes: lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F? Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Statewide inland walleye baseline: women under 50 and children under 15, up to one serving/month; women 50+ and men, up to one/week. Length-specific or lake advice may be stricter.



THE QUERY BEATS THE PRINTED SHEET
Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR's Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Recognize it


Long green predator with pale oval spots on a darker body and rounded tail lobes.

Body	Cheek fully scaled, lower half of gill cover unscaled; five jaw pores per side.
Mouth/fins	Duckbill snout with backward teeth; dorsal and anal fins far back.
Confusion	Musky usually has dark marks on light body, pointed tail, and six to nine jaw pores.

Lake role


Where it belongs
Weed edges, points, current seams, and cooler deep structure in summer.
Food and season
Fish predator; early shallow vegetation, then follows prey and tolerable temperature.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- Silhouette first.** Inspect the tail for rounded lobes and the long duckbill profile.
- Hard structure second.** Confirm five jaw pores per side and a fully scaled cheek with the lower gill cover partly bare.
- Markings last.** Use pale oval spots on a dark field only after the structural checks.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Northern Pike
Nearest alternative	Musky usually has dark marks on light body, pointed tail, and six to nine jaw pores.
Required gate	Pike requires rounded tail lobes plus five pores or the pike cheek/gill-cover scale pattern.
Independent check	Photograph the tail and underside while the fish remains supported; do not probe gills or teeth.



Find it on these waters

Pine	Test spring vegetation and later the deep, cool outside weed edge rather than hot shallows.
North	Test weed walls, narrows, and inlet/outlet current with open water beside cover.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Record weed edge, temperature, and landing time; warm-water captures change the handling decision.

Presentations

- 1. **Spoon or swimbait.** Run parallel to the edge; add pauses while retaining contact above vegetation.
- 2. **Quick-strike live bait.** Where lawful, use a leader and immediate-set two-hook rig to prevent deep hooking.
- 3. **Stop rule.** If water is very warm or the fish cannot be landed promptly, target another species.

On-water verification
After the first response, ask: <i>Did the fish, depth, cover, and bite match the prediction?</i> Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME
Use leader, net, long pliers, and cutters. Keep fingers out of mouth and gills; support fish horizontally.

Harvest decision · 2026–27

Water-specific rule	May 2, 2026–Mar 7, 2027; 26-in minimum; daily bag 2 on both lakes.
Kitchen choice	A legal lower-end fish is preferable to a large breeder; use the five-piece Y-bone method.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use
Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin’s Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Northern Pike. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

START WITH A LAWFUL, COLD FISH


Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?


Legal floor	May 2, 2026–Mar 7, 2027; 26-in minimum; daily bag 2 on both lakes.
Preferred table fish	A legal fish near the lower end of the available range; release large females.
Why	Mid-size flesh portions well; large predators are valuable breeders and generally accumulate more mercury.

Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.



Pause at the plate · what must be true?	
Before the opening	Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.
After the opening	Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.
If not	Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.

- Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
- Scale or skin.** Do not scale. Rinse slime cold, wipe the board, cut the fillets, then remove tough skin with a shallow blade held nearly flat.
- Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
- Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish
Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.


Species-specific first cuts

Take both side fillets without cutting through ribs, then sweep ribs away. Separate the boneless tail behind the dorsal-fin region before tracing the Y-bone row in the upper front loin.

Cut checkpoint

Before turning the blade, ask: *Can I feel the backbone under the edge, and is the edge pointing away from my off hand?* After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



Cut above and below Y-bone row

Keep loins and boneless tail

1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Feel the Y tips. Slice lengthwise immediately above them, then below them, lifting two boneless loins and leaving a narrow bony strip. Do not expect pliers to pull the forked bones intact.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.

Diagnose before coating

Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map

Five-piece result: two upper loins, two lower loins, one tail section, plus discarded Y-bone strips. Remove skin, belly lining, and dark lateral tissue.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Keep the five pieces separate and match thickness. Brine lightly for frying or cut boneless loin into equal poaching portions.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods

Crisp pike pieces



Shallow-fry; turn once

Poach below a boil; probe the thickest piece

Coat dry boneless pieces lightly and shallow-fry, turning once; check the thickest piece for 145 °F.

Gentle poached pike
Poach equal loin pieces below a boil in seasoned liquid until opaque and 145 °F; serve immediately or chill rapidly.


Measure, correct, prove

1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.
2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof
Serve only when four answers are yes: lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F? Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Statewide inland pike baseline: women under 50 and children under 15, up to one serving/month; women 50+ and men, up to one/week. Check water and length in the current query.



THE QUERY BEATS THE PRINTED SHEET
Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR’s Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Candidate module Panfish

The current DNR lake record supports the broad panfish group but does not name these five species individually. Use these sheets for identification only after a catch or current survey confirms the species; do not read inclusion as a presence or abundance claim.

Recognize it


Deep sunfish with a dark flexible ear flap and a blue-black cheek edge.

Body	Compressed oval body; faint bars; breeding males darken at breast.
Mouth/fins	Small mouth; long pointed pectoral fin; continuous spiny dorsal.
Confusion	Pumpkinseed has orange/red on the ear flap and wavy cheek lines.

Lake role


Where it belongs
Vegetation, docks, wood, and firm-bottom nesting colonies.
Food and season
Aquatic insects and small prey; shallow in warm spawning periods, edge-oriented later.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- Silhouette first.** Confirm the deep oval body, small mouth, and long pointed pectoral fin.
- Hard structure second.** Inspect the flexible ear flap and the joined spiny-to-soft dorsal fin.
- Markings last.** Use the plain dark flap and faint bars; breeding darkness alone is not diagnostic.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Bluegill
Nearest alternative	Pumpkinseed has orange/red on the ear flap and wavy cheek lines.
Required gate	A bluegill must lack the pumpkinseed’s orange/red flap margin and show the longer pointed pectoral.
Independent check	Fold the pectoral forward without damage; its pointed tip and plain dark flap must agree.



Find it on these waters

Pine	Test inside weed pockets early, then deep outside weedline and suspended insect layers.
North	Test protected weed bays, docks where access is lawful, and the outside coontail edge.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result
-----------	-----------------	------------	---------------------	-----------------------

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Record nest guarding separately from feeding fish; nest catches bias size and sex observations.

Presentations

- 1. **Float and tiny jig.** Use a small hook or jig with worm segment; set depth so bait stays above weed tops.
- 2. **Vertical micro-jig.** Drop beside deep weeds and watch line for lift bites.
- 3. **Stop rule.** Downsize only after fish are seen; move when small fish dominate and the goal is a modest meal of adults.

On-water verification
After the first response, ask: <i>Did the fish, depth, cover, and bite match the prediction?</i> Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME
Wet hands, cradle the body, and fold the dorsal spines flat from front to back.

Harvest decision · 2026–27

Water-specific rule	Open all year; no minimum; panfish daily bag 25 on both lakes as listed 2026-07-26.
Kitchen choice	Keep a modest number of mid-size adults; release exceptional males and stop at the meal plan.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use
Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin’s Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Bluegill. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Cooking Bluegill

From legal fish to boneless meal

Lepomis macrochirus · kitchen guide



START WITH A LAWFUL, COLD FISH

Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?


Legal floor	Open all year; no minimum; panfish daily bag 25 on Pine and North (2026–27 pages).
Preferred table fish	Thick mid-size adults, commonly 7–9 in; release exceptional nest fish.
Why	Small fish yield little; large males protect nests and sustain size structure.
Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.	

Dispatch and field care



Left: destroy the brain just above and behind the eye. **Right:** bag, ice, and keep meltwater draining.

1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.



Left: pin behind the head and scale tail-to-head. **Right:** lift the belly wall and keep the knife tip shallow.


Pause at the plate · what must be true?	
Before the opening	Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.
After the opening	Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.
If not	Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.

- Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
- Scale or skin.** Bluegill skin crisps well. Clip hazardous fin tips if needed, scale tail-to-head outdoors or in a deep sink, then rinse scales away. Skinless fillets may be cut first and skinned flat.
- Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
- Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish
Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.

Species-specific first cuts

Angle behind the pectoral fin to capture shoulder meat, stop at backbone, turn toward tail, then lift and sweep over ribs. On small fish, leave the fillet attached at tail as a skinning handle.




Collar cut to the backbone; turn and ride the frame to the tail; leave a tail hinge and skin with the blade nearly flat.

Cut checkpoint

Before turning the blade, ask: *Can I feel the backbone under the edge, and is the edge pointing away from my off hand?* After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



Ribs occupy the forward belly; the short shoulder pin-bone line ends well before the tail. The narrow dotted V shows the optional trim.

1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Feel the short centerline at the shoulder. Pull larger pins or remove a very narrow V; inspect because small bones hide in the thickest bite.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.


Diagnose before coating		
Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map
Remove rib membrane and any green gall contamination generously. Scaled, gutted small fish can also be cooked whole after fins and gills are removed.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Score the skin lightly to prevent curl; dry thoroughly. For whole fish, make shallow cross-slashes to equalize thickness.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



Press skin-on fillets briefly for full contact. For whole fish, probe the thick flesh behind the head without touching bone.

Crisp skin-on panfish Start skin-side down in a lightly oiled skillet; press briefly, then release. Turn once and finish to 145 °F.
Oven-roasted whole bluegill Season the cleaned cavity, roast on a rack, and check behind the head for 145 °F; lift meat away from the intact skeleton.

Measure, correct, prove


1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.
2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof

Serve only when four answers are yes: **lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F?** Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Statewide inland baseline: women under 50 and children under 15, up to one panfish serving per week; women 50 and over and men, unrestricted panfish servings. Check the lake query.



THE QUERY BEATS THE PRINTED SHEET

Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR’s Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Recognize it


Deep colorful sunfish with turquoise cheek lines and orange/red mark on the ear flap.

Body	Mottled olive sides; orange belly; short rounded pectoral fin.
Mouth/fins	Small mouth; stiff spiny dorsal joined to soft portion.
Confusion	Bluegill lacks the bright ear-flap margin and has a longer pointed pectoral fin.

Lake role


Where it belongs
Vegetated shallows, snails and insect-rich edges, firm spawning pockets.
Food and season
Invertebrates, especially snails and insects; shallow during warm spawning period.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- 1. **Silhouette first.** Confirm a deep body, small mouth, and shorter rounded pectoral fin.
- 2. **Hard structure second.** Inspect the ear flap for a distinct orange/red rear margin.
- 3. **Markings last.** Use wavy cheek lines as the second marking; brightness varies with season and light.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Pumpkinseed
Nearest alternative	Bluegill lacks the bright ear-flap margin and has a longer pointed pectoral fin.
Required gate	Pumpkinseed requires the colored flap margin plus short rounded pectoral or wavy cheek lines.
Independent check	Compare flap and pectoral on the same lateral view; never identify from overall color alone.



Find it on these waters

Pine	Test protected weed pockets and gravel/sand openings, then the first green outside edge.
North	Test shallow vegetation and firm pockets in protected bays.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result
-----------	-----------------	------------	---------------------	-----------------------

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Separate mixed sunfish in the log; an unidentified *Lepomis* does not confirm either species.

Presentations

1. **Tiny float rig.** Present a worm segment or insect imitation near weed openings without burying it.
2. **Micro-jig.** Pitch a compact jig to visible pockets and pause near bottom.
3. **Stop rule.** Move when only very small fish respond; do not strip a nesting colony for a meal.

On-water verification
After the first response, ask: <i>Did the fish, depth, cover, and bite match the prediction?</i> Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME
Fold the dorsal spines back, wet hands, and support the body rather than squeezing.

Harvest decision · 2026–27

Water-specific rule	Open all year; no minimum; panfish daily bag 25 on both lakes as listed 2026-07-26.
Kitchen choice	Use a modest number of thicker mid-size fish; release exceptional adults and active nest guards.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use
Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin’s Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Pumpkinseed. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Cooking Pumpkinseed

From legal fish to boneless meal

Lepomis gibbosus · kitchen guide

START WITH A LAWFUL, COLD FISH


Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40°F; wash hands, knife, and board after contact with viscera.

Keep or release?

Legal floor	Open all year; no minimum; panfish daily bag 25 on Pine and North (2026–27 pages).
Preferred table fish	Thick mid-size adults; release exceptional fish and nest guards.
Why	Small fish yield little; selective modest harvest protects local size structure.


Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.

Clean without contaminating the flesh



Main: lift the belly wall and open shallowly from vent toward throat. Inset: scale tail-to-head before whole or skin-on cooking.

1. **Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
2. **Scale or skin.** Scale tail-to-head if cooking whole or skin-on, paying attention behind fins and gill cover. For skinless fillets, leave scales on and remove the skin after cutting.
3. **Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
4. **Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.


Parasites and raw fish

Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145°F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.

Species-specific first cuts

Angle the collar cut forward to save shoulder meat, stop at spine, turn to tail, and lift the fillet over the short ribs. Small fish may be gutted and cooked whole instead.

Bone map and deboning



Keep the blade against the frame while lifting the fillet. Inset: feel for the short center pin line; remove it with a narrow V.


1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Remove the short center pin line with a narrow V. For whole cooked fish, lift the top fillet from the skeleton, then remove the frame and lift the second side.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.

Trim map
Remove gills and kidney line from whole fish. Fold or clip fin spines so they cannot puncture hands or packaging.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- For whole fish, slash the thick shoulder twice without reaching bone. For fillets, pair similar thickness and pat dry.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



Left: skillet-cook the scaled whole fish. Right: crumb-bake matched fillets. Verify 145°F in the thickest flesh.

Whole skillet pumpkinseed

Cook scaled, gutted fish in a thin oil layer, turning once; verify 145 °F behind the head, then lift meat from bones at table.

Crumb-baked fillets

Brush dry fillets lightly with oil, add fine crumbs, and bake on a hot sheet to 145 °F.

Prove the meal is ready

Gate	Evidence to record	If it fails
Cold and clean	Fish stayed at or below 40 °F; viscera came out intact; board and knife were cleaned before cooked food returned.	Discard contaminated flesh; clean and restart.
Bone free	Fingertip sweep in both directions; split the thickest finished piece and inspect under bright light.	Return the portion to the board and re-trim; do not hide uncertainty under coating.
Even portions	Thickest and thinnest pieces measured: _____ and _____ in.	Separate batches or adjust timing; do not average them.
Safe heat	Lowest stable reading in the geometric center: _____ °F; target at least 145 °F.	Continue cooking and measure again in a new probe track.


Questions before serving

Where is the thickest portion, and why is the probe there? What observation would reveal a hidden pin bone? If one thin piece finished early, what control keeps it from drying while the thick piece reaches temperature? Which time, temperature, and advisory facts belong in the meal record?

Final proof. Write one sentence each for the claim (“ready to serve”), the direct evidence, and why that evidence supports the claim. Record refrigeration time for leftovers: _____.

Current safe-eating advice · checked 2026-07-26

Statewide inland baseline: women under 50 and children under 15, up to one panfish serving/week; women 50+ and men, unrestricted panfish servings. Check the lake query.



THE QUERY BEATS THE PRINTED SHEET

Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR’s Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Pumpkinseed. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Recognize it


Deep, compressed silver-olive panfish with irregular dark speckles scattered across the sides.

Body	Seven or eight dorsal spines; mottling has no orderly vertical bars.
Mouth/fins	Large upturned mouth; dorsal and anal fins are nearly equal in outline.
Confusion	White crappie usually shows vertical bars and five or six dorsal spines.

Lake role


Where it belongs
Clear-water weeds, wood, basin edges, and suspended schools near prey.
Food and season
Insects and small fish; shallow near spawning cover, then edge or suspend.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- Silhouette first.** Confirm a deep, compressed body and compare the nearly mirrored dorsal and anal outlines.
- Hard structure second.** Count seven or eight dorsal spines; do not infer the count from mottling.
- Markings last.** Look for scattered, irregular speckles rather than ordered vertical bars.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Black Crappie
Nearest alternative	White crappie usually shows vertical bars and five or six dorsal spines.
Required gate	Call black crappie only when the irregular spotting and seven/eight-spine dorsal agree.
Independent check	Check the large upturned mouth and near-equal dorsal/anal profiles in a lateral photograph.



Find it on these waters

Pine	Test protected new weeds in spring; later scan outside weed edges and open-water prey.
North	Test wood, weed pockets, and the first break near protected spawning water.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result
-----------	-----------------	------------	---------------------	-----------------------

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. A repeat catch at the same suspended depth supports a school; a lone fish does not.

Presentations

1. **Slip float.** Hang a small jig or live bait just above marked fish; adjust depth before changing color.
2. **Slow vertical jig.** Use a light plastic or hair jig and pause; keep it above the school.
3. **Stop rule.** If no marks, bites, or bait appear in ten minutes, move and search rather than decorating empty water.

On-water verification
After the first response, ask: <i>Did the fish, depth, cover, and bite match the prediction?</i> Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME
Use wet hands and a small rubber net. Support the body; do not lift a large fish by the lip alone.

Harvest decision · 2026–27

Water-specific rule	Open all year; no minimum; panfish daily bag 25 on both lakes as listed 2026-07-26.
Kitchen choice	Prefer abundant hand-size fish; release unusually large adults if a meal is already secured.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use
Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin’s Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Black Crappie. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Cooking Black Crappie

Pomoxis nigromaculatus · kitchen guide

From legal fish to boneless meal

START WITH A LAWFUL, COLD FISH


Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?

Legal floor	Open all year; no minimum; panfish daily bag 25 on Pine and North (2026–27 pages).
Preferred table fish	Thick hand-size adults, roughly 9–12 in where abundant.
Why	Enough shoulder meat for a clean fillet; very large crappie are valuable spawners.


Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.

Clean without contaminating the flesh




Left: scale tail to head, controlling the dorsal spines. **Right:** lift the belly wall and open shallowly from vent toward throat; keep the point above the viscera.

1. **Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
2. **Scale or skin.** For crisp skin, scale from tail toward head before opening. For skinless portions, leave scales on during filleting so the skin grips the board, then skin the fillet.
3. **Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
4. **Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish

Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.


Species-specific first cuts



- 1** Cut tight behind the operculum to the backbone. **2** Turn the flexible blade flat and follow the frame to the tail. **3** Lift the fillet and sweep shallowly over the compact ribs.

Cut behind the gill plate to the backbone. Turn the blade flat and follow the spine to the tail without sawing through it. Lift the fillet, then sweep over the rib cage. Repeat.

Bone map and deboning



Main view: compact front rib cage and short center pin-bone line. **Inset:** remove a narrow V-strip on small fillets; the clean tail begins after the pin line.

1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Pin bones lie along the front-center line. Pull individually toward the head or remove a narrow V-strip; on small fillets the V-strip is safer.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.

Trim map
Trim the rib membrane and dark bloodline. The spiny dorsal is outside the fillet path; keep the non-knife hand behind it.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- For even cooking, pair two small fillets or cut larger shoulders into equal pieces. Season just before heat.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



Left: shallow-fry a thin coating in a film of oil and turn once. **Right:** pair similar fillets in parchment so the delicate tails and thicker shoulders finish together.

Shallow-fried cornmeal fillets
Dust dry fillets lightly; fry in a shallow film of oil until opaque and crisp, turning once. Verify 145 °F at the thickest paired portion.
Parchment-baked crappie
Fold fillets with lemon, pepper, and a small pat of butter; bake until the thickest flake separates and reaches 145 °F.

Prove the meal is ready

Gate	Evidence to record	If it fails
Cold and clean	Fish stayed at or below 40 °F; viscera came out intact; board and knife were cleaned before cooked food returned.	Discard contaminated flesh; clean and restart.
Bone free	Fingertip sweep in both directions; split the thickest finished piece and inspect under bright light.	Return the portion to the board and re-trim; do not hide uncertainty under coating.
Even portions	Thickest and thinnest pieces measured: _____ and _____ in.	Separate batches or adjust timing; do not average them.
Safe heat	Lowest stable reading in the geometric center: _____ °F; target at least 145 °F.	Continue cooking and measure again in a new probe track.


Questions before serving

Where is the thickest portion, and why is the probe there? What observation would reveal a hidden pin bone? If one thin piece finished early, what control keeps it from drying while the thick piece reaches temperature? Which time, temperature, and advisory facts belong in the meal record?

Final proof. Write one sentence each for the claim (“ready to serve”), the direct evidence, and why that evidence supports the claim. Record refrigeration time for leftovers: _____.

Current safe-eating advice · checked 2026-07-27

Statewide inland baseline: women under 50 and children under 15, up to one panfish serving per week; women 50 and over and men, unrestricted panfish servings. The lake-specific query can be stricter.



THE QUERY BEATS THE PRINTED SHEET

Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR’s Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-27.

Telos. Lake Country Fishing · ChatGPT — Cooking Black Crappie. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Recognize it


Golden fish with six to nine dark vertical bars and orange lower fins.

Body	Elongate panfish shape; two separate dorsal fins, first strongly spined.
Mouth/fins	Small toothed mouth; sharp gill-cover edge.
Confusion	Juvenile walleye is less golden, lacks orange lower fins, and has white tail tip.

Lake role


Where it belongs
Weeds, sand/gravel, flats beside depth, and winter basin edges.
Food and season
Insects, crayfish, and small fish; schools follow bottom prey and spawning routes.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- Silhouette first.** Confirm the elongate panfish body and two fully separate dorsal fins.
- Hard structure second.** Check six to nine vertical bars and the absence of a walleye-style white lower-tail tip.
- Markings last.** Treat orange lower fins as supporting evidence because grayscale and age can obscure them.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Yellow Perch
Nearest alternative	Juvenile walleye is less golden, lacks orange lower fins, and has white tail tip.
Required gate	Yellow perch requires separate dorsals plus barred sides and no strong white lower-tail tip.
Independent check	Compare tail tip, dorsal separation, and mouth size in one clean lateral photograph.



Find it on these waters

Pine	Test deep weed edge and firm flats; use electronics to avoid fishing beneath suspended schools.
North	Test weed-to-sand transitions, narrows, and basin-adjacent flats.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result
-----------	-----------------	------------	---------------------	-----------------------

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Two fish at the same depth suggest a school; log the depth before making another drop.

Presentations

1. **Small jig.** Tip with worm or small plastic; maintain bottom contact with short lifts.
2. **Spread search.** Use a float or slow drift until a school is found, then tighten the area.
3. **Stop rule.** One fish may be chance; two at the same depth is a pattern. If the school leaves, search again.

On-water verification

After the first response, ask: *Did the fish, depth, cover, and bite match the prediction?* Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME

Fold the first dorsal back carefully and avoid the sharp gill-cover edge.

Harvest decision · 2026–27

Water-specific rule	Open all year; no minimum; panfish daily bag 25 on both lakes as listed 2026-07-26.
Kitchen choice	Prefer thick mid-size perch; release unusually large females and stop when the meal is complete.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use

Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin's Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Yellow Perch. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Cooking Yellow Perch

From legal fish to boneless meal

Perca flavescens · kitchen guide


START WITH A LAWFUL, COLD FISH

Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.


Keep or release?

Legal floor	Open all year; no minimum; panfish daily bag 25 on Pine and North (2026–27 pages).
Preferred table fish	Thick mid-size perch that yield useful portions; release unusually large females.
Why	Good yield without selecting the largest females; a modest school harvest makes one meal.
Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.	

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.



Pin the spiny dorsal · scale tail to head · open shallowly · remove viscera intact · scrape the kidney line

Pause at the plate · what must be true?	
Before the opening	Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.
After the opening	Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.
If not	Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.

1. **Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
2. **Scale or skin.** Scale if cooking whole or skin-on. For skinless fillets, leave scales for grip, cut the fillet, then slide it off the skin. Control the first dorsal with the off hand behind the spines.
3. **Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
4. **Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish
Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.


Species-specific first cuts

Make a collar cut behind the pectoral fin, turn along backbone, and sweep over the compact ribs. On small fish, leave the tail attachment as a skinning handle.

Cut checkpoint

Before turning the blade, ask: *Can I feel the backbone under the edge, and is the edge pointing away from my off hand?* After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



Collar cut · ride the backbone · sweep beneath compact ribs · pull pins headward or trim a narrow V

1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. On larger fillets, pull pins toward the head. On smaller ones, remove a narrow V-strip; run fingers across every portion before coating.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.


Diagnose before coating		
Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map
Remove rib membrane and dark kidney line. Scaled whole perch should have gills and viscera removed before cooking.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Pair similar fillets and dry well. Keep small portions cold until the cooking surface is ready.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



Dry and coat lightly · shallow-fry uncrowded · slash the shoulder · verify the thickest flesh

Lightly breaded perch
Use a thin coating, shallow-fry without crowding, turn once, and confirm 145°F in a paired thick portion.
Whole roasted perch
Slash the thick shoulder, season the cavity, roast on a rack to 145°F, then lift meat cleanly from the frame.

Measure, correct, prove


1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.
2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof

Serve only when four answers are yes: **lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F?** Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Statewide inland baseline: women under 50 and children under 15, up to one panfish serving/week; women 50+ and men, unrestricted panfish servings. Check the lake query.



THE QUERY BEATS THE PRINTED SHEET

Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR’s Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

Recognize it


Stocky olive sunfish with red eye and rows of dark side spots.

Body	More elongate than bluegill; five to seven anal spines.
Mouth/fins	Mouth reaches beneath eye; continuous dorsal with strong spines.
Confusion	Warmouth has three anal spines and radiating dark cheek lines.

Lake role


Where it belongs
Rock, wood, docks, shade, and firm transitions.
Food and season
Crayfish, insects, and small fish; often close to bottom or hard cover.

Identification plate



Original graphite portrait for this ChatGPT edition. Morphology reviewed against Wisconsin DNR species references.

Read the fish before naming it




- 1. **Silhouette first.** Confirm the stocky but more elongate sunfish body and mouth reaching beneath the eye.
- 2. **Hard structure second.** Count five to seven anal spines with fins controlled safely.
- 3. **Markings last.** Use red eye and rows of side spots only after the spine count.

Intermediate questions

Before looking at the species name, answer aloud: *Where does the closed jaw end? Are dorsal sections joined or separate? What is the tail-lobe shape? Which mark is structural enough to survive poor light?* If two answers conflict, record “unresolved” and do not force the identification.

Confusion-pair gate

Candidate	Rock Bass
Nearest alternative	Warmouth has three anal spines and radiating dark cheek lines.
Required gate	Rock bass requires more than eye color: five-to-seven anal spines and the long mouth must agree.
Independent check	A ventrolateral fin photograph should preserve the anal-spine count and mouth-to-eye alignment.



Find it on these waters

Pine	Test rocky points, hard-bottom breaks, and shade where accessible.
North	Test wood, riprap, narrows, and firm spots beside weeds.
Evidence	The DNR lake records sometimes name only a broad group such as panfish. In that case this species is a candidate member, not verified individual presence. Confirm presence before targeting; treat locations as testable habitat hypotheses, not abundance findings.

Field evidence log

Date/time	Water + station	Depth/temp	Two observed traits	Habitat, lure, result

Evidence threshold. One sighting is an observation, not an abundance claim. Repeat the same identification gate on another fish, retain a clear lateral photograph when lawful and safe, and note failed searches as carefully as catches. Repeated catches on the same hard cover support a station; red eye alone never closes identification.

Presentations

1. **Small jig.** Hop a compact plastic or hair jig through rock; pause in gaps.
2. **Live-bait float.** Suspend worm or small minnow beside cover, not inside the snag.
3. **Stop rule.** If only tiny fish bite, move to the next deeper hard edge.

On-water verification
After the first response, ask: <i>Did the fish, depth, cover, and bite match the prediction?</i> Repeat once. If the second result disagrees, return to search mode rather than explaining away the evidence.

HANDLING DECIDES THE OUTCOME
Beware dorsal and anal spines; wet hands and cradle the fish.

Harvest decision · 2026–27

Water-specific rule	Open all year; no minimum; rock/yellow/white bass daily bag unlimited on both lake pages.
Kitchen choice	Keep thicker mid-size fish that yield usable fillets; stop at the planned meal despite no daily limit.
Before the trip	Open the Wisconsin DNR water-specific regulation page for WBIC 779200 (Pine) or 850800 (North). Check the exact water, species, and date; the live rule controls if this dated sheet differs.

Keep only a fish you can use
Decide before the cast. Bring ice, stop fishing when the planned meal is secured, and use the species-specific cooking guide for dispatch, bone layout, and safe preparation. Large old predators are valuable spawners and generally carry more mercury than smaller fish.

Sources checked 2026-07-26. Wisconsin DNR lake fish records (Pine WBIC 779200; North WBIC 850800), Wisconsin’s Fishes, Hook Your Catch, 2026–27 water-specific regulations, Catch-and-release Guidelines, and Eating Your Catch. Biological and tactical synthesis is editorial; it is not a current population survey.

Telos. Lake Country Fishing · ChatGPT — Rock Bass. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Cooking Rock Bass

From legal fish to boneless meal

Ambloplites rupestris · kitchen guide

START WITH A LAWFUL, COLD FISH


Confirm the live Wisconsin DNR rule and consumption advisory for the exact water, species, length, and date. Kill a retained fish promptly; do not let it suffocate slowly. Bleed only where lawful and practical, then place it in a draining ice slurry or on ice. Keep raw fish at or below 40 °F; wash hands, knife, and board after contact with viscera.

Keep or release?

Legal floor	Open all year; no minimum; rock/yellow/white bass daily bag unlimited on both lake pages.
Preferred table fish	Thick mid-size fish with enough shoulder for a clean fillet.
Why	No daily limit is not a harvest target; smaller fish cost time and larger adults sustain the population.

Legal is not the same as desirable. A fish may be lawful yet a poor choice because it is a large breeder, exceeds current meal advice, or cannot be chilled and used promptly.

Dispatch and field care



1. Use a decisive percussive blow to the skull immediately above and just behind the eyes. Follow with a spike or narrow knife into the brain cavity.
2. Confirm loss of rhythmic gill movement and eye reflex. If either remains, repeat immediately. Cut the gill arches only after insensibility.
3. Keep the fish shaded, clean, and cold. Do not soak flesh in warm lake water. At home, work in small batches and return finished portions to ice.



Lift the belly wall; use only the knife tip from vent toward throat.


Pause at the plate · what must be true?	
Before the opening	Fish is still at or below 40 °F; clean and waste trays are separate; the knife tip cannot reach the organs at the planned depth.
After the opening	Viscera came out intact; no green gall stain, fecal material, or abnormal odor is present; kidney tissue is gone.
If not	Stop. Isolate the affected side, wash hands and tools, and trim a generous contaminated margin. If condition or time warm is uncertain, discard rather than trying to cook safety back into the fish.

- Set up.** Flexible sharp fillet knife, cut-resistant glove on the non-knife hand, scaler or spoon if needed, pliers, clean towels, two trays.
- Scale or skin.** Scale for whole or skin-on cooking, working around the stout dorsal and anal spines. Otherwise leave scales on, fillet, and remove skin flat.
- Open shallowly.** From vent toward the throat, lift the belly wall away from organs and use the tip only. Remove viscera intact. Avoid puncturing the gall bladder; trim and rinse any contaminated tissue.
- Kidney line.** Scrape the dark tissue along the backbone and rinse briefly with clean potable water. Pat dry. Never use soap on food.

Parasites and raw fish
Freezing and pickling are not substitutes for a validated parasite-control process. Cook wild freshwater fish to an internal temperature of 145 °F, or until opaque and separating easily, unless following a qualified food-safety process. Discard abnormal-smelling or badly diseased flesh; when uncertain, do not eat it.

Species-specific first cuts


Cut behind gill plate, follow backbone to tail, then sweep across the broad rib cage. The shoulder carries most usable meat, so keep the first cut tight to the head.



Start tight behind the operculum; then ride the backbone toward the tail.

Cut checkpoint
Before turning the blade, ask: <i>Can I feel the backbone under the edge, and is the edge pointing away from my off hand?</i> After lifting the fillet, compare both sides. A ragged frame with meat still attached means the blade angle was too steep; recover that meat with short strokes instead of sawing blindly. A cut gut means stop, clean the station, and reassess the edible margin before continuing.

Bone map and deboning



Flesh side: broad front rib fan and short, firm shoulder-pin row.

1. Keep the skin side down so the blade can ride on, not through, the bones.
2. Remove the rib cage with a shallow sweep, sacrificing as little belly meat as possible. Run fingertips both directions along every cut surface.
3. Pull the few firm shoulder pins in their forward angle or remove a narrow V-strip. Recheck the thick shoulder from both directions.
4. Portion only after a final fingertip inspection under a bright light. Bones become harder to locate once batter, crumbs, or sauce is added.

Diagnose before coating		
Finding	Likely cause	Correction
Bone tips remain	Only one fingertip direction was checked, or the V/channel was too narrow.	Brush both directions under bright light; recut only the marked line.
Useful meat stays on ribs	Blade was held too upright.	Lay it nearly flat and make a second shallow sweep; never cut toward the supporting hand.
Fillet tears while skinning	Flesh or board is warm/wet, or the blade rose through the meat.	Rechill, dry the grip end, flatten the blade, and restart from a sound edge.

Trim map
Remove rib membrane and dark lateral strip. Whole-fish cooks must remove gills, viscera, and kidney line.

Prepare before heat

- Pat portions dry. Equal thickness matters more than equal weight.
- Separate thick shoulders from tails for even timing. A short salt rest firms the flesh; keep refrigerated.
- Refrigerate while the pan, oven, or grill heats. Marinate under refrigeration; discard marinade that contacted raw fish unless boiled.

Two dependable methods



Pan-roasted rock bass
Brown skin-on or skinless portions, lower heat, and finish gently to 145 °F.

Fish cakes
Cook boneless fish to 145 °F, cool, flake and inspect again, bind lightly, then brown patties; refrigerate mixture during handling.

Measure, correct, prove

1. Insert a clean instant-read probe sideways into the geometric center of the thickest portion, away from pan, rack, and bone. Read the lowest stable temperature rather than the first changing number.


- 2. If it is below 145 °F, return only underdone pieces to heat in short increments. Clean the probe, then check a new center. If thin pieces are done first, remove them rather than drying the whole batch.
- 3. Split the measured thickest piece. The center must be opaque and separate easily, with no translucent core. Run one final fingertip pass over the first serving portion before sauce or garnish hides the surface.

Final proof

Serve only when four answers are yes: **lawful fish? cold chain known? every portion bone-checked? measured center at least 145 °F?** Move leftovers to shallow containers and refrigerate within two hours. Write the successful thickness, method, time, and center temperature on this guide; that record is the starting point for the next batch, not a replacement for measuring it.

Current safe-eating advice · checked 2026-07-26

Wisconsin treats rock bass with panfish for statewide inland advice: under-50 women and children under 15, up to one/week; women 50+ and men, unrestricted. Check lake-specific advice.




THE QUERY BEATS THE PRINTED SHEET

Wisconsin has a statewide inland baseline and water-specific exceptions. Before eating, use DNR's Fish Consumption Advisory Query for Pine Lake (WBIC 779200) or North Lake (WBIC 850800), and match species and length. People who are pregnant, may become pregnant, are breastfeeding, and children need the more protective category. When advice changes, follow the current query.

III Rigs


Build and fish the presentation as a system. Hook choice, leader, weight, depth, and stop rule matter more than a lure name.

Job. Suspends bait at a measured depth while remaining castable.



Components and build order

Thread stop, bead and float; add only enough weight to stand the float; tie a small hook. Set the stop to the target depth and test beside the boat.



Before tying

Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Sound actual depth, mark the stop setting, then move it in 1 ft steps while holding weight, hook, and bait constant.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

Cast beyond the target, reel into position, and watch for lift, travel or submergence. Reel tight before a smooth hook-set.

- Pine Lake** Probe the outside vegetation edge and island saddle.
- North Lake** Cover panfish water on the north flat and lobe rims.
- Adjustment** Sound actual depth, mark the stop setting, then move it in 1 ft steps while holding weight, hook, and bait constant.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule
Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.

CONTROL THE HOOKS, FISH AND LAW

Keep loose hooks secured; a float is not a substitute for watching the line. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Slip bobber. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Split-shot rig

Build, tune, test, diagnose


ChatGPT edition

Job. Presents a small bait naturally with minimal hardware.



Components and build order

Tie the hook first. Pinch one removable shot 12–24 in above it without damaging the line; add weight only when wind or depth demands it.



Before tying
Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Measure shot-to-hook spacing at 12, 18, then 24 in; hold shot and bait constant and time the final 3 ft of fall.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

Cast gently, let it settle, then crawl or swim it with pauses while keeping enough contact to detect a change.

- Pine Lake

Use on gradual west shelves and quiet pockets.
- North Lake

Use over shallow flats and the central saddle.
- Adjustment

Measure shot-to-hook spacing at 12, 18, then 24 in; hold shot and bait constant and time the final 3 ft of fall.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule
Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.


CONTROL THE HOOKS, FISH AND LAW

Wear eye protection when pinching or removing shot; discard damaged line. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Split-shot rig. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Job. Combines depth control with live-bait movement.



Components and build order

Tie directly with a sound knot. Choose the lightest head that reaches bottom and remains detectable. Hook bait to preserve movement; obey bait law.



Before tying
Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Time the fall over 6 ft; compare adjacent head weights while holding line, bait size, and lift height constant.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

Lower or cast, find bottom, lift briefly and follow the fall on a controlled line. Strike when weight, rhythm or direction changes.

Pine Lake	Work hard breaks and the island saddle.
North Lake	Work channel lips and eastern breaks.
Adjustment	Time the fall over 6 ft; compare adjacent head weights while holding line, bait size, and lift height constant.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule

Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.


CONTROL THE HOOKS, FISH AND LAW

Control the exposed hook and never transport live fish away from the water. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Jig and minnow. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Job. Separates a walking sinker from a slowly moving bait.



Components and build order

Slide sinker onto main line, tie swivel, then add a 3–6 ft leader and hook. Use a leader that keeps the bait clear without defeating control.



Before tying
Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Measure a 3, 4.5, then 6 ft leader; hold sinker and speed constant and log weed fouling, bottom contact, and pickups.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

Drift or troll slowly enough to feel bottom. Feed brief slack after a pickup, then reel tight; avoid prolonged delay that encourages deep hooking.

- Pine Lake

Follow long 20–40 ft basin edges.
- North Lake

Trace the main-basin wall and west-lobe rim.
- Adjustment

Measure a 3, 4.5, then 6 ft leader; hold sinker and speed constant and log weed fouling, bottom contact, and pickups.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule

Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.


CONTROL THE HOOKS, FISH AND LAW

Watch other lines and traffic; motor trolling limits must be rechecked. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.

Telos. Lake Country Fishing — Lindy rig. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Job. Carries a soft plastic along bottom behind a sliding weight.



Components and build order

Slide sinker and bead onto main line; tie swivel; add leader and an offset hook. Rig the plastic straight so it tracks without spinning.



Before tying
Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Compare 1/4 oz and 1/2 oz at the same depth; record sink time and the lightest weight that keeps bottom contact.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

- Cast across a contour, settle, then sweep with the rod and recover slack. Pause on hard-bottom changes.
- Pine Lake** Search broad gravel shelves and tapers.
- North Lake** Search the north flat and saddle approaches.
- Adjustment** Compare 1/4 oz and 1/2 oz at the same depth; record sink time and the lightest weight that keeps bottom contact.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule
Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.


CONTROL THE HOOKS, FISH AND LAW

Do not snap a loaded sinker toward people or fragile equipment. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Carolina rig. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Job. Makes a soft plastic compact and weed-resistant.



Components and build order

Slide on a bullet weight, tie an offset hook, enter the plastic head, rotate, then bury or skin-hook the point while keeping the body straight.



Before tying
Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Test unpegged first; if cover separates bait and weight, peg it and compare fouling over ten pitches at the same target.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

- Pitch to edges and openings, let it fall on controlled line, then lift or drag. Watch the line before feeling the fish.
- Pine Lake** Work west vegetation and protected pockets.
- North Lake** Work flats, saddle weeds and shoreline cover.
- Adjustment** Test unpegged first; if cover separates bait and weight, peg it and compare fouling over ten pitches at the same target.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule
Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.

CONTROL THE HOOKS, FISH AND LAW

“Weedless” is not hookless; check behind and use controlled short casts. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Texas rig. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Wacky rig

Build, tune, test, diagnose

ChatGPT edition

Job. Lets both ends of a straight worm pulse on a slow fall.



Components and build order

Tie a small hook and place it through an O-ring at the worm midpoint, or through the plastic when necessary. Start weightless.



Before tying

Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Time the fall over 4 ft weightless, then with the lightest insert; hold worm, hook, and line constant and compare tracking.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

- Cast past the target, allow a slack-controlled fall, lift once or twice, and repeat. Most takes occur on the fall.
- Pine Lake** Use over clear shelf edges with long casts.
 - North Lake** Use around shallow breaks and sparse cover.
 - Adjustment** Time the fall over 4 ft weightless, then with the lightest insert; hold worm, hook, and line constant and compare tracking.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule
Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.

CONTROL THE HOOKS, FISH AND LAW
Use line and tackle capable of steering bass away from cover promptly. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Wacky rig. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Drop-shot

Build, tune, test, diagnose


ChatGPT edition

Job. Holds a small bait above bottom for precise vertical control.




Components and build order


Tie the hook leaving a long tag; pass the tag back through the eye so the point stands out; attach a drop weight 8–24 in below.




Lay out and inspect.



Thread or tie in order.



Seat, trim, and orient.



Add bait; test before casting.

Before tying

Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Measure hook-to-weight distance; test 8, 16, then 24 in while holding weight, bait, and location constant.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

- Lower to marked fish or cast short. Keep the weight down and animate the bait without dragging constantly.
- Pine Lake** Use on the island edge and steep east-side structure.
- North Lake** Use along the main-basin wall and compact humps.
- Adjustment** Measure hook-to-weight distance; test 8, 16, then 24 in while holding weight, bait, and location constant.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule
Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.


CONTROL THE HOOKS, FISH AND LAW

Vertical depth can increase barotrauma risk; plan release depth conservatively. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Drop-shot. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Job. Separates bait and sinker on two branches for controlled depth.



Components and build order

Tie the main line to one swivel eye, a sacrificial sinker drop to the second, and a longer leader with hook or lure to the third. Test for tangles.



Before tying
Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Measure sinker drop and bait leader separately; shorten only the branch that tangles, in 6 in steps, while holding speed constant.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

- Move slowly along a contour with sinker contact intermittent, not plowing. Keep leader clear during turns.
- Pine Lake** Trace long deep basin edges.
- North Lake** Follow the eastern wall and central corridor.
- Adjustment** Measure sinker drop and bait leader separately; shorten only the branch that tangles, in 6 in steps, while holding speed constant.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule
Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.

CONTROL THE HOOKS, FISH AND LAW

Multiple branches tangle easily; transport assembled rigs in a keeper. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Three-way rig. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Quick-strike rig

Build, tune, test, diagnose

ChatGPT edition

Job. Supports a large legal live bait for an immediate predator hook-set.



Components and build order

Use predator-rated line, leader and a purpose-built two-hook harness sized to the bait and target. Balance the float; keep points exposed and separated.



Before tying
Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

- Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
- Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Measure bait depth from the lower hook; balance the smallest float that holds the bait, then change depth in 2 ft steps—never hook-set delay.
- Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
- Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

Attend continuously. On a take, remove slack and set promptly rather than waiting for swallowing. Land, unhook and release or dispatch efficiently.

- Pine Lake

Test weed edges only where current species rules allow.
- North Lake

Test lobe rims and vegetation only where lawful.
- Adjustment

Measure bait depth from the lower hook; balance the smallest float that holds the bait, then change depth in 2 ft steps—never hook-set delay.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule

Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.


CONTROL THE HOOKS, FISH AND LAW

Two hooks and large fish create severe puncture risk. Use long pliers, cutters, gloves and a large rubber net; never hand-land. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.


Telos. Lake Country Fishing — Quick-strike rig. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Job. Suspends bait below ice and signals line movement.



Components and build order

Sound depth, set a repeatable marker, attach lawful leader/hook and bait, then position the spool so the flag trips freely. Keep the hole managed.



Before tying

Reject nicked line, distorted eyes, dull points, cracked swivels, and hardware whose rating is unknown. Lay the four stages above in order. Which connection must pass through another component first? Which knot or crimp becomes inaccessible after the next stage? Measure leader, drop, stop, or bait position before trimming.

Measure and tune

1. Record line type and strength, leader or drop length, hook size, weight, bait size, and the intended depth. Do not call a rig “about right” without a number that can be repeated.
2. Ask: *What should remain fixed while one variable changes?* Begin with this rig’s main control: Sound depth and measure bait clearance above bottom; reset from the same marker, then compare 1 ft clearance changes between holes.
3. Ask: *What does success look like beside the boat?* State expected sink rate, posture, clearance, or tracking before fishing.
4. Change one variable at a time and write the old and new values in the evidence log. If wind, depth, speed, or cover changed too, the comparison is not controlled.

Bench verification

Pull test

Wet and seat every knot. Wrap the line around smooth dowels or a scale—never bare hands—and pull steadily to a load safely above the expected fishing load but below the line’s rated strength. Hold for ten seconds. Reject the rig if a knot creeps, a tag shortens, line whitens or curls, a crimp slips, or hardware opens. Recheck after any snag or fish.

Behavior test

Lower the finished rig beside the boat, dock, or into a clear tub. Pull it at the speed used on the water, then stop and restart. Confirm the four stages remain in order, the bait is upright and free, the hook point is positioned as intended, and no component spins, fouls, or masks a bite. Repeat after the first cast.

Fault isolation

Observed fault	Isolate before changing	One-variable correction
Rig spins or twists	Remove bait; pull bare rig, then each stage	Straighten bait, correct orientation, or replace the faulty swivel
Tangles on cast or drop	Shorten the cast; watch which branch crosses first	Shorten one branch, slow the cast, or separate stages
No bottom/depth certainty	Verify measured depth and sink time	Adjust only weight, stop, or drop length
Poor bite detection	Test slack, posture, and connection seating	Change line angle or slack control before changing bait
Break or slip	Inspect the exact failure point under bright light	Retie or replace damaged line and repeat the pull test
Hook fouls or bait tears	Test hook and bait alone	Correct hook size, entry point, exposure, or support

STOP AFTER A FAILED TEST

A failed pull or behavior test is evidence, not bad luck. Do not strengthen a weak system by adding random hardware. Identify the first component that changed, correct it, and restart the full verification sequence.

Fish it

Attend every device. After a flag, approach quietly, confirm purposeful line movement, remove slack and set smoothly; land without wrapping line on hands.

- Pine Lake** Away from narrows/current; target known weed edges only after local assessment.
- North Lake** Avoid the channel, saddle current and south neck.
- Adjustment** Sound depth and measure bait clearance above bottom; reset from the same marker, then compare 1 ft clearance changes between holes.

On-water proof

Before the first cast, write a prediction: where the rig should travel, what contact or posture should be felt or seen, and which event will trigger the next change. After each controlled trial, log direct evidence—bottom ticks, weed contact, bait condition, line angle, missed strike, landed fish—rather than “worked” or “didn’t work.”

Date	Water	Depth	Setting	Evidence seen or felt	Next change

Decision rule

Keep a setting only when the expected behavior repeats. If it fails twice under comparable conditions, isolate one fault and change one measurement. If conditions changed, start a new row rather than crediting the tackle.

CONTROL THE HOOKS, FISH AND LAW

No thickness makes ice completely safe. Carry flotation, picks, rope and a waterproof phone; travel with others and leave a plan. Use tackle strong enough to retrieve the target promptly. Prepare pliers and a knotless rubber net before the cast. If a hook is deep, cutting the line can be less damaging than prolonged extraction. Verify exact-water 2026–27 rules, hook count, bait law and seasons before every trip.

Source basis: Wisconsin DNR Hook, Line & Thinker; Hook Your Catch; Catch-and-Release Guidelines; Boat Transportation and Bait Laws.

Telos. Lake Country Fishing — Tip-up. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

IV Reference

Use these sheets across targets: interpret structure and season, select bait deliberately, tie and inspect connections, handle fish before the cast, and run a safe first trip.

Reading Water

Turn observations into tests

ChatGPT edition


MAP DISCIPLINE

Historical contours are generalized and not for navigation. Watch traffic, weather, depth, and hazards directly. Never stare at electronics while underway.

Read in layers

Signal	Possible meaning	Test, not conclusion
Windward edge	Food or warmer surface water may collect.	Make one controlled pass, then compare the sheltered side.
Point / inside turn	Travel route between depths.	Cast across and along; record depth of every contact.
Vegetation edge	Cover plus oxygen/light boundary.	Find today's actual inside, top, and outside edges; old maps cannot show them.
Hard/soft change	Different prey or spawning habitat.	Use bottom feel or lawful electronics; mark where texture changes twice.
Bait on electronics	Forage is present at that moment.	Fish its depth, including suspended water; leave if predators never appear.
Temperature / clarity	Visibility, metabolism, and plant depth differ.	Adjust distance, speed, size, and depth one variable at a time.


Draw the feature before naming it



Ask: Where does depth change begin? Where does vegetation stop? Which observation was repeated rather than guessed?

Three passes, one comparison

1. **Map pass.** Travel safely and slowly. Record surface temperature, depth at weed top, outside edge, bottom transition, bait height, and wind angle.
2. **Control pass.** Hold lure, depth, speed, and line angle constant through the best feature. Mark every bottom/weed touch and bite.
3. **Change pass.** Alter one variable: 1 ft shallower/deeper, one speed step, or along-feature instead of across-feature.



Field measurements

Measure	Method	Verification
Contact depth	Known stop length, jig bottom count, or electronics	Same depth appears on two passes.
Edge position	Waypoint plus boat depth and casting bearing	Lure finds the edge again from a new approach.
Bottom change	Compare sharp taps, dragging, and plant debris	Texture change persists over several feet, not one rock.
Bait height	Read top and bottom of the school	Presentation intersects that band, not merely the boat depth.

Troubleshooting the inference

Problem	Correction
Waypoint produces nothing	Re-find depth, cover, and wind angle; a coordinate is not the feature.
Electronics show “fish”	Check arch consistency, boat speed, and repeated returns; then fish the marked depth as a test.
Bottom feels inconsistent	Shorten cast, use enough weight, and compare in known hard and soft areas.
Wind prevents repetition	Use a shorter drift, controlled angle, or sheltered comparison. Safety outranks completing the pass.
Too many signals	Rank them: safe access, depth, cover, bait, then presentation. Write one sentence predicting the next contact.

A feature is verified when

You can relocate both of its boundaries, place the lure in the intended band, and reproduce contact from a recorded position. Fish presence remains a time-specific observation, never a permanent property of the waypoint.

Lures & Baits

Choose by job

ChatGPT edition


BAIT IS REGULATED

Inspect, remove, and drain before transport. Do not move live fish away from a waterbody. Put unwanted bait in trash and obey current source, water, and transport rules. Secure every exposed hook in storage.

Start with the job, not the brand

Tool	Job	Start here	First adjustment
Small jig	Depth contact; compact prey	Breaks, saddle, panfish or walleye search	Change weight to restore feel.
Slip bobber + legal bait	Hold exact depth	Vegetation edges and flats	Move stop in 1-ft steps.
Straight soft worm	Slow bass fall	Sparse cover and clear shelf edges	Weightless, then minimally weighted.
Weedless plastic	Enter vegetation	West Pine shelf; North flats	Add only enough weight to penetrate.
Crankbait	Cover a depth band	Hard edges with safe clearance	Running depth first, then speed.
Spinner / spoon	Flash and vibration	Weed lanes and active pike water	Add a bite-resistant leader when warranted.
Live minnow	Natural movement	Jig, float, or lawful predator rig	Keep lively; verify source and transport law.
Leech / crawler	Slow natural bait	Float or bottom rig	Downsize hook and use only what can be presented responsibly.

Depth-band picture



Intermediate question: Which band did the lure actually occupy? A nominal “deep” lure that fouls on weeds may spend no useful time at depth.

Live bait begins with a legal chain

1. **Before buying or collecting, verify.** Check the current Wisconsin DNR bait rules for the source, species, waterbody, transport route, season, and whether unused bait or water may leave the site. Keep the receipt or other required source evidence with the bait.
2. **At transfer, identify.** Reject unknown fish, mixed accidental species, visibly diseased bait, and containers with plants, mud, snails, or other hitchhikers. “Minnow” is not an identification.
3. **At the launch, separate water from permission.** Water carried from a dealer, home, or another waterbody can be regulated differently from the bait itself. Recheck before adding, exchanging, draining, or transporting any water.
4. **At departure, decide before pouring.** Never release unused bait, plants, animals, or container water into the lake or on the shoreline. Follow the current lawful disposal and transport route; when uncertain, seal it and ask rather than improvise.

NO LIVE-FISH ASSUMPTION SURVIVES THE TRIP

A bait that was lawful to possess may not be lawful to move away from a water, reuse elsewhere, or transport in water. The live DNR rule and posted direction beat this printed guide.

Store for the bait, not for convenience

Bait	Container and temperature	Check and correction
Live minnow	Clean insulated container; cool, stable water; loose secure lid; working aeration where needed	Watch swimming, crowding, gulping, temperature, and dead bait. Shade the container; exchange water only when lawful and temperature-compatible; remove dead bait promptly.
Nightcrawler	Ventilated escape-resistant box; cool, dark, damp commercial or clean bedding, never flooded	A healthy crawler is cool, moist, and responsive. Discard sour bedding and dead crawlers in trash; do not add lake soil or plants.
Leech	Escape-resistant smooth container; cool clean water; shaded	Confirm attachment and swimming response. Avoid hot decks, direct sun, crowding, and large sudden temperature changes. Handle with wet fingers.

Transport check

Container upright and restrained; lid ventilates without spilling; aerator, spare power, shade, and temperature plan work; receipt/source record and current rule are available; disposal container is ready.

Hook once, preserve function




Bait	Deliberate hook path	Verify before the cast
Minnow	For a slow pull or jig, a shallow lip hook can enter the lower lip and exit the upper lip; other lawful presentations may call for a shallow back or tail placement. Avoid eyes, skull, spine, deep body cavity, and gills.	Mouth is not clamped by an oversized hook; bait stays upright, swims, and does not spin during a beside-boat pull. Replace a dead or badly injured bait lawfully.
Nightcrawler	Pierce once or twice near one end; leave most of the crawler free. For a small pan-fish bait, use a short segment rather than hiding an oversized hook in a ball.	Point and gap remain exposed; crawler hangs rather than corkscrews; cast force will not tear it immediately.
Leech	Identify the broad rear sucker and pass a small hook shallowly through that sucker, not through the narrow head.	Leech can extend and swim; hook gap is open; body is not wrapped around leader or weight.

Six-second bait verification


1. Wet the holding hand; touch bait briefly and gently.
2. Confirm species/source and that the chosen bait is alive enough to perform the intended job.
3. Match hook wire and gap to bait size; expose the point.
4. Pull beside the boat: upright, moving, not spinning, not fouled.
5. After every miss, weed contact, or hard cast, inspect position and injury.
6. Stop using bait that cannot be presented humanely, effectively, and lawfully; dispose of it by the verified route.

Tune one presentation

1. **Verify action beside the boat.** The lure runs upright; soft plastic is straight; bait can move; hook point is clear.
2. **Establish depth.** Count down a jig, measure the bobber stop, or confirm bottom contact. Record the number.
3. **Make five comparable casts.** Same lane, distance, speed, and pause. Note weed, bottom, bite, or clean water.
4. **Change one variable.** Depth by 1 ft, jig weight one step, or retrieve from steady to stop-and-go. Repeat.



Inspect artificial bait before tuning it



Artificial	Pass condition
Jig + soft plastic	Body centered on the shank, not bunched or split; tail free; point and gap clear; head/eye and knot undamaged.
Crankbait	Line tie and bill straight; body and hooks free of cracks, weeds, and line; split rings close; bait tracks upright beside the boat.
Spinner / spoon	Shaft and blade unbent; blade turns at useful speed; rings, swivel, leader, and hook intact; lure does not roll uncontrollably.
Weedless soft bait	Body straight; point lightly skin-hooked or aligned with the hook channel; enough gap remains to clear the plastic; weight and knot seat correctly.

Measurements that transfer

Record	How to verify
Float depth	Measure stop to hook; subtract the suspended weight/hook drop if precision matters.
Jig fall	Count seconds to first bottom touch in known depth; repeat with taut and semi-slack line.
Crank clearance	Rod tip and retrieve keep periodic bottom/weed ticks without continuous fouling.
Weed penetration	Weight enters the canopy yet comes back with the hook point clear often enough to fish efficiently.

Troubleshooting

Symptom	Corrective sequence
Lure spins	Check bent shaft, crooked plastic, fouled hook, and excessive speed beside the boat before casting again.
No bottom feel	Use thinner line or one weight step heavier; shorten cast; verify in known depth.
Every cast fouls	Inspect the actual weed-top depth; fish 1 ft above it, parallel the edge, or switch to a weedless geometry.
Live bait dies quickly	Correct temperature, oxygen, crowding, and handling; verify aeration and actual water temperature; discard lawfully rather than moving it or its water to another waterbody.
One short strike	Inspect and sharpen/replace hook; do not instantly change three variables. Repeat the verified lane first.

Presentation passes when

It enters the intended depth band, remains correctly rigged, returns free of hidden fouling, and can be repeated within the same cast lane. Only then does a bite or no-bite compare meaningfully.


Source basis: Wisconsin DNR Hook Your Catch; Fishing for Dinner; Boat Transportation and Bait Laws; current DNR bait and aquatic-invasive-species rules must be checked for the exact source, destination, and date.

Telos. Lake Country Fishing — Lures & Baits. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See [LICENSE](#) and [CREDITS.md](#) in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

CALENDAR DOES NOT OPEN A SEASON


For 2026–27, resolve the exact water, species, and date in current Wisconsin DNR rules. No date, appearance, or reported thickness makes ice completely safe.

Use a loop, not a date



Period	Starting hypothesis	Evidence before committing
Ice-out / early spring	Protected shallows may warm first; pike and panfish may use emerging cover.	Repeatable temperature difference, green growth, bait, safe access, and legal season.
Late spring	Spawn/post-spawn movement can concentrate fish shallow.	Beds, recovering fish, water temperature; avoid damaging nests.
Early summer	Vegetation edges and hard-bottom breaks develop.	Actual weed-top and outside-edge depths, insect activity, repeated contact depth.
Mid-summer	Some fish use deep edges or suspend; oxygen can constrain depth.	Thermocline/oxygen evidence, bait height, and warm-water release risk.
Early fall	Cooling can redistribute forage and predators.	Turnover signs, temperature uniformity, wind, clarity change, and bait.
Late fall	Slow, depth-controlled presentations often help.	Repeated bottom contact, short feeding windows, cold-water protection.
Ice season	Vertical lures and tip-ups can cover lawful targets.	Current local ice assessment; avoid inlets, outlets, narrows, and pressure features.

Observable seasonal cross-section



Measurements to carry forward

Observation	Record so it can be compared
Surface temperature	Instrument, location, time, sun/wind, and sheltered versus windward difference; avoid false precision.
Plant stage	First green shoots, top depth, outside-edge depth, density, and whether hooks return clean.
Water column	Temperature/oxygen evidence if available; depth of bait and fish; never infer oxygen from depth alone.
Turnover candidate	Near-uniform temperature, mixed clarity/odor, dispersed bait, and changed bite together—not the calendar alone.
Ice condition	Direct local observations along the whole route; thickness at one hole never certifies an area.

Stage checks and first tests

Stage	Intermediate questions	Controlled first test
Warming shallows	Is it warmer on two readings? Is new cover present?	Compare one protected edge with adjacent main-lake water at equal depth.
Developed weeds	Where are inside, top, and outside edges today?	Fish 1 ft above the top, then the outside wall.
Layered summer	Is bait suspended? Is deep release responsible?	Hold at bait height; change target/location if fish show stress.
Cooling / turnover	Are temperatures actually converging? Has clarity changed?	Search multiple depths before slowing on a single feature.
Cold / ice	Can the route and return be made safely?	If uncertain, do not enter; fish open water only with cold-water boating protection.

Troubleshooting calendar errors

- **“They should be shallow.”** Measure temperature and cover; compare the next available depth rather than repeating the story.
- **“Turnover killed the bite.”** Seek multiple matching indicators; wind, turbidity, or presentation failure may look similar.
- **“The weeds are gone.”** Check deeper, shorter, and greener growth; surface dieback does not map the full plant bed.
- **“Ice was safe yesterday.”** Conditions and routes change. Reassess locally every trip; uncertainty is a stop condition.

Hypothesis passes when

Two or more observable indicators agree, the predicted feature can be located, and a controlled presentation can be repeated there. A catch strengthens the case; a calendar label never substitutes for evidence.

Four Working Knots

ChatGPT edition

Tie, inspect, test


CONTROL HOOKS AND STORED ENERGY

Point hooks away from faces and hands. Wear eye protection when testing or pulling free. Cut snagged line under control; never snap it toward the boat.

Choose the knot before tying


Knot	Use when	Do not choose when
Improved clinch	Small hook or lure eye; mono/fluoro; familiar general knot	Very heavy or exceptionally slippery line without testing.
Palomar	Doubled line fits through eye; high strength with few wraps	Large lure cannot pass through the loop cleanly.
Uni	Versatile terminal connection; easy to inspect and slide	Wraps cannot be kept parallel around very stiff material.
Surgeon's loop	Fast fixed end loop for loop-to-loop leaders	A compact terminal knot directly against a hook eye is required.

Improved clinch




Look for: a compact barrel of parallel coils ending against the eye. **Reject if:** one wrap crosses the others, coils show white flattening, or the tag retreats during the pull test.

Palomar




Intermediate question: Did the loop pass over the tackle without twisting around a hook point? Before seating, both strands through the eye must lie side by side, not cross.

Uni knot




Measurement: begin with 8–10 in of tag while learning. The finished coil should be roughly one line-diameter stack per wrap, not a loose spiral.

Surgeon’s loop



Look for: two turns seated together and a loop that remains open without one leg slipping. Trim only after loading both legs.

What seating should look like



The repeatable finish

- 1. Wet the knot.
- 2. Close it slowly while guiding the coils with one finger.
- 3. Pull the standing line until the coils touch.
- 4. Pull the tag and confirm that it does not retreat.
- 5. Load the tackle connection away from face and hook path.
- 6. Inspect both sides under light.
- 7. Trim safely, leaving a short visible tag.

Failure	Correction
Knot slips	Retie with adequate tag and correct wrap count; do not “fix” by melting a tag end.
Line curls or whitens	Friction damaged it. Cut above the damaged section, wet, and seat more slowly.
Break occurs above knot	Inspect guides and line for abrasion; remove enough line to reach undamaged material.
Knot looks different each time	Use the same tag length and count wraps aloud until the sequence is automatic.

Retie now

Retie after abrasion, snags, tooth contact, a day of repeated casting, or any unexplained failure. A passing knot is compact, undamaged, motionless under a firm pull, and reproducible twice in succession.


Handling & Release

ChatGPT edition

Prepare before the bite

Build the release station

Match tackle to the largest plausible fish. Open pliers and cutters; wet and stage a knotless rubber net; set the camera before casting. Decide whether the fish can remain beside the boat.



Before-cast check


Pliers open one-handed; cutters sever the actual leader; net is untangled and wet; measuring board is ready; camera is awake. If release is likely, favor tackle that limits deep hooking.

At the fish: decide at each gate

1. **Control.** Use steady pressure and adequate tackle. If the fish still surges, keep it in water; do not drag it onto a dry floor.
2. **Net or boatside?** Net only when it reduces handling. Guide the fish headfirst; never chase its tail with the hoop.
3. **Hook access?** Back out an exposed hook with the fish supported. If deep extraction is slow or destructive, cut the line promptly.
4. **Photo?** Only if camera and hands are ready. Lift horizontally, close to the water, then return it without delay.
5. **Release.** Support upright in water. Let go when it holds balance and swims under its own power; face gentle current only when one exists.

Ask mid-process: Is the next action for the fish, or for the picture? Has air exposure stopped being brief? Would cutting now cause less injury?

Support map



Avoid	Observable correction
Dry hands / dry deck	Skin remains glossy and wet; fish touches wet net or wet hands, not carpet or clothing.
Vertical jaw hold	Second hand carries body weight; spine stays nearly level.
Gill contact	Fingers remain outside gill plate and away from eyes.
Repeated measuring	Use a hard-stop board once; release immediately if short.
Violent “reviving”	Hold balanced without pumping. Movement is self-directed.

Troubleshooting the release

Observation	Response
Fish rolls on its side	Keep supported upright in water; reduce handling. If legal harvest is not an option, give it quiet time rather than pumping.
Hook will not reverse	Expose only what is necessary; cut hook or line with staged cutters instead of tearing tissue.
Fish repeatedly caught deep	Change target depth, location, tackle, or species; do not keep proving the same harm.
Warm fish fights poorly	Shorten the fight and air time; consider ending or changing the trip before another capture.

DEPTH AND TEMPERATURE

Deep capture and warm water increase risk. Wisconsin DNR does not recommend artificial swim-bladder deflation. Change location, depth, tackle, or target rather than repeatedly producing fish unlikely to survive.

Release verified: the fish remains upright without hand pressure, shows coordinated fin movement, and leaves under its own power.

First Trip

A small, complete plan

ChatGPT edition


THE TRIP BEGINS WITH A LIVE CHECK

Confirm legal access, weather, exact-water 2026–27 rules, consumption advice, and posted boating ordinances. Leave a float plan. Return early for thunder, rising wind, poor visibility, equipment trouble, cold stress, unsafe traffic, or uncertainty about access or law. Wear the fitted PFD.

Pack by function

Function	Minimum kit	Observable check
Life safety	Fitted PFDs, whistle, phone in waterproof pouch, first aid, water, sun/weather layers	PFD closes snugly; phone is charged; float plan names ramp and return time.
Fish safely	Pliers, cutters, knotless rubber net, towel, ruler	Tools open one-handed; cutters sever the leader; ruler starts at a hard stop.
Fish simply	One slip bobber, one jig or split-shot rig, one spare of each	Every knot survives a firm pull; hooks are secured until launch.
Leave clean	AIS brush/bag, drain-plug reminder, trash container	No plant fragments remain on trailer, anchor, line, or livewell.


Rig and rehearse at home



Ask before leaving: Can I cast this rig without opening the tackle box? Can I reach cutters while seated? Can my partner state the return plan? If any answer is no, fix it on shore.

A measured two-hour search

Time	Job	Record before moving
0–15 min	Idle observation	Wind direction, visibility, surface temperature, plant height, traffic, and one safe return bearing.
15–60 min	One shallow edge	Starting stop depth; depth of each weed touch, bottom touch, bite, or fish. Adjust stop in 1-ft increments.
60–105 min	One break or saddle	Cast both across and along it. Record boat depth, lure depth, bottom character, and speed.
105–120 min	Close cleanly	Photograph notes; secure hooks; clean, drain, remove; message the float-plan contact.



The one-variable ladder

1. **Depth:** move the bobber stop 1 ft; make 5 attentive casts.
2. **Speed:** keep depth fixed; compare still, slow pull, then pause.
3. **Position:** shift one cast length along the same edge.
4. **Presentation:** change lure only after you can name the water column and cover already tested.

Intermediate question: Was “no bite” a complete test, or did the lure foul, miss depth, or spend most of the retrieve away from the feature?

Troubleshooting

Symptom	Corrective check
Bobber lies flat	Weight may be on bottom or missing. Shorten depth until it stands, then lower in measured steps.
Constant weed fouling	Confirm hook is clean every cast; move 1 ft shallower or parallel the outside edge.
Cannot repeat contact	Mark boat position and casting direction; reduce wind drift before changing lure.
Too many decisions	Return to one rig, one edge, and the next 1-ft depth step.

Trip complete when

You returned on time, left no plants or line, recorded at least one verified depth/cover observation, and can name the first test for the next visit. A catch is useful evidence, not the only measure of success.

V Field workbook

Turn the preceding lake, fish, rig, kitchen, and reference teaching into a prediction, a field record, and a reviewable claim. Keep this write-on packet at the back of the binder.

Field-learning loop

This binder is a set of claims to test, not a promise that every candidate species or tactic will occur. Move through the evidence in this order:

- 1. **Lake sheet:** locate access, contours, evidence limits, and the dated rule summary.
- 2. **Fish sheet:** identify the catch from diagnostic structure before assigning a species name.
- 3. **Rig and reference sheets:** choose a presentation and record the variables that can change.
- 4. **Kitchen sheet:** use only after lawful retention; identification and current consumption advice come first.

Questions for North Lake

- 1. Which contour or basin edge on the independent map best explains the first verified fish contact?
- 2. Does a caught panfish support a named species identification, or only the existing broad panfish record?
- 3. Can any claimed cisco or muskellunge observation be separated from a look-alike and supported by current authoritative evidence?
- 4. Which measured depth, temperature, cover, and presentation combination can be repeated on the next trip?

Before departure · write the prediction

Question	Recorded answer or source
Live rule checked	
Weather / wind / hazards	
Target + evidence class	
Expected depth / structure	
Starting rig + stop rule	

Measurement log

Record observations before interpreting them. Use instrument readings when available; mark estimates as estimates. One row should describe one deliberate change or one verified contact.

Time	Map / place	Depth ft	Temp / clarity	Cover / bottom	Rig / depth / speed	Result + identification basis

Trip checkpoints

When	Verify, then decide
At launch	Access is lawful; wind, weather, equipment, and return plan remain safe.
After 30 minutes	Record depth and presentation. Change one variable, or move to the next mapped structure; do not rewrite the species evidence.
At first contact	Photograph diagnostic features when safe, measure length, and separate observation from identification.
Before retention	Confirm species, live rule, size, bag, meal advice, cold storage, and intended use.
Before return	Recheck weather, battery or fuel, daylight, and the safest route to access.

Post-trip proof

An outing becomes reusable evidence only when another reader can tell what was observed, how it was identified, and what remains uncertain.

Claim to retain	Proof or correction
Species identification	
Diagnostic photograph / file	
Measured location and conditions	
Presentation that produced contact	
Null result worth preserving	
Rule / advisory source and date	

DO NOT PROMOTE A FIELD NOTE INTO A LAKE RECORD

A photograph or catch can support identification of that individual. It does not by itself establish abundance, persistence, a fishable population, or the status of a different species. Keep candidate and historical modules in their printed evidence class until a current authoritative record changes it.

Next-trip decision

Repeat:

Change one variable:

Question still open:

Working copies Use after the instruction

These pages retain their source-guide headings and checks, but are bound here so every write-on record is together at the literal back of the document. The fish, kitchen, and reference modules point here whenever they ask you to record a result.

Field proof worksheet

Time / place	One action taken	Direct observation	Pass, fail, or next action
--------------	------------------	--------------------	----------------------------

Close the loop
Claim: What do I now think is true? _____
Evidence: What did I see, feel, measure, or repeat? _____
Fault ruled out: What alternative explanation did I check? _____
Next single action: What one change will test the claim? _____

Final proof
Do not mark complete because every written step was attempted. Mark complete only when the guide’s observable pass condition is present, the safety chain is intact, and another person could repeat the action from this record. If the result is ambiguous, record a fail and choose one corrective action.

Source basis: Wisconsin DNR Hook Your Catch and lake records; editorial test method.

Telos. Lake Country Fishing — Reading Water. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Time / place	One action taken	Direct observation	Pass, fail, or next action
--------------	------------------	--------------------	----------------------------

Close the loop
Claim: What do I now think is true?
Evidence: What did I see, feel, measure, or repeat?
Fault ruled out: What alternative explanation did I check?
Next single action: What one change will test the claim?

Final proof
Do not mark complete because every written step was attempted. Mark complete only when the guide's observable pass condition is present, the safety chain is intact, and another person could repeat the action from this record. If the result is ambiguous, record a fail and choose one corrective action.

Source basis: Wisconsin DNR season dates, Hook Your Catch, and Ice Safety.

Telos. Lake Country Fishing — Seasonal Calendar. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Field proof worksheet

Time / place	One action taken	Direct observation	Pass, fail, or next action
Close the loop Claim: What do I now think is true? Evidence: What did I see, feel, measure, or repeat? Fault ruled out: What alternative explanation did I check? Next single action: What one change will test the claim?			
Final proof Do not mark complete because every written step was attempted. Mark complete only when the guide's observable pass condition is present, the safety chain is intact, and another person could repeat the action from this record. If the result is ambiguous, record a fail and choose one corrective action.			

Source basis: Wisconsin DNR Hook, Line & Thinker.

Telos. Lake Country Fishing — Four Working Knots. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Field proof worksheet

Time / place	One action taken	Direct observation	Pass, fail, or next action
--------------	------------------	--------------------	----------------------------

Close the loop
Claim: What do I now think is true?
Evidence: What did I see, feel, measure, or repeat?
Fault ruled out: What alternative explanation did I check?
Next single action: What one change will test the claim?

Final proof
Do not mark complete because every written step was attempted. Mark complete only when the guide's observable pass condition is present, the safety chain is intact, and another person could repeat the action from this record. If the result is ambiguous, record a fail and choose one corrective action.

Source: Wisconsin DNR Catch-and-Release Guidelines.

Telos. Lake Country Fishing — Handling & Release. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Field proof worksheet

Time / place	One action taken	Direct observation	Pass, fail, or next action
--------------	------------------	--------------------	----------------------------

Close the loop
Claim: What do I now think is true? _____
Evidence: What did I see, feel, measure, or repeat? _____
Fault ruled out: What alternative explanation did I check? _____
Next single action: What one change will test the claim? _____

Final proof
Do not mark complete because every written step was attempted. Mark complete only when the guide’s observable pass condition is present, the safety chain is intact, and another person could repeat the action from this record. If the result is ambiguous, record a fail and choose one corrective action.

Source basis: Wisconsin DNR Hook, Line & Thinker; boating safety; PFD; AIS and bait law; 2026–27 regulations; NOAA/NWS inland boating.

Telos. Lake Country Fishing — First Trip. Revised 20260727.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Batch worksheet · complete after the meal

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record
Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F
Which piece finished first, and what evidence triggered its removal?

Final bone check and split-center result:

Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Largemouth Bass. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Batch worksheet · complete after the meal

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record
Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F
Which piece finished first, and what evidence triggered its removal? _____
Final bone check and split-center result: _____
Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Smallmouth Bass. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Batch worksheet · complete after the meal

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record
Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F
Which piece finished first, and what evidence triggered its removal? _____
Final bone check and split-center result: _____
Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Walleye. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Batch worksheet · complete after the meal

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record
Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F
Which piece finished first, and what evidence triggered its removal? _____
Final bone check and split-center result: _____
Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Northern Pike. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Batch worksheet · complete after the meal

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record
Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F
Which piece finished first, and what evidence triggered its removal? _____
Final bone check and split-center result: _____
Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Bluegill. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Batch worksheet · complete after the meal

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record
Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F
Which piece finished first, and what evidence triggered its removal? _____
Final bone check and split-center result: _____
Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Yellow Perch. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.

Batch worksheet · complete after the meal

Sketch pan / rack order; label thickness, probe entry, and early removals			

Piece / position	Thickness	First check	Final °F	Correction / result
------------------	-----------	-------------	----------	---------------------

Proof record
Batch start: _____ Thickest / thinnest: _____ / _____ in Lowest stable center: _____ °F
Which piece finished first, and what evidence triggered its removal? _____
Final bone check and split-center result: _____
Leftovers refrigerated at: _____

Sources. Wisconsin DNR Eating Your Catch and 2026–27 water-specific regulations; Wisconsin DHS Eat Fish Safely; USDA/FoodSafety.gov Safe Minimum Internal Temperature Chart; University of Minnesota Extension, Preserving Food at Home: Meat, Fish and Poultry. Cleaning sequence and monochrome diagrams are original editorial synthesis, checked 2026-07-26.

Telos. Lake Country Fishing · ChatGPT — Cooking Rock Bass. Revised 20260726.001. Project-created text and diagrams are licensed CC BY 4.0. Incorporated public-domain artwork remains public domain and is credited on the plate it appears with. See LICENSE and CREDITS.md in the source. Nothing here is professional advice; verify current regulations and follow the stated safety procedure.