

Stab Sheet Report

As-Built Survey Analysis

Generated: 8/7/2026, 1:45:33 PM

Report Name:	—	Units:	Feet	Cut:	0
Prepared By:	—	Design Thick.:	0.000 ft	Fill:	129
Date:	—	Cut Tol.:	0.020 ft	On Grade:	0
Project ID:	—	Fill Tol.:	0.040 ft	Description:	—

Station/offset calculated from uploaded centerline: KENNY ROAD 2 REPORTS ONLY · Start station: 50+50.00

Point ID	Station	Offset	As-Built Elev (ft)	Design Elev (ft)	Status	Variance
TS0001	59+07.06	R 192.21	3173.987	3175.044	Fill	+1.057
TS0002	59+07.06	R 193.49	3174.247	3175.253	Fill	+1.006
TS0003	59+07.06	R 195.32	3174.037	3175.057	Fill	+1.020
TS0006	59+07.06	R 213.30	3174.425	3175.472	Fill	+1.047
TS0005	59+07.06	R 214.16	3174.618	3175.641	Fill	+1.023
TS0004	59+07.06	R 215.44	3174.429	3175.443	Fill	+1.014
TS0009	59+07.06	R 231.40	3174.775	3175.822	Fill	+1.047
TS0008	59+07.06	R 231.55	3174.961	3175.993	Fill	+1.032
TS0007	59+07.06	R 232.17	3174.744	3175.766	Fill	+1.022
TS0011	59+07.06	R 253.76	3175.370	3176.422	Fill	+1.052
TS0010	59+07.06	R 255.15	3175.249	3176.290	Fill	+1.041
TS0012	59+07.06	R 255.18	3175.148	3176.203	Fill	+1.055
TS0015	59+07.06	R 276.13	3175.661	3176.695	Fill	+1.034
TS0014	59+07.06	R 277.17	3175.815	3176.847	Fill	+1.032
TS0013	59+07.06	R 278.46	3175.599	3176.638	Fill	+1.039
TS0016	59+07.06	R 301.01	3176.126	3177.189	Fill	+1.063
TS0017	59+07.06	R 301.09	3176.261	3177.292	Fill	+1.031
TS0018	59+07.06	R 303.08	3176.099	3177.133	Fill	+1.034

Point ID	Station	Offset	As-Built Elev (ft)	Design Elev (ft)	Status	Variance
TS0021	59+07.06	R 321.36	3176.563	3177.570	Fill	+1.007
TS0020	59+07.06	R 323.29	3176.757	3177.772	Fill	+1.015
TS0019	59+07.06	R 324.82	3176.507	3177.549	Fill	+1.042
TS0022	59+07.06	R 344.09	3176.968	3178.014	Fill	+1.046
TS0023	59+07.06	R 345.87	3177.133	3178.164	Fill	+1.031
TS0024	59+07.06	R 348.05	3177.021	3178.015	Fill	+0.994
TS0027	59+07.06	R 365.82	3177.405	3178.424	Fill	+1.019
TS0026	59+07.06	R 367.93	3177.563	3178.596	Fill	+1.033
TS0025	59+07.06	R 370.26	3177.323	3178.395	Fill	+1.072
TS0028	59+07.06	R 388.91	3177.683	3178.660	Fill	+0.977
TS0029	59+07.06	R 391.42	3177.840	3178.879	Fill	+1.039
TS0030	59+07.06	R 394.93	3177.617	3178.681	Fill	+1.064
TS0033	59+07.06	R 412.81	3177.673	3178.733	Fill	+1.060
TS0032	59+07.06	R 415.20	3177.917	3178.967	Fill	+1.050
TS0031	59+07.06	R 417.46	3177.791	3178.785	Fill	+0.994
TS0034	59+07.06	R 434.92	3177.627	3178.666	Fill	+1.039
TS0035	59+07.06	R 437.41	3177.834	3178.861	Fill	+1.027
TS0036	59+07.06	R 439.83	3177.624	3178.669	Fill	+1.045
TS0039	59+07.06	R 458.57	3177.346	3178.356	Fill	+1.010
TS0038	59+07.06	R 460.51	3177.551	3178.581	Fill	+1.030
TS0037	59+07.06	R 462.83	3177.371	3178.393	Fill	+1.022
TS0040	59+07.06	R 481.55	3176.835	3177.877	Fill	+1.042
TS0041	59+07.06	R 484.82	3177.065	3178.092	Fill	+1.027
TS0042	59+07.06	R 487.94	3176.862	3177.867	Fill	+1.005
TS0045	59+07.06	R 504.37	3176.250	3177.261	Fill	+1.011
TS0044	59+07.06	R 506.87	3176.459	3177.469	Fill	+1.010
TS0043	59+07.06	R 509.93	3176.262	3177.250	Fill	+0.988

Point ID	Station	Offset	As-Built Elev (ft)	Design Elev (ft)	Status	Variance
TS0046	59+07.06	R 527.78	3175.405	3176.409	Fill	+1.004
TS0047	59+07.06	R 530.49	3175.612	3176.601	Fill	+0.989
TS0048	59+07.06	R 534.03	3175.376	3176.366	Fill	+0.990
TS0051	59+07.06	R 547.89	3174.454	3175.471	Fill	+1.017
TS0050	59+07.06	R 551.82	3174.642	3175.650	Fill	+1.008
TS0049	59+07.06	R 555.65	3174.429	3175.413	Fill	+0.984
TS0052	59+07.06	R 568.16	3173.520	3174.509	Fill	+0.989
TS0053	59+07.06	R 572.38	3173.666	3174.658	Fill	+0.992
TS0054	59+07.06	R 576.03	3173.476	3174.452	Fill	+0.976
TS0057	59+07.06	R 591.06	3172.423	3173.400	Fill	+0.977
TS0056	59+07.06	R 593.98	3172.626	3173.584	Fill	+0.958
TS0055	59+07.06	R 597.68	3172.433	3173.419	Fill	+0.986
TS0058	59+07.06	R 613.47	3171.341	3172.347	Fill	+1.006
TS0059	59+07.06	R 616.85	3171.609	3172.541	Fill	+0.932
TS0060	59+07.06	R 620.51	3171.338	3172.325	Fill	+0.987
TS0063	59+07.06	R 635.24	3170.274	3171.265	Fill	+0.991
TS0062	59+07.06	R 638.54	3170.490	3171.485	Fill	+0.995
TS0061	59+07.06	R 642.20	3170.305	3171.283	Fill	+0.978
TS0064	59+07.06	R 657.60	3169.224	3170.199	Fill	+0.975
TS0065	59+07.06	R 661.15	3169.403	3170.399	Fill	+0.996
TS0066	59+07.06	R 665.12	3169.190	3170.175	Fill	+0.985
TS0069	59+07.06	R 679.32	3168.120	3169.115	Fill	+0.995
TS0068	59+07.06	R 683.53	3168.296	3169.308	Fill	+1.012
TS0067	59+07.06	R 686.99	3168.124	3169.116	Fill	+0.992
TS0070	59+07.06	R 701.25	3167.037	3168.071	Fill	+1.034
TS0071	59+07.06	R 704.94	3167.246	3168.257	Fill	+1.011
TS0072	59+07.06	R 709.91	3167.005	3168.000	Fill	+0.995

Point ID	Station	Offset	As-Built Elev (ft)	Design Elev (ft)	Status	Variance
TS0075	59+07.06	R 723.31	3165.966	3166.984	Fill	+1.018
TS0074	59+07.06	R 726.97	3166.164	3167.178	Fill	+1.014
TS0073	59+07.06	R 731.53	3165.964	3166.940	Fill	+0.976
TS0076	59+07.06	R 740.11	3165.153	3166.157	Fill	+1.004
TS0077	59+07.06	R 744.58	3165.284	3166.306	Fill	+1.022
TS0078	59+07.06	R 748.89	3165.066	3166.090	Fill	+1.024
TS0129	74+78.87	R 399.88	3146.777	3147.870	Fill	+1.093
TS0128	74+78.87	R 401.24	3147.076	3148.061	Fill	+0.985
TS0127	74+78.87	R 403.22	3146.863	3147.864	Fill	+1.001
TS0124	74+78.87	R 423.38	3147.876	3148.885	Fill	+1.009
TS0125	74+78.87	R 424.80	3148.041	3149.039	Fill	+0.998
TS0126	74+78.87	R 427.15	3147.892	3148.865	Fill	+0.973
TS0123	74+78.87	R 445.03	3148.834	3149.887	Fill	+1.053
TS0122	74+78.87	R 446.71	3149.046	3150.044	Fill	+0.998
TS0121	74+78.87	R 451.27	3148.955	3149.941	Fill	+0.986
TS0118	74+78.87	R 471.17	3150.080	3151.130	Fill	+1.050
TS0119	74+78.87	R 472.28	3150.215	3151.219	Fill	+1.004
TS0120	74+78.87	R 473.47	3149.997	3151.006	Fill	+1.009
TS0117	74+78.87	R 493.16	3151.104	3152.165	Fill	+1.061
TS0116	74+78.87	R 497.74	3151.429	3152.412	Fill	+0.983
TS0115	74+78.87	R 499.88	3151.212	3152.213	Fill	+1.001
TS0112	74+78.87	R 516.40	3152.233	3153.270	Fill	+1.037
TS0113	74+78.87	R 519.05	3152.467	3153.461	Fill	+0.994
TS0114	74+78.87	R 521.71	3152.276	3153.254	Fill	+0.978
TS0111	74+78.87	R 538.88	3153.329	3154.341	Fill	+1.012
TS0110	74+78.87	R 541.66	3153.521	3154.509	Fill	+0.988
TS0109	74+78.87	R 544.13	3153.256	3154.266	Fill	+1.010

Point ID	Station	Offset	As-Built Elev (ft)	Design Elev (ft)	Status	Variance
TS0106	74+78.87	R 562.99	3154.465	3155.507	Fill	+1.042
TS0107	74+78.87	R 564.14	3154.629	3155.607	Fill	+0.978
TS0108	74+78.87	R 565.89	3154.286	3155.296	Fill	+1.010
TS0105	74+78.87	R 584.88	3155.462	3156.554	Fill	+1.092
TS0104	74+78.87	R 587.71	3155.758	3156.729	Fill	+0.971
TS0103	74+78.87	R 590.85	3155.526	3156.522	Fill	+0.996
TS0100	74+78.87	R 606.39	3156.552	3157.592	Fill	+1.040
TS0101	74+78.87	R 609.64	3156.817	3157.801	Fill	+0.984
TS0102	74+78.87	R 612.03	3156.503	3157.521	Fill	+1.018
TS0099	74+78.87	R 631.21	3157.761	3158.804	Fill	+1.043
TS0098	74+78.87	R 634.59	3157.978	3158.951	Fill	+0.973
TS0097	74+78.87	R 637.49	3157.711	3158.727	Fill	+1.016
TS0094	74+78.87	R 651.32	3158.716	3159.774	Fill	+1.058
TS0095	74+78.87	R 653.76	3158.917	3159.901	Fill	+0.984
TS0096	74+78.87	R 656.14	3158.645	3159.642	Fill	+0.997
TS0093	74+78.87	R 673.71	3159.866	3160.877	Fill	+1.011
TS0092	74+78.87	R 677.06	3160.003	3160.993	Fill	+0.990
TS0091	74+78.87	R 680.44	3159.798	3160.805	Fill	+1.007
TS0088	74+78.87	R 694.11	3160.841	3161.876	Fill	+1.035
TS0089	74+78.87	R 697.17	3161.080	3162.053	Fill	+0.973
TS0090	74+78.87	R 700.99	3160.795	3161.796	Fill	+1.001
TS0087	74+78.87	R 712.77	3161.803	3162.800	Fill	+0.997
TS0086	74+78.87	R 717.13	3161.963	3162.959	Fill	+0.996
TS0085	74+78.87	R 720.59	3161.760	3162.756	Fill	+0.996
TS0082	74+78.87	R 735.92	3162.945	3163.948	Fill	+1.003
TS0083	74+78.87	R 739.12	3163.057	3164.067	Fill	+1.010
TS0084	74+78.87	R 742.16	3162.808	3163.823	Fill	+1.015

Point ID	Station	Offset	As-Built Elev (ft)	Design Elev (ft)	Status	Variance
TS0081	74+78.87	R 757.11	3163.998	3165.005	Fill	+1.007
TS0080	74+78.87	R 761.45	3164.189	3165.186	Fill	+0.997
TS0079	74+78.87	R 767.10	3163.987	3165.006	Fill	+1.019

Station/Offset Calculation Warnings (129)

Point ID	Station	Offset	Warning
TS0001	59+07.06	R 192.21	OUTSIDE_ALIGNMENT_LIMITS
TS0002	59+07.06	R 193.49	OUTSIDE_ALIGNMENT_LIMITS
TS0003	59+07.06	R 195.32	OUTSIDE_ALIGNMENT_LIMITS
TS0006	59+07.06	R 213.30	OUTSIDE_ALIGNMENT_LIMITS
TS0005	59+07.06	R 214.16	OUTSIDE_ALIGNMENT_LIMITS
TS0004	59+07.06	R 215.44	OUTSIDE_ALIGNMENT_LIMITS
TS0009	59+07.06	R 231.40	OUTSIDE_ALIGNMENT_LIMITS
TS0008	59+07.06	R 231.55	OUTSIDE_ALIGNMENT_LIMITS
TS0007	59+07.06	R 232.17	OUTSIDE_ALIGNMENT_LIMITS
TS0011	59+07.06	R 253.76	OUTSIDE_ALIGNMENT_LIMITS
TS0010	59+07.06	R 255.15	OUTSIDE_ALIGNMENT_LIMITS
TS0012	59+07.06	R 255.18	OUTSIDE_ALIGNMENT_LIMITS
TS0015	59+07.06	R 276.13	OUTSIDE_ALIGNMENT_LIMITS
TS0014	59+07.06	R 277.17	OUTSIDE_ALIGNMENT_LIMITS
TS0013	59+07.06	R 278.46	OUTSIDE_ALIGNMENT_LIMITS
TS0016	59+07.06	R 301.01	OUTSIDE_ALIGNMENT_LIMITS
TS0017	59+07.06	R 301.09	OUTSIDE_ALIGNMENT_LIMITS
TS0018	59+07.06	R 303.08	OUTSIDE_ALIGNMENT_LIMITS
TS0021	59+07.06	R 321.36	OUTSIDE_ALIGNMENT_LIMITS
TS0020	59+07.06	R 323.29	OUTSIDE_ALIGNMENT_LIMITS
TS0019	59+07.06	R 324.82	OUTSIDE_ALIGNMENT_LIMITS
TS0022	59+07.06	R 344.09	OUTSIDE_ALIGNMENT_LIMITS
TS0023	59+07.06	R 345.87	OUTSIDE_ALIGNMENT_LIMITS
TS0024	59+07.06	R 348.05	OUTSIDE_ALIGNMENT_LIMITS

Point ID	Station	Offset	Warning
TS0027	59+07.06	R 365.82	OUTSIDE_ALIGNMENT_LIMITS
TS0026	59+07.06	R 367.93	OUTSIDE_ALIGNMENT_LIMITS
TS0025	59+07.06	R 370.26	OUTSIDE_ALIGNMENT_LIMITS
TS0028	59+07.06	R 388.91	OUTSIDE_ALIGNMENT_LIMITS
TS0029	59+07.06	R 391.42	OUTSIDE_ALIGNMENT_LIMITS
TS0030	59+07.06	R 394.93	OUTSIDE_ALIGNMENT_LIMITS
TS0033	59+07.06	R 412.81	OUTSIDE_ALIGNMENT_LIMITS
TS0032	59+07.06	R 415.20	OUTSIDE_ALIGNMENT_LIMITS
TS0031	59+07.06	R 417.46	OUTSIDE_ALIGNMENT_LIMITS
TS0034	59+07.06	R 434.92	OUTSIDE_ALIGNMENT_LIMITS
TS0035	59+07.06	R 437.41	OUTSIDE_ALIGNMENT_LIMITS
TS0036	59+07.06	R 439.83	OUTSIDE_ALIGNMENT_LIMITS
TS0039	59+07.06	R 458.57	OUTSIDE_ALIGNMENT_LIMITS
TS0038	59+07.06	R 460.51	OUTSIDE_ALIGNMENT_LIMITS
TS0037	59+07.06	R 462.83	OUTSIDE_ALIGNMENT_LIMITS
TS0040	59+07.06	R 481.55	OUTSIDE_ALIGNMENT_LIMITS
TS0041	59+07.06	R 484.82	OUTSIDE_ALIGNMENT_LIMITS
TS0042	59+07.06	R 487.94	OUTSIDE_ALIGNMENT_LIMITS
TS0045	59+07.06	R 504.37	OUTSIDE_ALIGNMENT_LIMITS
TS0044	59+07.06	R 506.87	OUTSIDE_ALIGNMENT_LIMITS
TS0043	59+07.06	R 509.93	OUTSIDE_ALIGNMENT_LIMITS
TS0046	59+07.06	R 527.78	OUTSIDE_ALIGNMENT_LIMITS
TS0047	59+07.06	R 530.49	OUTSIDE_ALIGNMENT_LIMITS
TS0048	59+07.06	R 534.03	OUTSIDE_ALIGNMENT_LIMITS
TS0051	59+07.06	R 547.89	OUTSIDE_ALIGNMENT_LIMITS
TS0050	59+07.06	R 551.82	OUTSIDE_ALIGNMENT_LIMITS
TS0049	59+07.06	R 555.65	OUTSIDE_ALIGNMENT_LIMITS
TS0052	59+07.06	R 568.16	OUTSIDE_ALIGNMENT_LIMITS
TS0053	59+07.06	R 572.38	OUTSIDE_ALIGNMENT_LIMITS
TS0054	59+07.06	R 576.03	OUTSIDE_ALIGNMENT_LIMITS
TS0057	59+07.06	R 591.06	OUTSIDE_ALIGNMENT_LIMITS

Point ID	Station	Offset	Warning
TS0056	59+07.06	R 593.98	OUTSIDE_ALIGNMENT_LIMITS
TS0055	59+07.06	R 597.68	OUTSIDE_ALIGNMENT_LIMITS
TS0058	59+07.06	R 613.47	OUTSIDE_ALIGNMENT_LIMITS
TS0059	59+07.06	R 616.85	OUTSIDE_ALIGNMENT_LIMITS
TS0060	59+07.06	R 620.51	OUTSIDE_ALIGNMENT_LIMITS
TS0063	59+07.06	R 635.24	OUTSIDE_ALIGNMENT_LIMITS
TS0062	59+07.06	R 638.54	OUTSIDE_ALIGNMENT_LIMITS
TS0061	59+07.06	R 642.20	OUTSIDE_ALIGNMENT_LIMITS
TS0064	59+07.06	R 657.60	OUTSIDE_ALIGNMENT_LIMITS
TS0065	59+07.06	R 661.15	OUTSIDE_ALIGNMENT_LIMITS
TS0066	59+07.06	R 665.12	OUTSIDE_ALIGNMENT_LIMITS
TS0069	59+07.06	R 679.32	OUTSIDE_ALIGNMENT_LIMITS
TS0068	59+07.06	R 683.53	OUTSIDE_ALIGNMENT_LIMITS
TS0067	59+07.06	R 686.99	OUTSIDE_ALIGNMENT_LIMITS
TS0070	59+07.06	R 701.25	OUTSIDE_ALIGNMENT_LIMITS
TS0071	59+07.06	R 704.94	OUTSIDE_ALIGNMENT_LIMITS
TS0072	59+07.06	R 709.91	OUTSIDE_ALIGNMENT_LIMITS
TS0075	59+07.06	R 723.31	OUTSIDE_ALIGNMENT_LIMITS
TS0074	59+07.06	R 726.97	OUTSIDE_ALIGNMENT_LIMITS
TS0073	59+07.06	R 731.53	OUTSIDE_ALIGNMENT_LIMITS
TS0076	59+07.06	R 740.11	OUTSIDE_ALIGNMENT_LIMITS
TS0077	59+07.06	R 744.58	OUTSIDE_ALIGNMENT_LIMITS
TS0078	59+07.06	R 748.89	OUTSIDE_ALIGNMENT_LIMITS
TS0129	74+78.87	R 399.88	OUTSIDE_ALIGNMENT_LIMITS
TS0128	74+78.87	R 401.24	OUTSIDE_ALIGNMENT_LIMITS
TS0127	74+78.87	R 403.22	OUTSIDE_ALIGNMENT_LIMITS
TS0124	74+78.87	R 423.38	OUTSIDE_ALIGNMENT_LIMITS
TS0125	74+78.87	R 424.80	OUTSIDE_ALIGNMENT_LIMITS
TS0126	74+78.87	R 427.15	OUTSIDE_ALIGNMENT_LIMITS
TS0123	74+78.87	R 445.03	OUTSIDE_ALIGNMENT_LIMITS
TS0122	74+78.87	R 446.71	OUTSIDE_ALIGNMENT_LIMITS

Point ID	Station	Offset	Warning
TS0121	74+78.87	R 451.27	OUTSIDE_ALIGNMENT_LIMITS
TS0118	74+78.87	R 471.17	OUTSIDE_ALIGNMENT_LIMITS
TS0119	74+78.87	R 472.28	OUTSIDE_ALIGNMENT_LIMITS
TS0120	74+78.87	R 473.47	OUTSIDE_ALIGNMENT_LIMITS
TS0117	74+78.87	R 493.16	OUTSIDE_ALIGNMENT_LIMITS
TS0116	74+78.87	R 497.74	OUTSIDE_ALIGNMENT_LIMITS
TS0115	74+78.87	R 499.88	OUTSIDE_ALIGNMENT_LIMITS
TS0112	74+78.87	R 516.40	OUTSIDE_ALIGNMENT_LIMITS
TS0113	74+78.87	R 519.05	OUTSIDE_ALIGNMENT_LIMITS
TS0114	74+78.87	R 521.71	OUTSIDE_ALIGNMENT_LIMITS
TS0111	74+78.87	R 538.88	OUTSIDE_ALIGNMENT_LIMITS
TS0110	74+78.87	R 541.66	OUTSIDE_ALIGNMENT_LIMITS
TS0109	74+78.87	R 544.13	OUTSIDE_ALIGNMENT_LIMITS
TS0106	74+78.87	R 562.99	OUTSIDE_ALIGNMENT_LIMITS
TS0107	74+78.87	R 564.14	OUTSIDE_ALIGNMENT_LIMITS
TS0108	74+78.87	R 565.89	OUTSIDE_ALIGNMENT_LIMITS
TS0105	74+78.87	R 584.88	OUTSIDE_ALIGNMENT_LIMITS
TS0104	74+78.87	R 587.71	OUTSIDE_ALIGNMENT_LIMITS
TS0103	74+78.87	R 590.85	OUTSIDE_ALIGNMENT_LIMITS
TS0100	74+78.87	R 606.39	OUTSIDE_ALIGNMENT_LIMITS
TS0101	74+78.87	R 609.64	OUTSIDE_ALIGNMENT_LIMITS
TS0102	74+78.87	R 612.03	OUTSIDE_ALIGNMENT_LIMITS
TS0099	74+78.87	R 631.21	OUTSIDE_ALIGNMENT_LIMITS
TS0098	74+78.87	R 634.59	OUTSIDE_ALIGNMENT_LIMITS
TS0097	74+78.87	R 637.49	OUTSIDE_ALIGNMENT_LIMITS
TS0094	74+78.87	R 651.32	OUTSIDE_ALIGNMENT_LIMITS
TS0095	74+78.87	R 653.76	OUTSIDE_ALIGNMENT_LIMITS
TS0096	74+78.87	R 656.14	OUTSIDE_ALIGNMENT_LIMITS
TS0093	74+78.87	R 673.71	OUTSIDE_ALIGNMENT_LIMITS
TS0092	74+78.87	R 677.06	OUTSIDE_ALIGNMENT_LIMITS
TS0091	74+78.87	R 680.44	OUTSIDE_ALIGNMENT_LIMITS

Point ID	Station	Offset	Warning
TS0088	74+78.87	R 694.11	OUTSIDE_ALIGNMENT_LIMITS
TS0089	74+78.87	R 697.17	OUTSIDE_ALIGNMENT_LIMITS
TS0090	74+78.87	R 700.99	OUTSIDE_ALIGNMENT_LIMITS
TS0087	74+78.87	R 712.77	OUTSIDE_ALIGNMENT_LIMITS
TS0086	74+78.87	R 717.13	OUTSIDE_ALIGNMENT_LIMITS
TS0085	74+78.87	R 720.59	OUTSIDE_ALIGNMENT_LIMITS
TS0082	74+78.87	R 735.92	OUTSIDE_ALIGNMENT_LIMITS
TS0083	74+78.87	R 739.12	OUTSIDE_ALIGNMENT_LIMITS
TS0084	74+78.87	R 742.16	OUTSIDE_ALIGNMENT_LIMITS
TS0081	74+78.87	R 757.11	OUTSIDE_ALIGNMENT_LIMITS
TS0080	74+78.87	R 761.45	OUTSIDE_ALIGNMENT_LIMITS
TS0079	74+78.87	R 767.10	OUTSIDE_ALIGNMENT_LIMITS