

Index

Symbols

\$ (dollar sign), Bourne or bash shell user prompt, xii # (pound sign), root shell prompt, xii

Numbers

32-bit Intel processors, memory models, 74 387 math emulation library, 96 802.11 kernel configuration option, 138 network configuration option, 79

Α

Accelerated Graphics Port (AGP), 147
ACPI (Advanced Configuration and
Power Interface), 75
options, 103
accept_irq_balance, 104
acip_os_name, 104
acpi, 103
acpi_dbg_layer, 105
acpi_fake_ecdt, 105
acpi_fake_ecdt, 105
acpi_irq_isa, 104
acpi_irq_nobalance, 104
acpi_irq_pci, 104
acpi_osi, 104

acpi_pm_good, 105 acpi_sci, 103 acpi_serialize, 104 acpi_skip_timer_override, 105 acpi_sleep, 103 ec_intr, 105 memmap, 105 pnpacpi, 106 processor.max_cstate, 106 processor.nocst, 106 address space of 32-bit processor, 74 Advanced Linux Sound Architecture (ALSA), 70 Advanced Programmable Interrupt Controller (APIC), 91 AGP (Accelerated Graphics Port), 147 ALSA (Advanced Linux Sound Architecture), 70 analysis targets, make utility, 121 apic option, 91 architectures different, building kernel for, 28 make utility targets, 121 ATA (AT Attachment), 139 ATA-1 (see IDE) ATAPI (ATA Packet Interface), 139 audio/video capture and overlay devices, 149 AUTOFS_FS option, 155 automounter tools, 155

We'd like to hear your suggestions for improving our indexes. Send email to index@oreilly.com.













В	bootloader program
base kernel patches, 37	modifying for new kernel, 32–34
basename program, 48, 50	GRUB, 32
battery life, conserving, 73	LILO, 33
binutils, 6	notification of new kernel
blinkenlights parameter, 88	installation, 30
BLK_DEV_DM option, 143	build targets, make utility, 119
BLK_DEV_IDE option, 140	building the kernel, 23–28
BLK_DEV_IDECD option, 140	advanced options, 26–28
BLK_DEV_IDEDISK option, 140	building faster on multiprocessor
BLK_DEV_IDEFLOPPY option, 141	machines, 26
BLK_DEV_MD option, 143	building only a portion of
BLK_DEV_SD option, 141	kernel, 27
BLK_DEV_SR option, 142	different architectures, 28
block devices, 60	kernel build source in one place,
combined to resemble one logical	output in another, 27
device, 81	command-line reference, 117–121
finding all drivers for sda block	make command, 23–26
device, helper script, 61	tools, 5
Bluetooth, 78, 137	compiler, 5
books about Linux and the kernel, 168	linker, 6
boot command-line parameters, 87–116	make, 6
console options, 88–91	built as a module kernel configuration
CPU options, 95–97	options
hardware-specific options, 113	gconfig and xconfig methods, 22
init options, 101	menuconfig method, 19
interrupt options, 91	built into the kernel configuration
kexec options, 101	options
memory options, 92–94	gconfig method, 22
miscellaneous options, 115	menuconfig mehod, 19
module-specific, 87	burning a CD-ROM, 66
network options, 111	bzip2 command, 38
NFS options, 111	
PCI options, 107	C
PnP BIOS options, 109	C compiler, gcc, 5
Ramdisk options, 98	cachesize option, 95
RCU (Read Copy Update)	capability model (security), 82
options, 102	CardBus device support, 69
root disk options, 99	CD-ROMs
scheduler options, 97	burning, 66
SCSI options, 106	CD writers, SCSI, 142
SELinux, 110	IDE, 140
suspend options, 94	SCSI or FireWire, 142
timer options, 114	checkreaprot option, 110
/boot directory	CHR_DEV_SCH option, 142
/grub subdirectory, 32	CHR_DEV_SG option, 142
installation of static kernel	CHR_DEV_ST option, 142
portion, 30	CIFS (Common Internet File
boot process	System), 81, 156
LOGO option, 150	5y5tCiii/, 01, 150
root filesystem, 59–61	
1001 11103/310111, 37 01	




























debugging, kernel (continued)	discovery of devices, summary of
IRQ debugging, 92	process, 50
kernel log timestamps, 83	disks
Mutex debugging, 41	combining multiple to resemble a
SysRq keys, 83	logical disk with RAID, 80
default kernel configuration, 18	combining portions of, using LVM
/dev directory, device naming system	and DM, 81
(udev), 10	configuring support by Linux
development branch (Linux kernel), 12	kernel, 63–66
device drivers	
	CD-ROM, 66
determining correct kernel module	IDE disks, 64
from scratch, 52–62	SATA (Serial ATA), 65
helper script, 61	USB storage device, 63
PCI devices, 53–56	distributions
root filesystem, 59–61	using distribution kernel
USB devices, 56–59	finding kernel configuration, 45
enabling for individual USB	finding modules needed to drive
devices, 67	hardware, 46-52
enabling for specific FireWire	using distribution kernel to
devices, 68	determine necessary
finding modules needed for your	modules, 45-52
hardware, 46	DM (Device Mapper), 81, 143
determining network driver	DMAs not used by PnP BIOS, 109
(example), 47–50	dmesg command, 83
determining USB device driver	documentation targets, make
(example), 50	utility, 121
script to find all modules, 51	downloading kernel, 12–16
summary of device discovery, 50	DRI (Direct Rendering
network, 76	Infrastructure), 148
wireless, 79	drivers (see device drivers)
Device Drivers menu, 19	drivers/usb/serial directory, building
device IDs	files in, 27
PCI devices, 54	DRM (Direct Rendering Manager), 148
USB devices, 58	Dual Core CPU, 72
Device Mapper (DM), 81, 143	DVB (Digital Video Broadcasting), 149
device naming system in the /dev	_
directory, 10	E
devices, 66–70	e2fsprogs package, 8
ALSA (Advanced Linux Sound	earlyprintk option, 89
Architecture), 70	ECDT (Embedded Controller
IEEE 1394 (FireWire), 68	Description Table), 105
PCI hotplug, 68	EDAC option, 153
dhash_entries option, 111, 115	EHCI (Enhanced Host Controller
diff program, 161	
Digital Video Broadcasting (DVB), 149	Interface), 151
Direct Rendering Infrastructure	EIDE (Enhanced IDE), 139
(DRI), 148	elevator option, 115
Direct Rendering Manager (DRM), 148	elfcorehdr option, 102
disable_8254_timer option, 115	Embedded Controller Description Table
disable_timer_pin_1 option, 114	(ECDT), 105
	embedded controller interrupt
	mode, 105














enable_8254_timer option, 114	FM radio cards, 149
enable_timer_pin_1 option, 114	frame buffer (FB) option, 149
enforcing option, 110	frequency scaling, CPU, 73
Enhanced Host Controller Interface	FUSE_FS option, 156
(EHCI), 151	•
Enhanced IDE (EIDE), 139	G
environment variables passed to	
make, 120	gcc compiler, 5
error information, console	gconfig method, 22
options, 88–91	Generic Driver Options menu, 19
errors	Gentoo Linux, LILO configuration
building the kernel, 26	file, 33
core system, reporting, 153	getting kernel, 12–16 git tool, 165
/etc directory, /lilo.conf file, 32	graphical methods, kernel
eth0, eth1, and eth2 directories, 47	
Ethernet devices	configuration, 22 graphics, AGP support, 147
NET_ETHERNET kernel	grep command, 51
option, 144	GRUB
PCI, 53, 77	checking for presence of, 32
PPPOE kernel option, 145	modifying for new kernel, 32
ExpressCard, 68	GTK+-based graphical configuration
ext2/ext3/ext4 filesystems, 8	method (gconfig), 22
EXT2_FS option, 154	method (geomig), 22
EXT3_FS option, 154	Н
_	
F	hardware monitoring (HWMON
FB (frame buffer) option, 149	option), 149
file compression	hardware options, 113
	lp, 113
uncompressing kernel patches, 38	lp, 113 nousb, 113
uncompressing kernel patches, 38 filesystems, 80–82	lp, 113 nousb, 113 nr_uarts, 114
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158	lp, 113 nousb, 113 nr_uarts, 114 parport, 113
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8 sysfs (virtual filesystem), 46 filtering and manipulating network	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92 HWMON option, 149
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8 sysfs (virtual filesystem), 46 filtering and manipulating network packets, 76	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8 sysfs (virtual filesystem), 46 filtering and manipulating network packets, 76 find command, 48, 51	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92 HWMON option, 149 HyperThreaded or Dual Core CPU, 72
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8 sysfs (virtual filesystem), 46 filtering and manipulating network packets, 76 find command, 48, 51 firewalling, 76, 134	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92 HWMON option, 149
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8 sysfs (virtual filesystem), 46 filtering and manipulating network packets, 76 find command, 48, 51 firewalling, 76, 134 FireWire, 68	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92 HWMON option, 149 HyperThreaded or Dual Core CPU, 72
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8 sysfs (virtual filesystem), 46 filtering and manipulating network packets, 76 find command, 48, 51 firewalling, 76, 134 FireWire, 68 IEEE 1394 option, 143	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92 HWMON option, 149 HyperThreaded or Dual Core CPU, 72
uncompressing kernel patches, 38 filesystems, 80–82 debugfs, 84, 158 kernel configuration options, 154 Linux, sharing files with Windows, 81 NFS options, 111 OCFS2 (cluster filesystem from Oracle), 82 RAID, 80 root, 59–61 rootfstype, 100 specific tools for using the kernel, 8 sysfs (virtual filesystem), 46 filtering and manipulating network packets, 76 find command, 48, 51 firewalling, 76, 134 FireWire, 68	lp, 113 nousb, 113 nr_uarts, 114 parport, 113 parport_init_mode, 114 hardware RAID, 80, 143 hash buckets for kernel inode cache, 93 hashdist option, 115 HCD (Host Controller Driver), 151 highmem option, 92 Host Controller Driver (HCD), 151 hotkey driver, 105 hpet option, 115 hugepages option, 92 HWMON option, 149 HyperThreaded or Dual Core CPU, 72













IDE (Integrated Disk Electronics)	irqfixup option, 92
CD-ROM drives, 66, 140	irqpoll option, 92
configuring disk support by	ISAPNP option, 139
kernel, 64	ISDN (Integrated Services Digital
kernel configuration	Networks), 146
options, 139–141	ISO 8802-2 (Ethernet), 144
IDs	isolcpus option, 97
PCI devices, vendor and product, 54	
USB devices, vendor and product, 58	J
IEEE 1394 (FireWire), 68, 143	IEC filosystem (IDM) 0
IEEE 802.11	JFS filesystem (IBM), 8
kernel configuration option, 138	JFS_FS option, 154
network configuration option, 79	jfsutils pacakge, 8
IEEE 802.3 (Ethernet), 144	journaled filesystems, 154
ifconfig utility, 47	v
ihash_entries option, 93	K
images, kernel	kernel message (printk) output, 157
automatic creation of initial ramdisk	kernel.org web sites, 13
image, 30	main site, 14
generating using config.gz file, 46	list of current kernel versions for
incremental kernel patches, 37	donwload, 36
INFINIBAND option, 153	ketchup program, 42, 166
informational targets, make utility, 117	kexec options, 101
infrared protocol (IrDA), 77	crashkernel, 101
init options, 101	elfcorehdr, 102
init, 101	klogd program, 90
rdinit, 101	KPROBES option, 157
S (single-user), 101	kstack option, 91
initcall_debugg option, 90	1
initrd option, 98	L
INPUT option, 146	
installing the kernel	lapic option, 91
by hand, 31	laptop docking stations, 68
modifying bootloader for new	laptops, suspending kernel, 73
kernel, 32–34	latest kernel versions, determining, 15
using distribution's installation	left out altogether (N), menuconfig
scripts, 30	options, 19
Integrated Disk Electronics (see IDE)	libata kernel library, SATA disks, 65
Integrated Services Digital Networks	LILO
(ISDN), 146	checking for presence of, 32
interactive kernel configuration	modifying configuration for new
tools, 18	kernel, 33
interrupt options, 91	linking source files (binutils), 6
interruptions, kernel, 72	linux/ directory for kernel source
I/O	files, 15
INPUT kernel option, 146	Linux kernel, overview, 3
Intelligent Input/Output (I2O)	lo directory, 47
architecture, 144	load_ramdisk option, 98
ports not used by PnP BIOS, 109	lockd.nlm_grace_period option, 111
IrDA (infrared protocol), 77	lockd.nlm_tcpport option, 112
IRQ balancing, 91	lockd.nlm_timeout option, 112
	lockd.nlm_udpport option, 112








packaging targets, 120

silentoldconfig option, 40














modules, kernel



boot command-line parameters, 87


gconfig and xconfig methods, 22





modules, kernel (continued)	notxsr option, 96
installing, 30	no-hlt option, 96
menuconfig method, 19	noinitrd option, 99
mount command, 59	noirqbalance option, 91
MTD (Memory Technology Device)	noirqdebug option, 92
option, 138	noisapnp option, 109
MultiMedia Card (MMC) option, 153	nolapic option, 91
multiprocessing, enabling, 72	nomce option, 96
multiprocessors	nonexecutable, mapping memory
building kernel faster, 26	sections as, 94
nosmp option, 96	non-maskable interrupt (NMI)
Mutex debugging, 41	watchdog, 96
wittex debugging, 41	
N	norandmaps option, 94
N	noresume option, 95
N (left out menuconfig kernel	nosep option, 96
options), 19	nosmp option, 96
NETDEVICES option, 144	NOTIFY option, 155
NET_ETHERNET option, 144	notsc option, 97
Netfilter, 76, 134	nousb option, 113
	nr_uarts option, 114
netlink interface and Xtables support	NSA Security-Enhanced Linux
(Netfilter), 76	(SELinux), 158
NET_RADIO option, 145	NUMA nodes, distributing large hashes
network configuration option	across, 115
(main), 75	
network driver, determining	0
(example), 47–50	
network loopback device, 47	OCFS2 (cluster filesystem from
networking, 75–80	Oracle), 82
IrDA (infrared protocol), 77	OCFS2_FS option, 155
kernel configuration options, 144	OHCI (Open Host Controller
Netfilter, 76	Interface), 152
network drivers, 76	oops dumps, printing words from kerne
options, 111	stack, 91
dhash_entries, 111	Open Host Controller Interface
netdev, 111	(OHCI), 152
shapers, 111	operating system name, faking to
thash_entries, 111	ACPI, 104
wireless, 79	OPROFILE option, 157
NFS filesystem, 9	Oracle cluster filesystem (OCFS2), 82,
NFS options	155
lockd.nlm_grace_period, 111	_OSI method, disabling, 104
lockd.nlm_tcpport, 112	OSS sound protocol, 70
lockd.nlm_timeout, 112	oss sound protocol, 70
lockd.nlm_udpport, 112	P
nfs.callback_tcpport, 112	r
	packaging targets, make utility, 120
nfs.idmap_cache_timeout, 113 nfs-utils package, 9	paging, hugepages option, 92
	panic option, 116
nmi_watchdog option, 96	parallel port options, 113, 138
no387 option, 96	parport option, 113
noapic option, 91	parport_init_mode option, 114
noexec option, 94	r - Para operan, 11.

78 | Inde











patch program, 161
using with quilt, 164
patches
applying, 38–40
determining correct patch for specific
release, 37
finding for a kernel release, 38
kernel upgrades, 36
managing with quilt
program, 163–165
pause_on_oops option, 116
PC-compatible option, 71
PCI devices
boot command-line options, 107
IDE disk controllers, 64
matching to driver, 53-56
steps in process, 56
network device, 76
network interface card,
determining, 47
SATA disk controller, 65
PCI hotplug, 68
PCMCIA devices
configuring kernel support, 69
tools for using with Linux, 10
pemciautils, 10
PHONE option, 146
Plug and Play (see PnP)
pmtimer, 105
PnP (Plug and Play)
BIOS options, 109
noisapnp, 109
pnpbios, 109
pnp_reserve_dma, 109
pnp_reserve_io, 109
pnp_reserve_irq, 109 pnp_reserve_mem, 109
kernel configuration options, 138
pnpacpi option, 106
PNPBIOS option, 139
power management, 73, 130
suspend options, 94
PPP (Point-to-Point Protocol), 145
PPPOE (PPP over Ethernet) option, 145
preemption, 72, 127
PRINTK_TIME option, 157
/proc filesystem, 45
/config.gz filename, 46
processes running on the system, tools
for, 10
processor types, 71, 74

processor.max_cstate option, 106 procfs, 84 procps package, 10 product IDs PCI devices, 54 USB devices, 58 profile option, 116 PROFILING option, 157 prompt_ramdisk option, 99 prompts, xii protocols, selecting for filtering, 76 ps tool, 10
Q
QT-based graphical configuration method (xconfig), 22 quiet option, 89 quilt program, 163–165 QUOTA option, 155 quota-tools package, 9

R

radio cards (FM), 149
RAID, 80
BLK_DEV_MD kernel option, 143
RAM-based filesystems, 84
Ramdisk options, 98
initrd, 98
load_ramdisk, 98
noinitrd, 99
prompt_ramdisk, 99
ramdisk_blocksize, 99
ramdisk_size, 99
rdinit, 101
randomization, address space of
programs, 94
-rc versions, kernel, 12
RCU (Read Copy Update) options, 102
rcu.blimit, 102
rcu.qhimark, 102
rcu.qlowmark, 102
rcu.rsinterval, 102
readlink command, 48, 50
read-only root device, 99
read-write root device, 100
ReiserFS filesystem, 8
REISERFS_FS option, 154
reiserfsprogs package, 8
removing files from previous builds, 118
reserve option, 94














resume option, 94	SELINUX (Security-Ennanced Linux), 82,
root disk options, 99	158
ro, 99	boot command-line options, 110
rootfstype, 100	checkreqprot, 110
root, 99	enforcing, 110
rootdelay, 100	selinux, 110
rootflags, 100	selinux_compat_net, 110
rw, 100	Serial ATA (see SATA)
root filesystem, 59–61	Serial Peripheral Interface (SPI), 148
root partition, filesystem type, 59	serial ports, 147
root shell prompt (#), xii	USB_SERIAL kernel option, 152
root user, prefixing commands with	SERIAL_8250 option, 147
sudo, 29	Server Message Block (see SMB)
suu0, 2)	
•	servers, preemption modes to handle
S	workloads, 72
S (single-user) mode, 101	SGI, XFS filesystem, 9
Samba, 81	shapers option, 111
SATA (Serial ATA), 65	shell prompts, xii
CD-ROM drives, 66	single-user mode (S), 101
SCSI_SATA kernel option, 143	SMART IDE (self-monitoring, analysis,
scanners, SCSI, 142	and reporting
scheduler options, 97	technology), 140
isolcpus, 97	SMB (Server Message Block)
	SMB filesystem, 81
migration_cost, 97 migration_debug, 98	SMB_FS option, 156
	SMBus (System Management Bus), 148
migration_factor, 98	SND option, 151
SCSI CD-ROM drive, 66	SND_USB_AUDIO option, 151
SCSI disk controller driver, 60	software RAID, 80, 143
SCSI options	SOUND option, 150
kernel boot, 106	sound system for Linux kernel
max_luns, 106	(ALSA), 70
kernel configuration, 141–143	source code, kernel
max_report_luns, 106	downloading patch for kernel
scsi_dev_flags, 107	upgrade, 36–38
SCSI_MULTI_LUN option, 142	determining correct patch, 37
SCSI_SATA option, 143	finding the patch, 38
sda block device	git (control tool), 165
finding all drivers for, helper	location of, 4
script, 61	managing patches with
symlink in device directory pointing	quilt, 163–165
to controlling logical	patching, then porting changes to
device, 60	new kernel version, 161
security, 82	retrieving, 12–16
standard security model, 82	what to do with the source, 15
(see also SELinux)	where to find kernel source, 13
SECURITY option, 158	which tree to use, 12
SECURITY_SELINUX option, 158	storing separately from output of
self-monitoring, analysis, and reporting	kernel build, 27
technology (SMART	tool web sites, 169
IDE), 140	updating or switching betwen
	versions with ketchup, 166













SPI (Serial Peripheral Interface), 148	enable_8254_timer, 114
stable branch (Linux kernel), 12	enable_timer_pin_1, 114
stable kernel patches, 37	hpet, 115
stable kernel version, downloading	timing information in printk
latest, 14	output, 157
storage devices, USB, 152	tools
struct pci_device_id values, 55	building the kernel, 5
struct usb_device_id, 58	interactive kernel configuration, 18
su command, 29	to use the kernel, 6–11
sudo command, 29	closely tied to kernel version, 9
superuser permissions, 4	filesystem-specific, 8
suspend options, 94	module-init-tools, 7
noresume, 95	util-linux, 7
resume, 94	web sites for source code, 169
	(see also utilities)
suspending kernel to disk, 73	
swap partitions, kernel, 73	top tool, 10
symlinks	tty files, searching for device, 50
for eth0 device, 48	
following to module names, script	U
for, 51	udev program, 10
to logical device controlling block	udev startup process, 53
device, 60	UHCI (Universal Host Controller
output to readlink command, putting	Interface), 152
into basename, 48	uncompressing files, 16, 38
sysfs filesystem, to different portions	Universal Host Controller Interface
of kernel, 46	(UHCI), 152
synthesizers, SCSI, 142	Universal Serial Bus (see USB)
SYSENTER/SYSEXIT support, 96	updating a kernel, 162
sysfs (virtual filesystem), 46, 84	upgrading a kernel, 35–42
block devices, 60	
device discovery, use in, 50	applying the patch, 38–40
listing PCI device names, 54	automating the process, 42
tty section, 50	downloading new source
SysRq key, 83, 157	code, 36–38
system logfile, 83	determining correct patch for a
System Management Bus (SMBus), 148	release, 37
,	finding the patch, 38
T	reconfiguring kernel after
	upgrade, 40
tape drive, SCSI, 142	USB devices
TCP/IP option, 75	enabling, 66
telephony support, 146	storage, 63
terminal devices, 146	USB (Universal Serial Bus)
terminal-based kernel configuration	determining driver for USB-to-serial
tool, 18	converter, 50
thash_entries option, 111	determining if machine has USB
time option, 91	controller, 66
time stamp counter, 97	finding driver for USB wireless
timer options, 114	device, 56-59
clocksource, 115	finding drivers for USB-to-serial
disable_8254_timer, 115	device (helper script), 61
disable_timer_pin_1, 114	kernel configuration options, 151















USB (Universal Serial Bus) (continued) nousb option, 113 wireless networking device drivers, 80 USB_EHCI_HCD option, 151 USB_GADGET option, 153 USB_OHCI_HCD option, 152 USB_SERIAL option, 152 USB_STORAGE option, 152 USB_UHCI_HCD option, 152 user prompt (\$), xii using the kernel, tools for, 6-11 closely tied to kernel version, 9 filesystem-specific, 8 utilities, 161-167 git, 165 ketchup, 166 patch and diff, 161 quilt, 163-165 web sites for source code, 169 (see also tools) util-linux package, 7

٧

vdso option, 94
vendor IDs
PCI devices, 54
USB devices, 58
versions, kernel, 31, 117
current, for different kernel trees, 14
determining latest, 15
updating, 162
VGA_CONSOLE option, 150
VIDEO_DEV option, 149
Virtual Dynamic Shared Object
(VDSO), 94

virtual filesystem (see sysfs) virtual terminal (VT) option, 146 vmalloc option, 94 volume managers, 81, 143 VT (virtual terminal) option, 146 VT_CONSOLE option, 147

W

web site for this book, xiii
web sites
main kernel.org site, 14
tools, source code for, 169
wget utility, 14
Windows systems, filesharing with
Linux, 81, 156
wireless
Bluetooth technology, 78
IEEE 802.11 option, 138
NET_RADIO kernel option, 145
networking, 79
USB device, finding driver, 57–59

X

x86 floating-point save and restore, 96 xconfig method, 22 XFS filesystem, 9 XFS_FS option, 154 xfsprogs package, 9

Υ

Y (menuconfig options built into the kernel), 19



