Settings:

Pro	Product: API ✓	
(APIcast 3scale managed	
(APIcast self-managed	
() Istio	
F	API GATEWAY	
9	Staging Public Base URL	
	http://api-apicast-dev-staging-3scale-project.apps.osepext01.claro.amx:80	
F	Public address of your API gateway in the staging environment.	
	Production Public Base URL	
	http://api-apicast-dev-production.apps.osepext01.claro.amx:80	
	Public address of your API gateway in the production environment.	
(HENTICATION API Key (user_key) The application is identified & authenticated via a single string. App_ID and App_Key Pair The application is identified via the App_ID and authenticated via the App_Key.	
	OpenID Connect Use OpenID Connect for any OAuth 2.0 flow.	
F	AUTHENTICATION SETTINGS	
(DPENID CONNECT (OIDC) BASICS	
(OpenID Connect Issuer Type	
	Red Hat Single Sign-On	
٢	OpenID Connect Issuer	
L	ale-client-ws:c48ab397-bac9-444b-afe9-b559fd609938@desa-login.claro.com.ar:443/auth/realms/DEV	
	_ocation of your OpenID Provider. The format of this endpoint is determined on your OpenID Provider setup. A common guidance would be "https:// <client_id>:<client_secret>@<host>:<port>/auth/realms/<realm_name>".</realm_name></port></host></client_secret></client_id>	

Error:

10.131.2.1 - - [17/Sep/2020:16:16:42 +0000] "GET /metrics HTTP/1.1" 200 - 0.0150 {"adapter":"KeycloakAdapter","client_id":"d3f5dc80","action":"update_client","duration":32.82,"exception ":"AbstractAdapter::OIDC::AuthenticationError"."AbstractAdapter::OIDC::AuthenticationError: Connection refused - Connection refused - connect(2) for \"desa-login.claro.com.ar\" port 80 (desa-login.claro.com.ar:80)","metadata":{"faraday}":{"uri}":"https://desa-login.claro.com.ar/auth/realms/DEV/"}}}

{"adapter":"Que","job":"ProcessIntegrationEntryJob","priority":null,"queue":"default","arguments":["gid://zync/Integration::Keycloak/15","gid://zync/Model/38"],"action":"perform","duration":73.86,"exception":"AbstractAdapter::OIDC::AuthenticationError","error":"AbstractAdapter::OIDC::AuthenticationError:

Connection refused - Connection refused - connect(2) for \"desa-login.claro.com.ar\" port 80
(desa-login.claro.com.ar:80)","metadata":{"faraday":{"uri":"https://desa-login.claro.com.ar/auth/realms/DEV/"}}}

{"lib":"que","hostname":"zync-que-3-fpxhf","pid":1,"thread":40166760,"event":"job_errored","job_id":100 4,"elapsed":0.084243229,"error":"AbstractAdapter::OIDC::AuthenticationError: Connection refused - Connection refused - connect(2) for \"desa-login.claro.com.ar\" port 80 (desa-login.claro.com.ar:80)"}

Curl from the zync pod