


```
[claro@bastion-0 ~]$ oc get routes -n 3scale_project | grep api
No resources found.
```

Routes:



Name	Namespace	Status	Location	Service
api-apicast-dev-production	3scale-project	Accepted	http://api-apicast-dev-production-3scale-project.apps.osepext01.claro.amx	apicast-dev-production
api-apicast-dev-staging	3scale-project	Accepted	http://api-apicast-dev-staging-3scale-project.apps.osepext01.claro.amx	apicast-dev-staging
api-dev-3scale-apicast-apicast-staging-dev	3scale-project	Accepted	https://api-dev-3scale-apicast-apicast-staging-dev-3scale-project.apps.osepext01.claro.amx	apicast-apicast-staging-dev

```
[claro@bastion-0 ~]$ oc get route api-apicast-dev-staging -o yaml
apiVersion: route.openshift.io/v1
kind: Route
metadata:
  annotations:
    openshift.io/host.generated: "true"
  creationTimestamp: "2020-09-17T14:49:08Z"
  labels:
    app: apicast
    threescale_component: apicast
  name: api-apicast-dev-staging
  namespace: 3scale-project
  resourceVersion: "260619421"
  selfLink: /apis/route.openshift.io/v1/namespaces/3scale-project/routes/api-apicast-dev-staging
  uid: e67e7e50-c1ae-4c5c-aa51-dac66d162fe4
spec:
  host: api-apicast-dev-staging-3scale-project.apps.osepext01.claro.amx
  port:
    targetPort: proxy
  to:
    kind: Service
    name: apicast-dev-staging
    weight: 100
```

wildcardPolicy: None  
status:  
ingress:  
- conditions:  
 - lastTransitionTime: "2020-09-17T14:49:09Z"  
 status: "True"  
 type: Admitted  
 host: api-apicast-dev-staging-3scale-project.apps.osepext01.claro.amx  
 routerCanonicalHostname: [pci.testing.org](https://pci.testing.org)  
 routerName: testpci  
 wildcardPolicy: None  
- conditions:  
 - lastTransitionTime: "2020-09-17T14:49:09Z"  
 status: "True"  
 type: Admitted  
 host: api-apicast-dev-staging-3scale-project.apps.osepext01.claro.amx  
 routerCanonicalHostname: apps.osepext01.claro.amx  
 routerName: default  
 wildcardPolicy: None  
[claro@bastion-0 ~]\$ oc get route api-apicast-dev-production -o yaml  
apiVersion: [route.openshift.io/v1](https://route.openshift.io/v1)  
kind: Route  
metadata:  
 annotations:  
 [openshift.io/host.generated](https://route.openshift.io/host.generated): "true"  
 creationTimestamp: "2020-09-18T16:04:16Z"  
 labels:  
 app: apicast  
 threescale\_component: apicast  
 name: api-apicast-dev-production  
 namespace: 3scale-project  
 resourceVersion: "261769119"  
 selfLink: /apis/[route.openshift.io/v1/namespaces/3scale-project/routes/api-apicast-dev-production](https://route.openshift.io/v1/namespaces/3scale-project/routes/api-apicast-dev-production)  
 uid: 8e7ba771-b57c-42b9-870f-2b3f825df576  
spec:  
 host: api-apicast-dev-production-3scale-project.apps.osepext01.claro.amx  
 port:  
 targetPort: proxy  
 to:  
 kind: Service  
 name: apicast-dev-production  
 weight: 100  
 wildcardPolicy: None  
status:  
ingress:

- conditions:
  - lastTransitionTime: "2020-09-18T16:04:16Z"
  - status: "True"
  - type: Admitted
  - host: api-apicast-dev-production-3scale-project.apps.osepext01.claro.amx
  - routerCanonicalHostname: [pci.testing.org](https://pci.testing.org)
  - routerName: testpci
  - wildcardPolicy: None
- conditions:
  - lastTransitionTime: "2020-09-18T16:04:16Z"
  - status: "True"
  - type: Admitted
  - host: api-apicast-dev-production-3scale-project.apps.osepext01.claro.amx
  - routerCanonicalHostname: apps.osepext01.claro.amx
  - routerName: default
  - wildcardPolicy: None

Saludos.