Request for Quotation 190184
Insourcing Solenoid Armature

06.06.2024
A07591000A / Bosch RzP

Ansprechpartner Gluth:

Bernhard Hacker
Technical Sales
E-Mail: hacker.bernhard@gluth.eu
Tel : +49 9421 / 544-19
Mobil : +49 151 / 1402 8680

Fabien Brault
Mechanical Engineering
E-Mail: brault.fabien@gluth.eu
Tel : +49 9421 / 544-78

Ansprechpartner Bosch RzP:

William Bauguil
Planner
RzP/MFE1
E-Mail: william.bauguil@fr.bosch.com
Tel : +33 5 6567-9485
Mobil : +33 6 34 26 44 81

Sara Gohier
Purchaser
GS/PUI5-TME2
E-Mail: sara.gohier@ro.bosch.com
Tel : +40 722 358 050

Modulare Automation
und Prüftechnik


BOSCH
Technik fürs Leben


Gluth SYSTEM TECHNIK


Products solenoid armature


Parts name	Assembled part reference	Plate reference	Pin reference
Solenoid armature	F 00N 000 182	F 00V D43 207 Ø27,95mm, h5,4mm	F 00N 000 183 Ø4mm, L56,295mm
	F 00N 000 375	F 00N 000 274 Ø31,2mm, h6mm	F 00N 000 379 Ø5mm, L56,785mm
	F 00V D43 203	F 00V D43 200 Ø27,95mm, h5,4mm	F 00V D44 200 Ø4mm, L55,8mm
	F 00V D43 208	F 00V D43 207 Ø27,95mm, h5,4mm	F 00V D44 200 Ø4mm, L55,8mm



































Cycle time: 8,2s

Basis of our offer:


- Your specification ‚CDC solenoid armature assembly V1‘ from 02.04.2024
- Your process parameters F 00V D39 030 & F 00V D39 031
- Phone call Brault/Bauguil on 07.06.2024
- Former concept of M.Waas


Gluth SYSTEM TECHNIK

loading & unloading trays


Tray pin

ET_0746W004





One tray per class, three classes
Alarm & light, if tray empty





Tray plate

To be defined

06.06.2024: meeting with Mr.Bauguil:


- Tray aus steel (cleaning duty)
- 50 parts, ca. 400x200mmm
- Parts on the B-surface in tray
- Poka Yoke between trays Ø27,95 & Ø31,2 nice to have
- Compatible with conveyor






Tray solenoid armature


ET_0830W001






Required Processes

	Processes
1	feeding trays plate
2	loading plate
3	plate brushing
4	hole plate measurement
5	feeding trays pins
6	selection needle & loading in assembly tool
7	loading plate in assembly tool
8	press fitting
9	runout checking
10	length checking
11	back brushing
12	DMC marking (option)
13	DMC controlling (option)
14	free place
15	unloading solenoid armature (iO & NiO)
16	output trays solenoid armature





Required Processes (specifications V2)

	Processes
1	feeding trays plate
2	loading plate
3	plate brushing
4	hole plate measurement
5	feeding trays pins
6	selection needle & loading in assembly tool
7	loading plate in assembly tool
8	press fitting
9	runout checking
10	length checking
11	back brushing
12	DMC marking
13	DMC controlling
14	free place
new	oil washing solenoid armature
new	cleaning solenoid armature (compressed air)
15	unloading solenoid armature (iO & NiO)
16	output trays solenoid armature
new	output trays solenoid armature in KLTs


Not only 1 tray pro class, at least 2. The machine has to product without interruption, as the operator is changing a tray

Not only length between plate and pin, but also total length of the pin

molded plastic Trays, no more ET_0830W001. Parts still horizontal


Transport unit (without options)

	Positions round table
a	loading plate
b	plate brushing
c	hole plate measurement
d	empty (measered value to handling pins)
e	loading pin in assembly tool & press fitting
f	runout checking
g	length checking
h	back brushing
i	empty (free place)
j	unloading solenoid armature (iO & NiO)



Layout

	Stations
1	feeding trays plate
2	loading plate
3	plate brushing
4	hole plate measurement
5	feeding trays pins
6	selection needle & loading in assembly tool
7/8	loading plate in assembly tool & press fitting
9	runout checking
10	length checking
11	back brushing
12	Angle orientation solenoid armature before marking (option)
13	DMC marking (option)
14	free place
15	unloading solenoid armature (iO & NiO) DMC controlling (option)
16	output trays solenoid armature
19	transport unit
20	boxes NiO-Parts
21	drawer SPC-Parts
22	stabi-parts
23	base frame
24	controls & electrics
25	pneumatics



Price indication

Total price:

Complete machine: 1.150.000€

- Without option
- Including re-commissioning in Rodez
- RzP-Provisions are:
  - *Complete measurement equipment Plate-InnerØ (Stotz, measurement devices, pneumatics,…) incl. BCI-OpConPlus-Object*

Option DMC-Marking: 97.000€

- *Including*
  - *12-fold-round table instead of 10-fold-round table*
  - *Angle Orientation before DMC-Marking*
  - *DMC-Marking*
  - *Control DMC*
- *RzP-Provisions are:*
  - *Complete Trumpf laser for DMC-marking (used from old Gluth-MAE „lasermarking nozzle, Order 4774) incl. BCI-OpConPlus-Object*
  - *Complete Cognex camera equipment for Angle Orientation (used from old Gluth-MAE „lasermarking nozzle, Order 4774)*
  - *Complete Cognex camera equipment for Control (used from old Gluth-MAE „lasermarking nozzle, Order 4774)*



Danke
für die Aufmerksamkeit

Gluth SYSTEM TECHNIK

Gluth Systemtechnik GmbH
Steinweg 66 | 94315 Straubing
+49 9421 544-0 | info@gluth.de | www.gluth.de