

# Splunk 201 Hands-on Workshop



splunk>

# Forward- looking statements

This presentation may contain forward-looking statements regarding future events, plans or the expected financial performance of our company, including our expectations regarding our products, technology, strategy, customers, markets, acquisitions and investments. These statements reflect management's current expectations, estimates and assumptions based on the information currently available to us. These forward-looking statements are not guarantees of future performance and involve significant risks, uncertainties and other factors that may cause our actual results, performance or achievements to be materially different from results, performance or achievements expressed or implied by the forward-looking statements contained in this presentation.

For additional information about factors that could cause actual results to differ materially from those described in the forward-looking statements made in this presentation, please refer to our periodic reports and other filings with the SEC, including the risk factors identified in our most recent quarterly reports on Form 10-Q and annual reports on Form 10-K, copies of which may be obtained by visiting the Splunk Investor Relations website at [www.investors.splunk.com](http://www.investors.splunk.com) or the SEC's website at [www.sec.gov](http://www.sec.gov). The forward-looking statements made in this presentation are made as of the time and date of this presentation. If reviewed after the initial presentation, even if made available by us, on our website or otherwise, it may not contain current or accurate information. We disclaim any obligation to update or revise any forward-looking statement based on new information, future events or otherwise, except as required by applicable law.

In addition, any information about our roadmap outlines our general product direction and is subject to change at any time without notice. It is for informational purposes only and shall not be incorporated into any contract or other commitment. We undertake no obligation either to develop the features or functionalities described, in beta or in preview (used interchangeably), or to include any such feature or functionality in a future release.

---

Splunk, Splunk> and Turn Data Into Doing are trademarks and registered trademarks of Splunk Inc. in the United States and other countries. All other brand names, product names or trademarks belong to their respective owners.  
© 2024 Splunk Inc. All rights reserved.



# Splunk 201 Session Overview

## Session Goals:

- Enable your teams to search, investigate, analyze, & report on data
- Drive more value and better outcomes from machine data
- Increase teams' productivity and efficiency in resolving issues

## Splunk 201 Agenda - for Splunk Power Users:

- Transactional Analysis
  - SPL Commands: stats list/values, transaction, chart (for histograms)
- Advanced Statistics
  - SPL Commands: stats stdev/variance, eventstats, streamstats
- Schema-on-Read and Field Extractions
  - The field extractor, eventtypes/tags/macros, CIM
- (Optional) Advanced Dashboarding





# Lab Instance Enrollment & Log In

## Tasks

- 1. Get a splunk.com account if you don't have one yet:  
<https://splk.it/SignUp>
- 2. Enroll in the Splunk Show workshop event:  
<https://show.splunk.com/event/<eventID>>
- 3. Download today's slides:  
<https://splk.it/201-Attendee>
- 4. Download the lab guide:  
<https://splk.it/201-Lab-Guide>
- 5. Download a copy of the Splunk Quick Reference Guide:  
<https://splk.it/SplunkQuickRef>

## Goal



Your login credentials are shown under the “Instances Information” section at the bottom of the page



# Transactional Analysis

Using stats, transaction, and chart



# WHAT is transactional analysis and WHY is important?

Wave 1: See the systems

Wave 2: See the transactions

Wave 3: See the users

Wave 4: See the value

reliability  
optimization  
engagement

## on a Complete Data Journey

Faster time to business outcomes



Investigate



Monitor




Analyze



Act

Slow Services and User Impact





# stats list / values

Use the `stats` command to turn data into aggregate tables!

## Overview of `stats list / values`:

- `list` function:
  - Returns a multivalue entry from the values in a field
  - Order of values reflects order of events
- `values` function:
  - Returns a list of the distinct values in a field as a multivalue entry
  - Order of values is alphabetical

### Syntax:

```
<your search> | stats <function> <by clause>
```

**Exercise #1: Build transactions with stats list/values. For every transaction include: the duration, values of the action field, and associated raw events.**

- **Hints:**
  - Focus on web log events (sourcetype clue)
  - **Don't** include address or category\_id fields
  - Sort results in descending order by the transaction “duration”
  - Only show 10 most recent transactions (use head command)





# The **transaction** command

Use the **transaction** command to easily group events into transactions!

## Overview of **transaction** command:

- Finds transactions based on events that meet various constraints
- Made up of raw text of each member, time and date fields of earliest member, and union of all other fields
- Adds 2 fields to raw events: duration & eventcount

## Syntax:

<your search> | **transaction** <fields>

## Exercise #2: Build transactions with the transaction command. Group events based on the username and session ID fields.

- **Hints:**
  - Focus on web log events (sourcetype clue)
  - Sort results in descending order by the transaction “duration”
  - Only show 10 most recent transactions (use head command)
  - Display results in a table and include the following fields: JSESSIONID, duration, username, uri\_path

JSESSIONID	duration	username	uri_path	action	address	bytes	category	category_id	clientip	do
SD1SAL1FF6ADFF4	2841	edavidjdj	/cart.do	purchase view	8870 Oakridge Plaza	259 2898	Misc		201.36.233.151 54.115.1.118	
SD3SL1FF7ADFF8	2829	wcampbellnz	/cart.do /category.screen	purchase	37566 Logan Plaza	1829 3538	Misc	Misc	10.2.1.33 210.135.155.193	
SD8SL9FF9ADFF8	2650	wnorganca	/cart.do	changequantity		122 1274	Misc		210.204.91.255 60.82.110.115	

Want to know more? Check out:

Splunk Docs (transaction): <https://docs.splunk.com/Documentation/Splunk/9.2.2/SearchReference/Transaction>





# The **chart** command & histograms

Use the **chart** command to easily visualize your event data and perform statistical analysis

## Overview of **chart** command:


- Transforming command that returns results in table format
- Results can usually be used to create visualizations to display statistical information, such as trends over time
- A statistical function is required with this command

## Exercise #3: Determine how the duration of web user sessions varies and how many distinct users are seen for each duration interval

- **Hints:**
  - Focus on web log events (sourcetype clue)
  - Start by creating transactions to represent the user sessions!
  - Use chart option bins=10 to create different duration intervals
  - For each duration interval, display the number of sessions and distinct users

### Syntax:

<your search> | **chart** <function> <by clause>



Want to know more? Check out:

Splunk Docs (chart): <https://docs.splunk.com/Documentation/Splunk/9.3.0/SearchReference/Chart>

# Advanced Statistics

stats stdev/variance functions, eventstats,  
& streamstats





# Advanced Statistics vs Machine Learning

## Splunk makes it easy to do multiple types of statistics:

- **(101) Statistics:** aggregate and analyze numerical data split by groups (counts, sums, avgs & medians)
- **(201) Transactional Statistics:** analyze higher-level entities and transactions from raw data
- **(201) Advanced Statistics:** incorporate variability (stdev/percentiles), apply eventstats & streamstats
- **(301) Machine Learning:** use statistical models to detect anomalies and sudden changes, adjust thresholds dynamically, and predict service degradation

## References:

- List of stats functions:  
<https://docs.splunk.com/Documentation/Splunk/latest/SearchReference/CommonStatsFunctions>
- Download the Splunk Machine Learning Toolkit (MLTK):  
<https://splunkbase.splunk.com/app/2890/>
- Download Python for Scientific Computing Add-on for your OS:  
<https://splunkbase.splunk.com/apps?page=1&keyword=Python+for+Scientific+Computing&filters=product%3Asplunk%2Fcategories%3Aai>





# The **stats stdev** function

Use the **stdev** function to find anomalies and/or suspicious activity in your event logs

## Overview of **stdev** function:

- Returns the sample standard deviation of the field specified
- Commonly used with **stats**, can also be used with:
  - **chart**
  - **timechart**
  - **tstats**, **mstats** (not covered yet)

## Syntax:

<your search> | **stats stdev**(<field>) <by clause>

username ↕	avg(clicks_per_minute) ↕	stdev(clicks_per_minute) ↕
fsamuels	1.9473684210526316	0.22941573387056158
fholmesfc	1.0909090909090908	0.3015113445777638
mfoxch	1.0909090909090908	0.3015113445777638
tscottj4	1.0909090909090908	0.3015113445777638
areyese7	1.1	0.31622776601683766
astewartp6	1.1	0.31622776601683766
darmstrongr8	1.1	0.31622776601683766

**Exercise #4: Track the average duration of user sessions using averages and medians, and the typical fluctuation of these values using stdev and percentiles.**

- **Hints:**
  - Focus on web log events (sourcetype clue)
  - Start by creating event transactions to identify the user sessions and their duration
  - Use timechart with statistical functions to generate the required analytics over time!

Want to know more? Check out:

Splunk Docs (stats stdev): <https://docs.splunk.com/Documentation/Splunk/9.2.2/SearchReference/Aggregatefunctions#stdev.28.26lt.3Bvalue.26gt.3B.29>



# The `eventstats` command

Use the `eventstats` command to build adaptive thresholds based on peer groups

## Overview of `eventstats` command:

- Generates summary statistics from fields in your events and saves those statistics in a new field
- Only events with the fields used in the `eventstats` commands will be used
- Generated summary statistics can be used for calculations in subsequent commands in the same search

### Syntax:

`<your search> | eventstats <function> <by clause>`

JSESSIONID ↕	uri_path ↕	_time ↕	duration ↕
SD10ASL10FF1ADFF2	/cart.do	2024-01-17 19:34:57	2731
SD10ASL10FF3ADFF1	/product.screen	2024-01-17 19:34:44	3309
SD10ASL3FF10ADFF7	/cart.do	2024-01-17 19:35:05	2850
SD10ASL4FF3ADFF5	/cart.do	2024-01-17 19:32:00	3114
SD10ASL5FF10ADFF5	/cart.do	2024-01-17 19:30:45	2906
SD10BSL10FF5ADFF3	/product.screen	2024-01-17 19:33:23	3353
SD10BSL3FF3ADFF6	/cart.do	2024-01-17 19:31:28	3146
SD10BSL4FF3ADFF5	/cart.do	2024-01-17 19:32:00	3114

## Exercise #5: Find transactions with very slow durations, and group the results by the `uri_path` field

- Hints:
  - Focus on web log events (sourcetype clue)
  - Create transactions to identify the web sessions by session ID and `uri_path`
  - “Slow duration” if  $\text{duration} > (\text{average duration} + 2 \times \text{standard deviation for the duration})$

Want to know more? Check out:

Splunk Docs (`eventstats`): <https://docs.splunk.com/Documentation/Splunk/9.3.0/SearchReference/Eventstats>



# The `streamstats` command

Use the `streamstats` command to build historical adaptive thresholds and track service health over time

## Syntax:

`<your search> | streamstats <function> <by clause>`

## Overview of `streamstats` command:

- Adds cumulative summary statistics to all search results in a streaming manner
- Statistics for each event calculated when event is seen
- Operates on whatever search output it receives and is the accumulation of the statistical function values in the events seen at that point

JSESSIONID ↕	uri_path ↕	_time ↕	duration ↕
SD10BSL10FF5A0FF3	/product.screen	2024-01-17 19:33:23	3353
SD10CSL5FF3ADFF4	/product.screen	2024-01-17 19:33:15	2782
SD10SL5FF10ADFF4	/product.screen	2024-01-17 19:34:57	2831
SD10SL5FF6ADFF5	/product.screen	2024-01-17 19:37:09	2827
SD10SL6FF4ADFF6	/product.screen	2024-01-17 19:35:05	3029
SD10SL6FF9ADFF9	/cart.do	2024-01-17 19:33:15	3509
SD10SL9FF10ADFF7	/product.screen	2024-01-17 19:31:39	3600
SD1SAL3FF4ADFF9	/category.screen	2024-01-17 19:31:18	3576

## Exercise #6: Find anomalous transactions that are impacting service health (2 stdev slower than historical average)

- Hints:
  - Focus on web log events (sourcetype clue)
  - Create transactions to identify the web sessions by session ID and uri\_path
  - Evaluate duration of each transaction dynamically by service
  - Find transactions where duration is  $>$  historical average + 2 standard deviations

Want to know more? Check out:

Splunk Docs (streamstats): <https://docs.splunk.com/Documentation/Splunk/9.3.0/SearchReference/Streamstats>





# Putting Everything to Practice!


Use the commands and functions discussed in this section to find suspicious activity in your event logs that may indicate the presence of bots!

## Overview of the commands and functions to be used:

- `stats stdev()` function
- `eventstats` command
- `streamstats` command

### Syntax:

`<your search> | command function(<field>) <by clause>`



## Exercise #7: Create an SPL query that can help us detect bots in our web logs

- **Hints:**
  - Focus on web log events (sourcetype clue)
  - Group events in 1 minute intervals (bin)
  - Count rolling number of events as clicks per minute, look at the values for each time interval and username
  - Find when the number of clicks per minute has a very low standard deviation! (constant clicks = bots)
  - Sort results in ascending order based on the standard deviation of the clicks per minute field

Want to know more? Check out:

Splunk Docs (stats stdev): <https://docs.splunk.com/Documentation/Splunk/9.2.2/SearchReference/Aggregatefunctions#stdev.28.26lt.3Bvalue.26gt.3B.29>



# Schema-on-Read & Field Extractions

Extracting new fields, eventtypes, tags, macros, & the Splunk CIM



# Schema-on-read vs Schema-on-write

Splunk has many options for storing and searching data

## Schema-on-read / search-time extractions:

- We only write \_raw and metadata to disk.
- Extract new fields when you run a search.
- This makes ingest very fast, search very flexible.
- Good for asking questions you didn't know in advance (i.e., during security investigations!!!)

## Schema-on-write / index-time extractions:

- We write additional field information to disk at ingest-time (e.g., hash, username, source/dest IPs).
- This adds time to ingest and uses extra disk space, but enables fast, optimized searches.
- Good for asking questions you know you need to ask (i.e., for security monitoring).

## Data model acceleration:

- We can write additional field information after the fact.
- Acceleration searches run in background on regular basis.




# Interactive Field Extractor

Extract fields with UI-based Interactive Field Extractor - it creates regex for you!

**Best practice:** Extract ALL fields you need using single regex

**Bad practice:** A customer who used 72 different field extractions for 4 different types of data grouped into one sourcetype.

- **How to fix:** Separate into 4 different sourcetypes, each with 1-3 field extractions covering the ~18 fields on each sourcetype.



Work with Splunk admin teams on field extractions, but the Interactive Field Extractor is good for a quick one-off

# Eventtypes, tags and macros

We can “*hide*” field extractions under eventtypes and tags.

- **Eventtypes:** Eventtype=myfavoritedata => (sourcetype=X type=foo) **OR** (sourcetype=Y style=bar)
- **Tags:** tag=network as part of Common Information Model hides LOTS of contributing information to make it easy for you to search for network data
- **Macros:** store reusable search strings.
  - **Example:** wrap string “lookup assets.csv host” as macro `asset\_enrich`

sourcetype=X | `asset\_enrich` => sourcetype=X | **lookup** assets.csv host

- You can pass variables (`mymacro(X)` => something)

**Best practice:** Work with your Splunk admin team!

# Common Information Model

Use field aliases and tags to harmonize data across different types

Example:

- Field name “src” to appear on all network data
- Sometimes represents “source”, “source\_ip”, “starting\_ip”, etc.
- Using the Splunk CIM you can search on src=1.2.3.4 across all data.

Pro Tip: Talk to your Splunk admin team!

- If working with common data types, they’re probably already aligned to CIM.
- Security teams should *definitely* align to CIM.

Learn more about the Common Information Model:

<https://docs.splunk.com/Documentation/CIM/latest/User/Overview>

Validate CIM compliance:

[https://github.com/hire-vladimir/SA-cim\\_vladiator](https://github.com/hire-vladimir/SA-cim_vladiator)

Data model	File name
Alerts	Alerts.json
Application State	Application_State.json
Authentication	Authentication.json
Certificates	Certificates.json
Change	Change.json
Change Analysis	Change_Analysis.json
CIM Validation (S.o.S)	Splunk_CIM_Validation.json
Databases	Databases.json
Data Loss Prevention	DLP.json
Email	Email.json



# Resources

Where to go from here?


splunk>



# Splunk Community

<https://community.splunk.com>

- A free way to connect, learn, have fun, and find success with Splunk
- Ask questions, get answers, and find solutions from passionate experts in the community
- Meet in-person or virtually with like-minded enthusiasts, in your area or by interest
- Search for, vote on, or submit your own ideas for new enhancements for any product or solution



# Splunk Events


<https://splunk.com/events>

- Expand your network and connect with the global and local Splunk community



<https://conf.splunk.com>

- Join us at .conf next summer!
- Hundreds of on-demand sessions from product updates to learning new Splunk skills!






# Documentation

<https://docs.splunk.com>


- Search reference for SPL
- Step-by-step tutorials  
Search:  
<https://splk.it/SplunkSearchTutorial>  
Dashboard Studio:  
<https://splk.it/SplunkDashStudioTutorial>
- Product references
- Procedures/guides
- And more!



# Splunk Lantern

<https://lantern.splunk.com>

- Use case library
- Step-by-step procedures
- Map use cases to data sources
- Splunk Success Framework to realize value across your organisation



# Splunkbase

Splunkbase has 3200+ apps

Enable new use cases and extend your teams' Splunk capabilities:

<https://splunkbase.splunk.com>

- 3200+ apps and add-ons
- Pre-built searches, reports, visualisations and integrations for specific use cases and technologies
  - Use cases include:
    - IT Ops, Security, Observability, Business Analytics, IoT & Industrial Data
    - Financial Services, Retail, Telecom, Healthcare, Energy
- Download apps and customize them based on your requirements
- Fast time to value from your data
- Build and contribute your own apps!






# Developer Resources

<https://dev.splunk.com>


- Developer Guide
- API Reference
- Tutorials
- Downloads  
APIs, libraries, tools
- Code examples
- Free Developer licence



# Training & Certification

<https://splunk.com/training>

- **Online education classes**  
Instructor-led and self-paced eLearning
- **Certification tracks for different roles**  
User, Power User, Admin, Architect and Developer
- **Splunk Education Rewards**  
Complete training and receive points that you can redeem for Splunk swag!
- **Free education!**  
Free single-subject eLearning courses to kick start your Splunk learning



# Thank you!

