

Negative Pressure Wound Therapy (NPWT): Disposable Prevena 'Peel & Place' Dressing Application

Site Applicability:

All VCH and PHC sites

Practice Level

Profession	Basic Skill	Advanced Skill (requiring additional education)
NSWOC, Nurse Practitioner	Performance of Negative Pressure Wound Therapy (NPWT) <ul style="list-style-type: none"> May provide a client-specific order for other nurse to follow and may establish the wound care treatment plan 	
RN, RPN/LPN		Must have completed additional education as outlined by their health organization /agency DST prior to performing NPWT: <ul style="list-style-type: none"> PHC: Negative Pressure Wound Therapy (VAC) Certification VCH Acute Sites: VCH VAC Basic / Advanced Education – (VGH/UBCH Acute Care Nursing) VCH Community Sites: VCH Introduction to Negative Pressure Wound Therapy – (Vancouver Community Nursing) NPWT Disposable Prevena 'Peel and Place' Dressing

Policy Statements

- RNs, RPNs and LPNs require a client specific order from a physician/NP or NSWOC: LPNs also require an established wound treatment to be in place.
- VCH and PHC nurses will follow this procedure developed by the Provincial Nursing Skin and Wound Committee ([see procedure link below](#)) when using the Prevena 'Peel and Place' disposable NPWT.

This material has been prepared solely for use at Providence Health Care (PHC), Provincial Health Services Authority (PHSA) and Vancouver Coastal Health (VCH). PHC, PHSA and VCH accept no responsibility for use of this material by any person or organization not associated with PHC, PHSA and VCH. A printed copy of this document may not reflect the current electronic version.

- The Prevena “Peel and Place” disposable NPWT system is primarily applied by the surgeons in the operating room. In the rare event that the dressing needs to be entirely replaced or initiated outside the operating room, the nurse is required to have specific Prevena training ([See practice level table above](#)).

Need to Know

The Provincial Nursing Skin and Wound Committee (PNSWC) developed this procedure to provide a standardized approach to the application and removal of the Prevena ‘Peel and Place’ disposable NPWT system for all patients, clients and residents across the province.

Procedure

The provincial DST Procedure: NPWT Disposable Prevena ‘Peel & Place’ Dressing Application provides detailed guidance on the appropriate technique to be used for this procedure and this disposable NPWT system.

Procedure: [NPWT Disposable Prevena ‘Peel & Place’ Dressing Application](#)

Expected Patient/Client/Resident Outcomes

Patient/Client/Resident with a wound determined to be appropriate for this dressing type will have his/her wound managed according to the procedure set by the PNSWC.

Documentation

Done as part of the documentation for care that was provided as per the treatment plan/care plan.

References

See procedure document.

Related Documents

Provincial NPWT Guideline

Effective Date:	12-SEP-2019	
Posted Date:	12-SEP-2019	
Last Revised:	12-SEP-2019	
Last Reviewed:	12-SEP-2019	
Approved By: <i>(committee or position)</i>	PHC	VCH
	Endorsed by: Professional Practice Standards Committee	Endorsed by: Vice President, Professional Practice and Chief Clinical Information Officer
Owners: <i>(optional)</i>	PHC/ VCH	
	<p>The Provincial Nursing Skin and Wound Committee in collaboration with Regional Skin & Wound Committees from NHA, IHA, FHA, VIHA, PHSA & VCH/PHC</p> <p>NSWOC, Clinical Nurse Specialist, Skin & Wound, PHC</p> <p>NSWOC, Clinical Nurse Specialist, Wound Ostomy Continence, VCH</p> <p>Nurse Clinician, Burn Plastic Trauma Unit, VGH</p> <p>NSWOC, VGH</p> <p>NSWOC, LGH</p> <p>NSWOC, Nurse Practitioner- Long Term Care, Residential Program, VCH</p> <p>NSWOC, Pender Community Health Centre, VCH</p> <p>NSWOC, Nursing Informatics, Clinical Lead (Pixalere) IMITS - Clinical Solutions - Community Applications, VCH</p> <p>Provincial Nursing Skin and Wound Committee, VCH</p> <p>*NSWOC = Nurse Specializing in Wound Ostomy Continence</p>	

This material has been prepared solely for use at Providence Health Care (PHC), Provincial Health Services Authority (PHSA) and Vancouver Coastal Health (VCH). PHC, PHSA and VCH accept no responsibility for use of this material by any person or organization not associated with PHC, PHSA and VCH. A printed copy of this document may not reflect the current electronic version.