

GUIDELINE BD-00-07-41013

Prevention, Assessment and Treatment of Hypergranulation Tissue in Adults & Children

Site Applicability

All VCH and PHC Sites

Practice Level

Profession	Basic Skill
 Nurse Practitioner (NP) Nurse Specialized in Wound, Ostomy and Continence (NSWOC) Wound Clinician 	 Determines basic care strategies for the prevention and assessment/treatment of hypergranulation tissue Orders application of silver nitrate to hypergranulation tissue
 Registered Nurse (RN) Registered Psychiatric Nurse (RPN) 	 Determines basic care strategies for the prevention and assessment/treatment of hypergranulation tissue Follow client specific order to apply silver nitrate to hypergranulation tissue as per Product Information Sheet
Licensed Practical Nurse (LPN)	 Follow an RN/RPN-established wound treatment plan for the assessment/treatment of hypergranulation tissue

Requirements

A Physician, NP, NSWOC or Wound Clinician order is required for the application of silver nitrate to hypergranulation tissue.

Need to Know

- The Provincial Nursing Skin and Wound Committee (PNSWC) developed this Decision Support Tool (DST) to provide a provincial standard for all patients/clients/residents who require prevention, assessment and treatment of hypergranulation tissue on wounds, tubes/drains, stomas, nonstomatized enterocutaneous fistula or nails.
- The DST guides nurses to determine appropriate care strategies for the prevention and treatment of hypergranulation tissue for clients (adult and children) across all care settings.
- Once an order is received, nurses must follow the Product Information Sheet for the application of Silver Nitrate.

PHC: This DST does not cover the prevention and management of hypergranulation tissue that occurs with Ventricular Access Devices please refer to PHC:

<u>Ventricular Assist Device (VAD): Dressing Change (CSICU)</u>

And

This material has been prepared solely for use at Providence Health Care (PHC) and Vancouver Coastal Health (VCH). PHC and VCH accept no responsibility for use of this material by any person or organization not associated with PHC and VCH. A printed copy of this document may not reflect the current electronic version.

Effective date: Jan 12, 2024 Page 1 of 3



GUIDELINE BD-00-07-41013

Ventricular Assist Device (VAD): Dressing Change (Ward)

Guideline

Hypergranulation Tissue: Guideline

Hypergranulation Tissue - Prevention & Basic Treatment Interventions Quick Reference Guide

Documentation

As per VCH and PHC documentation guidelines.

Related Documents

Silver Nitrate Product Information Sheet

This material has been prepared solely for use at Providence Health Care (PHC) and Vancouver Coastal Health (VCH). PHC and VCH accept no responsibility for use of this material by any person or organization not associated with PHC and VCH. A printed copy of this document may not reflect the current electronic version.

Effective date: Jan 12, 2024 Page 2 of 3



GUIDELINE BD-00-07-41013

Effective Date:	12-JAN-2024	
Posted Date:	12-JAN-2024	
Last Revised:	12-JAN-2024	
Last Reviewed:	12-JAN-2024	
Review Due by:	12-JAN-2027	
Approved By:	PHC	VCH
(committee or position)	PHC Professional Practice Standards Committee	VCH: (Regional DST Endorsement - 2 nd Reading) Health Authority & Area Specific Interprofessional Advisory Council Chairs (HA/AIAC) Operations Directors Professional Practice Directors Final Sign Off: Vice President, Professional Practice & Chief Clinical Information Officer, VCH
Owners:	PHC	VCH
(optional)		Clinical Nurse Specialist – Wound, Ostomy, Continence

This material has been prepared solely for use at Providence Health Care (PHC) and Vancouver Coastal Health (VCH). PHC and VCH accept no responsibility for use of this material by any person or organization not associated with PHC and VCH. A printed copy of this document may not reflect the current electronic version.

Effective date: Jan 12, 2024 Page 3 of 3