

## Original Report:

SCREENING MAMMOGRAPHY REPORT		This screening mammogram was read by a radiologist																														
Compared with previous? <input type="checkbox"/> Yes <input type="checkbox"/> No		Mammographic Density BI-RADS <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> Not Reported <small>code: a b c d</small>																														
<b>RESULT:</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/> No significant finding: repeat screening in 1 or 2 years                             </div> <div style="width: 50%;"> <input checked="" type="checkbox"/> A - Low suspicion finding  <input type="checkbox"/> B - Moderate suspicion finding  <input type="checkbox"/> C - High suspicion finding (requires image guided biopsy)                             </div> </div>																															
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <b>DESCRIPTION OF FINDING:</b>  <small>(3 areas with the most prominent findings are indicated by 1, 2, and 3)</small> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Area 1</th> <th style="text-align: center;">Area 2</th> <th style="text-align: center;">Area 3</th> </tr> </thead> <tbody> <tr> <td>Mass</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Architectural distortion</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Asymmetric/focal density</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Calcification</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <b>RECOMMENDATION:</b> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Yes</th> <th style="text-align: center;">+/-</th> </tr> </thead> <tbody> <tr> <td>Ultrasound</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Add'l Mammo Views</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table> </div> </div>					Area 1	Area 2	Area 3	Mass	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Architectural distortion	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Asymmetric/focal density	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Calcification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Yes	+/-	Ultrasound	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Add'l Mammo Views	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Area 1	Area 2	Area 3																													
Mass	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>																													
Architectural distortion	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Asymmetric/focal density	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Calcification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
	Yes	+/-																														
Ultrasound	<input type="checkbox"/>	<input checked="" type="checkbox"/>																														
Add'l Mammo Views	<input checked="" type="checkbox"/>	<input type="checkbox"/>																														
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <b>Visible on Both Projections</b>  </div> <div style="width: 48%;"> <b>Visible on One Projection Only</b>  </div> </div>																																
Radiologist: <u>ABC</u>		Comments (optional) <u>ORIGINAL REPORT - see AMENDED REPORT</u> <u>SEPT 21/11 - DEF</u>																														

## Amended Report:

SCREENING MAMMOGRAPHY REPORT		This screening mammogram was read by a radiologist																														
Compared with previous? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Mammographic Density BI-RADS <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> Not Reported <small>code: a b c d</small>																														
<b>RESULT:</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/> No significant finding: repeat screening in 1 or 2 years                             </div> <div style="width: 50%;"> <input checked="" type="checkbox"/> A - Low suspicion finding  <input type="checkbox"/> B - Moderate suspicion finding  <input type="checkbox"/> C - High suspicion finding (requires image guided biopsy)                             </div> </div>																															
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <b>DESCRIPTION OF FINDING:</b>  <small>(3 areas with the most prominent findings are indicated by 1, 2, and 3)</small> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Area 1</th> <th style="text-align: center;">Area 2</th> <th style="text-align: center;">Area 3</th> </tr> </thead> <tbody> <tr> <td>Mass</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Architectural distortion</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Asymmetric/focal density</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Calcification</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <b>RECOMMENDATION:</b> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">Yes</th> <th style="text-align: center;">+/-</th> </tr> </thead> <tbody> <tr> <td>Ultrasound</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Add'l Mammo Views</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table> </div> </div>					Area 1	Area 2	Area 3	Mass	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Architectural distortion	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Asymmetric/focal density	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Calcification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Yes	+/-	Ultrasound	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Add'l Mammo Views	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Area 1	Area 2	Area 3																													
Mass	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>																													
Architectural distortion	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Asymmetric/focal density	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
Calcification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																													
	Yes	+/-																														
Ultrasound	<input type="checkbox"/>	<input checked="" type="checkbox"/>																														
Add'l Mammo Views	<input checked="" type="checkbox"/>	<input type="checkbox"/>																														
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <b>Visible on Both Projections</b>  </div> <div style="width: 48%;"> <b>Visible on One Projection Only</b>  </div> </div>																																
Radiologist: <u>ABC/DEF</u>		Comments (optional) <u>AMENDED REPORT - SEPT 21/11 - DEF</u> <u>Left side not Right</u>																														