IF YOU RECEIVED THIS FACSIMILE IN ERROR, PLEASE CALL 604-875-4077 IMMEDIATELY



		ADDRESSOGRAPH	
COMPLETE OR REVIEW ALLERGY STATUS PRIOR TO WRITING ORDERS			
MIDOSTAURIN ORDERS FOR FLT3+ AML			
In combination with standard AML induction or consolidation chemotherapy			
		must be selected to be ordered)	(Page 1 of 1)
Date: Time:		Time Processed RN/LPN Initials Comments	
Consent signed for chemotherapy			
Must be completed prior to ordering chemotherapy: This woman of child bearing potential has been assessed for the possibility of pregnancy.			
	Prescriber's signature Printed name	College ID	
MON	IITORING:		
	ECG on Day 8 (date):, Day 10 (date):	and Day 21 (date): of each cycle.	
	For outpatients, see Notes to Prescriber section.		
CHEMOTHERAPY:			
BCCA Code for PCIS order entry: LKAMLMIDO			
	Indicate cycle: induction 1 induction 2		
☐ consolidation 1 ☐ consolidation 2 ☐ consolidation 3			
Indicate start date of chemotherapy cycle: Day 1 (date) :			
midostaurin 50 mg PO BID for 14 days from day 8 to 21 of each cycle. Take with food.			
For outpatients, see Notes to Prescriber section.			
Start Day 8 (date): to Day 21 (date):			
NOTES TO PRESCRIBER: (UC/Pharmacy do not process – reminders for prescriber only)			
	Consider pre-medication with antiemetic prior to each midostaurin dose. Refer to BC Cancer Protocol for dose modifications for Grade 3/4 pulmonary infiltrates, QT prolongation, and other Grade 3/4 non-hematological toxicities. For outpatients: (initial once completed) ECGs may be done on the day prior to scheduled dates if needed (to coincide with Daycare visits). Prescriber to provide outpatient ECG requisitions (initials) Prescriber to provide prescription to fill at BC Cancer Outpatient Pharmacy (initials)		
Pre	escriber's Signature Printed Name VCH.VA.PPO.1059	College ID	