# **Crosstown: Medication Pre-Waste**

## Site Applicability

Crosstown Clinic

**PROTOCOL** 

#### **Practice Level**

Basic: RN, RPN, LPN

#### **Need to Know**

**Clinical Indication** - Diacetylmorphine and HYDROmorphone doses are prepared by the pharmacy a day in advance of the dispensing date. Doses may be adjusted for safety as per Provider's order or upon request from the client. Doses may also be adjusted based on a missed days protocol, uptitration following a dose intolerance, or a change to a patient specific care plan.

- Nurses must always adhere to College Standards for Medication Administration
- Clients can ask for and receive a lowered dose at any time as per their request.
- For clients that do not tolerate a prescribed dose, nurses will contact the most responsible Provider-or Provider on call to have the client's prescription reassessed for possible reduction and re-titration.
- Pre-waste refers to the amount of drug that a nurse expels from the syringe prior to providing the client their syringe
- All pre-wasted drug must be accounted for and documented in the pre-waste book
- All narcotic waste must go into a denaturing pharmaceutical waste container.
- High alert medication waste must follow the <u>High Alert Medication</u> policy and the <u>Independent</u>
  <u>Double Check</u> (IDC) guideline
- Provision nurse refers to the nurse who dispenses the iOAT syringes to the client
- Medication nurse refers to the nurse who dispenses OAT medication to the client

## **Equipment and Supplies**

- Sharps container
- Medication
- Denaturing medication waste container
- Blunt safety needle
- Needle tip
- Pre-waste record
- Gloves

This material has been prepared solely for use at Providence Health Care (PHC). PHC accepts no responsibility for use of this material by any person or organization not associated with PHC. A printed copy of this document may not reflect the current electronic version.

Effective date: 04/JAN/2024 Page 1 of 3

## PROTOCOL

**Procedure** 

#### ....

If there is a need to pre-waste:

- 1. The provision nurse will calculate the amount of drug to be pre-wasted as per prescriber's order or if requested by client.
- 2. Medication nurse will independently (without assistance from another nurse) calculate the amount of drug to be pre-wasted.
- 3. Both provision and medication nurse will compare their findings.
- 4. If there are no discrepancies between the two nurses' findings, then the medication nurse in the presence of provision nurse will waste the medication into the denaturing container.
- 5. To waste medication, the medication nurse will remove cap and put on blunt end safety needle.
- 6. Change the safety needle for a new sterile cap and discard used needle in a sharps container.
- 7. Post-waste, the provision nurse must verify the correct amount left in the syringe.
- 8. Document the pre-waste amount in milligrams (mg) and milliliters (mL) on the record sheet. The provision nurse co-signs the documentation with IDC beside their initials.
- 9. Document adjusted dose and wastage in OAT database.
- 10. Provision nurse completes a dose decrease TMU entry

## **Expected Outcomes**

- Client will receive the appropriate prescribed or requested dose
- Pre-wasted narcotic procedure will comply with Federal Regulations as well as organizational policy

## **Documentation**

- Pre-wasted amount will be documented in OAT database in the "Cage in" screen for accurate dosing information.
- Pre-wasted amount will be documented on the pre-waste record sheet to comply with Federal Regulations and the Office of Controlled Substances as well Providence Health Care narcotic waste policy.
- TMU entry will be documented in Medinet.

#### **Related Documents**

- 1. B-00-13-10206 Crosstown Clinic: Missed Days Protocol
- 2. B-00-07-10098 Independent Double Check of Medication
- 3. B-00-15-10001 Narcotics and Controlled Substances
- 4. BD-00-11-400028 High Alert Medications (policy)
- 5. Pharmacy Policies: Narcotic and Controlled Drugs
- 6. Federal Narcotic Guidelines http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,\_c.\_1041/

#### References

Federal Narcotic Guidelines http://laws-lois.justice.gc.ca/eng/regulations/C.R.C., c. 1041/

This material has been prepared solely for use at Providence Health Care (PHC). PHC accepts no responsibility for use of this material by any person or organization not associated with PHC. A printed copy of this document may not reflect the current electronic version.

Effective date: 04/JAN/2024 Page 2 of 3



PROTOCOL

## **Persons/Groups Consulted:**

BC College of Nurses and Midwives Practice Consultant, Scope of Practice

## **Revised By**

Nurse Educator, Urban Health Outpatient Clinics Crosstown, JRC, RAAC, Lighthouse

Initial Effective Date:	11-OCT-2018
Posted Date:	04-JAN-2024
Last Revised:	04-JAN-2024
Last Reviewed:	04-JAN-2024
Approved By:	PHC
	Professional Practice Standards Committee
Owners:	PHC
	Crosstown Clinic

Effective date: 04/JAN/2024 Page 3 of 3